


ISC CAM CONNECTION OVERVIEW



ISC CAM - INTERMEDIATE CABLE CONFIGURATION TABLE

LENGTH FEET	METER	SICK ENCODER RING GREEN	SENSORS RING BLACK	VALVE RING BLUE
0.0	0.0	-	-	-
1.5	0.5	DPP-15033333	DPP-1503279	DPP-1503100
3.0	1.0	DPP-15033334	DPP-1503280	DPP-1503101
4.5	1.5	DPP-15033335	DPP-1503281	DPP-1503102
6.0	2.0	DPP-15033336	DPP-1503282	DPP-1503103
7.5	2.5	DPP-15033337	DPP-1503283	DPP-1503104
9.0	3.0	DPP-15033338	DPP-1503284	DPP-1503105
10.5	3.5	DPP-15033339	DPP-1503285	DPP-1503106
13.0	4.0	DPP-15033340	DPP-1503286	DPP-1503107
14.5	4.5	DPP-15033341	DPP-1503287	DPP-1503108
16.0	5.0	DPP-15033342	DPP-1503288	DPP-1503109

NOTES:

1. ALL CABLE CONNECTIONS AND COVERS MUST MEET REQUIRED TORQUE SPECIFICATION TO MAINTAIN IP69K/NEMA4X
2. IF APPLICABLE REFER TO TABLE FOR INTERMEDIATE CABLE PART NUMBER. SEE SPARE PART LIST.
3. UNLESS SPECIFIED ALL CABLES ARE 0.5M LONG.
4. APPLY COVERS TO NOT USED CONNECTORS
5. GO TO WWW.INTRALOX.COM/ISCCAM FOR MORE INFO

REQ. CONNECTOR TORQUE

M8	M12
0.5Nm	0.9Nm

TECHNICAL SERVICE REGIONAL CONTACT
 CUSTOMERSERVICE@INTRALOX.COM

REGION	LOCAL NUMBER
USA:	800-535-8848
BRAZIL:	0800-771-4325
EUROPE:	0800-022-9757
APAC:	4008-423-469

SCHEMATIC NUMBER: A
DATE: 8/1/23
DRAWING DESCRIPTION: DPP-1436996
PROJECT TITLE: DARB TECHNOLOGY WITH SICK ENCODER
REV: RELEASED
SIZE: A3
102

