PEOPLE TOGETHER PLANET FOREVER

ShawContract®

Asia Pacific Catalogue

Jan 2025

shawcontract.com

By APAC. For APAC.
We are Design Optimists.

Cultura | Local Tile

Connected Threads | Pleated Tile

Art + Science | Experiment Tile

West Elm + Shaw Contract | Spark Tile

Color at Work II | Chromatone and Saturate **Tile**

New Path | Centered Tile

Living Systems | Respond Color Tile

Teamwork | Collaboration Tile

Function 5mm | Transition and **Flow 5mm |** Streamline

Off The Grid | Beyond

Shifting Fields | Landing Edge

Serene 5.0 | LVT

Asia Pacific Catalogue
Jan 2025

CONTENTS

TILES

A Walk In The Garden	30
Brush Works	32
Campus	34
Canopy	36
Collective	40
Color At Work II	44
Color Form + Color Frame	46
Community	48
Connected Threads	51
Cultura	53
Diffuse + Disperse	55
District	57
Encounter	59
Floor Architecture	61
Haven	64
Kindered	67
Living Systems	69
Material Matters	73
New Path	76
Noble Materials	78
No Rules	80
Off The Grid	82
Places	84
Shifting Fields	87
Simply By Nature	90
Space Worx	92
Suited	95
Teamwork	97
View	99
West Elm + Shaw Contract	102

HARD SURFACE

Branching Out	106
Nordic	108
Flow + Function	109
Pathway + Promenade	111
Stratum	113
Serene 5.0	192

Neutral is not enough.

LOW EMBODIED CARBON | CARBON NEUTRAL **CARPET TILE**

EcoSolution Q100™ is a high performance 100% recycled content nylon fiber *. EcoWorx carpet tile products with EcoSolution Q100™ are carbon neutral and have a low carbon footprint as reflected in the EC3 tool.

* Allocated from pre-consumer sources



This is more than flooring.

While carbon offsets are a step in the right direction, they are not enough on their own to combat the effects of climate change. We need to take a holistic approach and focus on embodied carbon and carbon emissions.

By addressing both, we're not just offsetting our impact — we're actively working to reduce it. Being neutral is not enough.

It is more than a product or process or specification or a company buying carbon credits.

It is more than designing things that are good for the earth — what we're taking away from it and what we're giving back.

It is more than material health or circular economy or diversity or carbon impact.

And it is more than being carbon neutral.

We will work with you to reduce our carbon footprint once and for all.

Because neutral is not enough.

People Together,
Planet Forever is our promise.

Neutral is not enough
is our call to action.

We are one planet. We cannot afford to be neutral. **We must make changes and take action together.**

EcoWorx® Works with WELL

EcoWorx® carpet tile is the first **Works with WELL** licensed carpet product. This achievement is a testament to our ongoing focus on creating products that support the health & well-being of the planet and all people.

EcoWorx® has been validated by the International WELL Building Institute as aligning with material health focused features of the program through its **Works with WELL** mark. This allows product specifiers and purchase decision makers to easily select products that meet their health & wellbeing criteria and align with certain WELL Certification requirements.

Scan the QR Code below to learn more or visit www.shawcontract.com to explore our EcoWorx® products.

Circular Since 1999: **Sustainability**

At the heart of Shaw Contract, we create products and solutions that positively impact people and the planet. **We are Design Optimists**.

We fundamentally believe that everyone should have access to safe, sustainable products for the places where we heal, learn, rest and work.

Our view of sustainability encompasses not only the environmental health of our products and our operations, but also how our products impact human experience. The products we make undergo rigorous testing for product human impact and environmental impact through the Cradle to Cradle Certified® Products Program. Our manufacturing plant in China is both carbon-neutral and LEED Silver-certified.

shaw
5838D
NHS 038349
5837D
NHS 038275

People Together, Planet Forever is our **promise.**
Neutral is not enough is our **call to action.**

We are one planet. We cannot afford to be neutral. We must make changes and take action together. We are design optimists.

MATERIAL HEALTH

Together, we design and manufacture products to optimize human environments.

Cradle to Cradle Certified® Silver
Connected Threads EcoWorx® carpet tile styles are third-party verified as being safe, circular, and responsibly made.

Indoor Air Quality
People spend 90% of their time indoors, making these environments critical to our wellbeing. These products are Green Label Plus (GLP) Certified, meeting the California Department of Public Health (CDPH) indoor air quality standards for low-emitting products.

Product Transparency
Connected Threads EcoWorx® carpet tile styles have an HPD, which is a transparent disclosure of product content and associated health information.

LBC Red List Approved
Connected Threads EcoWorx® carpet tile styles are Living Building Challenge (LBC) Red List Approved. Proprietary ingredients are not disclosed on the Declare label; however, all raw materials have been third-party confirmed as being compliant with LBC Red List.

CARBON IMPACT

Together, we are a positive force in the global effort to collectively fight climate change.

More Than 50% Reduced Carbon Footprint
As a result of Shaw's investments to help reduce our energy and greenhouse gas impact, we have cut our Scope 1 & 2 emissions by more than half since our 2010 baseline.

Low Embodied Carbon
Connected Threads EcoWorx® carpet tile styles have a 3rd party verified EPD.

Carbon Neutral Facility
Shaw has achieved carbon neutrality in our commercial carpet operations. Since 2018 our global carpet operations are 100% carbon neutral.

CIRCULAR ECONOMY

Together, we practice a regenerative, closed-loop approach to sustainability.

We Want it Back
At the end of its useful life, we'll reclaim and recycle Connected Threads EcoWorx® carpet tile styles to make more EcoWorx® carpet products through our Environmental Guarantee. Since 2006, Shaw has reclaimed and recycled nearly 1 billion pounds of post-consumer carpet reducing landfill waste.

DIVERSITY & INCLUSION

Together, we nurture an environment where every voice and perspective can be heard, with equal value placed on seen and unseen experiences.

Supplier Diversity Program
We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. More than 75% of our spend* is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

*Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which we choose.

Art Meets Science: A Continual Loop From Past to Present

Introducing *Art + Science*: a revolutionary **PVC-free resilient**, changing the way we think about hard surface **performance** and **circularity**.

Born from EcoWorx® carpet tile backing, an idea we first launched 25 years ago, the *Art + Science* collection is the first PVC-free, fully recyclable EcoWorx™ Resilient. As sustainable as it is beautiful and designed for performance in all commercial spaces.

Art + Science – a cycle completing itself.

For more details, please visit:

Shaw Contract US website

COVER: EXPERIMENT (PVC-FREE RESILIENT 4581V) IN POPPY (00515) AND
OBSERVE (PVC-FREE RESILIENT 4566V) IN DIVERT (00520) | INSTALLED STAGGER

EXPERIMENT (PVC-FREE RESILIENT 4581V) IN REFRESH (00100) | INSTALLED BRICK
OBSERVE (PVC-FREE RESILIENT 4566V) IN SUSTAIN (00595) + ENGAGE (00475) + LEAF (00375) | INSTALLED STAGGER

We've come full circle

2022

Introduced EcoSolution Q100™ fiber with EcoWorx® backing, **reducing our carbon impact 42%, making nearly 90% of our carpet tile low embodied carbon and carbon neutral.**

2006

Reclaimed and recycled nearly 1 billion pounds of carpet since 2006.

We want it back.
Through our re[TURN]® Reclamation Program we turn EcoWorx into future EcoWorx flooring.

2005

EcoWorx became the first flooring product to be **Cradle to Cradle Certified®.**

1999

Launched the first fully recyclable PVC-free EcoWorx carpet tile backing.

Over 6 billion square feet installed globally.

SHREDDED ECOWORX CARPET TILE AND ECOWORX RESILIENT

2024

Launched our first **PVC-free, fully recyclable EcoWorx™ resilient** + our new **bio-based carbon tile — EcoWorx® BIO.**

Launched EcoWorx BIO PVC-free bio-based backing, **reducing our carbon footprint 75%** since 2016.

2030

Our Goal: Achieve net zero operations by 2030 across our enterprise, all while **reducing the carbon footprint** of our products and our value chain.

Neutral is not enough.

EXTRUDED PELLETS

ECOWORX PVC-FREE CARPET TILE

Our 100% PVC-free backing made from thermoplastic polyolefin compound.

ECOWORX PVC-FREE RESILIENT

Formulated with no PVC, ortho-phthalates and plasticizers, EcoWorx is fully recyclable – optimized for low embodied carbon and carbon neutral.

Nantong Plant (Plant CN)

Representing a long-term investment in APAC, Plant CN features new machinery with the latest, industry-leading technology. Imported raw materials ensure globally consistent products that adhere to the same high standards worldwide.

Significantly Shorter Lead Time

On top of the standard 4-6 week production lead time, we also have our instock programme for both carpet tile and hard surface that could be shipped.

More Designs Tailored for APAC

We offer one of the industry's most comprehensive ranges of award-winning designs that are curated specifically for projects in APAC. These include carpet tiles, luxury & engineered vinyl tiles (LVT & EVT), and rugs, with more than a thousand colorways.

Sustainability Commitment

Our Plant CN is carbon-neutral and LEED NC Silver certified, and all of our carpet tiles manufactured here are Cradle-to-Cradle certified. At the global level, Shaw Industries is also a signatory of the United Nations Global Compact – the world's largest corporate sustainability initiative.

Timely Service & Technical Support

Our seasoned Asia-based team of customer service, warehousing, logistics and inside sales expertise ensure your projects are services timely and attentively across APAC time zones.

Singapore Showroom

Melbourne (Australia) Showroom

Bangalore (India) Showroom

Shanghai (China) Showroom

CARPET TILE COLLECTIONS

A WALK IN THE GARDEN

Struck by the harmony of man-made surfaces in nature, Cradle to Cradle Certified® visionary William McDonough captured moments from a garden in China that inspired the way we make products to this day. Renewed and revisited, Shaw Contract relaunches A Walk In The Garden, in 9x36 tile and a fresh color palette. Expanding on our connection with nature, made for positive impact.

Pavers II + Gravel II + City Central + Fault Lines II

Basalt II | page 121

Fault Lines II | page 143

Gravel II | page 146

Pavers II | page 161

BRUSH WORKS

Setting electronic devises aside, we turned our attention to paint and canvas. Following our instincts, we began a simple study of the dynamic fluidity of brushstrokes. Through our own hands, we found beauty in the inconsistencies. And revealed something of ourselves. Trust the process.

Available for Asia Pacific market only.



Delicate + Color Frame

Delicate | page 134

Motion | page 159

Dynamic | page 139

Campus

no rules collection

A campus is never a singular space, it is a place of connection and creativity; it is the foundation for the coming together of people and ideas united in a common endeavour. Campus is a system of carpet tiles that interweave the strands of creativity, contemplation and collaboration with artistic intent to deliver designs that reflect the spirit of the modern campus.

Commons + Makerspace + Quad

Quad | page 166

Makerspace | page 158

Commons | page 134

Canopy

Just like the natural world, Canopy is designed for your most organic installation ideas. A No Rules collection, it can be installed in any configuration you desire. Design details like color patterning, layered textures and smart gradations mimic nature as they make it easy to install, mix dye lots and replace as needed.

Suspend

Habitat | page 147

Suspend | page 178

Above | page 116

Balcony | page 121

Elevate | page 139

Preserve | page 162

Wildwood | page 185

Weathered | page 184

Weathered Color | page 184

Collective

Individually we are unique, together we are whole. Collective includes 9 styles that work effectively across all segments where teamwork is essential to success. All styles in Collective are Low Embodied Carbon + Carbon Neutral along with being Cradle to Cradle Certified® Silver. Putting people and planet together as they need to be.

Collective I | page 131

Collective II | page 130

Collective III | page 130

In Common | page 152

Hand In Hand | page 147

Side By Side | page 173

Alongside | page 119

In Tune | page 153

All Together | page 118

COLOR AT WORK II

Color at Work II is a system of colors and visuals designed to create collaborative zones within the spaces where we work, learn, heal and play. A flexible system of colors maintain a neutral base enhanced by multiple accent colors that work individually or built together in unison.

Chromatone Tile | Taupe Silver + Charcoal + Indigo Charcoal and Saturate in Silver + Charcoal + Indigo

Achromatic | page 117

Chromatone | page 128



Saturate | page 169

COLOR FRAME
COLOR FORM
24x24
9x36

You have a vision in mind. Now imagine, changing it at will. The combination of sustainable Cradle to Cradle Certified® 9x36 and 24x24 tiles means you can go monochromatic subtle. Or make a progressive color statement. Zag instead of zig. Explore unique shapes. Experiment with diverse color hues. You've got color carte blanche. And the ability to let your creativity loose.

Color Form + Color Frame

Color Frame | page 132

Color Form | page 131

community

The Community collection was created to work together in harmony. Each of its four core products complements the others—with textured and plush carpet tile, broadloom available as rugs, and hard surface—giving designers unlimited choices to meet the demands of a new workplace.

Exchange | page 141

Back Weave | page 120

Knotted | page 155

Process | page 165

Flat Weave | page 144

Heddle | page 148

Connected Threads

Threads of Connection Bind Us Together

Create a sense of refinement with Connected Threads, a collection that pays tribute to the heritage of textile crafts. Celebrating a foundation of materiality and appreciation and reuse, every stitch and loop adds to our understanding of the threads that bind us.

Drop Sticth, Drop Stitch Accent & Pleated Tile

Drop Stitch | page 137

Drop Stitch Accent | page 138

Knitted | page 154

Pleated | page 163

CULTURA

Design has the power to help build culture and connection by creating spaces that draw people together.

The Cultura Collection is a celebration of the unique ways we connect and create harmony through shared experiences, empathy and understanding.

Local Tile & Nordic

Alban | page 118

Casa | page 125

Local | page 157

DIFFUSE + DISPERSE

The Diffuse + Disperse collection gives the freedom to create installations in any configuration. Be flexible, freeform and fast. As part of No Rules collection, Diffuse + Disperse is made to move spaces with mergeable dye lots, allowing you to mix and match pattern and installation. Available size, 24*24.

Diffuse 24x24

Disperse 24x24 | page 136

Diffuse 24x24 | page 135

DISTRICT

Whatever your Situation, Intent or Purpose the three distinct designs in this collection allow you to divide your space into Districts of pattern, textures and scale.

Intent | page 153

Encounter

Introducing Encounter, a collection designed for all of the encounters that enhance all the ways we work—together and on our own, active and quiet. Inspired by the collaborative power of the modern workspace, Encounter supports the spaces that boost performance, spark new ideas, and help us feel truly connected.

Hub Accent | page 150

GYM
SPA

FLOOR ARCHITECTURE

From ceiling to wall to ground floor, we are surrounded by architectural planes of influence. These surrounding spatial elements play together in Floor Architecture. This collection is constructed with nuanced color and realistic imprints, making a strong design statement on demand.

Poured + Stacked

Stacked | page 175

Poured | page 164

Bisect | page 124

Landform | page 156

Ridge | page 168

Steppe | page 176

Haven

Traditional wisdom tells us there's no place like home. It's a universal truth. But what if home was not simply a place but a state of mind? The Haven collection reimagines home as a mood, an idea, a quality of comfort and familiarity that feeds our instinctual desire to feel grounded in the world.

Familiar + Honest

Identity | page 151

Familiar | page 142

Honest | page 149

Nest | page 159

Shelter | page 172

Dwelling | page 138

KINDRED

Designed to evoke feeling and personal connection, Kindred demonstrates growth within a space equivalent to that experienced by those functioning within it. It is a representation of the existence, growth and complexity that link us back to the people and places that initially brought those feelings to the surface. Its diverse color palette provides dimensionality to the collection, allowing for functional use in the workplace, education, and healthcare applications.

Belong | page 123

Memory | page 158

Dream | page 137

Living Systems

Step into a space designed to engage, evolve, and revitalise the senses. Regenerative design influences this system-led collection with organic and textural aesthetics. Living Systems mirrors nature, responds to be adaptive, transforms outlooks, and co-creates a living system for all interior spaces.



Transform Color + Observe Color + Observe

Observe | page 160

Respond | page 167



Endless | page 141

Respond Color | page 167



Transform Color | page 181

Transform | page 180

Observe Color | page 160



Boundless | page 124

Source | page 174

MATERIAL MATTERS

Blur the line between hard form and imperceptible shape. Iridescent striations wind through patterns solid and atmospheric, luminous and smoky. Delicate tonal highlights shimmer across textures of crisp linen, cement slab, and vapour swirls. Elements converge in Material Matters, a collection in 18x36 and 24x24.



Embark + Wander

Wander | page 183

Haze | page 148

Vapour | page 182

Embark | page 140

Fog | page 145

New Path

New Path finds happiness in fresh beginnings, leading us to a renewed understanding of the spaces where we work, learn, renew, and live. A new path with no fixed sense of direction that shifts organically, taking its cues from nature to bring a restorative sense of harmony to our days. A collection that speaks to the triumph of connection, a reminder that there are always new paths ahead.

Calm Tile | page 125

Centered Tile | page 126

Positive Tile | page 163

Upbeat Tile | page 181

NOBLE MATERIALS

Sacred geometry. Meticulously plotted diagrams. Charted experimentation. The hierarchy of Noble Materials revealed. Gold, silver, and copper inlays form opulent details in natural textures. Sleek stonework with gleaming touches of polished metal. Nature takes form, an unexpected pairing of movement and texture. A curated study of true alchemy, in tile and broadloom.



Honed

Honed | page 149

Slab | page 174

Alchemy | page 117

Form | page 144

no rules

This rule-breaking carpet is Cradle-to-Cradle Silver certified by McDonough Braungart Design Chemistry. Look great. Do right by the world. All carpet is backed by limited lifetime warranties against staining, wear and backing integrity.

Infinite | page 152

Vast | page 182



Tangle | page 179

Tempt | page 179

OFF THE GRID

As our schedules leave little time for reflection, and our digital lives distance us from the world around us, we yearn for the calming power of a soft surface, the visual harmony found in nature, for physical connection. Off The Grid is a deeply textural collection of undulating patterns that mirrors the natural world and forges deeper connections to the world around us.

Beyond | page 123

Expanse | page 142



Seek | page 171



Discover | page 136

PLACES

no rules collection

Spend the day in a vibrant metropolis. Explore the shores of a coastline. Take in the moment. City to sea. Local to global. Collaborative workplace to quiet retreat.



Sky + Sea + Sea Edge

Sky | page 173

Sea Edge | page 170

Sea | page 170

Shifting Fields

The place where land, sky, water, and horizon meet is always shifting. As landscapes change, our natural world adapts. So it is in the spaces we occupy. They, too, shift to support the different ways we work. Shifting Fields brings that notion down to earth. The collection captures our need to design for ever-shifting environments. And to adapt gracefully.

Landing Edge + Plains

Plains | page 162



Landing | page 156

Landing Edge | page 157

Enclave | page 140

Vista | page 183

SIMPLY BY NATURE

Inspired by the wonders of the outside world, the Simply By Nature collection brings organic patterns and soft textures into the spaces where you work and connect. Like a breath of fresh air, this naturally-inspired collection brings beauty and calm to any room. Its earth-tone color palette blends perfectly with a variety of aesthetics bringing versatility to the interior environment.

Arrange | page 119

Array | page 120

Structure | page 177

Offset | page 161

SPACE WORX

The ergonomics of the workspace are limitless. A well-planned space should be accomodating, efficient and work to its full potential. Space Worx entices with functionality. It appeals with practicality. And it opens up the possibility for how you work the room. Increase space. Decrease time.



Basic 24x24 | page 122

Basic 9x36 | page 122

Primary | page 164

Centric | page 127

Surround 24x24 | page 177

Surround 9x36 | page 178

Suited

We respond to our environments in myriad ways, but the core of our responses are aesthetic, tactile or emotional. Suited draws upon all of these responses to both soothe and empower, inspire and engage. Suited brings innate confidence to each new space, evoking a sense of comfort and belonging.

Check

Jacquard | page 154

Textile | page 180

Check | page 127

Houndstooth | page 150

Teamwork

What makes teams work? When each person brings their unique talents, ideas and strengths to the team, that's when the real magic happens. With clarity and understanding, a team can move quickly with a united sense of purpose. The same can be said for the Teamwork collection. When the individual styles come together, the collective impact deeply resonates to connect, energize, and create a sense of movement and direction.



Follow Up in Steady Progress + Collaboration in True Progress

Collaboration | page 133

Follow-Up | page 145

Huddle | page 151

Kickoff | page 155

VIEW

Positive and negative spaces take organic shape. Bold, energetic lines form optical texture in tile and broadloom. And your vantage point changes everything.

Direction + Reverse

Shape | page 171

Reverse | page 168

Scape | page 171

Field | page 143



Carpet Tile | Collection:

Realm | page 166

Direction | page 135

West Elm + Shaw Contract

West Elm + Shaw Contract is a collection that embraces the warmth and comfort of home wherever you may be. It combines the handcrafted sensibility of natural materials and textiles with the utmost durability and sustainability that commercial environments demand. West Elm style meets Shaw Contract performance.

Zest | page 186

Chisel | page 128

Grit | page 146

Spark | page 175

Stonework | page 176

Zeal | page 185

Zest | page 186

HARD SURFACE COLLECTIONS

Branching Out

Branching Out offers timeless wood visuals available in a fresh palette of neutrals ranging from light and airy to warm and rich. They bring a feeling of comfort and authenticity to any space. Paired with an acoustic backing to absorb and stop sound from traveling, a human-centered solution for private and public spaces.

Branching Out COREtec® 12 Mil & 20 Mil | page 188

Branching Out COREtec® 12 Mil | page 188

Nordic

At 5mm thick, Nordic LVT can be used seamlessly with most carpet tiles without the need of a transition strip. The loose lay optional backing allows for installation over raised access flooring along with a variety of installation methods including glue down, perimeter glue and loose lay.

Nordic | page 190

Function + Flow

Beyond the boundaries of location and trends, classic styles inspire confidence with their timeless aesthetic. The Function + Flow LVT collection works in harmony as a foundation in any space. Warm to cool neutrals, combined with modern stone and concrete visuals, balance the simple and complex with their timeless aesthetic. Available in multiple thicknesses and sizes, both styles can energize, complement, or define a space.

Function 5mm in Transition and Flow 5mm in Streamline | Installed Custom Monolithic

Flow 5.0 LLT 36 x 36 | page 189





Function 5.0 18 x 18 | page 190

Pathway + Promenade

Pathway + Promenade are inspired by natural and manmade materials in a collection that brings together the look of refined wood and stone in array neutral shades. Both visuals are suitable for a range of spaces and a variety of segments, from workplace to retail. Together the visuals support interior aesthetics that range from a casual, industrial workplace, to an upscale hospitality environment.

Promenade

Fashion
360

STRATUM

Designed with realistic wood grain textures and abstract visuals, the Stratum COREtec® WPC series provides a beautifully traditional or transitional look with natural variations and visual depth.

Stratum Eiris | page 192

Stratum Nordic | page 193

CARPET TILE STYLES

Above Tile | Canopy — Carpet Tile

88481 Still

Coordinating Products
Habitat Tile, Suspend Tile

Product Specifications

Style Number	5T392	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6333 ozs./yd³	0.234 g/cm3
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Greenhouse
88396

Still
88481

Deep Sky
88485

Shadow
88500

Quiet
88535

Path
88555

Shade
88557

Calm
88595

Filter
88596

Branch
88760

Accent Tile | Encounter — Carpet Tile

57323 Aqua

Coordinating Products
Hub Accent Tile

Product Specifications

Style Number	5T475	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	7385 oz/yd³	0.273 g/cm³
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Monolithic, Ashlar, Brick, Random	

Aqua
57323

Green
57370

Forrest
57375

Delft Blue
57487

Terracotta
57675

Burgundy
57850

Achromatic Tile | Color At Work II

Carpet Tile

Carbon Neutral
Low Embodied Carbon

07555 Charcoal

Coordinating Products
Chromatone Tile, Saturate Tile

Product Specifications

Style Number	5T107	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz.	610.3 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6480 ozs./yd³	11.09 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In	

Taupe
07515

Silver
07518


Charcoal
07555

Alchemy Tile | Noble Materials

Carpet Tile

33111 Alabaster Gold

Coordinating Products
Form Tile, Honed Tile, Slab Tile

Product Specifications

Style Number	5T135	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	30 oz.	1,017.17 g/m²
Gauge	1/10	39.4/10 cm
Average Density	9231 ozs./yd³	7.59 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Carrara Silver
33100

Alabaster Gold
33111

Colossal Bismuth
33496

Onyx Silver
33505

Element Platinum
33506

Forge Platinum
33518

Talc Platinum
33535

Cornerstone Copper
33555


Slate Platinum
33595

Alban Tile | Cultura

Carpet Tile

21105 Native

Coordinating Products
Casa, Local

Product Specifications

Style Number	5T607	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz/yd²	813.7 g/m²
Gauge	1/10 in	39.4 per 10 cm
Average Density	6448 oz/yd³	0.239 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave & Boxed In	


Cobblestone
21100

Native
21105

Maiz
21111

Mole
21505

Tejate
21518

Agave
21535

Immerse
21555

Retreat
21580

All Together | Collective

Carpet Tile

50678 Include Color

Coordinating Products
Alongside Tile, Collective I Tile, Collective II Tile, Collective III Tile, Hand-in-Hand Tile, In Common Tile, In Tune Tile, Side By Side Tile

Product Specifications

Style Number	5T494	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	576.4 g/m²	17 oz/yd²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6120 oz/yd³	0.226 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Include
50100

Together
50105

Together Color
50210


Link Color
50375

Unify Color
50485

Combine
50486


Unify
50500


Connect
50505


Embrace
50506

Merge
50518

Link
50580

Merge Color
50675

Include Color
50678

Join
50761

Join Color
50865

50678 Include Color

Coordinating Products
All Together Tile, Collective I Tile, Collective II Tile, Collective III Tile, Hand-in-Hand Tile, In Common Tile, In Tune Tile, Side By Side Tile

Product Specifications

Style Number	5T495	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	576.4 g/m²	17 oz/yd²
Gauge	1/12 in	47.2 per 10 cm
Average Density	5885 oz/yd³	0.218 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Include 50100

Together 50105

Together Color 50210

Link Color 50375

Unify Color 50485

Combine 50486

Unify 50500


Connect 50505

Embrace 50506

Merge 50518

Link 50580

Merge Color 50675

Include Color 50678

Join 50761

Join Color 50865

Arrange Tile | Simply By Nature

instock

Carpet Tile

94535 Mirror Grey

Coordinating Products
Array Tile, Offset Tile, Structure Tile

Product Specifications

Style Number	5T316	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4760 ozs./yd³	8.75 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Reflection 94323

Mountain View 94326

Glassy Green 94335

Shimmery Blue 94485

Blue Belle 94486

Glossy Charcoal 94505

Sterling Silver 94515

Steel Grey 94530

Mirror Grey 94535

Polished Stone 94557

Golden Gate 94668

Metallic Beige 94760

Shiny Pebble 94761

Chrome Black 94500

Array Tile | Simply By Nature

Carpet Tile

94535 Mirror Grey

Coordinating Products
Arrange Tile, Offset Tile, Structure Tile

Product Specifications

Style Number	5T317	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4431 ozs./yd³	8.78 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Glassy Green
94335

Shimmery Blue
94485

Chrome Black
94500

Glossey Charcoal
94505

Sterling Silver
94515

Steel Grey
94530

Mirror Grey
94535

Polished Stone
94557

Metallic Beige
94760

Shiny Pebble
94761

Back Weave Tile | Community

instock

Carpet Tile

01100 Argan

Coordinating Products
Exchange Tile, Flat Weave Tile, Heddle Tile, Knotted Tile, Process Tile

Product Specifications

Style Number	5T303	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7099 ozs./yd³	8.82 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Brick, Half Basketweave, Monolithic, Ashlar, Stagger, Herringbone	

Argan
01100

Wool
01105

Souk
01500

Medina
01505

Riad
01518

Silver
01535

Blended
01555


Crafted
01580

Henna
01585

Basalt II Tile | A Walk In The Garden — Carpet Tile

98481 Slate

Coordinating Products
Fault Lines II Tile, Gravel II Tile, Pavers II Tile

Product Specifications

Style Number	5T198	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6652 ozs./yd³	9.49 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Slate
94841

Storm
98500

Trail
98505

Breeze
98515

Harmony
98530

Fog
98535

Path
98557

Stone
98595

Bark
98751

Branch
98760

Balcony Tile | Canopy — Carpet Tile

88396 Greenhouse

Coordinating Products
Elevate Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile

Product Specifications

Style Number	5T389	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5942 ozs./yd³	0.22 g/cm3
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Greenhouse
88396

Still
88481


Deep Sky
88485

Shadow
88500

Quiet
88535


Path
88555

Shade
88557

Calm
88595

Filter
88596

Branch
88760

Basic Tile 24x24 | Space Worx

Carpet Tile

17597 Storm Cloud

Coordinating Products
Centric Tile, Primary Tile, Surround Tile

Product Specifications

Style Number	5T117	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	13 oz.	440.8 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4457 ozs./yd³	7.57 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Blue Herring
17481

Denim
17496

Brown Bark
17500

Raven
17505

Limestone
17530

Dove Grey
17557

Storm Cloud
17597

Slate
17760

Khaki
17761

Basic Tile 9x36 | Space Worx

Carpet Tile

17597 Storm Cloud

Coordinating Products
Centric Tile, Primary Tile, Surround Tile

Product Specifications

Style Number	5T277	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	13 oz.	440.8 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4457 ozs./yd³	7.57 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone	

Blue Herring
17481

Denim
17496

Brown Bark
17500

Raven
17505

Limestone
17530

Dove Grey
17557

Storm Cloud
17597

Slate
17760

Khaki
17761

Belong Tile | Kindred

Carpet Tile

48515 Hearten + 48486
Serene

Coordinating Products Dream Tile, Memory Tile

Product Specifications

Style Number	5T261	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz.	610.2 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	8640 ozs./yd^3	10.94 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	

Warmth
48111

Golden
48211

Comfort
48323

Greenery
48370


Solace
48485

Serene
48486

Blanket
48505

Hearten
48515

Greige
48516

Ponder
48530

Sense
48535

Rainstorm
48536

Slate
48557

Nestle
48760

Fire
48856

Insight
48979

Beyond | Off The Grid

Carpet Tile

15580 Ridge

Coordinating Products
Discover Tile, Expanse Tile, Seek Tile

Product Specifications

Style Number	42JD2	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	30 oz.	1,017.2 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	6243 ozs./yd^3	7.86 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Stagger, Herringbone, Brick	

Dune
15105


Canyon
15180

Moss
15326

Coast
15456

Vast
15505

Slope
15518

Cliff
15530

Ridge
15580

Bisect Tile | Floor Architecture

instock asia pacific

Carpet Tile

06100 Clay

Coordinating Products
Poured Tile, Stacked Tile, Ridge Tile, Steppe Tile, Landform Tile

Product Specifications

Style Number	5T448	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	8597 ozs./yd³	0.318 g/cm3
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	

Clay
06100

Marble
06101

River Rock
06481

Beryl
06485

Granite
06500


Aggregate
06501

Silt
06518

Mortar
06530

Sediment
06555

Mineral
06595

Boundless Tile | Living Systems

Carpet Tile

Carbon Neutral
Low Embodied Carbon

05105 Optimistic + 05761 Mountain

Coordinating Products
Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile, Transform Tile

Product Specifications

Style Number	5T314	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	567.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7373 ozs./yd³	8.47 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Optimistic
05105

Ochre
05225

Nature
05326

Lake
05327

Forrests
05334


Oceans
05405


Flora
05411

Springs
05440

Skies
05486

Lava
05500

Deepest
05505

Radiant
05515


Wild
05557

Calm
05580

Untamed
05595


Fragile
05760

Mountain
05761

Coral
05865

Calm Tile | New Path — Carpet Tile

90100 Bubbly

Coordinating Products
Centered Tile, Positive Tile, Upbeat Tile

Product Specifications

Style Number	5T493	
Fibre	Eco Solution Q® Nylon	
Dye Method	Solution Dyed	
Tufted Weight	17 oz/yd²	576.4 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6309 oz/yd³	0.233 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	Strataworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave, Boxed In	

Bubbly
90100


Satisfied
90111

Strong
90481

Mysterious
90500

Spontaneous
90505


Grateful
90518


Empowered
90555


Focused
90580


Delightful
90780

Casa Tile | Cultura — Carpet Tile

25105 Native

Coordinating Products
Alba, Local

Product Specifications

Style Number	5T611	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz/yd²	610.3 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6056 oz/yd³	0.224 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave & Boxed In	

Cobblestone
21100

Native
21105

Maiz
21111

Vibrant Maiz
25210

Vibrant Agave
25375

Vibrant Mole
25485

Vibrant Tejate
25486


Mole
25505

Tejate
25518

Agave
25535

Immerse
25555

Retreat
25580

Vibrant Native
25675

Centered Tile | New Path — Carpet Tile

90100 Bubbly

Coordinating Products
Calm Tile, Positive Tile, Upbeat Tile

Product Specifications

Style Number	5T492	
Fibre	Eco Solution Q® Nylon	
Dye Method	Solution Dyed	
Tufted Weight	17 oz/yd²	576.4 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6876 oz/yd³	0.254 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	Strataworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave, Boxed In	

Bubbly
90100

Satisfied
90111


Refreshed
90323

Optimistic
90375


Strong
90481


Confident
90486

Mysterious
90500


Spontaneous
90505


Grateful
90518


Empowered
90555

Focused
90580


Delightful
90780


Expressive
90865


Cheeky
90870

Central Line Tile | Places — Carpet Tile

72516 Scenic Citron

Coordinating Products
City Central Tile, Sea Edge Tile, Sea Tile, Sky Tile

Product Specifications

Style Number	5T176	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6581 ozs./yd³	10.12 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	

Adventure Green
72482

Skyline Cyan
72501

Market Red
72506

Scenic Citron
72516

Metro Teal
72531

Ocean Coral
72536

Urban Blue
72558

Island Yellow
72596

Village Azure
72759

Earthy Orange
72762

Centric Tile | Space Worx

Carpet Tile

17481 Blue Herring

Coordinating Products
Basic Tile, Primary Tile, Surround Tile

Product Specifications

Style Number	5T118	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6353 ozs./yd³	9.27 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	

Blue Herring
17481

Denim
17496

Brown Bark
17500

Raven
17505

Limestone
17530

Dove Grey
17557


Storm Cloud
17597

Slate
17760

Khaki
17761

Check Tile | Suited

Carpet Tile

79515 Cotton

Coordinating Products
Houndstooth Tile, Jacquard Tile, Textile Tile

Product Specifications

Style Number	5T281	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8129 ozs./yd³	8.40 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Saffron
79210

Bamboo
79375

Denim
79485

Indigo
79496

Merino
79500


Patent
79505

Cotton
79515

Mulsin
79516

Mohair
79530

Wool
79535

Flax
79557

Angora
79596

Chisel | West Elm + Shaw Contract

Carpet Tile

84100 Marble

Coordinating Products
Grit Tile, Spark Tile, Stonework Tile, Zeal Tile, Zest Tile

Product Specifications

Style Number	5T485	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	27 oz/yd²	915.5 g/m²
Gauge	1/10 in	39.4 per 10 cm
Average Density	5820 oz/yd³	0.215 g/cm³
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Marble
84100


Granite
84105


Pebble
84111

Clay
84506


Slate
84518


Mineral
84535


Graphite
84580

Flint
84761

Chromatone | Color At Work II

Carpet Tile

07411 Cornflower Silver

Coordinating Products
Habitat Tile, Suspend Tile

Product Specifications

Style Number	5T444	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz/yd²	610.3 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6171 oz/yd³	0.228 g/cm³
Product Size	18 in x 36 in46 cm x 91 cm	
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Citron Taupe
07225

Chartreuse Silver
07325

Lime Taupe
07326


Aqua Silver
07327

Viridian Charcoal
07396

Cornflower Silver
07411

Cyan Charcoal
07436


Indigo Charcoal
07485

Orange Taupe
07669

Clay Silver
07675

Crimson Taupe
07850

Scarlet Charcoal
07854

City Central Tile | Places

Carpet Tile

72515 Scenic

Coordinating Products
Central Line Tile, Sea Edge Tile, Sea Tile, Sky Tile

Product Specifications

Style Number	5T175	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6581 ozs./yd³	10.37 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Stagger, Herringbone, Brick	

Adventure
72481

Skyline
72500

Market
72505

Scenic
72515

Metro
72530

Ocean
72535

Urban
72557

Island
72595

Village
72760

Earthy
72761

Collective I Tile | Collective

Carpet Tile

38105 Greige

Coordinating Products
Collective II Tile, Collective III Tile, Hand In Hand Tile, In Common Tile, Side By Side Tile

Product Specifications

Style Number	5T438	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m²
Gauge	1/12	47.2/10 cm
Average Density	7862 ozs./yd³	0.291 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Beige
38100

Greige
38105

Tan
38111

Charcoal
38500

Black
38505

Warm Grey
38518

Cool Grey
38535

Grey
38580


Taupe
38761

Collective II Tile | Collective

instock

Carpet Tile

38105 Greige

Coordinating Products
Collective I Tile, Collective III Tile, Hand In Hand Tile, In Common Tile, Side By Side Tile

Product Specifications

Style Number	5T439	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	7862 ozs./yd^3	0.291 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Beige
38100

Greige
38105

Tan
38111


Charcoal
38500


Black
38505

Warm Grey
38518

Cool Grey
38535

Grey
38580

Taupe
38761

Collective III Tile | Collective

instock

Carpet Tile

38105 Greige

Coordinating Products
Collective I Tile, Collective II Tile, Hand In Hand Tile, In Common Tile, Side By Side Tile

Product Specifications

Style Number	5T440	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	7862 ozs./yd^3	0.291 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Beige
38100


Greige
38105

Tan
38111

Charcoal
38500

Black
38505

Warm Grey
38518


Cool Grey
38535

Grey
38580


Taupe
38761

81557 Disappear

Coordinating Products
Achromatic Tile, Color Frame Tile, Saturate Tile

Product Specifications

Style Number	5T112	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	6511 ozs./yd^3	10.54 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone	

Sand 81155 | Glowing 81211 | Frolic 81284 | Tricky 81323 | Hyper Green 81326 | Quirky 81327

Enchanted 81370 | Imagine 81375 | Inspire 81405 | Day Dream 81415 | Charming 81429 | Hyper Blue 81436

Imply 81485 | Figment 81486 | Paradox 81500 | Magic 81505 | Duplicity 81506 | Mask 81507

Mystic Grey 81515 | Mystery 81516 | Crystal 81535 | Coax 81549 | Disappear 81557 | Clouded 81595

Blaze 81668 | Mojo 81675 | Vanish 81715 | Pretend 81725 | Impression 81751 | Utopia 81755

Observe 81760 | Appearance 81761 | Aurora 81855 | Stunt 81856 | Ember 81870 | Puzzle 81991

81557 Disappear

Coordinating Products
Color Form Tile

Product Specifications

Style Number	5T081	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz.	610.3 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	7200 ozs./yd^3	10.90 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	



97518 Steady Progress + 97676 Positive Impact

Coordinating Products
Follow-Up Tile, Huddle Tile, Kickoff Tile

Product Specifications

Style Number	5T497	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz/yd²	610.3 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	5735 oz/yd³	0.212 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Impact 97100

High Impact 97111

Purposeful Impact 97211

Efficient Progress 97375


Strategic Impact 97396


Rapid Progres s 97405

Influence Outcomes 97411

Influence Results 97429

Clear Impact 97485


True Progres s 97496


Contribute 97500


Innovate 97505

Progress 97515

Steady Progress 97518


Influence 97535


Influence Others 97555


Positive Impact 97676


Influence Process 97855

Meaningful Progress 97865

Influence Change 97979

Commons Tile | Campus

Carpet Tile

23515 Chrome

Coordinating Products
Makerspace Tile, Quad Tile

Product Specifications

Style Number	5T323	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6545 ozs./yd³	0.24 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Verdure
23330

Cyan
23400

Glass
23405

Ink
23486

Steel
23505

Chrome
23515

Plaster
23530

Concrete
23535

Rope
23555

Beam
23580

Metal
23585

Clay
23668

Crimson
23856

Delicate Tile | Brush Works

Carpet Tile

53557 Charcoal

Coordinating Products
Dynamic Tile, Motion Tile

Product Specifications

Style Number	5T154	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6128 ozs./yd³	9.60 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Gesso
53111


Smudge
53500


Carbon
53505

Erase
53515

Inkstone
53530

Script
53532

Watercolor
53535


Inkwash
53549

Charcoal
53557

Diffuse 24x24 Tile | Diffuse + Disperse

Carpet Tile

75505 Magnetic Fields

Coordinating Products
Disperse 9x36, Diffuse 9x36, Disperse 24x24

Product Specifications

Style Number Fibre	59575	
Dye Method	Eco Solution Q® Nylon	
Tufted Weight	100% Solution Dyed	
Gauge	16 oz.	542.5 g/m²
Average Density	1/12	47.2/10 cm
Product Size	6261 ozs./yd³	9.23 kilotex
Secondary Backing	24 in x 24 in	61 cm x 61 cm
Recommended Installation	EcoWorx® Tile	
	Quarter Turn, Random, Monolithic, Brick, Ashlar	



Direction Tile | View

Carpet Tile



69505 Zone

Coordinating Products
Field Tile, Realm Tile, Reverse Tile, Scape Tile, Shape Tile

Product Specifications

Style Number	5T071	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5047 ozs./yd³	8.87 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Monolithic, Quarter Turn, Random	



15580 Ridge

Coordinating Products
Beyond Tile, Expanse Tile, Seek Tile

Product Specifications

Style Number	42JD1	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	26 oz.	881.6 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6783 ozs./yd³	14.00 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Disperse 24x24 Tile | Diffuse + Disperse

instock

Carpet Tile

75505 Magnetic Fields

Coordinating Products
Disperse 9x36, Diffuse 9x36, Diffuse 24x24

Product Specifications

Style Number	59576	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6128 ozs./yd³	9.24 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	



Dream Tile | Kindred

Carpet Tile

48211 Golden + 48515 Hearten + 48486 Serene

Coordinating Products Belong tile, Memory tile

Product Specifications

Style Number Fibre	5T265	
Dye Method	Eco Solution Q® Nylon	
Tufted Weight	100% Solution Dyed	
Gauge	19 oz.	644.2 g/m²
Average Density	1/10	39.4/10 cm
Product Size	9000 ozs./yd³	10.00 kilotex
Secondary Backing	24 in x 24 in	61 cm x 61 cm
Recommended Installation	EcoWorx® Tile	
	Monolithic, Quarter Turn, Ashlar, Brick, Random	



Drop Stitch Tile | Connected Threads

Carpet Tile

34760 Color name

Coordinating Products
Drop Stich Accent, Knitted, Pleated

Product Specifications

Style Number	5T634	
Construction	Multi-Level Pattern Loop	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15.0 oz/yd²	508.6 g/m²
Average Density	5,567 oz/yd³	0.206 g/cm³
Product Size	9 in × 36 in	23 cm × 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	



Drop Stitch Accent Tile | Connected Threads

Carpet Tile

34210 Color name

Coordinating Products
Drop Stich, Knitted, Pleated

Product Specifications

Style Number	5T635	
Construction	Multi-Level Pattern Loop	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15.0 oz/yd²	508.6 g/m²
Average Density	5,567 oz/yd³	0.206 g/cm³
Product Size	9 in × 36 in	23 cm × 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Gold
34210


Citron
34211

Green
34326


Lime Green
34327

Light Blue
34411

Aqua
34412


Threaded
34481

Blue
34485

Dwelling Tile | Haven

Carpet Tile

38518 Fog + 38675 Apricot

Coordinating Products
Familiar Tile, Honest Tile, Identity Tile, Nest Tile, Shelter Tile

Product Specifications

Style Number	5T239	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	746.0 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6492 ozs./yd³	11.54 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Stagger, Herringbone	

Golden
38210

Mint
38327

Ivy
38375

Overdye
38496

Raven
38505

Greige
38516

Fog
38518

Rainstorm
38535

Espresso
38585

Apricot
38675

Truffle
38760

Rosewood
38870

Dynamic Tile | Brush Works

Carpet Tile

53557 Charcoal

Coordinating Products
Delicate tile, Motion tile

Product Specifications

Style Number	5T155	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	6261 ozs./yd^3	8.47 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn	

Gesso
53111

Smudge
53500

Carbon
53505

Erase
53515

Inkstone
53530

Script
53532

Watercolor
53535

Inkwash
53549

Charcoal
53557

Elevate Tile | Canopy

Carpet Tile

88760 Branch

Coordinating Products
Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile

Product Specifications

Style Number	5T388	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	5942 ozs./yd^3	0.22 g/cm3
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Greenhouse
88396

Still
88481

Deep Sky
88485

Shadow
88500

Quiet
88535

Path
88555

Shade
88557

Calm
88595

Filter
88596


Branch
88760

Embark Tile | Material Matters

Carpet Tile

37530 Airy

Coordinating Products
Fog Tile, Haze Tile, Vapor Tile, Wander Tile

Product Specifications

Style Number	5T433	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5829 ozs./yd³	9.29 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Whisper
37111

Dreamy
37481

Myth
37505

Delicate
37515

Airy
37530

Smoke
37557

Enclave Tile | Shifting Fields

Carpet Tile

71535 Pristine

Coordinating Products
Plains Tile, Landing Tile, Landing Edge Tile, Vista Tile

Product Specifications

Style Number	5T371	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7071 ozs./yd³	7.44 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Brillant
71105

Earth
71225

Meadow
71375

Forest
71396

Sky
71411

Reservoir
71485


Birch
71500

Distant
71505

Pristine
71535

Opulent
71555

Remote
71580

Plateau
71585


Stone
71595

Expansive
71760

Summit
71761

Flora
71850

Reef
71870

Carbon Neutral
Low Embodied Carbon



05515 Radiant

Coordinating Products
Boundless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile

Product Specifications

Style Number	5T305	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8703 ozs./yd³	7.17 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Exchange Tile | Community

instock

Carpet Tile

Carbon Neutral
Low Embodied Carbon

01100 Argan

Coordinating Products
Back Weave Tile, Flat Weave Tile, Heddle Tile, Knotted Tile, Process Tile

Product Specifications

Style Number	5T304	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7000 ozs./yd³	0.26 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	



Expanse Tile | Off The Grid

Carpet Tile

15580 Ridge

Coordinating Products
Beyond Tile, Discover Tile, Seek Tile

Product Specifications

Style Number	42JD3	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	30 oz.	1,017.2 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6243 ozs./yd³	7.87 kilotex
Product Size	12 in x 48 in	30.5 cm x 121.9 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Ashlar, Stagger, Herringbone, Brick	


Dune
15105

Canyon
15180

Moss
15326

Coast
15456

Vast
15505

Slope
15518

Cliff
15530

Ridge
15580

Familiar Tile | Haven

Carpet Tile

35516 Greige

Coordinating Products
Dwelling Tile, Honest Tile, Identity Tile, Nest Tile. Shelter Tile

Product Specifications

Style Number	5T235	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8195 ozs./yd³	8.00 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Ashlar, Brick, Stagger, Herringbone	

Golden
35210

Mint
35327

Ivy
35375

Overdye
35496

Raven
35505

Greige
35516

Fog
35518

Rainstorm
35535

Espresso
35585

Apricot
35675

Truffle
35760

Rosewood
35870

Fault Lines II Tile | A Walk In The Garden

Carpet Tile

98760 Branch

Coordinating Products
Basalt II Tile, Gravel II Tile, Pavers II Tile

Product Specifications

Style Number	5T199	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6725 ozs./yd³	9.49 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Slate
98481

Storm
98500

Trail
98505

Breeze
98515

Harmony
98530

Fog
98535

Path
98557

Stone
98595

Bark
98751

Branch
98760

Field Tile | View

Carpet Tile

78111 Sight

Coordinating Products
Direction Tile, Realm Tile, Reverse Tile, Scape Tile, Shape Tile

Product Specifications

Style Number	5T079	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5464 ozs./yd³	9.94 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	

Sight
78111

Place
78210

Dwell
78326

Survey
78429

Overlook
78436

Space
78500

Domain
78502

Gaze
78530

Distance
78597

Landscape
78675

Area
78761


Glimpse
78855

Flat Weave Tile | Community

Carpet Tile

01100 Argan

Coordinating Products
Back Weave Tile, Exchange Tile, Heddle Tile, Knotted Tile, Process Tile

Product Specifications

Style Number	5T321	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	20 oz.	678.1 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6792 ozs./yd³	9.54 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Form Tile | Noble Materials

Carpet Tile

33505 Onyx Silver

Coordinating Products
Alchemy Tile, Honed Tile, Slab Tile

Product Specifications

Style Number	5T136	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6765 ozs./yd³	7.48 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	



37111 Whisper

Coordinating Products
Embark Tile, Wander Tile, Vapor Tile, Haze Tile

Product Specifications

Style Number	5T437	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5383 ozs./yd³	0.199 g/cm3
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Whisper 37111 | Dreamy 37481 | Myth 37505 | Delicate 37515 | Airy 37530 | Smoke 37557

Follow-Up Tile | Teamwork

Carpet Tile

97518 Steady Progress

Coordinating Products
Collaboration Tile, Huddle Tile, Kickoff Tile

Product Specifications

Style Number	5T500	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz/yd²	610.3 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6113 oz/yd³	0.226 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	



Impact 97100 | High Impact 97111 | Progress 97515 | Steady Progres s 97518 | Influence 97535 | Influence Others 97555

Gravel II Tile | A Walk In The Garden — Carpet Tile

98557 Path

Coordinating Products
Basalt II Tile, Fault Lines II Tile, Pavers II Tile

Product Specifications

Style Number	5T200	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6511 ozs./yd³	9.49 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Stem
98326

Lichen
98327

Slate
98481

Rain
98486

Storm
98500

Starry Night
98501

Trail
98505

Breeze
98515

Harmony
98530

Fog
98535

Path
98557

Stone
98595

Bark
98751

Branch
98760

Grit | West Elm + Shaw Contract — Carpet Tile

84100 Pebble

Coordinating Products
Chisel Tile, Spark Tile, Stonework Tile, Zeal Tile, Zest Tile

Product Specifications

Style Number	5T486	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	27 oz/yd²	915.5 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6171 oz/yd³	0.228 g/cm³
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Marble
84100

Granite
84105


Pebble
84111

Clay
84506

Slate
84518


Mineral
84535


Graphite
84580

Flint
84761

Habitat Tile | Canopy

Carpet Tile

88481 Still

Coordinating Products
Above Tile, Suspend Tile

Product Specifications

Style Number	5T390	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	63233 ozs./yd^3	0.234 g/cm3
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Greenhouse
88396

Still
88481

Deep Sky
88485

Shadow
88500

Quiet
88535

Path
88555

Shade
88557

Calm
88595

Filter
88596

Branch
88760

Hand In Hand Tile | Collective

Carpet Tile

50101 Inclusive

Coordinating Products
Collective I Tile, Collective II Tile, Collective III Tile, In Common Tile, Side By Side Tile

Product Specifications

Style Number	5T450	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.7 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	7448 ozs./yd^3	0.276 g/cm3
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger, Basketweave, Boxed In, Half Basketweave	

Inclusive
50101

Together
50105

Together Color
50210

Link Color
50375

Unify Color
50485


Unify
50500

Connection
50506


Merge
50518


Link
50580

Merge Color
50675

Inclusive Color
50679


Joined
50762

Joined Color
50866

37557 Smoke

Coordinating Products
Embark Tile, Fog Tile, Vapor Tile, Wander Tile

Product Specifications

Style Number	5T436	
Fibre	Eco Solution Q® Nylon	
Dye Method	98% Solution Dyed / 2% Yarn Dyed	
Tufted Weight	18 oz.	610.3 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6612 ozs./yd³	10.59 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Half Basketweave, Brick, Basketweave, Boxed In, Herringbone	



Whisper 37111 | Dreamy 37481 | Myth 37505 | Delicate 37515 | Airy 37530 | Smoke 37557

Heddle Tile | Community Carpet Tile

01105 Wool

Coordinating Products
Back Weave Tile, Exchange Tile, Flat Weave Tile, Knotted Tile, Process Tile

Product Specifications

Style Number	5T320	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	20 oz.	678.1 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6792 ozs./yd³	9.49 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Argan 01100 | Wool 01105 | Souk 01500 | Medina 01505 | Riad 01518 | Silver 01535

Blended 01555 | Crafted 01580 | Henna 01585

Honed Tile | Noble Materials

Carpet Tile

33100 Carrara

Coordinating Products
Alchemy Tile, Form Tile, Slab Tile

Product Specifications

Style Number	5T134	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7467 ozs./yd³	7.75 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Quarter Turn	

Carrara
33100

Alabaster
33111

Colossal
33496

Onyx
33505

Element
33506

Forge
33518

Talc
33535

Cornerstone
33555

Slate
33595

Honest Tile | Haven

Carpet Tile

35870 Rosewood

Coordinating Products
Dwelling Tile, Familiar Tile, Identity Tile, Nest Tile, Shelter Tile

Product Specifications

Style Number	5T236	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	10,500 ozs./yd³	7.67 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Golden
35210

Mint
35327

Ivy
35375

Overdye
35496


Raven
35505

Greige
35516

Fog
35518

Rainstorm
35535

Espresso
35585

Apricot
35675

Truffle
35760

Rosewood
35870

Houndstooth Tile | Suited

Carpet Tile

79496 Indigo

Coordinating Products
Check Tile, Jacquard Tile, Textile Tile

Product Specifications

Style Number	5T282	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	610.3 g/m^2
Gauge	1/10	47.2/10 cm
Average Density	6545 ozs./yd^3	10.59 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Saffron
79210

Bamboo
79375

Denim
79485

Indigo
79496

Merino
79500

Patent
79505

Cotton
79515

Muslin
79516

Mohair
79530

Wool
79535

Flax
79557

Angora
79596

Hub Accent Tile | Encounter

Carpet Tile

57581 Action Forest

Coordinating Products
Accent Tile

Product Specifications

Style Number	5T466	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	5625 ozs./yd^3	0.208 g/cm3
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Monolithic, Ashlar, Brick, Random	

Action Forest
57581


Action Burgundy
57582

Action Aqua
57583

Action Blue
57584

Action Green
57586

Action Terracot
57587

Huddle Tile | Teamwork

Carpet Tile

97515 Progress

Coordinating Products
Collaboration Tile, Follow-Up Tile, Kickoff Tile

Product Specifications

Style Number	5T498	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz/yd²	610.3 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6113 oz/yd³	0.226 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stag	

Impact
97100

High Impact
97111

Progress
97515

Steady Progress
97518

Influence
97535

Influence Others
97555

Identity Tile | Haven

Carpet Tile

35496 Overdye

Coordinating Products
Dwelling Tile, Familiar Tile, Honest Tile, Nest Tile, Shelter Tile

Product Specifications

Style Number	5T237	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	26 oz/yd²	881.6 g/m²
Gauge	1/10 in	39.4/10 cm
Average Density	6993 ozs./yd³	7.67 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Golden
35210

Mint
35327

Ivy
35375

Overdye
35496

Raven
35505

Greige
35516

Fog
35518

Rainstorm
35535

Espresso
35585

Apricot
35675

Truffle
35760

Rosewood
35870

50101 Inclusive

Coordinating Products
Collective I Tile, Collective II Tile, Collective III Tile, Hand In Hand Tile, Side By Side Tile

Product Specifications

Style Number	5T451	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8000 ozs./yd³	0.296 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Inclusive
50101


Together
50105

Together Color
50210

Link Color
50375


Unify Color
50485


Unify
50500


Connection
50506

Merge
50518

Link
50580

Merge Color
50675

Inclusive Color
50679


Joined
50762

Joined Color
50866

09585 Immense

Coordinating Products Vast Tile

Product Specifications

Style Number	5T010	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6128 ozs./yd³	9.12 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Quarter Turn, Random	

Indefinite
09150

Surround
09330

Boundless
09485

Limitless
09500

Endless
09504

Encompass
09505

Immense
09585

Enfold
09761

Intent Tile | District

Carpet Tile

08557 Nocturne

Coordinating Products
Purpose Tile, Situation Tile

Product Specifications

Style Number	5T399	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	14 oz.	474.7 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6000 ozs./yd³	8.23 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Stellar
08505

Skylight
08530

Nocturne
08557

Shale
08597

Woodsmoke
08760

Sierra
08761

In Tune | Collective

Carpet Tile

07555 Charcoal

Coordinating Products
Alongside Tile, All Together Tile, Collective I Tile, Collective II Tile, Collective III Tile, Hand-in-Hand Tile, In Common Tile, Side By Side Tile

Product Specifications

Style Number	5T496	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	576.4 g/m²	17 oz/yd²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6120 oz/yd³	0.226 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Include
50100

Together
50105

Together Color
50210

Link Color
50375

Unify Color
50485

Combine
50486

Unify
50500

Connect
50505

Embrace
50506


Merge
50518

Link
50580

Merge Color
50675

Include Color
50678


Join
50761

Join Color
50865

Jacquard Tile | Suited

Carpet Tile

79210 Saffron

Coordinating Products
Check Tile, Houndstooth Tile, Textile Tile

Product Specifications

Style Number	5T280	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	26 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6675 ozs./yd³	8.59 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	


Saffron
79210

Bamboo
79375

Denim
79485

Indigo
79496

Merino
79500

Patent
79505

Cotton
79515

Muslin
79516

Mohair
79530

Wool
79535

Flax
79557

Angora
79596

Knitted Tile | Connected Threads

Carpet Tile

34760 Color name

Coordinating Products
Drop Stich, Drop Stich Accent, Pleated

Product Specifications

Style Number	5T636	
Construction	Multi-Level Pattern Loop	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15.0 oz/yd²	508.6 g/m²
Average Density	6,067 oz/yd³	0.244 g/cm³
Product Size	9 in × 36 in	23 cm × 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Threaded
34481


Mended
34500

Vintage
34760

Knotted Tile | Community

Carpet Tile

01100 Argan

Coordinating Products
Back Weave Tile, Exchange Tile, Flat Weave Tile, Heddle Tile, Process Tile

Product Specifications

Style Number	5T301	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	7695 ozs./yd^3	8.81 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	

Argan
01100

Wool
01105

Souk
01500

Medina
01505

Riad
01518


Silver
01535


Blended
01555

Crafted
01580

Henna
01585

Kickoff Tile | Teamwork

Carpet Tile

97518 Steady Progress

Coordinating Products
Collaboration Tile, Follow-Up Tile, Huddle Tile

Product Specifications

Style Number	5T499	
Construction	Eco Solution Q100™ Nylon	
Fibre	100% Solution Dyed	
Dye Method	18 oz/yd²	610.3 g/m²
Tufted Weight	1/12 in	47.2 per 10 cm
Average Density	5735 oz/yd³	0.212 g/cm³
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx Tile®	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Impact
97100

High Impact
97111

Contribute
97500


Innovate
97505

Progress
97515

Steady Progress
97518

Influence
97535

Influence Others
97555

Landform Tile | Floor Architecture — Carpet Tile

06555 Sediment

Coordinating Products
Poured Tile, Stacked Tile, Ridge Tile, Steppe Tile, Bisect Tile

Product Specifications

Style Number	5T449	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	8597 ozs./yd³	0.318 g/cm3
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	

Clay
06100

Marble
06101

River Rock
06481


Beryl
06485

Granite
06500

Aggregate
06501

Silt
06518

Mortar
06530

Sediment
06555


Mineral
06595

Landing Tile | Shifting Fields — Carpet Tile

71535 Pristine

Coordinating Products
Plains Tile, Enclave Tile, Landing Edge Tile, Vista Tile

Product Specifications

Style Number	5T373	
Construction	Eco Solution Q® Nylon	
Fibre	100% Solution Dyed	
Dye Method	22 oz.	745.9 g/m²
Tufted Weight	1/10	39.4/10 cm
Average Density	8250 ozs./yd³	0.305 g/cm³
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Brillant
71105

Distance
71505

Pristine
71535

Opulent
71555

Remote
71580


Expansive
71760

Landing Edge Tile | Shifting Fields

instock

Carpet Tile

71323 Remote Coast

Coordinating Products
Plains Tile, Landing Tile, Enclave Tile, Vista Tile

Product Specifications

Style Number	5T375	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7472 ozs./yd³	0.276 g/cm³
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Opulent Earth
71225

Distance Meadow
71375

Pristine Forest
71396

Opulent Sky
71411

Remote Reservoir
71485

Distance Birch
71500

Expansive Plateau
71585

Pristine Stone
71595

Brilliant Summit
71761


Brillant Flora
71850


Expansive Reef
71870

Local Tile | Cultura

Carpet Tile

21675 VibrantNative

Coordinating Products
Alban, Casa

Product Specifications

Style Number	5T610	
Construction	Eco Solution Q100™ Nylon	
Fibre	100% Solution Dyed	
Dye Method	24 oz/yd²	813.7 g/m²
Tufted Weight	1/10 in	39.4 per 10 cm
Average Density	6448 oz/yd³	0.239 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave & Boxed In	

Vibrant Maiz
21210


Vibrant Agave
21375

Vibrant Tejate
21486

Vibrant Mole
21500

Vibrant Native
21675

Makerspace Tile | Campus

Carpet Tile

23400 Laszlo

Coordinating Products

Commons Tile, Quad Tile

Product Specifications

Style Number	5T325	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	610.3 g/m^2
Gauge	1/10	47.2/10 cm
Average Density	6545 ozs./yd^3	9.36 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Quarter Turn, Random, Brick	

Laszlo
23400

Otti
23405

Walter
23486



Josef
23850



Regina
23856

Memory Tile | Kindred

Carpet Tile

48370 Greenery

Coordinating Products

Belong Tile, Dream Tile

Product Specifications

Style Number	5T263	
Construction	Eco Solution Q® Nylon	
Fibre	100% Solution Dyed	
Dye Method	19 oz.	644.2 g/m^2
Tufted Weight	1/10	39.4/10 cm
Average Density	8047 ozs./yd^3	10.86 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	

Warmth
48111



Golden
48211

Comfort
48323

Greenery
48370

Solace
48485

Serene
48486

Blanket
48505



Hearten
48515

Greige
48516



Ponder
48530

Sense
48535

Rainstorm
48536



Slate
48557

Nestle
48760

Fire
48856

Insight
48979

Motion Tile | Brush Works

Carpet Tile

53557 Charcoal

Coordinating Products
Delicate Tile, Dynamic Tile

Product Specifications

Style Number	5T153	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6776 ozs./yd³	9.33 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Gesso
53111

Smudge
53500

Carbon
53505

Erase
53515


Inkstone
53530

Script
53532

Watercolor
53535

Inkwash
53549

Charcoal
53557

Nest Tile | Haven

Carpet Tile

38518 Fog

Coordinating Products
Dwelling Tile, Familiar Tile, Honest Tile, Identity Tile, Shelter Tile

Product Specifications

Style Number	5T238	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.8 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6803 ozs./yd³	13.91 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Stagger, Herringbone	

Raven
38505

Greige
38516


Fog
38518


Rainstorm
38535

Ash
38555

Carbon Neutral
Low Embodied Carbon

05515 Radiant

Coordinating Products
Boundless Tile, Endless Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile

Product Specifications

Style Number	5T306	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	746.0 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	9103 ozs./yd^3	7.25 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Optimistic
05105

Lava
05500

Deepest
05505


Radiant
05515

Wild
05557

Calm
05580

Untamed
05595

Fragile
05760

Mountain
05761

Carbon Neutral
Low Embodied Carbon

05326 Radiant Nature

Coordinating Products
Boundless Tile, Endless Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile

Product Specifications

Style Number	5T309	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.8 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	8907 ozs./yd^3	7.33 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	


Optimistic Ochre
05225

Radiant Nature
05326


Mountain Lake
05327

Untamed Forests
05334

Calm Oceans
05405

Wild Flora
05411

Lava Springs
05440

Deepest Skies
05486


Fragile Coral
05865

Offset Tile | Simply By Nature — Carpet Tile

94535 Mirror Grey

Coordinating Products
Arrange Tile, Array Tile, Structure Tile

Product Specifications

Style Number	5T318	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4500 ozs./yd³	8.78 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick Ashlar	

Glassy Green
94335

Shimmery Blue
94485

Chrome Black
94500

Glossy Charcoal
94505

Sterling Silver
94515

Steel Grey
94530

Mirror Grey
94535

Polished Stone
94557

Metallic Beige
94760

Shiny Pebble
94761

Pavers II Tile | A Walk In The Garden — Carpet Tile

98595 Stone

Coordinating Products
Basalt II Tile, Fault Lines II Tile, Gravel II Tile

Product Specifications

Style Number	5T201	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6581 ozs./yd³	9.49 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Slate
98481

Storm
98500

Trail
98505

Breeze
98515

Harmony
98530

Fog
98535

Path
98557

Stone
98595

Bark
98751

Branch
98760



88760 Branch

Coordinating Products
Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile

Product Specifications

Style Number	5T423	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.7 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	7927 ozs./yd^3	0.293 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Still
88481

Shadow
88500


Quiet
88535

Path
88555

Shade
88557

Calm
88595

Filter
88596

Branch
88760

Plains Tile | Shifting Fields

instock

Carpet Tile

71485 Reservoir

Coordinating Products
Enclave Tile, Landing Tile, Landing Edge Tile, Vista Tile

Product Specifications

Style Number	5T374	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	7071 ozs./yd^3	7.44 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Brillant
71105

Earth
71225

Meadow
71375

Forest
71396

Sky
71411

Reservoir
71485


Birch
71500

Distant
71505


Pristine
71535

Opulent
71555

Remote
71580

Plateau
71585

Stone
71595

Expansive
71760

Summit
71761


Flora
71850


Reef
71870

Pleated Tile | Connected Threads — Carpet Tile

34760 Color name

Coordinating Products
Drop Stich, Drop Stich Accent, Knitted

Product Specifications

Style Number	5T637	
Construction	Multi-Level Pattern Loop	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15.0 oz/yd²	508.6 g/m²
Average Density	5,745 oz/yd³	0.213 g/cm³
Product Size	9 in × 36 in	23 cm × 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	

Threaded
34481

Mended
34500

Vintage
34760

Positive Tile | New Path — Carpet Tile

90100 Bubbly

Coordinating Products
Calm Tile, Centered Tile, Upbeat Tile

Product Specifications

Style Number	5T491	
Fibre	Eco Solution Q® Nylon	
Dye Method	Solution Dyed	
Tufted Weight	17 oz/yd²	576.4 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6876 oz/yd³	0.254 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	Strataworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave, Boxed In	

Bubbly
90100

Satisfied
90111


Strong
90481

Mysterious
90500


Spontaneous
90505


Grateful
90518


Empowered
90555


Focused
90580

Delightful
90780

Poured Tile | Floor Architecture

Carpet Tile

06500 Granite

Coordinating Products
Stacked Tile

Product Specifications

Style Number	5T206	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	7385 ozs./yd³	9.34 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	



Primary Tile | Space Worx

Carpet Tile

17597 Storm Cloud

Coordinating Products
Basic Tile, Centric Tile, Surround Tile

Product Specifications

Style Number	5T119	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	13 oz.	440.8 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4875 ozs./yd³	7.51 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Stagger, Herringbone	



Process Tile | Community

Carpet Tile

Carbon Neutral
Low Embodied Carbon

01100 Argan

Coordinating Products
Back Weave Tile, Exchange Tile, Flat Weave Tile, Heddle Tile, Knotted Tile

Product Specifications

Style Number	5T302	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	7754 ozs./yd^3	8.85 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	

Argan
01100

Wool
01105

Souk
01500

Medina
01505

Riad
01518


Silver
01535


Blended
01555

Crafted
01580


Henna
01585

Purpose Tile | District

Carpet Tile

08557 Nocturne

Coordinating Products
Intent Tile, Situation Tile

Product Specifications

Style Number	5T400	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	14 oz.	474.7 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	5040 ozs./yd^3	8.13 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Random, Monolithic, Quarter Turn, Ashlar, Brick	

Stellar
08505

Skylight
08530

Nocturne
08557

Shale
08597

Woodsmoke
08760

Sierra
08761

Quad Tile | Campus

Carpet Tile

23515 Cyan Chrome

Coordinating Products
Commons Tile, Makerspace Tile

Product Specifications

Style Number	5T324	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/10	39.4/10 cm
Average Density	6194 ozs./yd^3	8.68 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Ink Steel
23505

Cyan Chrome
23515

Clay Plaster
23530

Glass Concrete
23535

Crimson Rope
23555

Verdure Metal
23585

Pigment Beam
23580

Realm Tile | View

Carpet Tile

78111 Sight

Coordinating Products
Reverse Tile, Shape Tile, Direction Tile, Scape Tile

Product Specifications

Style Number	5T078	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	4721 ozs./yd^3	9.12 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Quarter Turn, Random	

Sight
78111

Place
78210

Dwell
78326

Survey
78429

Overlook
78436

Space
78500

Domain
78502

Gaze
78530

Distance
78597


Landscape
78675

Area
78761

Glimpse
78855

05761 Mountain

Coordinating Products
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile

Product Specifications

Style Number	5T307	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	746.0 g/m²
Gauge	1/10	39.4/10 cm
Average Density	7920 ozs./yd³	7.26 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Optimistic
05105


Lava
05500

Deepest
05505

Radiant
05515

Wild
05557

Calm
05580

Untamed
05595

Fragile
05760

Mountain
05761

Respond Color Tile | District Carpet Tile

05865 Fragile Coral

Coordinating Products
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Source Tile, Transform Tile, Transform Color Tile

Product Specifications

Style Number	5T310	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.8 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8151 ozs./yd³	7.33 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Optimistic Ochre
05225

Radiant Nature
05326

Mountain Lake
05327

Untamed Forests
05334

Calm Oceans
05405

Wild Flora
05411

Lava Springs
05440

Deepest Skies
05486

Fragile Coral
05865



69505 Zone

Coordinating Products
Direction Tile, Field Tile, Realm Tile, Scape Tile, Shape Tile

Product Specifications

Style Number	5T069	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	5684 ozs./yd^3	8.70 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Sight
69111

Flip
69335

Vista
69481

Horizon
69496

Space
69500

Zone
69505

Gaze
69530

Outlook
69557

Distance
69597

Area
69761

Ridge Tile | Floor Architecture

Carpet Tile

06555 Sediment

Coordinating Products
Poured Tile, Stacked Tile, Steppe Tile, Bisect Tile, Landform Tile

Product Specifications

Style Number	5T446	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	9143 ozs./yd^3	0.338 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Clay
06100

Marble
06101

River Rock
06481

Beryl
06485

Granite
06500

Aggregate
06501

Silt
06518

Mortar
06530

Sediment
06555

Mineral
06595

Saturate Tile | Color At Work II

Carpet Tile

07436 Cyan

Coordinating Products
Achromatic Tile, Chromatone Tile

Product Specifications

Style Number	5T109	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz.	610.3 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6968 ozs./yd³	11.26 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone	


Citron
07225


Chartreuse
07325

Lime
07326


Aqua
07327


Viridian
07396

Cornflower
07411


Cyan
07436


Indigo
07485

Taupe
07515

Silver
07518

Charcoal
07555

Orange
07669

Clay
07675


Crimson
07850

Scarlet
07854

Scape Tile | View

Carpet Tile

78111 Sight

Coordinating Products
Direction Tile, Realm Tile, Reverse Tile, Shape Tile

Product Specifications

Style Number	5T080	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	4271 ozs./yd³	9.12 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Sight
78111

Place
78210

Dwell
78326

Survey
78429

Overlook
78436

Space
78500

Domain
78502

Gaze
78530

Distance
78597

Landscape
78675

Area
78761

Glimpse
78855

Sea Tile | Places

instock

Carpet Tile

72535 Ocean

Coordinating Products
Central Line Tile, City Central Tile, Sea Edge Tile, Sky Tile, Color Frame Tile

Product Specifications

Style Number	5T172	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	7948 ozs./yd³	9.44 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Adventure
72481

Skyline
72500

Market
72505

Scenic
72515

Metro
72530

Ocean
72535

Urban
72557

Island
72595

Village
72760

Earthy
72761

Sea Edge Tile | Places

instock

Carpet Tile

72536 Ocean Coral

Coordinating Products
Central Line Tile, City Central Tile, Sea Tile, Sky Tile, Color Frame Tile

Product Specifications

Style Number	5T173	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	7116 ozs./yd³	9.45 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Adventure Green
72482

Adventure Yellow
72483

Adventure Teal
72484

Skyline Cyan
72501

Skyline Red
72502

Skyline Silver
72503

Ocean Coral
72536

Ocean Citron
72537

Ocean Lime
72538


Village Cloud
72757

Village Orange
72758

Village Azure
72759

Seek Tile | Off The Grid

Carpet Tile

15580 Ridge

Coordinating Products
Beyond Tile, Discover Tile, Expanse Tile

Product Specifications

Style Number	42JD0	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	30 oz/yd²	1017.2 g/m²
Gauge	1/10 in	39.4 per 10 cm
Average Density	6243 oz/yd³	0.231 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger	



Shape Tile | View

Carpet Tile

69505 Zone

Coordinating Products
Direction Tile, Field Tile, Realm Tile, Reverse Tile

Product Specifications

Style Number	5T070	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m²
Gauge	1/12	47.2/10 cm
Average Density	5192 ozs./yd³	8.88 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	



Shelter Tile | Haven

Carpet Tile

38870 Rosewood

Coordinating Products
Dwelling Tile, Familiar Tile, Honest Tile, Identity Tile, Nest Tile

Product Specifications

Style Number	5T240	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	746.0 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6092 ozs./yd³	11.37 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Situation Tile | District

Carpet Tile

08557 Nocturne

Coordinating Products
Intent Tile, Purpose Tile

Product Specifications

Style Number	5T401	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	14 oz.	474.7 g/m²
Gauge	1/10	39.4/10 cm
Average Density	5091 ozs./yd³	8.13 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	



Side By Side Tile | Collective

Carpet Tile

50101 Inclusive

Coordinating Products
Collective I Tile, Collective II Tile, Collective III Tile, Hand In Hand Tile, In Common Tile

Product Specifications

Style Number	5T452	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.7 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6912 ozs./yd³	0.256 g/cm3
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger, Basketweave, Boxed In, Half Basketweave	

Inclusive
50101


Together
50105

Together Color
50210

Link Color
50375

Unify Color
50485


Unify
50500

Connection
50506


Merge
50518


Link
50580


Merge Color
50675

Inclusive Color
50679


Joined
50762


Joined Color
50866

Sky Tile | Places

instock

Carpet Tile

72535 Ocean

Coordinating Products
Central Line Tile, City Central Tile, Sea Edge Tile, Sea Tile, Color Frame Tile

Product Specifications

Style Number	5T174	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	576.4 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6876 ozs./yd³	9.61 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

Adventure
72481

Skyline
72500

Market
72505


Scenic
72515

Metro
72530

Ocean
72535

Urban
72557

Island
72595

Village
72760

Earthy
72761

Slab Tile | Noble Materials

Carpet Tile

33111 Alabaster

Coordinating Products
Alchemy Tile, Form Tile, Honed Tile

Product Specifications

Style Number	5T133	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	26 oz.	881.6 g/m²
Gauge	1/10	39.4/10 cm
Average Density	5778 ozs./yd³	7.65 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Quarter Turn	



Source Tile | Living Systems

Carpet Tile

05105 Optimistic + 05761 Mountain

Coordinating Products
Boundless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile, Transform Tile

Product Specifications

Style Number	5T315	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	17 oz.	567.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	9000 ozs./yd³	7.33 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	



Spark | West Elm + Shaw Contract

Carpet Tile

87100 Flair

Coordinating Products
Chisel Tile, Grit Tile, Stonework Tile, Zeal Tile, Zest Tile

Product Specifications

Style Number	5T489	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	881.5 g/m²	26 oz/yd²
Gauge	1/10 in	39.4 per 10 cm
Average Density	6545 oz/yd³	0.242 g/cm³
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Flair
87100


Vitality
87105


Flourish-Color
87326

Vibrance-Color
87327


Vitality-Color
87375


Moxie-Color
87411


Brio-Color
87485


Gusto
87500

Vibrance
87510


Brio
87518

Moxie
87535


Flourish
87580


Flair-Color
87675

Stacked Tile | Floor Architecture

Carpet Tile

06481 River Rock

Coordinating Products
Poured Tile

Product Specifications

Style Number	5T207	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	8113 ozs./yd³	9.15 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Quarter Turn, Random, Monolithic, Brick, Ashlar	

River Rock
06481

Granite
06500

Flagstone
06505

Gypsum
06515

Mortar
06530

Shale
06557

Mineral
06595


Mix
06597

Concrete
06761

Steppe Tile | Floor Architecture

Carpet Tile

06100 Clay

Coordinating Products
Poured Tile, Stacked Tile, Ridge Tile, Bisect Tile, Landform Tile

Product Specifications

Style Number	5T447	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	9143 ozs./yd³	0.338 g/cm3
Product Size	9 in x 36 in	23 cm x 91 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Clay
06100

Marble
06101

River Rock
06481

Beryl
06485

Granite
06500

Aggregate
06501

Silt
06518

Mortar
06530

Sediment
06555

Mineral
06595

Stonework | West Elm + Shaw Contract

Carpet Tile

84100 Marble

Coordinating Products
Chisel Tile, Grit Tile, Spark Tile, Zeal Tile, Zest Tile

Product Specifications

Style Number	5T484	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	27 oz/yd²	915.5 g/m²
Gauge	1/10 in	39.4 per 10 cm
Average Density	6395 oz/yd³	0.237 g/cm³
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Marble
84100

Granite
84105

Pebble
84111

Clay
84506

Slate
84518


Mineral
84535

Graphite
84580


Flint
84761

Structure Tile | Simply By Nature

Carpet Tile

94353 Mirror Grey

Coordinating Products
Arrange Tile, Array Tile, Offset Tile

Product Specifications

Style Number	5T319	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/10	39.4/10 cm
Average Density	4760 ozs./yd³	8.76 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Glassy Green
94335

Shimmery Blue
94485

Chrome Black
94500

Glossy Charcoal
94505

Sterling Silver
94515

Steel Grey
94530

Mirror Grey
94535

Polished Stone
94557

Metallic Beige
94760

Shiny Pebble
94761

Surround Tile 24x24 | Space Worx

Carpet Tile

17481 Blue Herring

Coordinating Products
Basic Tile, Centric Tile, Primary Tile

Product Specifications

Style Number	5T120	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6429 ozs./yd³	9.27 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Blue Herring
17481

Denim
17496

Brown Bark
17500

Raven
17505

Limestone
17530

Dove Grey
17557

Storm Cloud
17597

Slate
17760

Khaki
17761

Surround Tile 9X36 | Space Worx

Carpet Tile

17481 Blue Herring

Coordinating Products
Basic Tile, Centric Tile, Primary Tile

Product Specifications

Style Number	5T278	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	15 oz.	508.6 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	6353 ozs./yd^3	9.27 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Blue Herring
17481

Denim
17496

Brown Bark
17500

Raven
17505

Limestone
17530

Dove Grey
17557

Storm Cloud
17597

Slate
17760

Khaki
17761

Suspend Tile | Canopy

Carpet Tile

Carbon Neutral
Low Embodied Carbon

88481 Still

Coordinating Products
Above Tile, Habitat Tile

Product Specifications

Style Number	5T391	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	19 oz.	644.2 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	63233 ozs./yd^3	0.234 g/cm3
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Ashlar, Brick, Herringbone, Stagger	

Rain
88327

Greenhouse
88396

Still
88481

Deep Sky
88485

Shadow
88500

Moonlight
88501

Quiet
88535


Path
88555

Shade
88557

Calm
88595

Filter
88596

Clay Pot
88675

Branch
88760

Flora
88865

Tangle Tile | No Rules

Carpet Tile

18761 Wave

Coordinating Products
Tempt Tile

Product Specifications

Style Number	5T018	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	5053 ozs./yd^3	8.94 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	

Tempt Tile | No Rules

Carpet Tile

18585 Lure
Coordinating Products Tangle Tile

Product Specifications

Style Number	5T019	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	5053 ozs./yd^3	9.12 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Quarter Turn, Random	



Textile Tile | Suited

Carpet Tile

79500 Merino

Coordinating Products
Check Tile, Houndstooth Tile, Jacquard Tile

Product Specifications

Style Number	5T279	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	28 oz.	949.4 g/m²
Gauge	1/10	39.4/10 cm
Average Density	8129 ozs./yd³	8.12 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	

Saffron
79210

Bamboo
79375

Denim
79485

Indigo
79496

Merino
79500

Patent
79505


Cotton
79515

Muslin
79516

Mohair
79530

Wool
79535

Flax
79557

Angora
79596

Transform Tile | Living Systems

Carpet Tile

05515 Radiant

Coordinating Products
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile

Product Specifications

Style Number	5T308	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	22 oz.	745.9 g/m²
Gauge	1/10	39.4/10 cm
Average Density	6439 ozs./yd³	7.25 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	


Optimistic
05105


Lava
05500

Deepest
05505

Radiant
05515

Wild
05557

Calm
05580

Untamed
05595

Fragile
05760

Mountain
05761

05865 Fragile Coral

Coordinating Products
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile

Product Specifications

Style Number	5T311	
Fibre	Eco Solution Q100™ Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	24 oz.	813.7 g/m²
Gauge	1/10	39.4/10 cm
Average Density	9000 ozs./yd³	7.33 kilotex
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Optimistic Ochre
05225

Radiant Nature
05326

Mountain Lake
05327

Untamed Forests
05334

Calm Oceans
05405

Wild Flora
05411

Lava Springs
05440

Deepest Skies
05486

Fragile Coral
05865

Upbeat Tile | New Path Carpet Tile

90100 Bubbly

Coordinating Products
Calm Tile, Centered Tile, Positive Tile

Product Specifications

Style Number	5T490	
Fibre	Eco Solution Q® Nylon	
Dye Method	Solution Dyed	
Tufted Weight	17 oz/yd²	576.4 g/m²
Gauge	1/12 in	47.2 per 10 cm
Average Density	6581 oz/yd³	0.243 g/cm³
Product Size	18 in x 36 in	46 cm x 91 cm
Secondary Backing	Strataworx® Tile	
Recommended Installation	Ashlar, Brick, Herringbone, Monolithic, Stagger, Basketweave, Half Basketweave, Boxed In	

Bubbly
90100

Satisfied
90111


Refreshed
90323


Optimistic
90375

Strong
90481


Confident
90486

Mysterious
90500


Spontaneous
90505

Grateful
90518


Empowered
90555

Focused
90580


Delightful
90780

Expressive
90865


Cheeky
90870

Vapour Tile | Material Matters

Carpet Tile

37557 Smoke

Coordinating Products
Embark Tile, Fog Tile, Haze Tile, Wander Tile

Product Specifications

Style Number	5T435	
Fibre	Eco Solution Q® Nylon	
Dye Method	98% Solution Dyed / 2% Yarn Dyed	
Tufted Weight	18 oz.	610.3 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6480 ozs./yd³	10.41 kilotex
Product Size	18 in x 36 in	45.7 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Basketweave, Herringbone, Boxed In, Half Basketweave	

Whisper
37111

Dreamy
37481

Myth
37505

Delicate
37515

Airy
37530

Smoke
37557

Vast Tile | No Rules

Carpet Tile

09505 Encompass

Coordinating Products
Infinite Tile

Product Specifications

Style Number	5T009	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	16 oz.	542.5 g/m²
Gauge	1/12	47.2/10 cm
Average Density	6128 ozs./yd³	9.12 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick, Random	

Indefinite
09150

Surround
09330

Boundless
09485

Limitless
09500

Endless
09504

Encompass
09505

Immense
09585

Enfold
09761

Vista Tile | Shifting Fields

Carpet Tile

71111 Sand

Coordinating Products
Plains Tile, Landing Tile, Landing Edge Tile, Enclave Tile

Product Specifications

Style Number	5T380	
Fibre	Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed	
Tufted Weight	18 oz.	610.3 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	7281 ozs./yd^3	0.269 g/cm^3
Product Size	9 in x 36 in	22.9 cm x 91.4 cm
Secondary Backing	EcoWorx® Tile	
Recommended Installation	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Wander Tile | Material Matters

Carpet Tile

37530 Airy

Coordinating Products
Embark Tile, Fog Tile, Haze Tile, Vapour Tile

Product Specifications

Style Number	5T434	
Fibre	Eco Solution Q® Nylon	
Dye Method	98% Solution Dyed / 2% Yarn Dyed	
Tufted Weight	17 oz.	576.4 g/m^2
Gauge	1/12	47.2/10 cm
Average Density	6000 ozs./yd^3	9.17 kilotex
Product Size	24 in x 24 in	61 cm x 61 cm
Secondary Backing	Ecoworx® Tile	
Recommended Installation	Monolithic, Quarter Turn, Ashlar, Brick	

Weathered Tile | Canopy

Carpet Tile

88596 Filter

Coordinating Products
Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Wildwood Tile, Weathered Color Tile

Product Specifications

Style Number Fibre	5T424	
Dye Method	Eco Solution Q100™ Nylon	
Tufted Weight Gauge	100% Solution Dyed	
Average Density	24 oz.	813.7 g/m^2
Product Size	1/10	39.4/10 cm
Secondary Backing	7927 ozs./yd^3	0.293 g/cm3
Recommended Installation	9 in x 36 in	23 cm x 91 cm
	EcoWorx® Tile	
	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Still
88481


Shadow
88500

Quiet
88535

Path
88555

Shade
88557

Calm
88595

Filter
88596

Branch
88760

Weathered Color Tile | Canopy

Carpet Tile

88674 Coral Branch

Coordinating Products
Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile

Product Specifications

Style Number Fibre	5T426	
Dye Method	Eco Solution Q100™ Nylon	
Tufted Weight Gauge	100% Solution Dyed	
Average Density	24 oz.	813.7 g/m^2
Product Size	1/10	39.4/10 cm
Secondary Backing	7927 ozs./yd^3	0.293 g/cm3
Recommended Installation	9 in x 36 in	23 cm x 91 cm
	Ecoworx® Tile	
	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Golden Calm
88210


Nature Quiet
88326

Rain Shade
88327

Greenhouse Filter
88396

Lake Still
88411

Deep Sky Shadow
88485

Coral Branch
88674

Flora Path
88865

Wildwood Tile | Canopy

Carpet Tile

88557 Shade

Coordinating Products
Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Weathered Color Tile

Product Specifications

Style Number Fibre	5T425	
Dye Method	Eco Solution Q100™ Nylon	
Tufted Weight Gauge	100% Solution Dyed	
Average Density	24 oz.	813.7 g/m^2
Product Size	1/10	39.4/10 cm
Secondary Backing	7927 ozs./yd^3	0.293 g/cm3
Recommended Installation	9 in x 36 in	23 cm x 91 cm
	EcoWorx® Tile	
	Monolithic, Brick, Ashlar, Herringbone, Stagger	

Still
88481

Shadow
88500

Quiet
88535

Path
88555

Shade
88557


Calm
88595

Filter
88596

Branch
88760

Zeal | West Elm + Shaw Contract

Carpet Tile

84100 Marble

Coordinating Products
Chisel Tile, Grit Tile, Spark Tile, Stonework Tile, Zest Tile

Product Specifications

Style Number Fibre	5T488	
Dye Method	Eco Solution Q100™ Nylon	
Tufted Weight Gauge	100% Solution Dyed	
Average Density	26 oz/yd²	881.5 g/m²
Product Size	1/10 in	39.4 per 10 cm
Secondary Backing	5442 oz/yd³	0.201 g/cm³
Recommended Installation	24 in x 24 in	61 cm x 61 cm
	EcoWorx® Tile	
	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Flair
87100

Vitality
87105


Flourish-Color
87326


Vibrance-Color
87327

Vitality-Color
87375


Moxie-Color
87411


Brio-Color
87485


Gusto
87500


Vibrance
87510

Brio
87518


Moxie
87535


Flourish
87580


Flair-Color
87675

84100 Marble

Coordinating Products
Chisel Tile, Grit Tile, Spark Tile, Stonework Tile, Zeal Tile

Product Specifications

Style Number Fibre	5T487	
Dye Method	Eco Solution Q100™ Nylon	
Tufted Weight Gauge	100% Solution Dyed	
Average Density	26 oz/yd²	881.5 g/m²
Product Size	1/10 in	39.4 per 10 cm
Secondary Backing	5814 oz/yd³	0.215 g/cm³
Recommended Installation	24 in x 24 in	61 cm x 61 cm
	EcoWorx® Tile	
	Monolithic, Quarter Turn, Brick, Ashlar, Random	

Marble 84100

Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100


Marble 84100

Marble 84100


Marble 84100

HARD SURFACE STYLES

56516 Smoky Oak

Coordinating Products
Branching Out COREtec® 20 Mil

Product Specifications

Style Number	4308V
Attached Underlayment	Pad
Class	Class III, Type B
Wear Layer Thickness	12 mil or 0.012 in (0.30 mm)
Overalll Thickness	0.173 in | 4.4 mm
Actual Dimensions	6.92 in x 48.03 in | 17.58 cm x 122.00 cm
Finish	ExoGuard®
Installation Type	Click

Alpine Oak
56100

Zion Oak
56103

Rise Oak
56120

Riverside Oak
56140

Prairie Oak
56240

Plains Oak
56250

Ridgeline Oak
56504

Range Oak
56506

Smoky Oak
56516

Forest Walnut
56703

Pinecone Oak
56720

Ravine Oak
56730

Traverse Oak
56760

56120 Rise Oak

Coordinating Products
Branching Out COREtec® 12 Mil

Product Specifications

Style Number	4309V
Attached Underlayment	Pad
Class	Class III, Type B
Wear Layer Thickness	12 mil or 0.012 in (0.30 mm)
Overalll Thickness	0.173 in | 4.4 mm
Actual Dimensions	6.92 in x 48.03 in | 17.58 cm x 122.00 cm
Finish	ExoGuard®
Installation Type	Click

Alpine Oak
56100

Zion Oak
56103

Rise Oak
56120

Riverside Oak
56140

Prairie Oak
56240

Plains Oak
56250

Ridgeline Oak
56504

Range Oak
56506

Smoky Oak
56516

Forest Walnut
56703

Pinecone Oak
56720

Ravine Oak
56730

Traverse Oak
56760

03004 Exemplify

Coordinating Products
Eiris, Linear, Nordic, XL, 500, 700

Product Specifications

Style Number	058UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil | 0.51 mm
Overalll Thickness	0.315 in | 8.1 mm
Actual Dimensions	7.09 in x 48.03 in | 18.01 cm x 122 cm
Area Per Carton	23.64 sq ft2.2 sq m
Finish	ExoGuard®
Installation	Floating Or Direct Glue
Static Load Limit/ASTM F970	Passes

Specify
03001

Express
03002

Exemplify
03004

Detail
03005

Elucidate
03006

Represent
03007

Distinguish
03008

Differentiate
03009

Identify
03010

Flow 5.0 LLT | Flow + Function Luxury Vinyl Tile

085114 Smooth

Coordinating Products Function 5.0

Product Specifications

Style Number	4419V	
Wear Layer Thickness	22 mil (0.022 in)	0.56 mm
Overalll Thickness	0.197 in	5 mm
Actual Dimensions	36.00 in w x 36.00 in	91.44 cm w x 91.44 cm
Finish	ExoGuard+®	
Installation	Direct Glue	
Class / ASTM F1700	Class III, Type B	

Smooth
85114

Sandstone
85120

Dense
85504

Shale
85518

Streamline
85520

Molten
85585

Function 5.0 | Flow + Function

Luxury Vinyl Tile



86501 Transition

Construction:
Flow 5.0 LLT

Product Specifications

Style Number	4388V	
Wear Layer Thickness	22 mil (0.022 in)	0.56 mm
Overalll Thickness	0.197 in	5 mm
Actual Dimensions	18.00 in w x 18.00 in l	45.72 cm w x 45.72 cm l
Finish	ExoGuard+®	
Installation	Direct Glue	
Class / ASTM F1700	Class III, Type B	

Silica
86100

Uniform
86120

Transition
86501

Pebble
86504

Composite
86506

Blend
86515

Change
86520

Nordic | Nordic

Luxury Vinyl Tile

77104 Alder

Construction:
Heavy Commercial Luxury Vinyl Tile With Fiberglass

Product Specifications

Style Number	4377V
Wear Layer Thickness	22 mil (0.56 mm)
Overalll Thickness	0.197 in | 5 mm
Actual Dimensions	7.25 in x 48 in | 18.42 cm x 121.92 cm
Finish	ExoGuard+®
Installation	Perimeter, Floating or Direct Glue
Static Load Limit/ASTM F970	Passes

Aspen
77100
V2

Natural
77101
V2

Honey
77103
V2

Alder
77104
V3

Calm
77111
V2

Blonde
77112
V2

Drfitwood
77120
V3

Birch
77140
V2

Fir
77155
V2

Radiant
77710
V4

Redwood
77720
V2

Elm
77721
V2

Balance
77755
V2

Golden
77756
V3

Pathway | Pathway + Promenade

Luxury Vinyl Tile

05082 Oneness

Coordinating Products Promenade

Product Specifications

Style Number	4281V
Wear Layer Thickness	20 mil or 0.020 in (0.51 mm)
Overalll Thickness	0.197 in | 5 mm
Actual Dimensions	36 in x 36 in | 91.44 cm x 91.44 cm
Finish	ExoGuard™
Installation	Perimeter, Floating or Direct Glue
Static Load Limit/ASTM F970	Passes

Radiance
01041
V2

Oneness
05082
V3

Union
05085
V2

Attraction
05081
V3

Promenade | Pathway + Promenade

Luxury Vinyl Tile

01071 Weathered Bark

Coordinating Products
Pathway

Product Specifications

Style Number	4280V
Wear Layer Thickness	20 mil or 0.020 in (0.51 mm)
Overalll Thickness	0.197 in | 5 mm
Actual Dimensions	8.97 in x 62.99 in | 22.78 cm x 159.99 cm
Finish	ExoGuard™
Installation	Perimeter, Floating or Direct Glue
Static Load Limit/ASTM F970	Passes

Canyon
01070
V2

Weathered Bark
01071
V3

Burnished Timber
01072
V2



Honeycomb
01077
V3

Pyrite
01078
V2

Bronze
07205



Pebble
01073
V2



River Rock
01076
V2

Igneous
05104
V3

Graphite Steel
05107
V4

56703 Forest

Product Specifications

Style Number	4530V	
Wear Layer Thickness	22 mil (0.022 in)	0.56 mm
Overalll Thickness	0.197 in	5 mm
Actual Dimensions	7.25 in w x 48.00 in l	18.42 cm w x 121.92 cm l
Finish	ExoGuard+®	
Installation	Direct Glue Or Perimeter Glue	
Class / ASTM F1700	Class III, Type B	

Alpine
56100

Zion
56103

Rise
56120

Riverside
56140

Prairie
56240

Plains
56250

Ridgeline
56504

Range
56506

Smoky
56516

Forest
56703

Pinecone
56720

Ravine
56730

Traverse
56760

Stratum Eiris | Stratum Resilient COREtec®

06001 Cinnamon

Coordinating Products

Linear, Nordic, XL, Defined, 500, 700

Product Specifications

Style Number	053UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	30 mil or 0.030 in (0.762 mm)
Overalll Thickness	0.335 in | 8.5 mm
Actual Dimensions	7.09 in x 59.06 in | 18.01 cm x 150.01 cm
Area Per Carton	17.43 ft^2 | 1.62 m^2
Finish	ExoGuard™
Installation	Floating or Direct Glue
Static Load Limit/ASTM F970	Passes

Cinnamon
06001
V3

Tannery Brown
06002
V2

Summer Truffle
06003
V2

Abyss
06004
V3

Ivory
06005
V2

Bone
06006
V4



04001 True Black

Coordinating Products
Eiris, Nordic, XL, Defined, 500, 700

Product Specifications

Style Number	055UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	30 mil or 0.030 in (0.762 mm)
Overalll Thickness	0.323 in | 8.2 mm
Actual Dimensions	8.98 in x 24.02 in | 22.81 cm x 61 cm
Area Per Carton	23.95 ft^2 | 2.23 m^2
Finish	ExoGuard™
Installation	Floating or Direct Glue
Static Load Limit/ASTM F970	Passes, 750 psi

True Black
04001
V2

Dulled Flint
04002
V2

Dusty Suede
04005
V2

Stratum Nordic | Stratum Resilient COREtec®

73155 Fir

Coordinating Products
Eiris, Linear, XL, Defined, 500, 700

Product Specifications

Style Number	0473V
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil or 0.020 in (0.55 mm)
Overalll Thickness	0.315 in | 8 mm
Actual Dimensions	7 in x 48 in | 18.20 cm x 122 cm
Finish	ExoGuard™
Installation	Floating or Direct Glue
Static Load Limit/ASTM F970	Passes

Aspen
73100
V2

Natural
73101
V2

Honey
73103
V2

Alder
73104
V3

Calm
73111
V2

Blonde
73112
V2

Driftwood
73120
V3

Birch
73140
V2

Fir
73155
V2

Radiant
73710
V2

Redwood
73720
V2

Elm
73721
V2

Balance
73755
V2

Golden
73756
V3

00609 Fort Hill Oak

Coordinating Products
Eiris, Linear, Nordic, Defined, 500, 700

Product Specifications

Style Number	034UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil | 0.51 mm
Overalll Thickness	0.319 in | 8.1 mm
Actual Dimensions	8.98 in x 72.05 in | 22.81 cm x 183.01 cm
Area Per Carton	26.95 sq ft2.5 sq m
Finish	ExoGuard®
Installation	Floating Or Direct Glue
Static Load Limit/ASTM F970	Passes

Alston Oak
00601

Beacon Hill Oak
00604

Commonwealth Oak
00607

Fort Hill Oak
00609

Hyde Park Ash
00610

Newbury Oak
00611

Roslindale Oak
00612

Roxbury Oak
00613

Fenway Oak
00615

Stratum 500 | Stratum

Resilient COREtec®

00201 Acacia

Coordinating Products
Eiris, Linear, Nordic, XL, Defined, 700

Product Specifications

Style Number	023UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil | 0.51 mm
Overalll Thickness	0.319 in | 8.1 mm
Actual Dimensions	8.98 in x 72.05 in | 22.81 cm x 183.01 cm
Area Per Carton	26.95 sq ft2.5 sq m
Finish	ExoGuard®
Installation	Floating Or Direct Glue

Acacia
00201

Mocha Oak
00202

Vintage Oak
00205

Weathered Oak
00206

Limerick Oak
00207

Apalachicola Pi
00501

Targhee Walnut
00503

Chattahoochee O
00504

Allegheny Maple
00505

Wimena Pine
00506

Oconee Walnut
00507

Gallatin Hickor
00508

00706 Sawtooth Oak

Coordinating Products
Eiris, Linear, Nordic, XL, Defined, 500

Product Specifications

Style Number	024UV
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil | 0.51 mm
Overalll Thickness	0.319 in | 8.1 mm
Actual Dimensions	8.98 in x 72.05 in | 22.81 cm x 183.01 cm
Area Per Carton	26.95 sq ft2.5 sq m
Finish	ExoGuard®
Installation	Floating Or Direct Glue

Tawny Oak
00209

Cerused Oak
00210

Monterey Oak
00211

Gifford Oak
00703

Hoosier Oak
00704

Inyo Oak
00705

Sawtooth Oak
00706

Willamette Oak
00707

Prescott Oak
00708

CARPET TILE INSTOCK INDEX

APAC Instock
Carpet Tiles

Our APAC Carpet Tile Instock programme presents products stocked in China for immediate shipping.

For quantity limit and more details, please refer to the programme catalogue or contact your Shaw Contract account manager.

Achromatic 5T107

Charcoal
07555

Color Frame 5T081

Glowing
81211

Hyper Green
81326

Figment
81486

Mask
81507

Coax
81549

Disappear
81557

Aurora
81855

Back Weave 5T303

Argan
01100

Wool
01105

Silver
01535

Bisect 5T448

River Rock
06481

Granite
06500

Mortar
06530



Mineral
06595

Collective I 5T438

Warm Grey
38518

Grey
38580

Collective II 5T439

Warm Grey
38518

Grey
38580

Collective III 5T440

Warm Grey
38518



Grey
38580

Exchange 5T304

Argan
01100

Wool
01105



Silver
01535

Flat Weave 5T321

Argan
01100

Wool
01105

Silver
01535

Knotted 5T301

Argan
01100

Wool
01105



Silver
01535

Diffuse 24X24 59575

Magnetic Fields
75505

Disperse 24X24 59576

Magnetic Fields
75505

City Central 5T175

Metro
72530

Sky 5T174

Adventure
72481

Ocean
72535

Landing Edge

Opulent Earth
71225

Distance Meadow
71375

Opulent Sky
71411

Pristine Stone
71595

Landing

Distance
71505

Pristine
71535



Opulent
71555

Plains

Earth
71225

Sky
71411

Distant
71505



Pristine
71535

Opulent
71555

Stone
71595

Arrange

Steel Grey
94530

Mirror Grey
94535

Chrome Black
94500

Structure

Steel Grey
94530

Mirror Grey
94535

Chrome Black
94500

Basic 5T117

Blue Herring
17481

Limestone
17530

Storm Cloud
17597

Surround 5T120

Blue Herring
17481

Limestone
17530

Storm Cloud
17597

Primary 5T119

Blue Herring
17481

Storm Cloud
17597

Poured 5T206

Aquamarine
06327

River Rock
06481

Lapis
06486

Granite
06500

Mortar
06530

Mineral
06595

Mix
06597

Sea 5T172

Adventure
72481

Skyline
72500

Ocean
72535

Sea Edge 5T173

Adventure Green
72482

Adventure Yellow
72483

Adventure Teal
72484

Ocean Citron
72537

Ocean Lime
72538

HARD SURFACE INSTOCK INDEX

APAC Instock
Hard Surface

instock
asia pacific

Our APAC Hard Surface Instock programme presents products stocked in China for immediate shipping, For specific details, please refer to the programme catalogue or contact your Shaw Contract account manager.

Nordic LVT 4377V

Aspen
77100
V2

Natural
77101
V2

Honey
77103
V2

Alder
77104
V3

Calm
77111
V2

Blonde
77112
V2

Drfitwood
77120
V3

Birch
77140
V2

Fir
77155
V2

Radiant
77710
V4

Redwood
77720
V2

Elm
77721
V2

Balance
77755
V2

Golden
77756
V3

Promenade 4280V


Canyon
01070
V2

Weathered Bark
01071
V3

Burnished Timber
01072
V2

Honeycomb
01077
V3

Pyrite
01078
V2


Bronze
07205
V3

Pebble
01073
V2

River Rock
01076
V2

Igneous
05104
V3

Graphite Steel
05107
V4

Pathway 4281V

Radiance
01041
V2

Oneness
05082
V3

Union
05085
V2


Attraction
05081
V3

Branching Out WPC

Alpine Oak
56100

Zion Oak
56103

Rise Oak
56120

Riverside Oak
56140

Prairie Oak
56240

Plains Oak
56250

Ridgeline Oak
56504

Range Oak
56506

Smoky Oak
56516

Forest Walnut
56703

Pinecone Oak
56720

Ravine Oak
56730

Traverse Oak
56760

Stratum Nordic 0473V

Aspen
73100
V2

Natural
73101
V2

Honey
73103
V2

Alder
73104
V3

Calm
73111
V2

Blonde
73112
V2

Driftwood
73120
V3

Birch
73140
V2

Fir
73155
V2

Radiant
73710
V2

Redwood
73720
V2

Elm
73721
V2

Balance
73755
V2

Golden
73756
V3

ALL STYLE INDEX

Carpet Tiles

116 Above
116 Accent
117 Achromatic
117 Alchemy
118 Alban
118 All Together
119 Alongside
119 Arrange
120 Array
120 Back Weave
121 Basalt II
121 Balcony
122 Basic 24x24
122 Basic 9x36
123 Belong
123 Beyond
124 Bisect
124 Boundless
125 Calm
125 Casa
126 Centered
126 Central Line
127 Centric
127 Check
128 Chisel
128 Chromatone
129 City Central
129 Collective I
130 Collective II
130 Collective III
131 Color Form
132 Color Frame
133 Collaboration
134 Commons
134 Delicate
135 Diffuse 24x24
135 Direction
136 Discover
136 Disperse 24x24
137 Dream
137 Drop Stitch
138 Drop Stitch Accent
138 Dwelling
139 Dynamic
139 Elevate
140 Embark
140 Enclave
141 Endless
141 Exchange
142 Expanse
142 Familiar
143 Fault Lines II
143 Field
144 Flat Weave
144 Form
145 Fog
145 Follow-Up
146 Gravel II
146 Grit
147 Habitat
147 Hand In Hand
148 Haze
148 Heddle
149 Honed
149 Honest
150 Houndstooth
150 Hub Accent
151 Huddle
151 Identity
152 In Common
152 Infinite
153 Intent
153 In Tune
154 Jacquard
154 Knitted
155 Knotted
155 Kickoff
156 Landform
156 Landing
157 Landing Edge
157 Local
158 Makerspace
158 Memory
159 Motion
159 Nest
160 Observe
160 Observe Color
161 Offset
161 Pavers II
162 Preserve
162 Plains
163 Pleated
163 Positive
164 Poured
164 Primary
165 Process
165 Purpose
166 Quad
166 Realm
167 Respond
167 Respond Color
168 Reverse
168 Ridge
169 Saturate
169 Scape
170 Sea
170 Sea Edge
171 Seek
171 Shape
172 Shelter
172 Situation
173 Side By Side
173 Sky
174 Slab
174 Source
175 Spark
175 Stacked
176 Steppe
176 Stonework
177 Structure
177 Surround 24x24
178 Surround 9x36
178 Suspend
179 Tangle
179 Tempt
180 Textile
180 Transform
181 Transform Color
181 Upbeat
182 Vapour
182 Vast
183 Vista
183 Wander
184 Weathered
184 Weathered Color
185 Wildwood
185 Zeal
186 Zest

Hard Surface

188 Branching Out COREtec® 12 Mil
188 Branching Out COREtec® 20 Mil
189 Defined
189 Flow 5.0 LLT
190 Function 5.0
190 Nordic
191 Pathway
191 Promenade
192 Serene 5.0
192 Stratum Eiris
193 Stratum Linear
193 Stratum Nordic
194 Stratum XL
194 Stratum 500
195 Stratum 700

Feels good to do good.

PEOPLE TOGETHER PLANET FOREVER

ShawContract®

MIX
Paper from responsible sources
FSC® C009723
www.fsc.org
RAINFOREST ALLIANCE CERTIFIED

Printed on elemental chlorine free, acid free, pH neutral paper containing a minimum of 10% post-consumer recovered fiber. Please recycle when finished.