

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
7201SP		7.07	847	5.80	695	5.80	695	82.0	0.0	0.0	0.0	0.0	1.41
7202SP		8.08	968	4.91	588	4.91	588	60.7	0.0	0.0	0.0	0.0	4.70
7203SP		8.19	981	4.48	537	4.48	537	54.7	0.0	0.0	0.0	0.0	4.12
7204SP		9.15	1096	4.63	555	4.63	554	50.7	0.1	0.0	0.1	0.0	4.48
7206SP		8.73	1046	4.59	550	4.59	550	52.6	0.0	0.0	0.0	0.0	4.38
72099SP		8.12	973	3.68	441	3.68	440	45.3	0.0	0.0	0.0	0.0	3.58
7210SP		8.34	999	4.57	548	4.57	548	54.8	0.0	0.0	0.0	0.0	4.14
7212SP		8.09	969	4.89	586	4.89	586	60.4	0.0	0.0	0.0	0.0	4.65
7213SP		8.28	992	4.58	549	4.58	549	55.3	0.0	0.0	0.0	0.0	4.27
7216SP		8.20	983	4.56	547	4.56	547	55.6	0.0	0.0	0.0	0.0	4.30
7221SP		8.21	984	4.57	547	4.57	547	55.6	0.0	0.0	0.0	0.0	4.25
7225SP		8.15	977	4.73	567	4.73	567	58.1	0.0	0.0	0.0	0.0	4.53
7226SP		8.16	978	4.81	576	4.81	576	58.9	0.0	0.0	0.0	0.0	4.48
7234SP		9.62	1153	4.69	562	4.69	562	48.9	0.1	0.0	0.2	0.0	4.50
7235SP		8.22	985	4.54	544	4.54	544	55.2	0.0	0.0	0.0	0.0	4.21
7239SP		7.85	941	6.63	794	6.63	794	84.5	0.0	0.0	0.0	0.0	6.61
7242SP		8.23	986	4.56	547	4.56	547	55.5	0.0	0.0	0.0	0.0	4.22
7251SP		9.12	1093	4.71	564	4.71	564	51.7	0.0	0.0	0.0	0.0	4.47
7254SP		9.31	1116	4.63	555	4.62	553	49.9	0.3	0.0	0.3	0.0	4.24
7258SP		8.26	990	4.56	546	4.56	546	55.2	0.0	0.0	0.0	0.0	4.26
7259SP		8.28	992	4.53	542	4.53	542	54.7	0.0	0.0	0.0	0.0	4.26
7261SP		8.83	1058	4.56	547	4.56	547	51.6	0.0	0.0	0.0	0.0	4.34
7262SP		8.32	997	4.56	546	4.56	546	54.8	0.0	0.0	0.0	0.0	4.22
7263SP		8.24	987	4.55	546	4.55	546	55.3	0.0	0.0	0.0	0.0	4.27
7264SP		8.26	990	4.55	546	4.55	546	55.2	0.0	0.0	0.0	0.0	4.19
7265SP		8.27	991	4.54	544	4.54	544	54.9	0.0	0.0	0.0	0.0	4.21
7268SP		8.28	992	4.52	542	4.52	542	54.6	0.0	0.0	0.0	0.0	4.27
7270SP		8.38	1004	4.64	556	4.64	556	55.4	0.0	0.0	0.0	0.0	4.31
7273SP		8.26	990	4.56	546	4.56	546	55.2	0.0	0.0	0.0	0.0	4.22
7274SP		8.27	991	4.56	546	4.56	546	55.1	0.0	0.0	0.0	0.0	4.30
7275SP		8.43	1010	4.56	546	4.56	546	54.1	0.0	0.0	0.0	0.0	4.28
7279SP		8.10	971	4.89	585	4.89	585	60.3	0.0	0.0	0.0	0.0	4.62

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
7280SP		8.78	1052	4.61	553	4.61	553	52.5	0.0	0.0	0.0	0.0	4.18
7281SP		8.11	972	4.81	576	4.81	576	59.3	0.0	0.0	0.0	0.0	4.60
7282SP		8.97	1075	4.56	546	4.56	546	50.8	0.0	0.0	0.0	0.0	4.22
7283SP		8.27	991	4.55	545	4.55	545	55.0	0.0	0.0	0.0	0.0	4.22
7286SP		8.24	987	4.42	530	4.42	530	53.7	0.0	0.0	0.0	0.0	4.11
7287SP		9.41	1128	4.57	547	4.56	547	48.6	0.1	0.0	0.2	0.0	4.18
7288SP		8.30	995	4.56	547	4.56	547	55.0	0.0	0.0	0.0	0.0	4.24
7289SP		8.25	989	4.58	549	4.58	549	55.6	0.0	0.0	0.0	0.0	4.28
7295SP		8.08	968	4.57	548	4.57	548	56.6	0.0	0.0	0.0	0.0	4.01
73099SP		7.89	945	4.35	521	4.35	521	55.2	0.0	0.0	0.0	0.0	2.93
74001SP		7.33	878	4.59	550	4.59	550	62.6	0.0	0.0	0.0	0.0	0.28
74199SP		7.80	935	5.69	682	5.69	681	73.0	0.0	0.0	0.0	0.0	1.66
74500SP		7.76	930	4.94	592	3.64	436	69.3	0.1	26.2	0.1	26.2	2.68
AC543SP		10.03	1202	4.40	528	4.04	484	45.8	0.2	8.1	0.2	8.1	2.81
AE1003CSP		7.04	844	6.87	823	6.73	806	98.0	2.5	0.0	2.1	0.0	1.26
AE1003SP		8.41	1008	5.78	692	5.75	690	68.8	0.4	0.0	0.4	0.0	0.04
AE880CSP		6.83	818	6.63	794	6.48	776	97.7	2.8	0.0	2.3	0.0	0.73
AE880SP		7.28	872	5.94	712	5.92	709	81.7	0.4	0.0	0.4	0.0	0.11
AF340SP		10.88	1304	4.18	501	4.18	501	38.5	0.1	0.0	0.2	0.0	3.82
AF347SP		10.81	1295	4.35	521	4.35	521	40.2	0.0	0.0	0.0	0.0	3.99
AF5B1		7.31	876	6.39	765	6.39	765	87.4	0.0	0.0	0.0	0.0	5.69
AF5B10		11.59	1389	4.14	496	4.12	493	35.9	0.4	0.0	0.5	0.0	3.41
AF5B11		8.42	1009	4.50	539	4.50	539	53.4	0.0	0.0	0.0	0.0	3.00
AF5B12		7.95	953	4.48	537	4.48	537	56.3	0.0	0.0	0.0	0.0	4.34
AF5B13		7.91	948	4.41	529	4.41	529	55.8	0.0	0.0	0.0	0.0	3.55
AF5B14		7.74	927	4.58	549	4.58	549	59.2	0.0	0.0	0.0	0.0	2.73
AF5B15		11.92	1428	4.15	498	4.15	498	34.8	0.0	0.0	0.0	0.0	2.84
AF5B16		8.89	1065	4.20	504	4.20	504	47.3	0.0	0.0	0.0	0.0	3.23
AF5B17		7.92	949	4.43	531	4.43	531	56.0	0.0	0.0	0.0	0.0	3.26
AF5B18		7.92	949	4.53	542	4.53	542	57.1	0.0	0.0	0.0	0.0	3.55
AF5B19		7.91	948	4.29	514	4.29	514	54.3	0.0	0.0	0.0	0.0	3.20
AF5B2		8.10	971	4.18	501	4.18	501	51.7	0.0	0.0	0.0	0.0	2.24

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5B20		7.99	957	4.47	536	4.47	536	56.0	0.0	0.0	0.0	0.0	3.90
AF5B21		8.26	990	4.23	507	4.23	507	51.3	0.0	0.0	0.0	0.0	2.71
AF5B22		8.29	993	4.17	500	4.17	500	50.3	0.0	0.0	0.0	0.0	2.76
AF5B23		8.33	998	4.28	513	4.28	513	51.5	0.0	0.0	0.0	0.0	2.60
AF5B24		7.91	948	4.46	535	4.46	535	56.4	0.0	0.0	0.0	0.0	3.21
AF5B25		7.99	957	4.38	525	4.38	525	54.8	0.0	0.0	0.0	0.0	3.59
AF5B26		14.50	1737	3.93	470	3.93	470	27.1	0.0	0.0	0.0	0.0	3.40
AF5B27		7.99	957	4.50	539	4.50	539	56.3	0.0	0.0	0.0	0.0	3.67
AF5B28		7.97	955	4.43	531	4.43	531	55.6	0.0	0.0	0.0	0.0	3.22
AF5B29		7.80	935	4.50	539	4.50	539	57.7	0.0	0.0	0.0	0.0	3.08
AF5B3		7.99	957	4.48	537	4.48	537	56.1	0.0	0.0	0.0	0.0	3.72
AF5B30		7.83	938	4.46	534	4.46	534	56.9	0.0	0.0	0.0	0.0	2.87
AF5B31		8.17	979	4.26	511	4.26	511	52.2	0.0	0.0	0.0	0.0	2.71
AF5B32		21.59	2587	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B33		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B34		19.73	2364	1.97	236	1.97	236	10.0	0.0	0.0	0.0	0.0	0.00
AF5B35		21.59	2587	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B36		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B37		23.10	2768	2.31	277	2.31	277	10.0	0.0	0.0	0.0	0.0	0.00
AF5B38		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B39		8.20	983	6.52	781	6.52	781	79.5	0.0	0.0	0.0	0.0	0.25
AF5B4		8.11	972	4.52	541	4.52	541	55.7	0.0	0.0	0.0	0.0	2.80
AF5B40		7.86	942	4.88	584	4.80	575	62.4	0.0	1.6	0.0	1.6	2.58
AF5B41		7.52	901	6.41	768	6.40	767	85.2	0.0	0.0	0.0	0.0	0.87
AF5B42		8.46	1014	4.29	514	4.29	514	50.7	0.0	0.0	0.0	0.0	3.84
AF5B43		8.75	1048	4.08	489	4.08	489	46.7	0.0	0.0	0.0	0.0	3.47
AF5B44		8.15	977	4.26	510	4.26	510	52.2	0.0	0.0	0.0	0.0	3.87
AF5B45		9.32	1117	1.75	209	1.23	148	48.5	0.0	29.3	0.0	29.3	0.00
AF5B46		29.15	3493	2.92	349	2.92	349	10.0	0.0	0.0	0.0	0.0	0.00
AF5B47		20.60	2468	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.00
AF5B5		8.19	981	4.22	506	4.22	506	51.5	0.0	0.0	0.0	0.0	3.21
AF5B6		8.03	962	4.50	540	4.50	540	56.1	0.0	0.0	0.0	0.0	3.87

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5B7		8.24	987	4.43	531	4.43	531	53.8	0.0	0.0	0.0	0.0	3.78
AF5B8		7.96	954	4.45	533	4.45	533	55.9	0.0	0.0	0.0	0.0	4.32
AF5B80		8.03	962	4.79	574	4.79	574	59.7	0.0	0.0	0.0	0.0	3.66
AF5B81		7.97	955	4.44	532	4.44	532	55.8	0.0	0.0	0.0	0.0	3.37
AF5B82		8.22	985	4.25	510	4.25	510	51.8	0.0	0.0	0.0	0.0	4.06
AF5B83		8.30	995	4.45	533	4.45	533	53.6	0.0	0.0	0.0	0.0	2.24
AF5B84		7.84	939	4.89	586	4.43	530	64.5	0.0	9.5	0.0	9.5	3.93
AF5B85		7.89	945	4.92	590	4.46	535	64.4	0.0	9.3	0.0	9.3	4.16
AF5B86		9.10	1090	4.80	575	4.80	575	52.7	0.0	0.0	0.0	0.0	4.26
AF5B87		8.36	1002	4.19	502	4.19	502	50.2	0.0	0.0	0.0	0.0	2.98
AF5B89		7.61	912	5.71	685	5.71	684	75.0	0.0	0.0	0.0	0.0	2.47
AF5B9		13.68	1639	4.01	480	4.01	480	29.3	0.0	0.0	0.0	0.0	3.61
AF5B90		10.56	1265	4.59	550	4.59	550	43.5	0.0	0.0	0.0	0.0	2.75
AF5B91		7.94	951	4.60	551	4.60	551	57.9	0.0	0.0	0.0	0.0	3.47
AF5B92		8.26	990	4.15	497	4.15	497	50.3	0.1	0.0	0.1	0.0	2.78
AF5B93		8.21	984	4.22	505	4.22	505	51.3	0.0	0.0	0.0	0.0	2.75
AF5B94		8.27	991	4.17	500	4.17	500	50.5	0.0	0.0	0.0	0.0	2.78
AF5B95		7.49	897	6.39	766	6.39	766	85.4	0.1	0.0	0.1	0.0	0.95
AF5C70		8.03	962	4.21	505	3.94	473	56.1	0.0	6.4	0.0	6.4	2.99
AF5C80		7.62	913	4.48	536	3.57	428	64.4	0.0	20.2	0.0	20.2	2.59
AF5C90		8.62	1033	2.49	298	1.40	167	61.6	0.0	43.8	0.0	43.8	0.87
AF5D1		6.40	767	6.40	767	6.40	767	100.0	0.0	0.0	0.0	0.0	0.00
AF5D2		8.22	985	6.80	814	0.59	70	99.8	92.6	0.0	91.4	0.0	0.00
AF5D3		6.58	788	6.55	785	6.48	776	99.9	1.4	0.0	1.1	0.0	0.00
AF5H130		9.77	1171	0.00	0	0.00	0	18.1	0.0	15.8	0.0	15.8	0.00
AF5H150		8.12	973	4.61	552	4.61	552	56.8	0.0	0.0	0.0	0.0	1.36
AF5H30		8.01	960	5.12	613	5.12	613	63.9	0.0	0.0	0.0	0.0	1.65
AF5H40		10.03	1202	1.96	235	1.00	120	64.7	0.0	49.1	0.0	49.1	0.00
AF5H60F		8.19	981	4.44	532	4.44	532	54.3	0.0	0.0	0.0	0.0	0.67
AF5H60S		8.14	975	4.33	519	4.33	519	53.2	0.0	0.0	0.0	0.0	1.26
AF5H60T		8.28	992	4.43	531	4.43	531	53.5	0.0	0.0	0.0	0.0	0.01
AF5H75T		8.28	992	4.43	531	4.43	531	53.5	0.0	0.0	0.0	0.0	0.57

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5H80F		8.93	1070	2.38	285	2.38	285	26.7	0.0	0.0	0.0	0.0	1.66
AF5H80M		8.91	1068	2.46	295	2.46	295	27.7	0.0	0.0	0.0	0.0	1.75
AF5H90F		10.14	1215	0.58	69	0.36	43	46.1	0.0	38.6	0.0	38.6	0.00
AF5H90M		10.10	1210	0.55	66	0.35	42	43.1	0.0	35.8	0.0	35.8	0.00
AF5H90T		8.28	992	4.42	530	4.42	529	53.4	0.0	0.0	0.0	0.0	0.69
AF5M1		7.83	938	4.15	497	4.15	497	53.0	0.0	0.0	0.0	0.0	0.78
AF5M2		7.23	866	7.15	857	7.15	857	99.0	0.0	0.0	0.0	0.0	7.12
AF5M3		7.36	882	7.22	865	7.22	865	98.1	0.0	0.0	0.0	0.0	0.00
AF5M4		8.14	975	8.14	975	8.11	972	100.0	0.1	0.2	0.1	0.2	0.00
AF5P10		7.24	868	6.97	835	6.97	835	96.2	0.0	0.0	0.0	0.0	6.41
AF5P20		7.20	863	6.37	763	6.11	732	89.6	4.6	0.0	4.0	0.0	0.85
AF5P20C		6.90	827	6.61	792	6.25	749	97.3	6.6	0.0	5.5	0.0	0.32
AF5P30		12.14	1455	4.01	481	3.82	458	34.1	0.0	4.7	0.0	4.7	2.51
AF5P40		13.72	1644	2.10	251	1.50	179	31.9	0.0	28.5	0.0	28.5	0.64
AF5R100		6.82	817	6.82	818	6.82	817	100.0	0.0	0.0	0.0	0.0	0.00
AF5R130		11.20	1342	0.00	0	0.00	0	100.0	0.0	100.1	0.0	100.1	0.00
AF5R60		6.49	778	6.46	774	5.37	644	100.0	0.1	16.8	0.1	16.8	0.00
AF5R75		6.82	817	6.82	818	6.82	818	100.0	0.0	0.0	0.0	0.0	0.00
AF5R90		6.81	816	6.81	816	6.81	816	100.0	0.0	0.0	0.0	0.0	0.00
AF5S50		10.19	1221	4.03	482	4.03	482	39.5	0.0	0.0	0.0	0.0	1.40
AF5S60		11.69	1401	4.61	553	4.61	552	39.5	0.0	0.0	0.1	0.0	1.94
AP410CSP		7.33	878	5.14	616	5.14	616	70.2	0.0	0.0	0.0	0.0	1.20
AP420CSP		7.78	932	5.20	623	5.19	622	66.9	0.1	0.2	0.1	0.2	0.24
AP440SP		11.58	1388	4.17	500	4.17	499	36.1	0.1	0.0	0.1	0.0	1.63
AP450SP		11.90	1426	4.30	515	4.30	515	36.1	0.1	0.0	0.1	0.0	1.62
AP460SP		11.29	1353	4.14	496	4.14	496	36.7	0.0	0.0	0.0	0.0	1.49
AS552SP		9.46	1134	4.60	551	4.60	551	48.6	0.0	0.0	0.0	0.0	1.36
AS555SP		11.68	1400	4.61	553	4.61	553	39.5	0.0	0.0	0.1	0.0	1.94
FE200SP		7.23	866	7.16	858	7.16	858	99.0	0.0	0.0	0.0	0.0	7.13
HGR560SP		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	0.00
HGR570SP		6.95	833	6.95	833	6.95	833	100.0	0.0	0.0	0.0	0.0	0.00
HGR580SP		7.04	844	7.04	844	7.04	843	100.0	0.0	0.0	0.0	0.0	0.00

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
HGR590SP		7.30	875	7.30	875	7.30	875	100.0	0.0	0.0	0.0	0.0	0.00
HGR599SP		7.71	924	7.71	924	7.71	924	100.0	0.0	0.0	0.0	0.0	0.00
PB5100SP		7.48	896	6.84	820	6.84	820	91.5	0.0	0.0	0.0	0.0	1.16
PB5200SP		7.39	886	6.75	809	6.75	809	91.4	0.0	0.0	0.0	0.0	1.16
PB5300SP		7.49	897	6.97	835	6.97	835	93.1	0.1	0.0	0.1	0.0	1.47
SC3045P		8.28	992	5.10	611	5.10	611	61.6	0.0	0.0	0.0	0.0	4.13
SC4125P		9.28	1112	4.49	539	4.48	537	48.6	0.3	0.0	0.3	0.0	3.93
SC4205P		8.13	974	4.65	557	4.65	557	57.2	0.0	0.0	0.0	0.0	4.23
SC4215P		8.18	980	4.54	545	4.54	545	55.6	0.0	0.0	0.0	0.0	3.98
SC4225P		8.18	980	4.67	559	4.67	559	57.0	0.0	0.0	0.0	0.0	4.11
SC4235P		8.07	967	4.79	574	4.79	573	59.3	0.0	0.0	0.0	0.0	4.40
SC4245P		8.28	992	4.60	551	4.60	551	55.6	0.0	0.0	0.0	0.0	3.95
SC4265P		8.15	977	4.55	546	4.55	546	55.9	0.0	0.0	0.0	0.0	4.00
SC4275P		8.20	983	4.51	540	4.51	540	55.0	0.0	0.0	0.0	0.0	3.96
SC4285P		8.23	986	4.70	564	4.70	564	57.2	0.0	0.0	0.0	0.0	4.16
SC4295P		8.13	974	4.54	545	4.54	545	55.9	0.0	0.0	0.0	0.0	4.05
SC4305P		8.16	978	4.55	545	4.55	545	55.7	0.0	0.0	0.0	0.0	4.04
SC4315P		8.25	989	4.60	551	4.60	551	55.7	0.0	0.0	0.0	0.0	3.86
SC4325P		8.18	980	4.55	545	4.55	545	55.6	0.0	0.0	0.0	0.0	4.11
SC4335P		8.20	983	4.54	544	4.54	544	55.3	0.0	0.0	0.0	0.0	4.02
SC4345P		8.20	983	4.54	545	4.54	545	55.5	0.0	0.0	0.0	0.0	3.98
SC4355P		8.24	987	4.55	545	4.55	545	55.2	0.0	0.0	0.0	0.0	4.06
SC4365P		8.20	983	4.53	543	4.53	543	55.3	0.0	0.0	0.0	0.0	3.97
SC4375P		8.19	981	4.55	545	4.55	545	55.6	0.0	0.0	0.0	0.0	4.07
SC4385P		8.20	983	4.61	552	4.61	552	56.2	0.0	0.0	0.0	0.0	4.08
SC4395P		8.41	1008	4.67	559	4.67	559	55.5	0.0	0.0	0.0	0.0	3.85
SC4405P		8.24	987	4.59	550	4.59	550	55.7	0.0	0.0	0.0	0.0	3.92
SC4415P		8.21	984	4.54	543	4.54	543	55.3	0.0	0.0	0.0	0.0	4.02
SC4425P		8.23	986	4.56	547	4.56	547	55.4	0.0	0.0	0.0	0.0	3.91
SC4435P		8.26	990	4.49	538	4.49	538	54.3	0.0	0.0	0.0	0.0	3.84
SC4445P		8.23	986	4.55	545	4.55	545	55.3	0.0	0.0	0.0	0.0	4.04
SC4455P		8.19	981	4.57	547	4.57	547	55.8	0.0	0.0	0.0	0.0	4.04

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
SC446SP		8.21	984	4.58	549	4.58	549	55.8	0.0	0.0	0.0	0.0	4.09
SC447SP		8.18	980	4.47	536	4.47	536	54.7	0.0	0.0	0.0	0.0	4.00
SC448SP		8.19	981	4.72	565	4.72	565	57.6	0.0	0.0	0.0	0.0	4.22
SC450SP		8.07	967	4.78	573	4.78	573	59.3	0.0	0.0	0.0	0.0	4.21
SC451SP		9.69	1161	4.55	545	4.53	543	47.1	0.4	0.0	0.4	0.0	3.89
SC452SP		9.20	1102	4.57	547	4.55	546	49.8	0.3	0.0	0.3	0.0	3.97
SC453SP		9.15	1096	4.56	546	4.54	544	49.9	0.3	0.0	0.3	0.0	4.03
SC454SP		9.20	1102	4.51	540	4.50	539	49.2	0.3	0.0	0.3	0.0	3.96
SC455SP		9.15	1096	4.40	528	4.40	528	48.1	0.0	0.0	0.0	0.0	3.02
SC456SP		9.05	1084	4.51	540	4.51	540	49.8	0.0	0.0	0.0	0.0	3.98
SC457SP		9.26	1110	4.68	561	4.67	560	50.6	0.1	0.0	0.2	0.0	4.29
SC458SP		9.74	1167	4.59	550	4.58	548	47.2	0.2	0.0	0.2	0.0	4.03
SC459SP		8.63	1034	4.62	553	4.62	553	53.6	0.0	0.0	0.0	0.0	4.22
SC460SP		8.42	1009	4.55	546	4.55	545	54.1	0.0	0.0	0.0	0.0	4.05
SC461SP		9.16	1098	4.56	546	4.56	546	49.8	0.0	0.0	0.0	0.0	4.00
SC462SP		8.38	1004	4.53	543	4.53	543	54.1	0.0	0.0	0.0	0.0	3.83
SC463SP		8.68	1040	4.77	572	4.77	572	55.0	0.0	0.0	0.0	0.0	4.38
SC464SP		8.68	1040	4.58	549	4.58	549	52.8	0.0	0.0	0.0	0.0	4.24
SC465SP		8.55	1025	4.65	557	4.65	557	54.4	0.0	0.0	0.0	0.0	4.26
ST600SP		6.36	762	6.36	762	6.36	762	100.0	0.0	0.0	0.0	0.0	0.00
UC100SP		7.75	929	5.77	691	5.77	691	74.4	0.0	0.0	0.0	0.0	3.44
UC200SP		8.03	962	4.21	505	3.94	473	56.1	0.0	6.4	0.0	6.4	2.99
UC400SP		7.99	957	4.22	505	4.01	481	55.4	0.0	4.8	0.0	4.8	2.37
UC500SP		7.63	914	4.48	536	3.57	428	64.3	0.1	20.1	0.1	20.1	2.59
UH310SP		8.28	992	4.43	531	4.43	531	53.5	0.0	0.0	0.0	0.0	0.01
UH320SP		8.26	990	4.42	530	4.42	530	53.5	0.0	0.0	0.0	0.0	0.57
UH325SP		8.84	1059	3.11	372	3.11	372	35.2	0.0	0.0	0.0	0.0	1.87
UH350SP		8.19	981	4.44	532	4.44	532	54.3	0.0	0.0	0.0	0.0	0.67
UH360SP		8.14	975	4.33	519	4.33	519	53.2	0.0	0.0	0.0	0.0	1.26
UH520SP		8.91	1068	2.46	295	2.46	295	27.7	0.0	0.0	0.0	0.0	1.75
UP4007SP		8.83	1058	4.13	495	4.13	494	46.8	0.1	0.0	0.1	0.0	2.75
UP4008SP		9.45	1132	4.01	480	4.00	480	42.4	0.1	0.0	0.1	0.0	2.63

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
UP4009SP		9.49	1137	4.03	483	4.02	482	42.5	0.1	0.0	0.1	0.0	2.64
UP4014SP		9.49	1137	4.00	480	4.00	479	42.2	0.1	0.0	0.1	0.0	2.65
UP4017SP		8.82	1057	4.13	495	4.13	494	46.8	0.1	0.0	0.1	0.0	2.75
UP4018SP		8.61	1032	4.10	492	4.10	492	47.7	0.1	0.0	0.1	0.0	2.90
UP4022SP		9.53	1142	4.03	483	4.03	483	42.4	0.1	0.0	0.1	0.0	2.65
UP4031SP		8.66	1038	4.87	584	4.87	584	56.3	0.0	0.0	0.0	0.0	2.13
UP4044SP		9.29	1113	4.74	567	4.73	567	51.0	0.0	0.0	0.0	0.0	1.87
UP4045SP		9.57	1147	4.20	503	4.20	503	43.9	0.1	0.0	0.1	0.0	2.83
UP4076SP		9.12	1093	4.43	531	4.43	531	48.6	0.0	0.0	0.0	0.0	2.05
UP4077SP		9.15	1096	4.56	547	4.56	547	49.9	0.0	0.0	0.0	0.0	2.00
UP4078SP		9.54	1143	4.01	481	4.01	480	42.1	0.1	0.0	0.1	0.0	2.66
UT70SP		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	0.00
UT80SP		6.93	830	6.93	830	6.93	830	100.0	0.0	0.0	0.0	0.0	0.00
UT90SP		6.94	832	6.94	831	6.94	831	100.0	0.1	0.0	0.0	0.0	0.00