

Bringing innovation to the surface.™

PPG Industries, Inc. 19699 Progress Dr. Strongsville, OH, 44149 Telephone (440) 572-6736 Fax (440) 572-6785 mkoss@ppg.com www.ppgrefiinishcom

Michael W. Koss Mgr. Regulatory Affairs Auto Refinish, Fleet & CPC - USCA

September 2016

Subject: Exemption from HHHHHH Area Source Rule

40 CFR Part 63, Subpart HHHHHH, the National Emission Standards for Hazardous Air Pollutants for Paint Stripping and Miscellaneous Surface Coatings Operations at Area Sources, also known as the 6H Area Source Rule, regulates facilities that spray apply coatings on metal and plastic substrates. Non-refinish industrial facilities are automatically exempted from the 6H Area Source Rule if they do not use methylene chloride-based strippers or any coatings that contain the target metal HAPs (lead, chromium, cadmium, nickel and manganese) and their compounds above a threshold of 0.1 wt.% for carcinogens and 1.0 wt.% for non carcinogens. No application or notification is needed. However, there is no automatic exemption for auto refinish facilities that meet the same requirements. Refinish facilities must apply for an exemption to either U.S. EPA or to their state or local agency if the agency has been delegated responsibility for administering the 6H Area Source Rule.

The 6H Area Source Rule provisions include spray gun transfer efficiency limits, prep station/spray booth requirements, spray gun cleaning standards, painter training guidelines and recordkeeping requirements. There are also specific rules for operations using methylene chloride-based strippers.

PPG Refinish has developed support documents for facilities subject to the regulation, which can be found on our website at <a href="https://www.ppgrefinish.com">www.ppgrefinish.com</a>. A copy of the 6H Area Source Rule is available on the website, found by clicking on "Safety and Health" in the gray toolbar at the top of the page, and then on "Rules and Regulations" in the drop down list. Painter training classes are available through coatings manufacturers and vocational education programs; some state or local agencies administering the rule may offer classes as well.

If you only use PPG products and you want to determine if you meet the requirements for an exemption, you may use the PPG Refinish website to review your product portfolio for items to avoid. Click on "Safety and Health" in the gray toolbar at the top of the page, then on "Products Containing Metals" in the drop down list. Open the lower pdf on the page "View products containing Pb, Cd, Cr, Mn, Ni." Find the product lines used at your facility and review for the codes listed as containing metal HAPs. If your facility uses any of the products on this list and you plan to keep on using them, you are not eligible for an exemption from the 6H Area Source Rule.

For your convenience, a short list of PPG Refinish product favorites that <u>do not contain the target metal HAPs</u> is supplied in the table on the next page. Customers using only these PPG products may be eligible for an exemption (if they don't use non-PPG products containing the target metal HAPs) and don't use methylene chloride-based strippers. The product list in this document is not all-inclusive. There are other PPG Refinish products that do not contain levels of the Area Source Rule listed target metal HAPs above thresholds. You can check metal HAP content by consulting the SDS Hazardous Ingredients (Section 3) for any product. If no compounds are listed that contain lead, cadmium, chromium, manganese or nickel at or above thresholds – you should be able to apply for an exemption from the rule.

If a facility obtains an exemption, then chooses to use or accidentally selects coatings products that contain noncompliant levels of the listed metal HAPs, they should notify the EPA administering party (where they obtained the exemption). They will likely have to file a report with the EPA; it is possible that their exemption could be withdrawn.

## 40 CFR Part 63, Subpart HHHHHH, the NESHAP: Paint Stripping and Miscellaneous Surface Coatings Operations at Area Sources – PPG Automotive Refinish exemption application compliant products

- 1. The following products, if used with their TDS recommended ancillary products will not contain target metal HAPs at or above NESHP exemption threshold (0.1% carcinogen, 1.0 wt.% non carcinogen)
- 2. Use of these products is recommended in this document as of 9/15/16, review the PPG website (www.ppgrefinsh.com) for an updated version of this document. Product lists can be revised on an annual basis
- 3. List is not intended to be all inclusive. Check website www.ppgrefinish.com under "Safety and Health" in toolbar at top of the page then "Products Containing Metals" in drop down list using the "View products containing Pb, Cd, Cr, Mn, Ni" pdf on that page for products to be avoided. As a final check, review SDS of products selected for use.
- 4. Where an intermix color system is listed on this page and followed by "only", users MUST pay particular attention to select PPG supplied formulas that are defined for label and SDS -1 designations. NEVER use -3 or -4 when applying for an exemption. Use of -5 color formulas will depend on the particular composition listed in the SDS for that color system and the relative level of metal HAPs listed compared to allowed thresholds.

Aguabase* Plus   Deltron*   Deva Autocolor* 2 k**   Drx801			I	
P190-6659         K36 (no lead tints)         P190-643         SU470LV           P190-6690         K38 (no lead tints)         P420/421(lead free)         SU4902           P190-6730         NCP250         P422 (lead free)         SU4903           P190-6930         NCP27X         P565-301X           P190-6950         NCP280         P565-5005           P565-312X         NCS200X         P565-530X           P565-314X         P572-4001         JAU-1 only           P565-520X         P572-4001         JAU-1 only           P899-1 & -5         Envirobase® HP         JBP-1 only           ECS30         MBC-1 only         JC620           Deltron®         ECS50         MBP-1 only         JC630           DAS302X         EC700         MBP-1 only         JC660           DBC-1 only         ECS50         MC260         JC780           DBU-1 only         ECSX         MC260         JC780           DBC-1 only         ECSX         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP282           DPC-1 only         <	Aquabase® Plus	<u>Deltron</u> ®	Nexa Autocolor® 2K®	OneChoice®
P190-6690         K38 (no lead tints)         P420/421(lead free)         SU4902           P190-6730         NCP250         P422 (lead free)         SU4903           P190-6930         NCP27X         P565-301X         P565-301X           P190-6950         NCP280         P565-5005         P565-530X         Shop-Line*           P565-312X         NCS200X         P565-530X         Shop-Line*           P565-520X         P565-530X         JBV-1 only           P898-1 & -5         Envirobase* HP         JBP-1 only           ECP1X         OMNI*         JBS-1 only           EC530         MBC-1 only         JC620           DAS302X         EC700         MBS-1 only         JC630           DBC-1 only         EC550         MBC-1 only         JC660           DBC-1 only         EC52X         MC260         JC780           DBU-1 only         EC52X         MC262         JB330           DC4000         EHP-1 & -5         MC270         JP33x           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP282           DCL2011         D800x         MP80x           DCU2021         D800x         MP80x				
P190-6730         NCP250         P422 (lead free)         SU4903           P190-6930         NCP27X         P565-301X         P565-301X           P565-312X         NCS200X         P565-530X         Shop-Line®           P565-314X         P565-530X         JAU-1 only           P565-520X         JB-1 only         JB-1 only           P989-1 & -5         Envirobase® HP         JBP-1 only           ECP1X         OMNI®         JBX-1 only           EC530         MBC-1 only         JC620           Deltron®         EC550         MBP-1 only         JC630           DBC-1 only         EC750         MC260         JC780           DBU-1 only         EC52X         MC260         JC780           DBU-1 only         EC56X         MC262         JB33           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4126         Global Refinish System™         MP282           DCC-1 only         BC-1 only         MP285         MP285           DLF         D800x         MP80x         MP80x           DF3105         D8152	P190-6659	, ,		SU470LV
P190-6930		,		
P190-6950   NCP280   P565-5005   P565-312X   P565-312X   P565-314X   P572-4001   JAU-1 only   JBP-1 only   JBP-1 only   JBP-1 only   JC620   JBP-1 only   JC620   JBP-1 only   JC620   JC800   JC780   JC800   JC80	P190-6730	NCP250	,	SU4903
P565-312X P565-314X P565-520X         NCS200X         P565-530X P572-4001         Shop-Line® JAU-1 only           P899-1 & -5         Envirobase® HP ECP1X         JBP-1 only         JBP-1 only           EC530         MBC-1 only         JC620           DAS302X         EC700         MBP-1 only         JC630           DBC-1 only         EC550         MC260         JC780           DBU-1 only         ECS2X         MC260         JC780           DC2000         ECS6X         MC262         JR330           DC4000         ECS6X         MC262         JP202           DC4000         MC730         JP365           DC4126         Global Refinish System™         MP178         JP355           DCU2021         D800x         MP80x         DPLF           DPLF         D808x         MP80x         MRS0           DPLF         D808x         MTK-1 only         P390-4000           DPS305X         D8150         D8152         DPX171         D8188           (See next column for more Deltron products)         D893         B893	P190-6930	NCP27X	P565-301X	
P565-314X         P565-520X         P572-4001         JAU-1 only         JB-1 only         JB-1 only         JB-1 only         JBP-1 only         JCC60         MBP-1 only         MC60         <	P190-6950	NCP280	P565-5005	
P565-520X   P989-1 & -5   Envirobase® HP   JBP-1 only	P565-312X	NCS200X	P565-530X	Shop-Line®
P989-1 & -5	P565-314X		P572-4001	JAU-1 only
ECP1X	P565-520X			JB-1 only
Deltron®         EC530         MBC-1 only         JC620           DAS302X         EC700         MBP-1 only         JC630           DBC-1 only         EC750         MC260         JC780           DBU-1 only         ECS2X         MC262         JC830           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCU2021         D800x         MP80x         MP80x           DCU2042         D8035         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPS305X         D8150         P390-4001           DPS3105         D8152         P390-4003           DPX171         D8188         P390-4003	P989-1 & -5	Envirobase® HP		JBP-1 only
Deltron®         EC550         MBP-1 only         JC630           DAS302X         EC700         MBX-1 only         JC660           DBC-1 only         EC750         MC260         JC780           DBU-1 only         ECS2X         MC262         JC830           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         MP80x           DCU2042         D8035         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPS305X         D8150         P390-4003           DPS3105         D8152         DPX171         D8188           Gee next column for more Deltron products)         D893         B893		ECP1X	OMNI®	JBX-1 only
DAS302X         EC700         MBX-1 only         JC660           DBC-1 only         EC750         MC260         JC780           DBU-1 only         ECS2X         MC262         JC830           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         JUAIUE-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003         P390-4003           DPX171         D8188         JR39         JR39           More Deltron products         D893         JC60         JC80		EC530	MBC-1 only	JC620
DBC-1 only         EC750         MC260         JC780           DBU-1 only         ECS2X         MC262         JC830           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPX171         D8188         P390-4003           (See next column for more Deltron products)         D893	<u>Deltron</u> ®	EC550	MBP-1 only	JC630
DBU-1 only         ECS2X         MC262         JC830           DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™ MP235         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS3105         D8150         P390-4003           DPX171         D8188         (See next column for more Deltron products)         D893	DAS302X	EC700	MBX-1 only	JC660
DC2000         ECS6X         MC262         JP202           DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPX171         D8188         (See next column for more Deltron products)         D893	DBC-1 only	EC750	MC260	JC780
DC3000         EHP-1 & -5         MC270         JP33x           DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282         JTX-1 only           DCU2021         D800x         MP80x         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         P390-4003           (See next column for more Deltron products)         D893	DBU-1 only	ECS2X	MC262	JC830
DC4000         MC730         JP365           DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282	DC2000	ECS6X	MC262	JP202
DC4010         MP178         JP355           DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282	DC3000	EHP-1 & -5	MC270	JP33x
DC4126         Global Refinish System™         MP235         JTX-1 only           DCC-1 only         BC-1 only         MP282	DC4000		MC730	JP365
DCC-1 only         BC-1 only         MP282           DCU2021         D800x         MP80x           DCU2042         D8035         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         (See next column for more Deltron products)         D893	DC4010		MP178	JP355
DCU2021         D800x         MP80x           DCU2042         D8035         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         (See next column for more Deltron products)         D839	DC4126	Global Refinish System™	MP235	JTX-1 only
DCU2042         D8035         MP895         Value-Pro™           DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         P390-4003           (See next column for more Deltron products)         D839	DCC-1 only	BC-1 only	MP282	
DPLF         D808X         MTK-1 only         P390-4000           DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         P390-4003           (See next column for more Deltron products)         D893	DCU2021	D800x	MP80x	
DPLV305X         D8126         MTX-1 only         P390-4001           DPS305X         D8150         P390-4003           DPS3105         D8152         P390-4003           DPX171         D8188         P390-4003           (See next column for more Deltron products)         D839	DCU2042	D8035	MP895	Value-Pro™
DPS305X D8150 P390-4003  DPS3105 D8152  DPX171 D8188  (See next column for more Deltron products) D839  D893	DPLF	D808X	MTK-1 only	P390-4000
DPS3105 D8152 DPX171 D8188 (See next column for D839 more Deltron products) D893	DPLV305X	D8126	MTX-1 only	P390-4001
DPX171 D8188 (See next column for more Deltron products) D893	DPS305X	D8150		P390-4003
(See next column for more Deltron products)  D839  D893	DPS3105	D8152		
more Deltron products) D893	DPX171	D8188		
	(See next column for	D839		
D894	more Deltron products)	D893		
	·	D894		

Products are included in this table because they do not contain the target metal HAPS at or above allowed exemption thresholds stated in the 6H Area Source Rule. However, other regulations may apply to your use of the products, such as state or local limits on VOC content. It is the responsibility of the jobber and end user to determine whether a particular product complies with federal, state and local regulations.

Use of Aquabase Plus & Envirobase High Performance color would not restrict a user from applying for an exemption from the 6H Area Source Rule. These products do not contain U.S. SDS-reportable levels of the target metal HAPs at or above allowed exemption thresholds in the 6H Area Source Rule. <u>PPG offers support documents specifically for these popular waterborne basecoat systems.</u> For other color systems, note that the recommended intermix color formulas are restricted to PPG supplied "-1" formulas.

It is the responsibility of the formulator in charge to determine the target metal content of all components used to create field matches. PPG Refinish recommendations in this document are based solely on the intermix color match formulas that we provide through PPG's online color and Paint Manager programs.

Check with your state or local air agency to obtain forms or instructions for applying for an exemption from the 6H Area Source Rule. If your state or local agency has not been delegated authority to administer the 6H Area Source Rule, you can contact the regional EPA office for your area. For regional EPA contact information, go to <a href="http://www.epa.gov/epahome/regions.htm">http://www.epa.gov/epahome/regions.htm</a>.

An exemption from the 6H Area Source Rule does not exempt the facility from the requirements of any other applicable local, state or federal rule.

This "Exemption from HHHHHH Area Source Rule" document is intended to provide INFORMATION for review by PPG's customers. In providing this document, PPG makes no separate or additional warranties, express or implied, and assumes no liability or responsibility arising out of its use. It is the responsibility of each customer, RE-SELLER AND END USER of PPG's products to independently ascertain that their practices are legal, appropriate and constitute sound product stewardship. This "Exemption from HHHHHH Area Source Rule" document is general in nature and is not intended to address site OR PRODUCT-specific issues. Approaches to different issues may vary depending on individual circumstances. This document is not INTENDED to define or create legal rights or obligations. It is the responsibility of each customer, RE-SELLER AND END USER to comply with federal state and local laws.