

## Detailed Delfleet One Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F7000	Color Ctg., Single-Stage Ctg.	18.54	2222	1.32	158	1.32	158	7.1	0	0	0	0	18.6	0
F7010	Color Ctg., Single-Stage Ctg.	8.98	1076	1.51	181	1.51	181	16.8	0	0	0	0	22.2	0
F7100	Color Ctg., Single-Stage Ctg.	9.53	1142	1.56	187	1.56	187	16.3	0	0	0	0	16.3	0
F7101	Color Ctg., Single-Stage Ctg.	13.24	1587	1.6	192	1.6	192	12.1	0	0	0	0	12.1	0
F7102	Color Ctg., Single-Stage Ctg.	11.46	1373	1.5	179	1.5	179	13.1	0	0	0	0	13.1	0
F7103	Color Ctg., Single-Stage Ctg.	9.62	1153	1.51	181	1.51	181	15.7	0	0	0	0	15.7	0
F7104	Color Ctg., Single-Stage Ctg.	9.16	1098	1.51	181	1.51	181	16.5	0	0	0	0	16.5	0
F7112	Color Ctg., Single-Stage Ctg.	8.14	975	1.81	217	1.81	217	22.3	0	0	0	0	22.3	0
F7200	Color Ctg., Single-Stage Ctg.	9.55	1144	1.38	165	1.38	165	14.4	0	0	0	0	14.4	0
F7201	Color Ctg., Single-Stage Ctg.	11.46	1373	1.5	179	1.5	179	13.1	0	0	0	0	13.1	0
F7300	Color Ctg., Single-Stage Ctg.	9.64	1155	1.5	179	1.5	179	15.5	0	0	0	0	15.5	0
F7301	Color Ctg., Single-Stage Ctg.	12.02	1440	1.55	186	1.55	186	12.9	0	0	0	0	12.9	0
F7302	Color Ctg., Single-Stage Ctg.	8.91	1068	1.52	182	1.52	182	17	0	0	0	0	19.5	0
F7303	Color Ctg., Single-Stage Ctg.	8.91	1068	1.51	181	1.51	181	17	0	0	0	0	17	0
F7304	Color Ctg., Single-Stage Ctg.	9.54	1143	1.52	182	1.52	182	15.9	0	0	0	0	15.9	0
F7311	Color Ctg., Single-Stage Ctg.	8.66	1038	1.49	179	1.49	179	17.3	0	0	0	0	17.3	0
F7400	Color Ctg., Single-Stage Ctg.	8.6	1031	1.5	179	1.5	179	17.4	0	0	0	0	17.4	0
F7401	Color Ctg., Single-Stage Ctg.	8.67	1039	1.58	189	1.58	189	18.2	0	0	0	0	18.2	0
F7402	Color Ctg., Single-Stage Ctg.	8.71	1044	1.51	181	1.51	181	17.4	0	0	0	0	17.4	0
F7403	Color Ctg., Single-Stage Ctg.	8.83	1058	1.47	176	1.47	176	16.6	0	0	0	0	16.6	0
F7500	Color Ctg., Single-Stage Ctg.	8.84	1059	1.51	181	1.51	181	17.1	0	0	0	0	17.1	0
F7501	Color Ctg., Single-Stage Ctg.	8.89	1065	1.51	181	1.51	181	17	0	0	0	0	17	0
F7502	Color Ctg., Single-Stage Ctg.	8.87	1063	1.51	181	1.51	181	17	0	0	0	0	44.5	0
F7503	Color Ctg., Single-Stage Ctg.	8.7	1042	1.52	182	1.52	182	17.5	0	0	0	0	17.5	0
F7504	Color Ctg., Single-Stage Ctg.	8.75	1048	1.5	180	1.5	180	17.2	0	0	0	0	17.2	0
F7511	Color Ctg., Single-Stage Ctg.	8.55	1025	1.45	173	1.45	173	16.9	0	0	0	0	21.2	0
F7600	Color Ctg., Single-Stage Ctg.	9.06	1086	1.53	183	1.53	183	16.9	0	0	0	0	16.9	0
F7700	Color Ctg., Single-Stage Ctg.	9.37	1123	1.5	180	1.5	180	16	0	0	0	0	21.8	0
F7701	Color Ctg., Single-Stage Ctg.	9.39	1125	1.5	180	1.5	180	16	0	0	0	0	21.9	0
F7702	Color Ctg., Single-Stage Ctg.	9.33	1118	1.5	180	1.5	180	16.1	0	0	0	0	21.7	0
F7703	Color Ctg., Single-Stage Ctg.	9.35	1120	1.5	180	1.5	180	16.1	0	0	0	0	22	0
F7704	Color Ctg., Single-Stage Ctg.	9.36	1122	1.5	180	1.5	180	16	0	0	0	0	22	0
F7705	Color Ctg., Single-Stage Ctg.	9.37	1123	1.5	180	1.5	180	16	0	0	0	0	22.3	0
F7800	Color Ctg., Single-Stage Ctg.	10.39	1245	1.47	176	1.47	176	14.1	0	0	0	0	20.8	0
F7801	Color Ctg., Single-Stage Ctg.	10.45	1252	1.49	179	1.49	179	14.3	0	0	0	0	21.3	0
F7802	Color Ctg., Single-Stage Ctg.	10.38	1244	1.47	176	1.47	176	14.1	0	0	0	0	20.9	0
F7803	Color Ctg., Single-Stage Ctg.	10.3	1234	1.47	176	1.47	176	14.3	0	0	0	0	20.9	0
F7804	Color Ctg., Single-Stage Ctg.	10.32	1237	1.47	176	1.47	176	14.2	0	0	0	0	20.9	0
F7805	Color Ctg., Single-Stage Ctg.	10.34	1239	1.49	178	1.49	178	14.4	0	0	0	0	21.3	0

## Detailed Delfleet One Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F7806	Color Ctg., Single-Stage Ctg.	10.45	1252	1.49	179	1.49	179	14.3	0	0	0	0	21.3	0
F7807	Color Ctg., Single-Stage Ctg.	10.4	1246	1.48	177	1.48	177	14.2	0	0	0	0	21.1	0
F7808		9.39	1125	1.5	180	1.5	180	16	0	0	0	0	21.9	0
F7809	Color Ctg., Single-Stage Ctg.	10.41	1247	1.47	176	1.47	176	14.1	0	0	0	0	20.9	0
F7810	Color Ctg., Single-Stage Ctg.	10.39	1245	1.47	176	1.47	176	14.1	0	0	0	0	20.8	0
F7811	Color Ctg., Single-Stage Ctg.	10.35	1240	1.46	175	1.46	175	14.1	0	0	0	0	20.8	0
F7812	Color Ctg., Single-Stage Ctg.	10.35	1240	1.46	175	1.46	175	14.1	0	0	0	0	20.8	0
F7900	Color Ctg., Single-Stage Ctg.	8.69	1041	1.51	181	1.51	181	17.4	0	0	0	0	17.4	0
F7901	Color Ctg., Single-Stage Ctg.	8.71	1044	1.48	178	1.48	178	17	0	0	0	0	17	0
F7902		8.96	1074	1.52	182	1.52	182	17	0	0	0	0	20.9	0
F7911	Color Ctg., Single-Stage Ctg.	8.58	1028	1.85	222	1.85	222	21.6	0	0	0	0	21.6	0
F8100	Color Ctg., Single-Stage Ctg.	9.12	1093	1.91	229	1.46	174	45	0	29	0	23.7	43.2	0
F8101	Color Ctg., Single-Stage Ctg.	8.21	984	1.94	232	1.45	173	39.4	0.1	21.7	0.1	25.3	46.8	0.01
F8105	Color Ctg., Single-Stage Ctg.	8.8	1054	2.02	242	0.8	95	70.3	0.1	61.1	0.1	60.5	71.9	0
F8109	Single-Stage Ctg.	10.92	1309	1.01	121	0.4	48	62.3	0	58.5	0	59.9	65.7	0
F8200	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Hardener)	9.93	1190	0	0	0	0	20	0	20	0	17.8	17.7	0
F8201	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Hardener)	9.93	1190	0	0	0	0	20	0	20	0	17.8	17.7	0
F8202	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Hardener)	9.93	1190	0	0	0	0	20	0	20	0	17.8	17.7	0
F8203	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Hardener)	10.29	1233	0	0	0	0	40	0	40	0	36.8	36.8	0
F8204	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Hardener)	10.57	1267	0	0	0	0	62.4	0	62.4	0	58.9	58.9	0
F8310	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Thinner)	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.6	100	0
F8311	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Thinner)	10.77	1291	7.23	866	0.75	90	100	0	93	0	89.6	100	0
F8312	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Thinner)	10.77	1291	7.23	866	0.75	90	100	0	93	0	89.6	100	0
F8313	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Thinner)	10.88	1304	7.98	957	0.76	91	100	0	93	0	90.5	100	0
F8314	Clear Ctg., Color Ctg., Primer, Primer Sealer, Single Stage Ctg. (Thinner)	10.56	1265	7.06	846	1.17	140	99.5	0	88.4	0	83.4	99.5	0
F8600	Clear Ctg	9.68	1160	1.63	196	1.04	125	52.4	0	41.6	0	36.3	50.3	0
F8605	Clear Ctg	9.63	1154	1.84	220	1.18	142	53.3	0	41	0	35.5	51.9	0.02
F8700	Color Ctg., Single-Stage Ctg.	9.46	1134	1.52	182	1.52	182	16	0	0	0	0	22.3	0
F8701	Color Ctg., Single-Stage Ctg.	10.03	1202	1.6	192	1.09	131	46.2	0	35.4	0	31.7	47.7	0

## Detailed Delfleet One Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
F8710	Color Ctg., Single-Stage Ctg.	9.21	1104	2.35	282	1.38	166	65	0	50	0	41.2	63.6	0
F8720		8.9	1066	1.98	237	1.01	122	63.7	0.1	52.3	0.1	48.6	63.3	0
F8800	Primer (Hardener)	9.8	1174	1.83	220	0.94	113	65.2	0	55.6	0	48.7	62.4	0.42
F8801	Primer	13.34	1598	1.83	219	1.31	157	31.3	0	21.4	0	28.3	46.2	0.53
F8801BK	Primer	13.45	1612	1.83	220	1.31	157	31.1	0	21.4	0	28.4	46.3	0.54
F8801WH	Primer	13.55	1624	1.85	221	1.33	160	30.7	0	20.9	0	27.9	46	0.53
F8802	Primer	13.56	1625	1.39	166	0.95	114	31.6	0	24.6	0	31.5	45.2	0
F8802BK	Primer	13.38	1603	1.38	165	0.95	113	31.8	0	24.8	0	31.3	44.9	0
F8802WH	Primer	13.7	1642	1.37	164	0.94	112	31.3	0	24.4	0	31.6	45.1	0
F8810	Primer	13.84	1658	1.42	170	1.04	125	28.9	0	21.3	0	26.5	41	0
F8810BK	Primer	13.85	1660	1.42	170	1.05	125	28.7	0	21.2	0	26.3	40.9	0
F8810WH	Primer	14.2	1702	1.41	169	1.04	125	27.9	0	20.6	0	26.2	40.8	0
F8811	Primer	13.14	1575	1.32	159	0.79	95	37	0	31	0	40	51	0
F8812	Primer Sealer	12.48	1495	1.89	226	1.16	140	41	0	31.7	0	38.2	54.3	0.44
F8812BK	Primer Sealer	12.84	1539	1.84	221	1.15	138	39.3	0	30.3	0	37.6	53.5	0.43
F8812WH	Primer Sealer	12.64	1515	1.85	221	1.13	135	40.7	0	31.8	0	38.9	54.4	0.39