


# Firestone



## FIRESTONE AG TIRE PRODUCT CATALOG

-----  
LISTED BY SIZE | UPDATED 12.01.13

AGRICULTURAL | AG FLOTATION | FORESTRY | CONSTRUCTION | COMPACT/GARDEN



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
4.50-10	4	7	13	<b>344-648B</b>		FSR TTF2
20x8.00-10	4	13	8	<b>381-755</b>		TURF & FIELD TLG2
21x8.00-10	4	15	9	<b>381-653</b>		TURF & FIELD TLG2
6-12	4	9	11	<b>344-699B</b>		FD TTR3
23x10.50-12	4	16	11	<b>381-738</b>		TURF & FIELD TLG2
23x8.50-12	4	17	10	<b>381-789</b>		TURF & FIELD TLG2
24x8.50-12	4	22	11	<b>381-721</b>		TURF & FIELD TLG2
26x12.00-12	8	34	20	<b>381-772</b>		FLOT 23 TLG1
5-14	4	12	31	<b>344-443B</b>		FSLM TTR1
6-14	4	10	10	<b>344-362B</b>		FD TTR3
8.5L-14	6	20	7	<b>339-148</b>		FARM IMP TT11
9.5L-14	8	28	7	<b>358-940</b>		FARM IMP TL11
11L-14	8	32	8	<b>350-028</b>		FARM IMP TL11
24X8.50-14	4	17	11	<b>344-591B</b>		PILLOW DIA TLG2
25x8.50-14	4	19	11	<b>381-687</b>		TURF & FIELD TLG2
25x8.50-14	6	19	11	<b>381-704</b>		TURF & FIELD TLG2
200/85D14	88A8	27	32	<b>365-571</b>		SUPER AT II 23° TL R1
215/65D14	84A8	21	10	<b>365-622</b>		FLOT SUPER ALL TERRAIN
215/65D14NHS	104A8	29	17	<b>365-588</b>		SUP TRAC DUP TL

**IND SPCL TLF3**



**HWY SPECIAL TL11**



**POWER IMPN TL13**



**FARM IMP TT11**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
5.00-15	4	12	12	<b>375-278</b>	368-274	GG 3R TTF2
5.00-15	4	12	6	<b>375-346</b>	368-512	RIB IMP TT11
5.00-15	4	15	14	<b>310-069</b>		POWER IMPN TLI3
5.90-15	4	15	7	<b>339-288</b>		FARM IMP TLI1
5.90-15	4	19	7	<b>362-034</b>		IMP STUBBLE TLI1
6.70-15	4	18	7	<b>339-296</b>		FARM IMP TLI1
6.70-15	6	18	7	<b>375-652</b>		FARM IMP TLI1
7.5L-15	6	27	19	<b>374-666</b>	368-291	GG 3R TLF2
7.60-15	6	24	8	<b>325-864</b>		DUO RIB PLTR TT11
7.60-15	6	26	23	<b>340-529</b>	340-510	POWER IMPN TLI3
7.60-15	8	24	7	<b>339-369</b>	339-229	FARM IMP TLI1
9.5L-15	8	36	22	<b>375-227</b>	368-478	CH GG 4R TLF2
9.5L-15	8	30	7	<b>339-377</b>	339-237	FARM IMP TLI1
9.5L-15	12	36	7	<b>355-860</b>		FARM IMP TLI1
9.5L-15FI	E	45	11	<b>374-598</b>	364-738	HWY SPECIAL TLI1
10.00-15	8	43	11	<b>329-614</b>		FARM TIRE TLI1
11L-15	8	45	33	<b>375-142</b>	339-806	CH GG 3R TLF2
11L-15	8	49	34	<b>376-570</b>	339-806	CH GG 4R TLF2
11L-15	8	33	7	<b>339-547</b>	339-431	FARM IMP TLI1
11L-15	8	38	14	<b>316-024</b>		IND SPCL TLF3
11L-15	10	47	14	<b>326-011</b>		IND SPCL TLF3
11L-15	12	41	8	<b>339-482</b>		FARM IMP TLI1
11L-15FI	F	56	11	<b>374-581</b>	364-772	HWY SPECIAL TLI1
12.5L-15	8	42	23	<b>340-561</b>		POWER IMP TLI3
12.5L-15	10	40	7	<b>339-598</b>		FARM IMP TLI1
12.5L-15	12	47	7	<b>354-538</b>		FARM IMP TLI1
12.5L-15	18	48	7	<b>378-457</b>		FARM IMP TLI1
12.5L-15FI	F	67	11	<b>374-564</b>	364-806	HWY SPECIAL TLI1

**PD TTF2**



**DURAFORCE DT**



**FLOT 23 TLF1**



**CH GG 4R TLF2**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
27x8.50-15	4	20	11	<b>381-670</b>		TURF & FIELD TLG2
27X8.50-15	6	27	13	<b>350-672</b>		SUP TRAC LDR TLI3
27X8.50-15	8	28	7	<b>379-460</b>		FARM IMP TLHF1
27X9.50-15	8	28	10	<b>357-804</b>	351-792	FARM IMP TLI1
29X1200-15	6	41	11	<b>359-785</b>		TURF & FIELD TLG2
212/80D15	4	26	11	<b>344-575B</b>		PILLOW DIA TLG2
31X13.50-15	8	53	11	<b>354-856</b>		TURF & FIELD TLG2
31X13.50-15	8	55	12	<b>355-518</b>		RIB IMP TLI1
31X13.50-15	10	62	11	<b>362-190</b>		TURF STUBBLE TLG2
31X13.50-15	10	69	12	<b>359-025</b>		IMP STUBBLE TLI1
31X13.50-15	12	66	12	<b>358-622</b>		RIB IMP TLI1
31X15.50-15	8	68	21	<b>314-420</b>		FLOT 23°TLG1
215/70D15 (27x 8.50-15)	8	41	22	<b>360-449</b>		DURAFORCE DT TLNHS
260/65D15 (27x10.50-15)	8	46	24	<b>360-457</b>		DURAFORCE DT TLNHS
IF240/80R15 (9.5LR15)	121D	47	11	<b>000-543</b>		DEST FARM TLI1
IF265/85R15 (10.00R15)	121D	59	11	<b>000-544</b>		DEST FARM TLI1
IF280/70R15 (11LR15)	128D	51	11	<b>000-410</b>		DEST FARM TLI1
390/60D15 (31x15.50-15)	8	95	30	<b>360-465</b>		DURAFORCE DT TLNHS
5.50-16	4	18	30	<b>342-920</b>		CH GG SR TTF1
6.00-16	6	24	19	<b>374-700</b>	368-376	CH GG 3R TLF2
6.00-16	6	17	8	<b>339-199</b>		FARM IMP TTI1
6.50-16	6	26	22	<b>374-683</b>	368-393	CH GG 3R TLF2
7.50-16	8	39	24	<b>374-751</b>	368-427	CH GG 3R TLF2
7.50-16	8	32	20	<b>374-717</b>	367-985	CH GG 4R TLF2

**IND SPCL TLF3**



**CH GG SR TLF1**



**CH GG 3R TTF2**



**DEST FARM IF**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
8-16	4	28	39	<b>344-494B</b>		FSLM TTR1
9.5-16	4	46	40	<b>376-808</b>	351-814	SUPER AT II 23° TL R1
9.5-16	6	42	18	<b>351-776</b>		TURF & FIELD TLR3
10.00-16	6	49	27	<b>339-849</b>		CH GG 4R TLF2
10.00-16	8	52	32	<b>350-877</b>		CH GG 3R TTF2
10.00-16	8	52	27	<b>339-865</b>		CH GG 4R TLF2
10.00-16	8	45	27	<b>339-814</b>		CH GG 4R TTF2
10.00-16	8	61	32	<b>357-847</b>		3R STUBBLE TLF2
10.00-16	8	56	25	<b>357-898</b>		4R STUBBLE TLF2
10.00-16	10	53	27	<b>368-750</b>		CH GG 4R TLF2
11.00-16	8	70	35	<b>350-885</b>		CH GG 3R TTF2
11.00-16	8	67	28	<b>339-873</b>		CH GG 4R TLF2
11.00-16	8	80	35	<b>357-855</b>		3R STUBBLE TLF2
11.00-16	8	76	28	<b>357-901</b>		4R STUBBLE TLF2
11.00-16	12	77	28	<b>342-602</b>		CH GG 4R TLF2
11L-16	8	37	8	<b>359-831</b>	339-466	FARM IMP TLI1
11L-16	10	46	14	<b>314-625</b>		IND SPCL TLF3
11L-16	12	46	14	<b>326-089</b>		IND SPCL TLF3
12.4-16	4	66	44	<b>345-202</b>		TRAC F & R TTR1
12.5L-16	8	40	7	<b>339-474</b>		FARM IMP TT11
12.5L-16	12	50	7	<b>339-490</b>		FARM IMP TLI1
12.5L-16	14	61	7	<b>356-840</b>		FARM IMP TLI1
13.6-16 (7R)	4	61	12	<b>345-210</b>		TURF & FLD TTR3
13.50-16.1	8	85	22	<b>342-688</b>		POWER IMPN TLI3
13.50-16.1	10	90	18	<b>325-015</b>		ANS FARM TLI2
14.5/75-16.1	10	84	19	<b>321-567</b>		IND SPCL TLF3

**TURF & FLD TTR3**



**ANS FARM TLI2**



**ANS TRACTOR**



**DURAFORCE SDT**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
14L-16.1	8	81	39	<b>354-449</b>		CH GG 3R HD TLF2
14L-16.1	8	89	33	<b>365-537</b>		CH GG 4R TLF2
14L-16.1	8	70	11	<b>354-686</b>		FARM IMP TLI1
14L-16.1	10	96	39	<b>322-687</b>		CH GG 3R HD TLF2
14L-16.1	12	101	32	<b>359-432</b>		CH GG 4R TLF2
14L-16.1	12	83	12	<b>365-520</b>		FARM IMP TLI1
14L-16.1	14	86	12	<b>376-876</b>		FARM IMP TLI1
16.5L-16.1	6	81	24	<b>340-618</b>		POWER IMP TLI3
16.5L-16.1	6	83	18	<b>310-514</b>		ANS FARM TLI2
16.5L-16.1	8	131	36	<b>339-938</b>		CH GG 4R TLF2
16.5L-16.1	10	100	18	<b>317-365</b>		ANS FARM TLI2
16.5L-16.1	10	109	14	<b>339-636</b>		FARM IMP TLI1
16.5L-16.1	10	103	24	<b>342-467</b>		POWER IMP TLI3
16.5L-16.1	14	120	14	<b>342-483</b>		FARM IMP TLI1
18.4-16.1	8	155	50	<b>359-564</b>		TRAC F & R TLR1
19L-16.1	12	119	16	<b>359-777</b>		FARM TIRE L TLI1
21.5L-16.1	6	186	32	<b>312-770</b>		TURF & FIELD TLR3
21.5L-16.1	8	190	25	<b>359-408</b>		POWER IMPN TLI3
21.5L-16.1	10	148	14	<b>318-507</b>		FARM TIRE L TLI1
21.5L-16.1	10	193	32	<b>355-887</b>		TURF & FIELD TLR3
21.5L-16.1	14	219	25	<b>359-416</b>		POWER IMPN TLI3
21.5L-16.1	14	164	14	<b>325-848</b>		FARM TIRE L TLI1
250/85D16.5	92A8	48	40	<b>365-401</b>		SUPER AT II 23° TL R1
265/70D16.5 (10-16.5)	8	50	20	<b>362-123</b>	367-356	DURAFORCE HD TLNHS
265/70D16.5 (10-16.5)	8	62	26	<b>360-473</b>		DURAFORCE DT TLNHS
265/55D16.5	93A8	30	10	<b>365-350</b>		FLOT SUPER ALL TERRAIN
320/55D16.5	89A8	45	11	<b>365-384</b>		FLOT SUPER ALL TERRAIN

**DURAFORCE DT**



**DURAFORCE HD**



**RIB DUP FARM TLI1**



**SUP TRAC DUP TL**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
265/70D16.5 (10-16.5)	10	81	26	<b>365-707</b>		DURAFORCE SDT TLNHS
305/70D16.5 (12-16.5)	10	62	22	<b>362-131</b>	367-390	DURAFORCE HD TLNHS
305/70D16.5 (12-16.5)	10	86	28	<b>360-414</b>		DURAFORCE DT TLNHS
305/70D16.5 (12-16.5)	12	90	28	<b>373-170</b>		DURAFORCE DT TLNHS
305/70D16.5 (12-16.5)	12	110	47	<b>365-724</b>		DURAFORCE SDT TLNHS
330/55D16.5	10	81	26	<b>360-481</b>		DURAFORCE DT TLNHS
395/55D16.5	12	104	28	<b>360-503</b>		DURAFORCE DT TLNHS
14-17.5NHS	10	86	23	<b>416-177</b>		SUP TRAC DUP TL
355/70D17.5 (14-17.5)	10	117	24	<b>361-666</b>		DURAFORCE ND TLNHS
355/70D17.5 (14-17.5)	10	88	24	<b>362-158</b>	371-453	DURAFORCE HD TLNHS
355/70D17.5 (14-17.5)	14	141	51	<b>365-741</b>		DURAFORCE SDT TLNHS
355/70D17.5 (14-17.5)	14	126	24	<b>361-674</b>		DURAFORCE ND TLNHS
36X16-17.5	8	111	16	<b>318-523</b>		RIB DUP FARM TLI1
36X16-17.5	14	123	16	<b>361-968</b>		RIB DUP FARM TLI1
8-18	6	33	39	<b>355-925B</b>		FSLM TTR1
10.5/80-18	10	66	28	<b>351-741</b>		AT UTILITY TLI3
12.5/80-18	12	93	32	<b>359-912</b>		SUP TRAC LDR TLI3
280/70R18	114B	66	38	<b>365-027</b>		RADIAL 4000 TLR1W
320/80R18 (12.5/80D18)	141B	120	34	<b>380-497N</b>	*Q12014	RAD DURAFORCE RT TLR4
340/80R18	143B	129	38	<b>375-975</b>		RAD DURAFORCE RT TLR4
15-19.5NHS	12	117	25	<b>416-517</b>		SUP TRAC DUP TL
40X19-19.5	14	197	25	<b>323-004</b>		ND DUP FARM TLI3
VF245/70R19.5	134D	80	19	<b>000-555</b>		DEST FARM TLI1
380/70D19.5	122A8	88	16	<b>365-639</b>		FLOT SUPER ALL TERRAIN
385/65D19.5 (15-19.5)	12	158	25	<b>361-682</b>		DURAFORCE ND TLNHS
385/65D19.5 (15-19.5)	16	182	25	<b>361-690</b>		DURAFORCE ND TLNHS
445/65D19.5 (18-19.5)	16	225	28	<b>361-712</b>		DURAFORCE ND TLNHS

**AT UTILITY TLI3**



**ND DUP FARM TLI3**



**GG 3R TTF2**



**DURAFORCE ND**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
7.50-20	4	45	8	<b>313-424</b>		DUO RIB PLTR TLI1
7.50-20	6	46	18	<b>352-594</b>		CH GG 3R TTF2
7.50-20	6	35	7	<b>339-326</b>		FARM IMP TLI1
10.0/10.5-20	10	69	24	<b>342-548</b>		AT UTILITY TTI3
12.5-20	10	92	29	<b>358-398C</b>		AT UTILITY TLI3
355/80D20	4	82	13	<b>344-982B</b>		PILLOW DIA TLG2
42X25.00-20	12	279	56	<b>358-304</b>		FLOT 23°DT TLHF3
48X25.00-20	10	260	31	<b>328-057</b>		FLOT 23°TLHF2
48X25.00-20	10	355	56	<b>344-184</b>		FLOT 23°DT TLHF3
48X25.00-20	12	298	58	<b>360-422</b>		FLOT FR TLHF2
48X31.00-20	14	361	32	<b>360-430</b>		FLOT FR TLHF2
48X31.00-20	14	317	32	<b>361-984</b>		FLOT 23°TLHF2
48X31.00-20	14	422	58	<b>361-976</b>		FLOT 23°DT TLHF3
8.3-22	6	49	109	<b>378-695B</b>		FL18 TTR1
9.5-22	4	49	19	<b>358-649</b>		TURF & FIELD TLR3
9.5-22	6	47	43	<b>363-752B</b>	352-381	FSLM TTR1
VF295/75R22.5	145D	115	19	<b>000-554</b>		DEST FARM TLI1
15-22.5NHS	16	180	25	<b>359-599</b>		SUP TRAC DUP ND TL
VF385/65R22.5	158D	170	23	<b>000-582</b>		DEST FARM TLI1
445/65D22.5 (18-22.5)	16	247	28	<b>361-720</b>		DURAFORCE ND TLNHS
VF445/65R22.5	169D	207	24	<b>000-583</b>		DEST FARM TLI1
600/55-22.5	16	320	35	<b>364-653</b>		FLOT IMP TLI3
700/50-22.5	16	342	35	<b>359-033</b>		FLOT IMP TLI3

**SUPER AT 23 TLR1**



**IRR SPCL TLR1**



**DEST FARM VF**



**SUPER AT FWD**





## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
8.3-24	4	48	17	<b>351-733</b>		ANS TRACTOR TLR3
8.3-24	4	47	40	<b>351-644</b>		TRAC F & R TLR1
9.00-24	8	54	11	<b>356-212</b>		RIB IMP TT11
9.5-24	4	41	14	<b>306-096</b>		ANS TRACTOR TTR3
9.5-24	6	65	40	<b>371-351</b>	338-370	SUPER AT II 23° TL R1
11.00-24	12	121	39	<b>359-440</b>		CH GG 3R HD TLF2
11.2-24	4	61	21	<b>344-869B</b>		FD TTR3
11.2-24	4	65	32	<b>321-893</b>		IRR SPCL TLR1
11.2-24	4	64	32	<b>349-984</b>		IRR SPCL TTR1
11.2-24	4	83	43	<b>365-163</b>	357-995	SUPER AT II 23° TL R1
11.2-24	6	77	42	<b>351-725</b>		TRAC F & R TLR1
11.2-24	8	87	41	<b>365-180</b>	352-012	SUPER AT II 23° TL R1
11.25-24	8	77	13	<b>324-221</b>		RIB IMP TLI1
11.25-24	12	96	13	<b>355-534</b>		RIB IMP TLI1
12.4-24	4	98	45	<b>365-299</b>		SUPER AT II 23° TL R1
12.4-24	8	101	43	<b>372-541</b>	365-231	SUPER AT II 23° TL R1
12.4-24	12	112	44	<b>357-987</b>		TRAC F & R TLR1
<b>280/85R24 (11.2R24)</b>	<b>115D</b>	94	55	<b>000-547N</b>		PERFORMER 85 TLR1W
<b>320/85R24 (12.4R24)</b>	<b>122B</b>	137	51	<b>362-681</b>		RADIAL AT DT TLR1W
<b>320/85R24 (12.4R24)</b>	<b>122D</b>	107	45	<b>000-585N</b>	377-165	PERFORMER 85 TLR1W
<b>340/85R24</b>	<b>125D</b>	154	40	<b>000-804N</b>	377-199	PERFORMER 85 TLR1W
13.6-24	8	125	44	<b>372-575</b>	369-719	SUPER AT II 23° TL R1
<b>340/85R24 (13.6R24)</b>	<b>125B</b>	161	53	<b>362-698</b>		RADIAL AT DT TLR1W
14.9-24	4	108	35	<b>322-377</b>		IRR SPCL TLR1
14.9-24	4	107	36	<b>322-679</b>		IRR SPCL TTR1
14.9-24	6	130	47	<b>345-334</b>		TRAC F & R TLR1
14.9-24	6	177	36	<b>000-912N</b>	*Q12014	IRR SPCL TTR1
14.9-24	6	126	23	<b>359-556</b>		ANS TRACTOR TLR3
14.9-24	6	128	48	<b>365-061</b>		SUPER AT II 23° TL R1
14.9-24	8	130	48	<b>373-238</b>	358-002	SUPER AT II 23° TL R1
14.9-24	8	200	90	<b>352-837</b>		CH SP GR TTR2
14.9-24	8	136	32	<b>351-849</b>		AT UTILITY TLR4
14.9-24	12	151	32	<b>358-584</b>		AT UTILITY TLR4
14.9-24	12	219	90	<b>359-610</b>		CH SP GR TLR2

**SUPER AT 23 TLR1**



**IRR SPCL TLR1**



**RADIAL AT DT**



**SUPER AT FWD**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
380/70R24	125D	153	50	379-341		PERFORMER 70 TLR1W
380/85D24 (14.9-24)	145	118	35	373-765		CHAMP HYDRO TLR1
380/85R24 (14.9R24)	131B	200	55	362-715		RADIAL AT DT TLR1W
380/85R24 (14.9R24)	131D	155	54	000-549		PERFORMER 85 TLR1W
16.9-24	6	154	28	351-709		ANS TRACTOR TLR3
16.9-24	8	155	49	359-505		TRAC F & R TLR1
16.9-24	8	156	33	309-281		AT UTILITY TLR4
16.9-24	10	175	28	358-789		ANS TRACTOR TLR3
16.9-24	12	175	34	363-990		AT UTILITY TLR4
16.9R24	134B	240	48	340-405		RAD AT FWD TLR1
420/70-24	6	137	33	351-040		AT UTILITY TLR4
420/70R24	130D	175	52	379-188		PERFORMER 70 TLR1W
480/70R24	138D	228	59	381-551		PERFORMER 70 TLR1W
420/85R24 (16.9R24)	137D	193	55	000-599		PERFORMER 85 TLR1W
17.5L-24	8	160	32	315-486		AT UTILITY TLR4
17.5L-24	10	176	32	325-880		AT UTILITY TLR4
17.5LR24	133A8	202	32	351-989		RAT UTIL TLR4
460/60D24	135A8	119	17	365-418		FLOT SUPER ALL TERRAIN
480/65R24	140B	235	51	365-673		RADIAL 9000 TR TLR1W
18.4-24	8	178	35	316-083		AT UTILITY TLR4
18.4-24	12	201	35	355-224		AT UTILITY TLR4
19.5L-24	10	217	34	359-343		AT UTILITY TLR4
19.5L-24	10	223	27	356-190		TURF & FIELD TLR3
19.5L-24	12	217	33	380-259		AT UTILITY TLR4
500/70R24 (19.5LR24)	164B	267	34	376-842		RAD DURAFORCE RT TLR4
500/70R24 (19.5LR24)	157B	250	34	371-657		RAD DURAFORCE RT TLR4
540/65R24	140B	270	54	359-165		RADIAL 9000 TR TLR1W

**FL23XDTWTP**



**RAT UTIL TLR4**



**RAD FLOT 23**



**FLOT ALL TER**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
21L-24	12	253	35	<b>321-370</b>		AT UTILITY TLR4
21L-24	16	276	35	<b>327-727</b>		AT UTILITY TLR4
21L-24	18	287	35	<b>372-762</b>		AT UTILITY TLR4
54X37.00-25	12	588	73	<b>352-055</b>		FLOT 23°DT TLHF3
54X37.00-25	12	726	60	<b>352-063</b>		FL23°DT WTP TLHF3
54X37.00-25	20	766	60	<b>373-102</b>		FL23°DT WTP TLHF3
66X43.00-25	10	830	73	<b>340-693</b>		FLOT 23°DT TLHF3
66X43.00-25	14	1366	108	<b>354-325</b>		FL23°XDTWTP TLHF4
66X43.00-25	14	1099	73	<b>354-392</b>		FL23°DT WTP TLHF3
66X43.00-25	16	862	73	<b>358-312</b>		FLOT 23°DT TLHF3
66X43.00-25	20	718	64	<b>375-465</b>		FLOT 23°TLHF2
66X44.00-25	20	736	13	<b>371-674</b>		FLOT AT WTP TLHF1
67X34.00-25	14	1084	112	<b>354-902</b>		FL23°TD WTP TLHF4
14.9-26	6	121	47	<b>345-288</b>		TRAC F & R TTR1
14.9-26	10	174	47	<b>343-897</b>		SUPER AT FWD TLR1
14.9R26	132B	198	47	<b>340-456</b>		RAD AT FWD TLR1
16.9-26	6	155	48	<b>355-119</b>		TRAC F & R TTR1
16.9-26	10	220	48	<b>343-900</b>		SUPER AT FWD TLR1
16.9-26	10	242	74	<b>326-712</b>		CH SP GR TLR2
420/85R26 (16.9R26)	138B	250	49	<b>362-528</b>		RAD AT FWD TLR1
18.4-26	6	228	50	<b>343-846</b>		SUPER AT FWD TLR1
18.4-26	6	279	100	<b>358-266</b>		CH SP GR TLR2
18.4-26	6	193	29	<b>315-958</b>		ANS TRACTOR TLR3
18.4-26	8	197	50	<b>345-326</b>		TRAC F & R TTR1
18.4-26	10	251	50	<b>343-919</b>		SUPER AT FWD TLR1
18.4-26	10	277	79	<b>326-445</b>		CH SP GR TLR2
18.4-26	10	334	64	<b>361-771</b>		FORSPLWTPCRC TTLS2
18.4-26	12	223	50	<b>362-443</b>		TRAC F & R TLR1
18.4-26	12	211	29	<b>369-753</b>	315-966	ANS TRACTOR TLR3
18.4R26	140B	304	50	<b>340-421</b>		RAD AT FWD TLR1

**ANS II TLR3**



**FORSPL CRC SS**



**CH SP GR TTR2**



**RADL AT FWD**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
23.1-26	8	329	52	<b>344-095</b>		SUPER AT 23° TLR1
23.1-26	8	262	21	<b>345-377</b>		ANS TRACTOR TLR3
23.1-26	10	424	109	<b>362-647</b>		CH SP GR TLR2
23.1-26	10	516	67	<b>361-798</b>		FORSPLWTPCRC TTLS2
23.1-26	12	356	52	<b>344-052</b>		SUPER AT 23° TLR1
23.1-26	12	287	21	<b>323-527</b>		ANS TRACTOR TLR3
23.1-26	14	383	53	<b>362-460</b>		SUPER AT 23° TLR1
23.1-26	14	547	67	<b>361-801</b>		FORSPLWTPCRC TTLS2
23.1-26	20	548	67	<b>000-407</b>	*Q12014	FORSPLWTPCRC TTLS2
<b>23.1R26</b>	<b>166B</b>	448	50	<b>379-375</b>		RADIAL AT23° TLR1
28L-26	12	423	56	<b>344-060</b>		SUPER AT 23° TLR1
28L-26	12	584	109	<b>358-282</b>		CH SP GR TLR2
28L-26	12	312	21	<b>351-008</b>		ANS TRACTOR TLR3
28L-26	12	381	34	<b>351-857</b>		ANS II TLR3
28L-26	12	680	70	<b>362-477</b>	361-828	FORSPLWTPCRC TTLS2
28L-26	14	698	70	<b>362-494</b>	361-836	FORSPLWTPCRC TTLS2
28L-26	14	449	56	<b>351-938</b>		SUPER AT 23° TTR1
28L-26	16	578	109	<b>379-868</b>		CH SP GR TLR2
28L-26	16	392	21	<b>362-220</b>		ANS TRACTOR TLR3
28L-26	16	437	21	<b>362-085</b>		ANS II TLR3
28L-26	16	733	70	<b>362-511</b>		FORSPL CRC SS TTLS2
<b>66X43.00-26</b>	14	1350	108	<b>354-333</b>		FL23° XDTWTP TLHF4
<b>66X43.00-26</b>	14	1078	73	<b>354-422</b>		FL23° DT WTP TLHF3
<b>67X34.00-26</b>	14	1085	112	<b>354-899</b>		FL23° DT WTP TLHF4
<b>750/65R26</b>	<b>166B</b>	549	65	<b>376-791</b>		RADIAL AT DT TLR1W
<b>750/65R26</b>	<b>169B</b>	511	65	<b>000-906</b>		RADIAL AT DT TLR1W
<b>600/55-26.5</b>	20	385	32	<b>359-289</b>		FOR EL TTLS2
<b>710/45-26.5</b>	20	436	32	<b>371-623</b>		FOR EL TTLS2
11.2-28	4	72	37	<b>304-743</b>		FLD & RD TTR1
11.2-28	6	78	37	<b>361-623</b>		FLD & RD TTR1
11.25-28	12	116	13	<b>326-453</b>		RIB IMP TL11
12.4-28	6	110	43	<b>365-452</b>		SUPER AT II 23° TL R1

**FL23DTWTP TLHF3**



**FL23DTWTP TLHF4**



**FOR EL TTLS2**



**TRAC F&R TLR1**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
13.6-28	6	124	44	<b>365-265</b>		SUPER AT II 23° TL R1
13.6-28	6	105	23	<b>306-193</b>		ANS TRACTOR TTR3
13.6-28	10	161	46	<b>343-927</b>		SUPER AT FWD TLR1
13.6-28	12	138	47	<b>361-917</b>		TRAC F & R TLR1
<b>320/85R28 (12.4R28)</b>	<b>124D</b>	121	48	<b>000-588</b>		PERFORMER 85 TLR1W
<b>340/85R28 (13.6R28)</b>	<b>127B</b>	174	46	<b>362-545</b>		RAD AT FWD TLR1
<b>360/70R28</b>	<b>125D</b>	146	50	<b>382-180</b>		PERFORMER 70 TLR1W
<b>340/85R28 (13.6R28)</b>	<b>127D</b>	142	52	<b>000-550</b>		PERFORMER 85 TLR1W
<b>380/70R28</b>	<b>127D</b>	157	50	<b>000-627</b>		PERFORMER 70 TLR1W
14.9-28	6	147	48	<b>365-078</b>	351-830	SUPER AT II 23° TL R1
14.9-28	8	149	32	<b>306-371</b>		AT UTILITY TTR4
14.9-28	10	189	48	<b>343-935</b>		SUPER AT FWD TLR1
<b>380/85R28 (14.9R28)</b>	<b>133B</b>	221	48	<b>362-562</b>		RAD AT FWD TLR1
<b>380/85R28 (14.9R28)</b>	<b>133D</b>	168	52	<b>000-589</b>		PERFORMER 85 TLR1W
16.9-28	6	170	47	<b>365-469</b>	351-679	SUPER AT II 23° TL R1
16.9-28	8	177	34	<b>000-900</b>		AT UTILITY TLR4
16.9-28	10	231	48	<b>343-943</b>		SUPER AT FWD TLR1
16.9-28	12	191	34	<b>379-307</b>		AT UTILITY TLR4
<b>420/85R28</b>	<b>139D</b>	223	60	<b>000-600N</b>	378-661	PERFORMER 85 TLR1W
<b>16.9R28</b>	<b>136A8</b>	307	94	<b>352-527</b>		RAD CH SP GR TLR2
<b>420/85R28 (16.9R28)</b>	<b>139B</b>	250	49	<b>362-579</b>		RAD AT FWD TLR1
18.4-28	6	185	50	<b>338-494</b>		TRAC F & R TTR1
18.4-28	12	218	35	<b>355-410</b>		AT UTILITY TLR4
<b>18.4R28</b>	<b>141A8</b>	384	100	<b>352-748</b>		RAD CH SP GR TLR2
21L-28	14	302	35	<b>356-093</b>		AT UTILITY TLR4
<b>480/70R28</b>	<b>140B</b>	295	55	<b>351-563</b>		RADIAL AT DT TLR1W
<b>600/65R28</b>	<b>147B</b>	388	65	<b>360-058</b>		RADIAL AT DT TLR1W
<b>600/65R28</b>	<b>154B</b>	395	65	<b>371-266</b>		RADIAL AT DT TLR1W
<b>600/70R28</b>	<b>164B</b>	511	73	<b>000-907</b>		RADIAL AT DT TLR1W

**RAD CH SP GR**



**RAD 9000 TR**



**SUPER AT FWD SS**



**FORSPLWTPCRC**



# Current Tire List



Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
14.9-30	10	198	47	<b>343-951</b>		SUPER AT FWD TLR1
<b>380/85R30 (14.9R30)</b>	<b>135B</b>	224	47	<b>362-596</b>		RAD AT FWD TLR1
<b>380/85R30 (14.9R30)</b>	<b>135B</b>	241	61	<b>364-551</b>		RADIAL AT DT TLR1W
16.9-30	6	174	47	<b>365-282</b>		SUPER AT II 23° TL R1
16.9-30	10	350	61	<b>361-844</b>		FORSPLWTPCRC TTLS2
16.9R30	141A8	313	94	<b>359-386</b>		RAD CH SP GR TLR2
<b>380/85R30 (14.9R30)</b>	<b>135D</b>	178	41	<b>000-401</b>		PERFORMER 85 TLR1W
<b>420/85R30 (16.9R30)</b>	<b>140D</b>	235	55	<b>000-548</b>		PERFORMER 85 TLR1W
<b>420/90R30 (16.9R30)</b>	<b>142B</b>	272	50	<b>362-613</b>		RAD AT FWD TLR1
<b>420/90R30 (16.9R30)</b>	<b>145B</b>	291	62	<b>364-602</b>		RADIAL AT DT TLR1W
18.4-30	6	280	99	<b>358-274</b>		CH SP GR TLR2
18.4-30	8	222	49	<b>372-626</b>	365-486	SUPER AT II 23° TL R1
18.4-30	10	301	109	<b>342-432</b>		CH SP GR TLR2
<b>460/85R30 (18.4R30)</b>	<b>145B</b>	277	62	<b>352-683C</b>		RADIAL 7000 TLR1W
<b>460/85R30</b>	<b>145D</b>	267	63	<b>000-601N</b>	380-973	PERFORMER 85 TLR1W
<b>480/80R30 (18.4R30)</b>	<b>145B</b>	322	62	<b>362-732</b>		RADIAL AT DT TLR1W
23.1-30	8	342	52	<b>338-613</b>		TRAC F & R TTR1
23.1-30	8	434	112	<b>311-189</b>		CH SP GR TTR2
23.1-30	12	344	52	<b>364-857</b>		TRAC F & R TTR1
<b>540/65R30</b>	<b>150B</b>	330	55	<b>363-055</b>		RADIAL 9000 TR TLR1W
<b>540/65R30</b>	<b>150D</b>	301	55	<b>000-584N</b>		PERFORMER 65 TLR1W
<b>480/70R30</b>	<b>152B</b>	335	47	<b>355-569</b>		RADIAL AT DT TLR1W
<b>600/70R30</b>	<b>152B</b>	428	65	<b>360-163</b>		RADIAL AT DT TLR1W
<b>IF600/70R30</b>	<b>159B</b>	432	65	<b>375-703</b>		RADIAL AT DT TLR1W
<b>600/70R30</b>	<b>162B</b>	441	65	<b>362-307</b>		RADIAL AT DT TLR1W
<b>IF620/75R30</b>	<b>164B</b>	432	73	<b>377-539</b>		RADIAL AT DT TLR1W
9.5-32	4	61	35	<b>304-794</b>		FLD & RD TTR1
24.5-32	10	546	112	<b>311-626</b>		CH SP GR TTR2
24.5-32	HP	396	12	<b>369-685</b>	358-096	PULLER 2000 TLP1
24.5-32	12	389	53	<b>344-079</b>		SUPER AT 23° TLR1
24.5-32	12	391	35	<b>322-296</b>		ANS TRACTOR TLR3

**AT23 PULLER TLR1**

**PULLER 2000 TLR1**

**RADIAL AT23 TLR1**

**ANS TRACTOR**



# Current Tire List



Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
24.5-32	16	499	35	<b>360-384</b>		ANS TRACTOR TLR3
24.5-32	16	746	70	<b>364-704</b>		FORSPLWTPCRC TLLS2
24.5R32	154B	589	53	<b>352-926</b>		RADIAL AT23° TLR1
30.5L-32	HP	471	8	<b>361-992</b>		PULLER 2000 TLP1
30.5L-32	12	576	54	<b>344-087</b>		SUPER AT 23° TLR1
30.5L-32	14	533	38	<b>359-904</b>		ANS TRACTOR TLR3
30.5L-32	14	613	54	<b>351-067</b>		SUPER AT 23° TLR1
30.5L-32	14	762	114	<b>358-231</b>		CH SP GR TLR2
30.5L-32	16	630	54	<b>351-075</b>		SUPER AT 23° TLR1
30.5L-32	16	627	37	<b>357-758</b>		ANS TRACTOR TLR3
30.5L-32	20	961	70	<b>371-538</b>		FORSPLWTPCRC TLLS2
30.5L-32	26	988	70	<b>371-555</b>		FORSPL CRC SS TLLS2
30.5LR32	170B	734	54	<b>356-204</b>		RADIAL AT23° TLR1
800/65R32 (30.5LR32)	172B	854	75	<b>357-685</b>		RADIAL AT DT TLR1W
35.5L-32	12	932	120	<b>358-258</b>		CH SP GR TLR2
35.5L-32	20	709	39	<b>357-820</b>		ANS TRACTOR TLR3
35.5L-32	20	1238	81	<b>371-572</b>		FORSPLWTPCRC TLLS2
35.5L-32	24	1296	81	<b>371-606</b>		FORSPL CRC SS TLLS2
68X50.00-32	16	1414	80	<b>343-137</b>		FL23°DT WTP TLHF3
68X50.00-32	24	1220	80	<b>374-462</b>		FLOT 23 DT TLHF3
73X44.00-32	16	1116	76	<b>358-835</b>		FLOT 23°DT TLHF3
73X44.00-32	16	1425	77	<b>343-366</b>		FL23°DT WTP TLHF3
76x50.00-32	16	1591	80	<b>359-866</b>		FLOT 23°DT TLHF3
76X50.00B32	16	1721	80	<b>359-130</b>		FL23°DT WTP TLHF3
76x50.00-32	20	1620	80	<b>369-702</b>		FLOT 23°DT TLHF3
650/75R32	172B	614	70	<b>361-925</b>		RADIAL AT DT TLR1W
800/60R32	175B	654	37	<b>379-171</b>		RAD ANS TRACTOR TLR3
900/60R32 (35.5LR32)	176B	936	61	<b>362-800</b>		RADIAL AT23° TLR1
900/75R32	184B	1093	82	<b>375-958</b>	*Q42013	RADIAL AT DT TLR1W

**RAD CH SP GR**



**RADIAL 23 TLR1**



**RADIAL AT23 TLR1**



**FLOT 23 DT TLHF3**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
290/95R34	131B	180	49	359-211		RADIAL 9000 SY TLR1W
320/85R34 (12.4R34)	133B	182	51	359-238		RADIAL 9000 SY TLR1W
380/85R34 (14.9R34)	137B	261	61	364-585		RADIAL AT DT TLR1W
380/85R34 (14.9R34)	145B	253	47	379-290		RAD AT FWD TLR1
380/85R34 (14.9R34)	137B	247	47	362-630		RAD AT FWD TLR1
16.9-34	6	173	48	338-060		TRAC F & R TTR1
420/85R34 (16.9R34)	142B	249	56	377-318		PERFORMER 85 TLR1W
420/85R34 (16.9R34)	147B	308	59	360-155		RADIAL AT DT TLR1W
IF420/85R34	152B	321	59	374-513		RADIAL AT DT TLR1W
18.4-34	6	305	100	311-154		CH SP GR TTR2
18.4-34	8	242	49	372-592	367-203	SUPER AT II 23° TL R1
18.4-34	8	227	50	343-560		SUPER AT 23° TTR1
18.4-34	10	390	64	361-887		FORSPLWTPCRC TTLS2
18.4-34	12	264	50	343-676		SUPER AT 23° TLR1
18.4R34	139B	316	48	354-740		RADIAL 23° TLR1
460/85R34 (18.4R34)	147D	288	63	000-586		PERFORMER 85 TLR1W
480/70R34	143D	295	60	379-324		PERFORMER 70 TLR1W
480/70R34	155B	361	60	361-763		RADIAL 9000 TR TLR1W
480/70R34	146A8	385	100	369-668		RAD CH SP GR TLR2
480/85R34 (18.4R34)	149B	331	50	362-392		RADIAL AT23° TLR1
IF520/85R34	168B	477	52	380-395		RADIAL AT23° TLR1
IF580/80R34	172B	568	59	381-585		RADIAL AT DT TLR1W
20.8-34	8	264	51	343-579		SUPER AT 23° TTR1
23.1-34	8	387	53	344-109		SUPER AT 23° TLR1
23.1-34	8	513	109	311-375		CH SP GR TTR2
23.1R34	151B	517	52	352-969		RADIAL AT23° TLR1
540/65R34	152D	301	55	000-546N	371-181	PERFORMER 65 TLR1W

**TRAC F&R TTR1**



**SAT II 23 TTR1**



**RADIAL AT DT**



**RADIAL DT 23**





## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
9.5-36	4	73	40	<b>338-443</b>		TRAC F & R TTR1
11.2-36	4	90	37	<b>304-808</b>		FLD & RD TTR1
12.4-36	4	102	39	<b>304-816</b>		FLD & RD TTR1
13.6-36	4	115	40	<b>304-824</b>		FLD & RD TTR1
11.2-38	4	99	37	<b>355-003</b>		FLD & RD TLR1
11.2-38	4	96	37	<b>304-832</b>		FLD & RD TTR1
<b>290/85D38 (11.2-38)</b>	<b>132</b>	108	35	<b>374-785</b>		CHAMP HYDRO TLR1
12.4-38	4	111	39	<b>304-840</b>		FLD & RD TTR1
12.4-38	6	122	39	<b>304-921</b>		FLD & RD TTR1
12.4-38	8	127	39	<b>354-805</b>		FLD & RD TTR1
12.4-38	14	210	43	<b>355-577</b>		SUPER AT 23° TLR1
<b>320/85R38 (12.4R38)</b>	<b>138B</b>	204	51	<b>360-074</b>		RADIAL 9000 TR TLR1W
<b>320/85R38 (12.4R38)</b>	<b>143B</b>	204	52	<b>359-092</b>		RADIAL 9000 SY TLR1W
13.6-38	4	144	46	<b>338-036</b>		TRAC F & R TTR1
13.6-38	6	157	46	<b>338-087</b>		TRAC F & R TTR1
13.6-38	6	210	86	<b>379-885</b>		CH SP GR TLR2
13.6-38	6	191	86	<b>332-984</b>		CH SP GR TTR2
14.9-38	6	180	47	<b>338-516</b>		TRAC F & R TTR1
<b>380/80R38 (14.9R38)</b>	<b>142B</b>	267	57	<b>360-171</b>		RADIAL AT DT TLR1W
<b>IF380/80R38</b>	<b>149B</b>	283	57	<b>378-627</b>		RADIAL AT DT TLR1W
15.5-38	6	239	86	<b>311-219</b>		CH SP GR TTR2
15.5-38	8	184	44	<b>372-524</b>	367-186	SUPER AT II 23° TL R1
<b>15.5R38</b>	<b>125B</b>	242	45	<b>354-767</b>		RADIAL 23° TLR1
16.9-38	6	194	48	<b>338-141</b>		TRAC F & R TTR1
16.9-38	8	215	48	<b>343-587</b>		SUPER AT 23° TTR1
<b>420/85R38 (16.9R38)</b>	<b>144B</b>	147	48	<b>379-120</b>		RADIAL AT23° TLR1
<b>420/85R38 (16.9R38)</b>	<b>144D</b>	276	62	<b>000-598</b>	377-352	PERFORMER 85 TLR1W
<b>IF420/85R38</b>	<b>153B</b>	316	59	<b>378-882</b>		RADIAL AT DT TLR1W
<b>460/85R38 (18.4R38)</b>	<b>149D</b>	322	63	<b>000-587</b>		PERFORMER 85 TLR1W
<b>480/70R38</b>	<b>145D</b>	326	60	<b>379-358</b>		PERFORMER 70 TLR1W

**RAD 9000 SY**



**CH SP GR TTR2**



**RADIAL AT DT**



**FOR TL TLLS2**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
18.4-38	8	255	50	<b>372-507</b>	367-220	SUPER AT II 23° TL R1
18.4-38	8	276	50	<b>343-595</b>		SUPER AT 23° TTR1
18.4-38	8	364	100	<b>311-448</b>		CH SP GR TTR2
18.4R38	146B	346	49	<b>359-823</b>		RADIAL 23° TLR1
18.4R38	146A8	449	100	<b>353-140</b>		RAD CH SP GR TLR2
480/70R38	145B	326	57	<b>369-005C</b>		RADIAL 8000 TLR1W
480/80R38 (18.4R38)	149B	365	50	<b>362-341</b>		RADIAL AT23° TLR1
480/80R38 (18.4R38)	149B	392	63	<b>362-749</b>		RADIAL DT 23° TLR1W
20.8-38	8	340	52	<b>367-237</b>		SUPER AT II 23° TL R1
20.8-38	8	327	51	<b>343-609</b>		SUPER AT 23° TTR1
20.8-38	10	325	51	<b>343-633</b>		SUPER AT 23° TTR1
20.8-38	10	472	105	<b>311-529</b>		CH SP GR TTR2
20.8-38	14	516	105	<b>351-970</b>		CH SP GR TLR2
20.8R38	153B	416	50	<b>362-204</b>		RADIAL 23° TLR1
20.8R38	153A8	559	105	<b>353-167</b>		RAD CH SP GR TLR2
520/70R38	150D	376	61	<b>379-919</b>		PERFORMER 70 TLR1W
520/85R38 (20.8R38)	155D	416	59	<b>000-602N</b>	378-576	PERFORMER 85 TLR1W
520/85D38 (20.8D38)	173A8	481	46	<b>363-038</b>		SUPER AT 23° HD TLR1 SS
520/85R38 (20.8R38)	155B	442	52	<b>362-375</b>		RADIAL AT23° TLR1
520/85R38 (20.8R38)	155B	494	69	<b>362-766</b>		RADIAL DT 23° TLR1W
540/65R38	147B	377	54	<b>359-157</b>		RADIAL 9000 TR TLR1W
600/65R38	165B	505	59	<b>361-933</b>		RADIAL 9000 SY TLR1W
650/65R38	157B	541	63	<b>358-185</b>		RADIAL 9000 TR TLR1W
650/65R38	166D	541	63	<b>000-403</b>		RADIAL 9000 TR TLR1W
650/85R38	173B	743	70	<b>362-987</b>		RADIAL DT 23° TLR1W
710/70R38	166B	759	73	<b>355-542</b>		RADIAL AT DT TLR1W
IF710/70R38	178B	744	73	<b>378-219</b>	362-664	RADIAL AT DT TLR1W

**SUPER AT 23 HD**



**RADIAL DT23**



**RADIAL AT 23 TLR1**



**CH SP GR TLR2**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
800/70R38	173B	970	74	359-548		RADIAL DT 23° TLR1W
800/70R38	181B	960	74	378-525		RADIAL DT 23° TLR1W
IF800/70R38	179B	911	63	378-746		RADIAL DT 23° TLR1W
IF800/70R38	184B	994	63	000-928N	*Q12014	RADIAL DT 23° TLR1W
9.5-42	6	90	40	338-532		TRAC F & R TTR1
12.4-42	6	140	44	355-097		TRAC F & R TLR1
12.4-42	10	165	44	358-630		TRAC F & R TLR1
320/90R42 (12.4R42)	139B	225	52	359-106		RADIAL 9000 SY TLR1W
18.4-42	10	303	50	343-641		SUPER AT 23° TTR1
18.4R42	153B	380	49	362-212		RADIAL 23° TLR1
460/85R42 (18.4R42)	150B	368	63	382-078		PERFORMER 85 TLR1W
480/80R42 (18.4R42)	151B	420	50	362-324		RADIAL AT23° TLR1
480/80R42 (18.4R42)	151B	443	63	362-409		RADIAL DT 23° TLR1W
480/80R42 (18.4R42)	154B	428	50	364-092		RADIAL AT23° TLR1
480/80R42 (18.4R42)	154B	465	63	364-058		RADIAL DT 23° TLR1W
20.8-42	10	358	52	343-668		SUPER AT 23° TTR1
20.8-42	14	406	51	352-888		SUPER AT 23° TLR1
20.8R42	155B	448	50	355-399		RADIAL 23° TLR1
520/85R42 (20.8R42)	157B	492	52	362-358		RADIAL AT23° TLR1
520/85R42 (20.8R42)	157B	528	69	362-426		RADIAL DT 23° TLR1W
520/85R42 (20.8R42)	157A8	616	105	371-198		RAD CH SP GR TLR2
520/85R42 (20.8R42)	165B	519	52	369-600		RADIAL AT23° TLR1
520/85R42 (20.8R42)	165B	525	69	381-823		RADIAL DT 23° TLR1W
520/85R42 (20.8R42)	165A8	671	105	371-215	371-198	RAD CH SP GR TLR2
520/85R42 (20.8R42)	157B	440	59	000-628		PERFORMER 85 TLR1W
620/70R42	160B	620	66	356-271		RADIAL AT DT TLR1W
620/70R42	166B	617	66	374-479	356-271	RADIAL AT DT TLR1W
710/70R42	173B	728	73	000-412		MAXI TRACTION TLR1W

**RADIAL AT23 TLR1**



**RAD 9000 TR**



**RADIAL 23 TLR1**



**RADIAL AT DT**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
710/70R42	168B	788	73	358-320		RADIAL AT DT TLR1W
IF710/70R42	179B	802	74	373-697	362-115	RADIAL AT DT TLR1W
IF710/75R42	181B	805	74	378-542		RADIAL AT DT TLR1W
900/50R42	168B	924	78	359-394		RADIAL 9000 TR TLR1W
320/90R46 (12.4R46)	148B	249	54	357-774		RADIAL 9000 SY TLR1W
320/90R46 (12.4R46)	148A8	268	82	363-004		RAD CH SP GR TLR2
13.6-46	6	244	86	000-917N	*Q12014	CH SP GR TLR2
13.6-46	6	236	86	332-976		CH SP GR TTR2
14.9R46	145B	318	48	343-323		RADIAL AT23° TLR1
380/90R46 (14.9R46)	152B	358	57	359-939		RADIAL 9000 SY TLR1W
IF380/90R46	168D	392	57	000-629N	375-686	RADIAL AT RC TLR1W
VF380/90R46	173D	418	57	380-412		RADIAL AT RC TLR1W
420/80R46	161B	406	48	371-640		RADIAL AT23° TLR1
420/80R46	151B	382	48	352-829		RADIAL AT23° TLR1
480/80R46 (18.4R46)	158B	459	51	362-273		RADIAL AT23° TLR1
480/80R46 (18.4R46)	158B	497	62	362-256		RADIAL DT 23° TLR1W
520/85R46 (20.8R46)	158B	572	69	362-851		RADIAL DT 23° TLR1W
IF 520/85R46	165B	545	69	378-610	*Q42013	RADIAL DT 23° TLR1W
520/85R46 (20.8R46)	158A8	637	105	369-651		RAD CH SP GR TLR2

**RADIAL AT23 TLR1**



**RAD 9000 TR**



**RADIAL 23 TLR1**



**RADIAL AT DT**



## Current Tire List

Size	Ply LI/Spd	Weight lbs	Tread 32nd	Article	Old Article	Tire
230/95R48	134B	192	49	<b>356-263</b>		RADIAL 9000 SY TLR1W
320/90R50	148B	262	54	<b>358-118</b>		RADIAL 9000 SY TLR1W
380/90R50	151B	369	57	<b>362-050</b>		RADIAL 9000 TR TLR1W
380/105R50	168B	481	49	<b>362-919</b>		RADIAL 9100 TLR1
IF380/105R50	177B	501	50	<b>378-508</b>		RADIAL 9100 TLR1
480/80R50	159B	535	63	<b>360-090</b>		RADIAL DT 23° TLR1W
IF480/80R50	166B	547	63	<b>374-496</b>		RADIAL DT 23° TLR1W
IF480/95R50	163B	613	63	<b>375-635</b>		RADIAL DT 23° TLR1W
320/90R54 (12.4R54)	149B	294	55	<b>358-339</b>		RADIAL AT DT TLR1W
380/90R54	152B	403	57	<b>362-069</b>		RADIAL 9000 TR TLR1W

**RADIAL AT23 TLR1**



**RAD 9000 TR**



**RADIAL 23 TLR1**



**RADIAL AT DT**





© 2013 Bridgestone Americas Tire Operations, LLC  
[FirestoneAg.com](http://FirestoneAg.com)