



CARRYALL
ALWAYS TOUGH, ALWAYS READY



**CLUB CAR COMMERCIAL
PORTFOLIO**

CARRYALL

RELIABLE TRANSPORTATION, COMPACT SIZE

Get everybody where they need to go with ease. Powerful and versatile, the Carryall 100 features a small frame with full-size performance, perfect for security, parking, or other everyday tasks where easy mobility is key.



CARRYALL 100

CARRYALL 100

TAKE ON TIGHT CORNERS

Easy steering gives you flawless navigation through tight spaces when it matters most.

		
Max Speed 17 mph	Max Vehicle Capacity 800 lb	Horsepower 14 hp (gas) 3.3 hp (electric)



OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Brush Guard



Fold-Down Seat



Windshield



Canopy

Available Body Colors



White



Beige



Dark Gray



Dark Green



Black



Classic Blue



Red

Colors may vary by product.

CARRYALL 100



GASOLINE

ELECTRIC

ENGINE	Kohler EFI, 4-cycle Gas	48-volt DC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.3 hp (2.4 kW) rated, peak 13 hp (9.6 kW)
GOVERNOR GUARD	Ground speed	N/A
BATTERIES	12-volt 500 CCA 105 min reserve	Six 8-volt flooded lead acid
CHARGER	N/A	E.R.I.C. Shelf Charger (650 W high frequency)
STEERING	Self-adjusting rack and pinion	
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks	
BRAKES	Rear-wheel, self-adjusting mechanical drum	
PARK BRAKE	Foot operated, multi-lock	
BODY AND FINISH	ABS with automotive paint, aluminum/ArmorFlex™ finish	
TIRES	20 x 10-8, 4-ply rated, all-trail II	
BED L x W x H	27.5 x 43.5 x 11 in (65 x 111 x 28 cm)	
BED CAPACITY	300 lb (136 kg)	
TOTAL PAYLOAD CAPACITY	800 lb (363 kg)	
TOWING CAPACITY	300 lb (136 kg)	
WHEELBASE	65 in (165 cm)	
GROUND CLEARANCE	5.5 in (14 cm)	
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A
CURB WEIGHT	863 lb (392 kg)	980 lb (445 kg)
SPEED RANGE	15–17 mph (24–27 km/h)	5–17 mph (8–27 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain 1 yr limited commercial	4 yr limited battery 1 yr limited commercial

CARRYALL

EFFICIENT DESIGN, TOUGH HAULING

With enough power to handle tough tasks, the Carryall 300 is the most dependable utility vehicle in its class. Each vehicle comes standard with a cargo box, trailer hitch, and plenty of room for customization so you can configure a car that'll get the job done right.



CARRYALL 300

CARRYALL 300

PREMIER MANEUVERABILITY

Take on tight corners with more power. Rack-and-pinion steering makes the Carryall 300 easy to handle, giving you a safe and comfortable ride in any terrain.



		
Max Speed 17 mph	Max Vehicle Capacity 800 lb	Horsepower 14 hp (gas) 3.3 hp (electric)

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



VersAttach™



Brush Guard



Stakeside Bed



USB Port



Curtis Cab



Canopy/Windshield



Customization



Rear Receiver Hitch

Available Body Colors



White



Beige



Dark Gray



Dark Green



Black



Classic Blue



Bright Blue



Titanium



Red

Colors may vary by product.

CARRYALL 300



GASOLINE

ELECTRIC

ENGINE	Kohler EFI Gas	48-volt DC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.3 hp (2.4 kW) rated, peak 13 hp (9.6 kW)
GOVERNOR GUARD	Ground speed	N/A
BATTERIES	12-volt 500 CCA 105 min reserve	Six 8-volt flooded lead acid
CHARGER	N/A	ERIC (650 W high frequency)
STEERING	Self-adjusting rack and pinion	
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks	
BRAKES	Rear mechanical drum	
PARK BRAKE	Foot operated, multi-lock	
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	
TIRES	20 x 10-10, 6-ply	
BED L x W x H	36.2 x 47.5 x 10.5 in (92 x 121 x 27 cm)	
BED CAPACITY	300 lb (136 kg)	
TOTAL PAYLOAD CAPACITY	800 lb (363 kg)	
TOWING CAPACITY	800 lb (363 kg)	
WHEELBASE	65.5 in (166 cm)	
GROUND CLEARANCE	5.2 in (13.2 cm)	5.6 in (14.2 cm)
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A
CURB WEIGHT	817 lb (371 kg)	1105 lb (501 kg)
SPEED RANGE	15-17 mph (24-27 km/h)	5-17 mph (8-27 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle

CARRYALL

BUILT TOUGH FOR THE TASK AT HAND

For you, no two days are alike on the job. You need a vehicle you can trust to get any job done—even the unexpected ones. The Carryall 500 Series from Club Car has everything from off-road to street-safe vehicles to keep your day and business moving forward.



CARRYALL 500

CARRYALL 500

OUTFITTED FOR THE TASK AT HAND

One of the most versatile work utility vehicles on the market, the Carryall 500 has the power to replace pickup trucks at a fraction of the cost. With a rustproof, aircraft-grade aluminum frame, and cargo box, along with best-in-class ergonomics, the Carryall 500 is the perfect solution for your industrial and commercial jobs.



		
Max Speed 19 mph	Max Vehicle Capacity 1200 lb	Horsepower 14 hp (gas) 3.7 hp (electric) 7.4 hp (Li-ion)

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



VersAttach™



Brush Guard



Stakeside Bed



USB Port



Curtis Cab



Canopy/Windshield



Customization



Rear Receiver Hitch

Available Body Colors



White



Beige



Dark Gray



Dark Green



Black



Classic Blue



Bright Blue



Titanium



Red

Colors may vary by product.

CARRYALL 500



GASOLINE



ELECTRIC



LITHIUM ION

	GASOLINE	ELECTRIC	LITHIUM ION
ENGINE	Kohler EFI, 4-cycle Gas	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium
CHARGER	N/A	On-board DeltaQ QuiQ (1 kW high frequency)	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency
STEERING	Self-adjusting rack and pinion		
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks		
BRAKES	4-wheel mechanical drum		
PARK BRAKE	Foot operated, multi-lock		
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish		
TIRES	20 x 10-10, 6-ply, premium tread		
BED L x W x H	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)		
BED CAPACITY	800 lb (363 kg)		
TOTAL PAYLOAD CAPACITY	1200 lb (544 kg)		
TOWING CAPACITY	1500 lb (680 kg)		
WHEELBASE	78.1 in (198 cm)		
GROUND CLEARANCE	5.2 in (13.2 cm)	5.6 in (14.2 cm)	
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	N/A
CURB WEIGHT	907 lb (411 kg)	1393 lb (632 kg)	951 lb (431.4 kg)
SPEED RANGE	15-17 mph (24-27 km/h)	5-17 mph (8-27 km/h)	5-19 mph (8-31 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle

CARRYALL

MANAGEMENT LIFE UNINTERRUPTED

The Carryall 502 was expertly designed with your needs in mind. With extra room, and a high-visibility dash, you can now manage and care for your facility without interruption.



CARRYALL 502

CARRYALL 502

WHERE OUR STANDARDS MEET YOURS

The Carryall 502, available with Club Car exclusive Kohler Command Pro® closed-loop EFI engine, combines the features you need most to do your best work with the quality, performance, and engineering of our 500 series. No detail was left out to ensure this vehicle works as intuitively and relentlessly as you do.



				
Max Speed 19 mph		Max Vehicle Capacity 1200 lb		Horsepower 14 hp (gas) 3.7 hp (electric) 7.4 hp (Li-ion)

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



High-Visibility Dash enhances sight lines for an unobstructed view. *Optional windshield available.



Extra-Wide Monsoon Canopy for fast drainage and better water management.



Spacious Interior means plenty of room for equipment and canine crew members.



Console with Standard Dual USB & Multi-Use Cup Caddy keeps devices charged and drinks, radios, and tools secure.

Available Body Colors

Standard Colors



White



Dark Green



Bright Blue



Dark Gray



Black



Beige

Premium Colors

Colors may vary by product.

CARRYALL 502



	GASOLINE	ELECTRIC	LITHIUM ION
ENGINE	Kohler EFI, 4-cycle Gas	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; Peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Std: Vanguard 7.0 kWh Lithium Light Duty; Vanguard 4.0 kWh Lithium
CHARGER	N/A	On-board DeltaQ QuiQ (1 kW high frequency)	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency
STEERING	Self-adjusting rack and pinion		
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks		
BRAKES	4-wheel mechanical drum		
PARK BRAKE	Foot operated, multi-lock		
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish		
TIRES	18 x 8.5-8, 6-ply		
BED L x W x H	44.2 x 47.5 x 10.5 in (112.2 x 120.6 x 26.6 cm)		
BED CAPACITY	800 lb (363 kg)		
TOTAL PAYLOAD CAPACITY	1200 lb (544 kg)		
TOWING CAPACITY	1500 lb (680 kg)		
WHEELBASE	78.1 in (198 cm)		
GROUND CLEARANCE	4.2 in (10.7 cm)		
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	N/A
CURB WEIGHT	907 lb (411 kg)	1393 lb (632 kg)	951 lb (431.4 kg)
SPEED RANGE	15-17 mph (24-27 km/h)	5-17 mph (8-27 km/h)	5-19 mph (8-31 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle

CARRYALL

NEED MORE GROUND CLEARANCE?

Maneuver over the most difficult terrain with the Carryall 550 utility vehicle, featuring 6 inches of ground clearance (the most in its class), a sturdy differential guard, aircraft-grade aluminum frame, and rough terrain tires.



CARRYALL 550

CARRYALL 550

TOUGH ENOUGH FOR ANY TASK

Built to be rugged and versatile, the Carryall 550 UTV is a perfect solution for industrial and commercial jobs.



		
Max Speed 19 mph	Max Vehicle Capacity 900 lb	Horsepower 14 hp (gas) 3.7 hp (electric) 7.4 hp (Li-ion)

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



VersAttach™



Brush Guard



Stakeside Bed



USB Port



Curtis Cab



Canopy/Windshield



Customization



Rear Receiver Hitch

Available Body Colors



White



Beige



Dark Gray



Dark Green



Black



Classic Blue



Bright Blue



Titanium



Red

Colors may vary by product.

CARRYALL 550



	GASOLINE	ELECTRIC	LITHIUM ION
ENGINE	Kohler EFI, 4-cycle Gas	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium
CHARGER	N/A	On-board DeltaQ Qui (1 kW high frequency)	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency
STEERING	Self-adjusting rack and pinion		
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks		
BRAKES	4-wheel mechanical drum		
PARK BRAKE	Foot operated, multi-lock		
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish		
TIRES	22x10-10, 4-ply, extra traction		
BED L x W x H	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)		
BED CAPACITY	500 lb (227 kg)		
TOTAL PAYLOAD CAPACITY	900 lb (408 kg)		
TOWING CAPACITY	900 lb (408 kg)		
WHEELBASE	78.1 in (198 cm)		
GROUND CLEARANCE	6.0 in (15.2 cm)		
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	N/A
CURB WEIGHT	942 lb (427.2 kg)	1402 lb (635.9 kg)	951 lb (431.4 kg)
SPEED RANGE	15-17 mph (24-27 km/h)	5-17 mph (8-27 km/h)	5-19 mph (8-31 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle

CARRYALL

BUILT TOUGH FOR THE TASK AT HAND.

For you and your team, every day is different. You need a vehicle you can trust to get any job done—even the unexpected ones. The Carryall 700 Series from Club Car features an extended six-foot truck bed to keep your day and business moving forward.



CARRYALL 700

CARRYALL 700

FOR THE LONG HAUL

The Carryall 700 boasts a standard electric bed lift, combining practicality and advanced design for all your lifting needs.

		
Max Speed 19 mph	Max Vehicle Capacity 1500 lb	Horsepower 14 hp (gas) 3.7 hp (electric) 7.4 hp (Li-ion)



OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



VersAttach™



Brush Guard



Stakeside Bed



USB Port



Curtis Cab



Canopy/Windshield



Customization



Rear Receiver Hitch

Available Body Colors

Standard Colors



White



Dark Green



Bright Blue



Dark Gray



Black

Premium Colors



Beige



Classic Blue



Titanium



Red

Colors may vary by product.

CARRYALL 700



	GASOLINE	ELECTRIC	LITHIUM ION
ENGINE	Kohler EFI	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7kW) rated, Peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Std: Vanguard 7.0 kWh Lithium Light Duty; Vanguard 4.0 kWh Lithium
CHARGER	N/A	DeltaQ QuiQ (1 kW high frequency)	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency
STEERING	Self-adjusting rack and pinion		
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks		
BRAKES	4-wheel mechanical drum		
PARK BRAKE	Foot operated, multi-lock		
BODY & FINISH	ArmorFlex with automotive paint/clearcoat		
TIRES	20 x 10-10, 6-ply		
BED L X W X H	64.5 x 47.5 x 10.5 in (163.8 x 120.6 x 26.6 cm)		
BED CAPACITY	1000 lb (454 kg)		
TOTAL PAYLOAD CAPACITY	1500 lb (680 kg)		
TOWING CAPACITY	1500 lb (680 kg)		
WHEELBASE	99.1 in (251.7 cm)		
GROUND CLEARANCE	5.2 in (13.2 cm)	5.6 in (14.2 cm)	5.6 in (14.2 cm)
FUEL CAPACITY	5.5 Gallons (20.8 L)	N/A	N/A
CURB WEIGHT	993 lb (450.4 kg)	1475 lb (669 kg)	1013 lb (459.4 kg)
SPEED RANGE	15-17 mph (24-27 km/h)	5-17 mph (8-27 km/h)	5-19 mph (8-31 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle

1.800.CLUBCAR | 1.706.863.3000 | carryall.com

CARRYALL

GET READY TO HIT THE ROAD

Carryall LSVs are built to meet the stringent automotive SAE J2358 LSV requirements. The vehicles come standard with 3-point seat belts, mirrors, automotive lighting and turn signals, a roll-over protection structure, backup camera, and additional safety features for on-road operation. All of that built on a rustproof, aircraft-grade aluminum frame gives you the reliability and durability to tackle any job around your campus, resort, course, or work site.



CARRYALL 510 / 710

CARRYALL 510 | 710

STREET LEGAL AND READY FOR THE ROAD AHEAD

Our street legal UTVs come standard with 3-pt seat belts, mirrors, tail lights, brake lights, turn signals, and a horn, plus a locking glove box and backup camera system.


Max Speed
25 mph


Max Vehicle
Capacity
950 lb (510)
1050 lb (710)


Horsepower
8.0 hp



OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Cab Glass Doors



Wheel Covers



Instrument Panel
(Standard)



Rear Receiver Hitch



VersAttach™



Brush Guard



Stakeside Bed



Cargo Box



Flatbed

Available Body Colors

Standard Colors



White



Dark Green



Bright Blue



Dark Gray



Black



Beige



Classic Blue



Titanium



Red

Premium Colors

Colors may vary by product.

CARRYALL 510 | 710



CARRYALL 510



CARRYALL 710

DRIVE MOTOR	48-volt AC	
HORSEPOWER	8 hp (6 kW); Peak 16 hp (11.7 kW)	
BATTERIES	Eight x 6V	
CHARGER	Onboard DeltaQ QuiQ (1 kW high frequency)	
STEERING	Self-adjusting rack and pinion	
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks	
BRAKES	4-wheel hydraulic drum	
BODY AND FINISH	ArmorFlex™ with automotive paint/clear coat	
TIRES	205-65-10 6-ply, DOT	
TOTAL PAYLOAD CAPACITY	950 lb (430.0 kg)	1050 lb (476 kg)
BED LOAD CAPACITY	550 lb (249.5 kg)	850 lb (385.6 kg)
BED L X W X H	44.2 x 47.5 x 10.5 in (112.2 x 120.6 x 26.6 cm)	64.5 x 47.5 x 10.5 in (163.8 x 120.6 x 26.6 cm)
TOWING CAPACITY	1150 lb (510 kg)	1050 lb (476 kg)
WHEELBASE	78.1 in (198.3 cm)	99.1 in (251.7 cm)
GROUND CLEARANCE	5.6 in (14.2 cm)	
CURB WEIGHT	1656 lb (751 kg)	1765 lb (801 kg)
MAX SPEED	25 mph (40 km/h)	
LIMITED WARRANTY	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	

1.800.CLUBCAR | 1.706.863.3000 | carryall.com

UNSURPASSED DURABILITY, WORRY-FREE PERFORMANCE

You want a vehicle you can depend on, one that won't get stuck in the mud or fall behind. With auto-locking differentials, aircraft-grade frames, and 4-link, semi-independent rear suspension, our 4WD vehicles are ready to handle whatever you throw at them.



CARRYALL

CARRYALL 4X4 SERIES

CARRYALL 1700

POWERFUL HAULING FOR YOUR WHOLE TEAM



Automatic four-wheel drive vehicle with room for up to four people and all their gear.



Max Speed
25 mph



Max Vehicle
Capacity
1600 lb



Horsepower
20 hp (gasoline)
20 hp (diesel)



CARRYALL 1500

ALL-AROUND HIGH-PERFORMANCE MACHINE



The perfect combination of muscle and flexibility packed on a rustproof, aircraft-grade aluminum frame.



Max Speed
25 mph



Max Vehicle
Capacity
1450 lb



Horsepower
20 hp (gasoline)
20 hp (diesel)





READY FOR A HARD DAY'S WORK

The perfect combination of muscle and flexibility, engineered for safety, and only from our Carryall line of 4x4 work utility vehicles.

Available in gasoline or Diesel powertrain models, the Carryall AWD UTV features our exclusive IntelliTrak™ all-wheel drive system that senses the ground it's on and shifts power automatically to maximize traction.

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



2500 lb Winch



Windshield (solid and fold-down available)



Canopy



Strobe Light



Heavy-Duty Brushguard



High Capacity Upgrade



Available Body Colors



Dark Gray



Dark Green



Red

Colors may vary by product.

CARRYALL 1500^{AMD}

CARRYALL 1700^{AMD}



GASOLINE



DIESEL



GASOLINE



DIESEL

ENGINE	Kawasaki 4-cycle, industrial grade	Kubota D722, industrial grade	Kawasaki 4-cycle, industrial grade	Kubota D722, industrial grade
HORSEPOWER	20.1 hp (15 kW) rated Ⓢ 3400 RPM per SAE J1349	20 hp (15 kW) rated Ⓢ 3600 RPM per SAE J1995	20.1 hp (15 kW) rated Ⓢ 3400 RPM per SAE J1349	20 hp (15 kW) rated Ⓢ 3600 RPM per SAE J1995
BATTERIES	12-volt 500 CCA 105 min reserve			
STEERING	Rack and pinion with tilt steering			
FRONT SUSPENSION	Independent double A-arms with coil-over shocks			
REAR SUSPENSION	Semi-independent, 4-link solid axle			
BRAKES	Twin piston front, single piston rear hydraulic disc			
PARK BRAKE	Mechanical disc			
TIRES	Standard All-terrain, 25 x 11-12, 4-ply, Optional Mud, 25 x 11-12, 6-ply			
BED L x W x H	48.8 x 49.8 x 10.9 in (124 x 127 x 28 cm)			
WHEELBASE	82 in (208 cm)		114 in (290 cm)	
GROUND CLEARANCE	8.2 in (21 cm)			
FUEL TANK CAPACITY	6.5 gal (24.6 L)			
CURB WEIGHT	1430 lb (649 kg)	1550 lb (703 kg)	1630 lb (739 kg)	1750 lb (794 kg)
BED CAPACITY	Standard 800 lb (363 kg); With HD Suspension 1050 lb (476 kg)		800 lb (363 kg)	
PAYLOAD CAPACITY	Standard 1200 lb (544 kg); With HD Suspension 1450 lb (658 kg)		1600 lb (726 kg)	
TOWING CAPACITY	2000 lb (907 kg)		2000 lb (907 kg)	
OVERALL HEIGHT	80.3 in (204 cm)		80.3 in (204 cm)	
OVERALL LENGTH	124.6 in (317 cm)		154 in (391 cm)	
OVERALL WIDTH	58.5 in (149 cm)		58.5 in (149 cm)	
SPEED RANGE	12-25 mph (19–40 km/h)			
LIMITED WARRANTY	1 yr/1000 hr limited vehicle warranty; 2 yr/2000 hr limited powertrain warranty			

Impress your guests with easy, efficient transportation solutions. Perfect for moving guests, students, or any visitor. Comfortable, stylish, and perfect for resorts, campus tours, and more.



**TRANSPORTATION
VEHICLES**

Villager 6 Villager 8

PREMIUM COMFORT AND DURABILITY


Club Car Villager vehicles offer industry-leading performance and durability and allow you to streamline your operation with comfortable, reliable transportation. These vehicles are equipped with a stylish automotive design and a spacious cabin, which provides a comfortable space for operators and ease of ingress/egress for passengers.



Tempo 2+2

PULL UP IN STYLE


Sleek, compact design gives you a tight turn radius for easy mobility. Transport guests around your resort, college, or corporate campus in style without compromising on price, comfort or quality.



TRANSPORTER

IMPRESSIVE TRANSPORTATION SOLUTIONS

When you need the versatility to transport passengers and cargo, Club Car Transporter vehicles provide the perfect solution. Vehicles can be configured to transport four, six, or eight passengers, and have the capability to be equipped with a cargo bed for tools and equipment. Whether you are transporting guests from the parking lot to the front door or taking your crew and their tools from the shop to a job, the Transporter and Transporter XL vehicles provide a solution that's right for your fleet.



				TRANSPORTER 			TRANSPORTER XL 	
	GASOLINE	ELECTRIC	LITHIUM ION	GASOLINE	ELECTRIC	LITHIUM ION	GASOLINE	ELECTRIC
ENGINE	Kohler EFI Gas	48-volt DC	48V AC Lithium	Kohler EFI Gas	48-volt DC	48-volt 3-phase AC	Kohler EFI Gas	48-volt AC
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.3 hp (2.4 kW) rated; peak 13 hp (9.6 kW)	4.7 hp rated	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; peak 21.4 hp (16 kW)	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	8 hp (6kW) peak 16 hp (11.7 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Six 8-volt flooded lead acid	3.8 kW Capacity Vanguard	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Std: Vanguard 70 kWh Lithium Opt: Vanguard 4.0 kWh Lithium	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid
CHARGER	N/A	E.R.I.C. (650 W high frequency)	650W (standard); 900W (option)	N/A	DeltaQ QuiQ (1 kW high frequency)	650W (standard); 900W (option)	N/A	DeltaQ QuiQ (1 kW high frequency)
STEERING	Self-adjusting rack and pinion			Self-adjusting rack and pinion			Self-adjusting rack and pinion	
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks			Independent leaf spring with dual hydraulic shocks			Independent leaf spring with dual hydraulic shocks	
BRAKES	Rear wheel mechanical drum			4-wheel mechanical drum			4-wheel mechanical drum	
PARK BRAKE	Foot operated, multi-lock			Foot operated, multi-lock			Foot operated, multi-lock	
BODY AND FINISH	Molded-in color, aluminum finish			ArmorFlex™ with automotive paint/clearcoat, aluminum finish			ArmorFlex™ with automotive paint/clearcoat, aluminum finish	
TIRES	18 x 8.50-8, 4-ply rated, premium tread			20 x 10-10, 6-ply rated, premium tread			20 x 10-10, 6-ply rated, premium tread	
BED L x W x H	N/A			37 x 47.5 x 10.5 in (94 x 120 x 27 cm) (Cargo Box)			N/A	
WHEELBASE	65.5 in (166 cm)			99.1 in (252 cm)			132.1 in (336 cm)	
GROUND CLEARANCE	4.5 in (11 cm)			5.2 in (13.2 cm)	5.6 in (14.2 cm)		5.2 in (13.2 cm)	5.6 in (14.2 cm)
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A		5.5 gal (20.8 L)	N/A		5.5 gal (20.8 L)	N/A
CURB WEIGHT	N/A			932 lb (423 kg) stakeside; 943 lb (428 kg) with rear seat	1494 lb (678 kg) stakeside; 1505 lb (684 kg) with rear seat	1124 lb (510 kg) 4 passenger 1119 lb (508 kg) 6 passenger	1104 lb (501 kg) 8 passenger	1646 lb (747 kg) 8 passenger
SPEED RANGE	12–15 mph (19.3–24.1 km/h)	5–15 mph (8–24.1 km/h)	5–15 mph (8–24.1 km/h)	15–17 mph (24–27 km/h)	5–17 mph (8–27 kph)		15–17 mph (24–27 km/h)	5–17 mph (8–27 kph)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery 3 yr limited powertrain 2 yr remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle



* Colors may vary by product. Other colors available upon request.

Villager 6



Villager 8



GASOLINE

ELECTRIC

LITHIUM ION

ENGINE	Kohler EFI Gas	48-volt DC	48V AC Lithium
HORSEPOWER	14.5 hp (10.8 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated, Peak 20 hp (14.9 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Vanguard 7.0 kWh
CHARGER	N/A	DeltaQ QuiQ 1 kW high frequency	Std: DeltaQ IC650 - 650W high frequency
STEERING	Self-adjusting rack and pinion		
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks		
BRAKES	4-wheel mechanical drum		
PARK BRAKE	Foot operated, multi-lock		
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat		
TIRES	18 x 8.50-8, 6-ply rated, premium tread		
BED L x W x H	N/A		
WHEELBASE	V6 - 98.5 in (250.2 cm) V8 - 131.5 in (334 cm)		
GROUND CLEARANCE	4.5 in (11 cm)		
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	
CURB WEIGHT	V6 - 976 lb (442.7 kg) V8 - 1270 lb (576 kg)	V6 - 1456 lb (592.8 kg) V8 - 1530 lb (693.9 kg)	V6 - 906 lb (410.9 kg) V8 - 1003 lb (455 kg)
MAX SPEED	17 mph (27 km/h)	16 mph (26 km/h)	17 mph (27 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	5 yr limited battery 3 yr limited powertrain 2 yr remaining vehicle

Available Body Colors



White



Beige



Burgundy



Dark Green



Black



Classic Blue

Colors may vary by product.



URBAN



Club Car

®

when you need to
get the job done



built to handle **any job.**

The Club Car Urban is built to handle any job. Whether it's facilities maintenance, moving equipment, or delivering food or packages, with the durability of a pickup truck and the efficiency of an electric vehicle, the Club Car Urban gets the job done.

urban configurations.



electric truck



XR or LSV FLA



XR or LSV Lithium

bed options



Pickup
(5.3 and 6.9 FT)



Van Box
(74.2 and 98.9 FT3)

battery options



FLA SPWS



Li 10.2 kWh



Li 13.6 kWh

URBAN ^{XR}

STANDARD OPTIONS (both XR and LSV Models)

- All Season Road Tires
- Deluxe Cab Pack (Sun Visors, 12V Outlet, Interior Light)
- Crash Tested for Best in Class Vehicle Safety
- Premium Instrument Cluster
- Headlights
- Rear Lights
- Horn
- Bench Seat
- Lockable Storage Locker
- Dash Storage Compartment
- Automatic Parking Brake
- 3-Point Seat Belts
- Reverse Buzzer
- Speed Switch
- White Body Color
- Rear Bumper

URBAN ^{LSV}

STANDARD OPTIONS (LSV only)

< ALL OF THIS PLUS

- Van Box Options (Access On Rear and Passenger Sides)
- Heated Front Windshield
- Windshield Wiper and Washer
- Acoustic Vehicle Alert System – LSV US and Canada Regulation
- Backup Camera with Screen in Cab
- Side View Mirrors and Rearview Mirror

ADDITIONAL OPTIONS

< CHOOSE XR OR LSV & ADD

- Rear Hinged Glass Doors with Sliding Windows
- Rear Window with Pickup Bed
- Wide-Body Kit with Turf Tires
- Wide-Body Kit with Rough Terrain Tires
- Auxiliary Lighting Socket and Tow Ball
- Tow Ball Only
- Adjustable Twin Seats
- Electric Cab Heater
- Bluetooth Stereo with USB Charging and Speakers
- Power Steering
- Built-in Dash Refrigerator
- Roof-Mounted LED Flashing Beacon
- Roof-Mounted Work Light – FRONT
- Roof-Mounted Work Light – REAR
- First Aid Kit with Bracket
- Brush Guard
- Warning Safety Triangle
- Side-Protecting Nerf Bars
- Diesel Heater (Not Available in California)
- Electric Bed Lift
- Rear Cabin Window

efficient, safe and **green.**

Club Car's new lineup of electric utility vehicles are driven by excellence and committed to your safety.

Club Car Urban vehicles integrate form and function into eco-friendly vehicles that are efficient, safe, and green. These crash-tested and approved vehicles help you get the job done. The spacious cabin offers unrivaled leg and headroom with exceptional visibility. A variety of safety equipment included for additional protection. Includes common automotive cab features and equipment standard.



experience URBAN



durability of a pickup, efficiency of an electric vehicle



This lineup from Club Car provides the durability of a pickup with the efficiency of an electric vehicle. Embrace comfort for long days on the road by driving a compact design with agile handling to navigate tight spaces while carrying a tonnage of up to 2204 pounds.

Different options allow the user to tailor the Urban to their specific needs. Multiple bed configurations are easy to order and come prepped and ready to go.



- ✓ Higher Education
- ✓ Mobile Food & Beverage Delivery
- ✓ Municipalities
- ✓ Hospitality
- ✓ Housekeeping
- ✓ Grounds-keeping
- ✓ Large Manufacturing Sites
- ✓ Warehouses and Ports

compare URBAN

what is a low speed vehicle (LSV)?

SAFETY STANDARDS OF CLUB CAR LSVs

The Urban LSVs come standard with street legal safety and cab features such as 3-pt seatbelts, head and tail lights, mirrors, backup camera system, AVAS, windshield wipers, heated windscreen, rear bulkhead glass, automatic park brake, speed switch, premium instrument cluster, and lockable storage.

All LSV vehicles must meet all U.S. federal safety standards which require a registered VIN number, automotive safety windshield glass, safety belts, turn signals, headlamps, brake lights, horn, mirrors, reflex reflectors, a parking brake, and a rearview camera. They also must meet state and local laws which can include windshield wipers and warning beacons.

warranty

	XR	LSV
Vehicle Frame	5 years	5 years
Suspension and Equipment	3 years	3 years
Trojan FLA Batteries	3 years	3 years
10.2 kWh or 13.6 kWh Lithium Battery with Warming Blanket	5 years	5 years

	URBAN <i>XR</i>	URBAN <i>LSV</i>
DIMENSIONS		
Length	163 inches with Extension	163 inches with Extension
Width (with/without Mirrors)	69 inches / 54 inches	69 inches / 54 inches
Height	74 inches	74 inches
Wheelbase	108 inches	108 inches
Load Bed Length	64 inches	64 inches
PERFORMANCE		
Top Speed	19 mph	25 mph
Turning Radius	168 inches	168 inches
Operating Grade	< 20%	< 20%
EQUIPMENT		
Backup Camera	Optional	Standard
Hydraulic Brake System	Disc Front, Drums Rear	Disc Front, Drums Rear
Electronic Parking Brake	Standard	Standard
Complete Exterior Light Package	Standard	Standard
Chassis	Steel, Hot Dip Galvanized	Steel, Hot Dip Galvanized
Tires	165/70 R13	165/70 R13
Electric or Diesel Cabin Heater	Optional	Optional
MOTOR		
Motor 48V	High-Efficiency 3-Phase AC Motor	High-Efficiency 3-Phase AC Motor
Continuous Power	12 kW (16.1 hp)	12 kW (16.1 hp)
Peak Power	18.2 kW (24.4 hp)	18.2 kW (24.4 hp)
Motor Controller	Curtis 450 A	Curtis 450 A
BED OPTIONS		
Pickup Bed:	FIXED OR TILT PICKUP (1.6m) = 50.04 in W x 65.87 in L x 17.72 in H FIXED EXTENDED PICKUP (2.1m) = 50.04 in W x 85.63 in L x 17.72 in H (Available with Steel Mesh Cage)	
Van Box:	FIXED VAN BOX (2.1m) = 51.18 in W x 64.96 in L x 46.85 in H FIXED EXTENDED VAN BOX (2.8m) = 51.18 in W x 85.24 in L x 46.85 in H	
BATTERIES		
Standard Battery	FLA T145 Heavy Duty	FLA T145 Heavy Duty
Lithium Battery Options	10.2 kWh/200 Ah (with Heating Blanket) 13.6 kWh/265 Ah (with Heating Blanket)	10.2 kWh/200 Ah (with Heating Blanket) 13.6 kWh/265 Ah (with Heating Blanket)
Range (Lithium 13.6 kWh)	Up to 62 miles	Up to 62 miles

URBAN

Contact your Club Car dealer or visit clubcar.com to learn more about our premium utility vehicles.

Club Car[®]



Club Car®



CARRYALL® **VAN BOX SYSTEMS**

Club Car Van Box Systems for Carryall 500 and 700 Work Utility Vehicles and Carryall 510 and 710 LSVs (Low Speed Vehicles).

To enhance productivity and prevent theft on your campus, resort or other site, you need durable van boxes with secure and well lit space for tools, cargo and other items. Club Car offers convenient, durable van boxes for many of our Carryall utility vehicles. Carryall 500 and Carryall 510 offerings feature lockable double rear doors. The van box offering for the Carryall 700 and Carryall 710 feature lockable double doors on both the rear and sides of the van box. Interior lighting, shelves, and ladder racks are available for both van boxes.



BUILT FOR LONG LIFE ***IN COMMERCIAL APPLICATIONS***

The boxes feature a new robust design that looks similar to traditional van boxes, but delivers these additional benefits:

- Van box made of rustproof powder-coated aluminum
- Interior LED lighting for greater visibility
- Bolt-on panels that allow for easy replacement in the event of damage.
- Reinforced corners that increase durability in commercial applications
- No windows, to eliminate leaking and improve cargo security
- Magnetic catches on unlatched doors for easy opening and closing, especially on inclines

The boxes come standard in white or gray.

Add These Accessories:

- Optional shelves that increase the usable area within the van box
 - Carryall 500/510 shelf supports 75 lbs. (34 kg)
 - Carryall 700/710 shelf supports 150 lbs. (68 kg)
- Dual top-mounted ladder rack that supports 150 lbs. (68 kg)
- High-mount brake light and backup light system improve visibility and safety. These items are required on Carryall® 510 and Carryall® 710 LSVs.

To reduce shipping costs, the boxes are available pre-assembled for domestic shipment and dealer-assembled for international shipment.



Interior LED Lighting



Bolt-On Panels



Reinforced Corners



No Windows



Magnetic Catches



Optional Shelves



Dual Top-Mounted Ladder Rack



High-Mount Brake Light



To learn more, visit www.clubcarddealer.com and contact your local Authorized Club Car Dealer.

©2026 Club Car LLC. Club Car believes the information and specifications in this piece of literature were correct at the time of printing. Specifications, standard features, options, fabrics and colors are subject to change without notice. Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you ordered includes the equipment you ordered. There are no warranties, expressed or implied, contained herein. See the Limited Warranty in the owner's manual or write to: Club Car, PO Box 204658, Augusta, GA 30917. The company reserves the right to make design changes without obligation to make these changes on previously sold units or systems.

CLUB CAR EFI ENGINE

CARRYALL **ALWAYS TOUGH, ALWAYS READY**

Do more in your work day with Club Car's powerful Kohler Command PRO® EFI engine offered in most Club Car Utility Vehicles. This exclusive engine helps improve your productivity by simplifying your ownership experience and increasing overall vehicle uptime.


The premium gas engine from Kohler makes it easy to diagnose issues, reduces the frequency of oil changes, and comes complete with an industry-leading warranty. Its automotive-grade closed-loop EFI system makes starting easy, and automatically adjusts to enhance performance in any environment.



POWER AND RELIABILITY IN ANY ENVIRONMENT

With a Kohler Command PRO® EFI Engine.

- **Automotive-Grade, Closed-Loop Electronic Fuel Injection**
- **Onboard Diagnostics, Accessible on Your Laptop or Smart Device**
- **Reduced Oil Changes**



THE 14 HP COMMAND PRO® EFI ENGINE FROM KOHLER & CLUB CAR MAKES YOUR JOB EASIER IN MANY WAYS.

- Automotive-Grade, Closed-Loop EFI continuously adjusts engine performance for excellent fuel economy and more reliable starting.
- Onboard Diagnostics, Accessible on your Laptop or Smart Device quickly identify engine issues to keep your vehicle running and decrease maintenance time.
- Reduced Oil Changes maximize uptime and your bottom line, thanks to an industry-leading oil change interval recommendation (every 200 hours*).

The Carryall family of vehicles with the
Club Car quality you know,

NOW POWERED BY LITHIUM-ION.

Every day is different. You need a vehicle you can
trust to get any job done, even the unexpected
ones, without the noise of a gas engine.



THE ADDED BENEFITS OF CARRYALL LITHIUM-ION INCLUDE:

- ✓ **MAINTENANCE FREE BATTERY**
The Li-Ion battery eliminates the need for any servicing
or battery maintenance of any kind. No more battery
watering or terminal cleaning!
- ✓ **LONGER BATTERY LIFE**
Designed for the long haul, the Carryall Lithium
vehicles come with a 5-year limited battery warranty for
peace of mind for your fleet.
- ✓ **MORE EFFICIENT CHARGING**
Time is money and Utility Lithium models charge up to
40% faster than lead-acid models.
- ✓ **INCREASED POWER AND PERFORMANCE**
With enhanced power for hill climb and towing, and
a new top speed setting of 19 mph, Carryall Lithium
vehicles will help you work more efficiently.





	500	502	550	700	TRANSPORTER	Villager
ENGINE	48-volt 3-phase AC	48-volt 3-phase AC	48-volt 3-phase AC	48-volt 3-phase AC	48-volt 3-phase AC	48-volt 3-phase AC
HORSEPOWER	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)	7.4 hp (5.5 kW) rated @ 2863 RPM; Peak 21.4 hp (16 kW)
BATTERIES	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium	Std: Vanguard 7.0 kWh Lithium	Std: Vanguard 7.0 kWh Lithium Opt: Vanguard 4.0 kWh Lithium	Std: Vanguard 7.0 kWh Lithium
CHARGER	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ IC900 - 900W high frequency	Std: DeltaQ IC650 - 650W high frequency Opt: DeltaQ RC900 - 900W high frequency
STEERING	Self-adjusting Rack and Pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks
BRAKES	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock
BODY & FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish
TIRES	20 x 10-10, 6-ply, premium tread	18 x 8.5-8, 6-ply, premium tread	22 x 10-10, 4-ply, extra traction	20 x 10-10, 6-ply, premium tread	20 x 10-10, 6-ply, premium tread	18 x 8.50-8, 6-ply rated, premium tread
BED L X W X H	44.2 x 47.5 x 10.5 in (112.2 x 120.6 x 26.6 cm)	44.2 x 47.5 x 10.5 in (112.2 x 120.6 x 26.6 cm)	44.2 x 47.5 x 10.5 in (112.2 x 120.6 x 26.6 cm)	64.5 x 47.5 x 10.5 in (163.8 x 120.6 x 26.6cm)	37 x 47.5 x 10.5 in (94 x 120 x 27 cm) (Cargo Box)	N/A
WHEELBASE	78.1 in (198 cm)	78.1 in (198 cm)	78.1 in (198.3 cm)	99.1 in (252 cm)	99.1 in (252 cm)	V6 - 98.5 in (250.2 cm) V8 - 131.5 in (334 cm)
GROUND CLEARANCE	5.6 in (14.2 cm)	4.2 in (10.7 cm)	6.0 in (15.2 cm)	5.6 in (14.2 cm)	5.2 in (13.2 cm)	4.5 in (11.4 cm)
VEHICLE RATED CAPACITY	1200 lb (544 kg)	1200 lb (544 kg)	900 lb (408 kg)	1500 lb (680 kg)	1,500 lb (680 kg)	V6 - 906 lb (410.9 kg) V8 - 1003 lb (455 kg)
CARGO BED CAPACITY	800 lb (363 kg)	800 lb (363 kg)	500 lb (227 kg)	1000 lb (454 kg)	300 lb (136 kg)	N/A
CURB WEIGHT	951 lb (431.4 kg)	938 lb (425.5 kg)	1020 lb (462.6 kg)	1013 lb (459.4 kg)	1124 lb (510 kg) 4 passenger 1119 lb (508 kg) 6 passenger	V6 - 906 lb (410.9 kg) V8 - 1003 lb (455 kg)
SPEED RANGE	5-19 mph (8-31 km/h)	5-19 mph (8-31 km/h)	5-19 mph (8-31 km/h)	5-19 mph (8-31 km/h)	5-17 mph (8-27 km/h)	5-17 mph (8-27 km/h)
LIMITED WARRANTY	5-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle	5-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle	5-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle	5-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle	4-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle	5-year limited battery warranty 3-year limited powertrain/frame 2-year limited remaining vehicle



Find your local authorized Club Car dealer now,
and take control of your fleet.

LEARN MORE AT CARRYALL.COM