

Lumen

A Sonapar Company

ATLANTIC

Special deals
July - August
2021



Valid for Electrical Contractors
ESA and ECA members only

NOVOLED

LED Lamps

MR16



MR16 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDMR167W3KFL



GU10



GU10 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDGU107W3KFL



PAR20



PAR20 - 7W, 3000K, 500LM
40° beam - Dimmable
Replaces 50W, halogen
LAMLEDPAR207W3KFL



A19



A19 - 9.8W, 2700K, 800LM
Replaces 60W, incandescent
Non-dimmable
LAMLEDA199W27KND

Dimmable
LAMLEDA199W27KDIM



3M

NEW BENCHMARK
for electrical tapes



165 Temflex™
General Use Vinyl
Electrical Tape
3/4 in x 60 ft - 6 Mil.,
0°C to 90°C, multipurpose
Black # TRO165BK4A



Other colors available!

Blue # TRO165BL4A
Brown # TRO165BR4A
Green # TRO165GR4A
Gray # TRO165GY4A
Yellow # TRO165YL4A
Orange # TRO165OR4A
Purple # TRO165PR4A
White # TRO165WH4A
Red # TRO165RD4A



175 Temflex™
General Use Vinyl
Electrical Tape
3/4 in x 60 ft - 7 Mil.,
-7°C to 90°C, high performance
Black # TRO175BK4A

READY-LITE

LUMACELL



Plastic Pictogram
LED Exit Sign

4.2W LED, self-powered
REDCMPSSPRL
LUMCMPSSPL



Plastic Pictogram
LED Exit Combo Unit

2 x 1W LED, self-powered
REDCMPCRL
LUMCMPCL




Plastic Emergency LED
Lighting Fixture Battery Unit
6V, 27W, 2 x 4W LED
REDCMPBRL
LUMCMPBL



Emergency LED Lighting
6-12V

Single - 1 X 3W LED
REDCMR1RL
LUMCMR1L
Double - 2 X 3W LED
REDCMR2RL
LUMCMR2L



Fluorescent Surface Fixture

120V/277V (lamps not included)

4 ft - 2 x F32T8
LITC232MV

8 ft - Tandem, 4 x F32T8
LITC232MV



LED Ceiling Mount Fixture

120/277V, 4 000K, bronze

35W, 4 500LM


Replaces up to 150W, HID

LITCNYLEDP140KMVDDDB

52W, 6 600LM

Replaces up to 175W, HID

LITCNYLEDP240KMVDDDB



LED Panel for Suspended Ceiling

120/347V, dimmable 0/10V

2 x 2 - 3 500K, 3 500LM

LITCPX2X23400LM35KUVOLT

2 x 2 - 4 000K, 3 600LM

LITCPX2X23400LM40KUVOLT

2 x 4 - 3 500K, 4 500LM

LITCPX2X44300LM35KUVOLT

2 x 4 - 4 000K, 4 600LM

LITCPX2X44300LM40KUVOLT



LED Projector

With motion sensor

2 x 10W, 120V, 4 000K, 1 569LM

Replaces 2 x 60W PAR38, halogen

Bronze # LITOLF2RH40K120MOBZ

White # LITOLF2RH40K120MOWH



LED Wall Pack

14W, 120V, 4 000K, 1 242LM,

photocell included, bronze.

Replaces up to 70W, MH

LITOVWPLED40K120PEDBHP17



LED Recessed Fixture

4 in - 120V, 5CCT 2 700K to 5 000K, 670LM, white

Replaces up to 65W, incandescent

JUNWF4SWW590CRIMW

Day-Brite

CFI

by @ignify



LED Strip Fixture

48 in - 120/277V, 4 000K, 5 000LM
non-dimmable, frosted acrylic lens,
white metal housing.

Replaces 2 x 32W, T8

CFISCD450L840UNV

Day-Brite

CFI

by @ignify



Suitable for
wet locations

LED Strip Fixture


48 in - 120/277V, 4 000K, 3 600LM, non-dimmable,
frosted lens, grey one piece molded polycarbonate
body, 6 ft cord, V hooks and wrap around mounting
brackets included, suspended or surface mounting.

Remplace 1 x 32W, T8

CFIVTC36L840UNV

KEENE

by @ignify



LED T-Bar Fixture

120/277V, 4 000K, bronze finish
Knuckle or yoke mount

10W, 1 100LM

Replaces 150W, quartz

KEETF10NWG1KFL8BZ

30W, 3 250LM

Replaces 150W, HID

KEETF30NWG1KFL8BZ

50W, 5 500LM

Replaces 150W, HID

KEETF50NWG1KFL8BZ

Day-Brite

CFI

by @ignify



LED High Bay Fixture

177W, 4 000K, 24 000LM, general distribution

Replaces up to 6 x 54W, T5H0

120/277V # CFIFBY24L840UNVWC6

347V # CFIFBY24L840347WC6

LIGHTOLIER

by @ignify



LED Recessed Fixture

4 in - 700LM, adjustable CCT

2 700/3 000/4 000/5 000K, white

Replaces 65W, incandescent

LIGFD4R4CCT

KEENE

by @ignify



LED Wall Pack

12W, 120V, 3 000K, 1 100LM, photocell included,
bronze finish, wall mount with galvanized
mounting plate, frosted polycarbonate lens.

Replaces up to 70W, MH

KEELWLWWG2PCB1BZ

STANPRO



LED Surface Fixture IP66

4 ft - 40W, 120/277V, 4000K, 5200LM

Replaces 2 X T8 32W

STALSVN40W4K120277DD1FPA



LED Recessed Fixture

3.5 in - 12W, 3 000K, 920LM, pivoting light source.

Replaces 50W, halogen

White


Brushed nickel

Black

STAGMB12WA9030WH

STAGMB12WA9030BN

STAGMB12WA9030BK



LED Recessed Fixture

4 in - 120V, 5 CCT 2700K to 5000K, 550LM, white.

Replaces up to 65W, incandescent

STALPDL4RND9W5CCTWHSTD



Temporary LED Fixture

150W, 120V, 15 000LM, 360° beam, 20 ft 18/3C wire, remote control included.

STATHBDSC150WCWNDORSTD



LED Wall Pack

120/277V, frosted polycarbonate lens, photocell included, bronze finish.

Replaces up to 70W, HID


15W, 1 725LM, 3 000K

STAWCILS1W30KBR

20W, 4 000K (2 522LM) /

4 500K (2 926LM) / 5 000K (2 637LM)

STAWCILS2W3CBR



Mini Portable LED Projector

10W, 100 / 240V, 450LM, 120° beam, lithium-ion 3.7V 2AH battery working time is 2 hours (100%) or 4 hours (energy saving mode), 2 intensity switch, flashing switch, magnetic handle, black housing.

STAMFLBTRYMGN10024010WCW

LUTRON.

SUNNATA SERIES



Dimmer

White, 1V / 3V, up to 150W (CFL / LED), 600W (incandescent / halogen)

LUTSTCL153PHWHC

MAESTRO SERIES
with motion sensor



Switch

White, for residential use, 2A, 120V, 150W (LED), 250W (incandescent)

LUTMSOPS2HWHC

Caséta Wireless



Switch and Pico Remote Kit

White, 3 way, wireless, ideal for renovation, 10 year battery life for remote control.

LUTPPKG1WSWHC

GE current
a Daintree company

Horticultural lighting
NOW AVAILABLE
AT LUMEN



HPS Arize™ Lamp

1 000W T10, 2 100K, double ended
Sold in multiple of 12.

- High PAR output of 2050 μmol/s
- Renowned quality and reliability
- Long rated life of 10,000 hours

GELGEHPSBL1000WDE



Fixture also available on demand

Looking for an LED solution? Contact your Lumen representative for more details.

ATLANTIC - Effective from July 1st to August 31st 2021



lumen

3



- Equivalent to the EQL series
- Main lug panel
- 1-phase, 3-wire, 120/240V AC
- Available in gray only
- Compatible with Q series circuit breakers
- Also available in 12, 16 and 40 circuits

Features:

- Invertible
- Bonding screw
- Visible neutrals
- INSTA-WIRE™
- Durable hook-rails
- Integrated neutral bus

Amp rating	No. of spaces	No. of circuits	Height (in)	Product code
125	24	48	24	# SIESNC2448L1125
200	30	48	30	# SIESNC3048L1200



Electronic Timer Switch

120VAC, 60 Hz, 1 800W incandescent, 20A resistive/inductive, 1HP, single pole, 3-way. Wallplate not included.

5-10-15-30 minutes

LEVLTB301LZ

10-20-30-60 minutes

LEVLTB601LZ



LED Ceiling Occupancy Sensor Lampholder

8.7W, 120VAC, 60Hz, white.

Ideal for closets, storage areas, attics and basements. Suitable for indoor use only.

LEV9864LED



24-Hour Programmable Timer Switch

120VAC, 60 Hz, 1 800W incandescent, 15A resistive/inductive, 1 HP, single pole, 3-way, with astronomical clock and backlit LCD display. Wallplate not included.

LEVPT241PZ



Marrette® PRO-BLU™ 933™

Cable ties with ergonomic wing design, caliber #22 to #8 AWG, blue.

Jar of 1 000

MAR933JAR1000




Plastic Connector

1/2 in

Pack of 175

IBE4004FP3



One Screw Connector

3/8 in - BX, zinc alloy


IBE70



Connector

3/8 in - BX 90°, zinc alloy

IBE2210



Connector

3/8 in - double BX, one screw, zinc alloy

IBE2175



90° Duplex Fitting

3/8 in - Zinc alloy, clamping range: 0.45 in to 0.58 in


IBE2275



Valise Plug

15A, 125V, 2P, 3 wires.

HUBHBL5965VY



Valise Connector Body

15A, 125V, 2P, 3 wires.

HUBHBL5969VY

	125V	250V	347V AC	600V AC
Twist Locks UL/CSA 20A, 2P, 3F	 NEMA L5-20P 1 HP	 NEMA L6-20P 2 HP	 NEMA L24-20P	 NEMA L9-20P
	# HUBHBL2310	# HUBHBL2320	# HUBHBL3720	# HUBHBL2350
	# HUBHBL2311	# HUBHBL2321	# HUBHBL3721	# HUBHBL2351
	# HUBHBL2313	# HUBHBL2323	# HUBHBL3723	# HUBHBL2353

The most popular electric vehicle charging stations on the market



FLO Home G5

240 V | 30 A | 7.2 kW

Rugged and durable for single-family homes, non-connected.

FLOG5-EDITION-SPECIALE



FLO Home G5

240 V | 30 A | 7.2 kW

Rugged and durable for single-family homes, non-connected.

FLOG5

Available at Lumen



Aluminum casing



Safe



Made in Canada



Certification



3-year limited warranty

flo.ca

ATLANTIC - Effective from July 1st to August 31st 2021



5



Jobsite Organizer

20 in

MIL48228030



Jobsite Cooler

2X the insulation keeps content cold up to 24 hours. Leak-proof liner.

MIL48228250



SHOCKWAVE™ Impact Duty Driver Bit Set

32 pieces

MIL48324004



M18™ PACKOUT™ Radio + Charger

Compatible with all PACKOUT™ storage solutions. This 10 speaker sound system delivers 360° sound.

MIL295020



175W M18™ TOP-OFF™ Power Supply

Attach any M18™ battery to provide continuous power or recharge devices with AC 120V outlet, USB-C PD port, and USB-A port.

MIL284620



Carry-on Power Supply with MX FUEL™ Charger

MX FUEL™ CARRY-ON™ 3600W/1800W power supply, 2 x MX FUEL™ REDLITHIUM™ battery packs and detachable charging cord.

MILMXF0022XC



M18™ Jobsite Fan

Circulates air over 40 feet, ideal for drying or cooling.

Includes: AC adaptor for extended run-time.

*17 hours with a M18 REDLITHIUM XC 5.0 battery (batteries and charger sold separately).

MIL088620



Portable Wireless Jobsite Speaker

Connects wirelessly via Bluetooth or with wired 1/8" stereo auxiliary cable (included).

KLEAEPJS1



Digital Circuit Breaker Finder

With GFCI outlet tester. CAT II 120V safety rating. **Includes:** transmitter, receiver and 9V battery.

KLEET310



Saw Keyhole

Pointed tip easily punches through drywall.

GRE301A



Tradesman Pro™ Electrician Backpack

39 pockets for maximum tool storage

KLE55421BP14

BUY Lineman's Pliers
GET A FREE

Bearing-Assisted Open Pocket Knife



Lineman's Pliers

9 in - Cuts ACSR, screws, nails and most hardened steel wires. High-leverage design and unique handle tempering helps absorb the "snap" when cutting wire.

KLEKITPINCECOUTEAU

BOGO



Steel Fish Tape

1/8", 1/4" and flat steel profiles. Superior rapid tape, pay-out and rewind. Rugged case design improves drop impact capability. Oil-tempered spring steel.

125 ft # GREFTS438125BP
240 ft # GREFTS438240



Walldog™ Universal Anchor

1-1/4 in - Zinc, light duty, philips pan head

Pack of 100

POW02316PWR



Level 1 Protection Mask

Meets stringent ASTM F2100 standards. Latex-free, three-ply construction. Nanofibres provide a densely packed filtration layer that blocks out microscopic particles and pathogens.

Box of 50

SWESEN710



Mask for Personal Use

Easy to breathe through. Soft, odorless and non-irritating. Filters out bacteria, pollen, smoke and dust.

Box of 50

CANRML11



QD™ Contact Cleaner

A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. QD evaporates quickly and leaves no residue.

311g aerosol # CRC72130



3-36® Multi-Purpose Lubricant

Drives out moisture and leaves a thin, long lasting film to protect against corrosion.

312g aerosol # CRC73005



Clear connectors with lights for power indication



Extreme Extension Cord

Blue, 3c/12 SJE0W

25 ft # CEP4202

50 ft # CEP4205



SenTec™ Safety Glasses

Impact resistant polycarbonate lens with a scratch resistant coating provides 99.9% UV protection

Clear # DEN12E90801

Gray # DEN12E90802



Foam Sweat Bands

With elastic head strap.

Box of 25

DYNHP65000



2-Piece Rainsuit

Hooded jacket and bib pant, storage pouch, 100% waterproof polyester/PVC, CSA Z96-15, class 1, level 2

Large # PIOV1080150L

X-Large # PIOV1080150XL

XX-Large # PIOV10801502XL



E-A-R™ Classic™ Earplug

Uncorded, NRR 29 dB, Pillow Pack

Pack of 200

3MS3101001



E-A-R Soft™

Yellow Neons™ Earplug

Uncorded, NRR 33 dB, Pillow Pack

Pack of 200

3MS3121250



Treated Actifresh

Ninja Gloves

Exceptionally comfortable, lightweight and breathable. Flexible HPT coating resists punctures and abrasion.


Medium # BOB99198608

Large # BOB99198609

X-Large # BOB991986010

ORDER ONLINE 24/7

WEB • ERP INTEGRATION • MOBILE



- Access your prices
- View real-time inventory
- Search products by category
- Download product spec sheets

Chat online and make an appointment with our e-Commerce experts.



PRIORITY PICK-UP FOR ORDERS ALREADY PLACED

Place your order in advance on **lumen.ca** or on the **mobile app**.



Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel.: 902 468-7996 / **Fax:** 902 468-7997
Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel.: 506 382-1396 / **Fax:** 506 382-9376
Toll free: 1 844 311-1396



Prices are subject to change without notice. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only. We are currently experiencing an exceptionally high demand for many popular products. As a result, some products advertised in this flyer may not be available. Please check your local branch for availability or visit lumen.ca. We are currently working on replenishing supplies as quickly as possible and apologize for any inconvenience this may cause.



**FSC
POUR POSITION
SEULEMENT**