

**Lumen**

A Sonepar Company

# Practical guide **SMART HOME**





<b>Lighting control</b>	<b>3</b>
Introduction	3
System	4
Components	5
<b>Audio</b>	<b>8</b>
Amplifier	9
Speaker	9
Subwoofers	10
Accessories	10
<b>Heating</b>	<b>11</b>
Thermostat	12
<b>Security</b>	<b>13</b>
Control Panel	14
User Interface	14
Door/Window Contact	15
Motion Sensor	15
Sounder	15
Glassbreak and Shock Sensor	15
Environmental Protection	15
Wireless Conversion	15
Remote Control Key fob	16
Video and Automation	16
Motion Viewer	16
Personal Security	16
Home Security	16
Communicator	16
Water Leak Detector	17
Smart Doorbell	17
Camera	17
<b>Smart Lighting</b>	<b>18</b>
<b>Decorative Lighting</b>	<b>20</b>
<b>Charging Solution</b>	<b>22</b>
<b>Charging Station</b>	<b>23</b>
<b>Motorized Shades</b>	<b>24</b>

# LIGHTING CONTROL



Which is the best connected solution for your needs?

*Caséta* Wireless



RadioRA2



RadioRA3



# System

## Caséta Wireless

## RadióRA2

## RadióRA3

**Number of components**

75 or less

200 or less

200 or less

**Programming**

Smart phone / Tablet

Smart phone / Tablet

PC software

### DIMMER

Forward phase (MLV, Inc., Hal., LED)

**6** = 600W Inc. / Hal., 150W LED

**10** = 1 000W Inc. / Hal. / MLV, 250W LED

**N** = Neutral, Inc. / Hal. / MLV

# PD-6WCL-WH  
# PD-10NXD-WH  
# DVRF-6L-WH



# RRD-6ND-WH



# RRS-PRO-N-WH



### DIMMER

Reverse / Forward phase (ELV, MLV, LED)

**NE** = 500W ELV / MLV / Inc. / Hal.

150W LED with neutral

**NA** = 600W ELV / MLV / Inc. / Hal.

150W LED with neutral

# PD-5NE-WHC



# RRD-PRO-WH



# RRS-PRO-N-WH



### SWITCH

On / Off

**6 years** = 6A, On / Off, 120V, with neutral

**5WS** = 5A, On / Off, 120V, without neutral

**8 years** = 8A, On / Off, with neutral

**8S** = 8A, On / Off, without neutral

# PD-6ANS-WH  
# PD-5WS-DV-WH  
# DVRF-5NS-WH-C



# RRD-8ANS-WH  
# RRD-8S-DV-WH



# RRS-8ANS-WH



### DIMMER

• Table lamp dimmer (in-wall wiring)

• 300W Inc. / Hal., 100W LED

# PD-3PCL-WHC\*\*



# RRD-3LD-SW



# RRD-3LD-SW



### PLUG-IN SWITCH

• In-wall wiring

• 15A relay On / Off

# RR-15APS-1-SW



# RR-15APS-1-SW



### CEILING FAN CONTROL

• 2A

• 4 speeds

# RRD-2ANF-WH



# RRD-2ANF-WH





# Components

Caséta™ Wireless

RadioRA2

RadioRA3

## PICO SCENE KEYPAD BATTERY

PJ2 Series



PJ2 Series



PJ2 Series



## WALL KEYPAD SCENE/ZONE

120V or hybrid keypad  
**W6 & W3** = 2-wire keypad, 120V (no load)  
**HN6 & HN3** = Hybrid keypad with neutral: 450W Inc. / Hal. / MLV, 150W DEL

# RRD-W6BRL-WH  
 # RRD-HN6BRL-WH



# RRSR-W3RL-WH  
 # RRSR-HN3RL



## HUB

Main antenna to control project

# L-BDGPRO2-WHC



# RR-PROC3-KIT



Must be RadioRA3 certified

# RR-PROC3-KIT



Must be RadioRA3 certified


## AUXILIARY RF ANTENNA

To increase coverage range / RF coverage range

# PDREP-WH



# RR-AUX-REP-WH



# L-REPPRO-BL



## WALL PLATE ADAPTER FOR PICO

# PICOWBXADAPT



# PICOWBXADAPT



# PICOWBXADAPT



## ALLOWS 3 WAYS OR MORE


- 3-way / 4-way or more
- A zone may be controlled by many different locations
- Can create 3-way applications wirelessly or wired

# DVRF-AS-WH (companion)



# RD-RD-WH  
 Dimmer companion

# RD-RS-WH  
 Switch companion



# RRSR-RD-WH  
 Dimmer companion

# RRSR-RS-WH  
 Switch companion



# Components

Caseta™ Wireless

RadioRA2

RadioRA3

## AUXILIARY RELAY

- For alarms, garage doors, etc.
- Compatible with Homelink

# RR-VCRX-WH



# RR-VCRX-WH



## LUTRON THERMOSTAT

- 24V
- WIFI

# L-HWLV2-WIFI



# L-HWLV2-WIFI



# L-HWLV2-WIFI



## RF MODULES

- Dimming 0-10V
- Relay 16 A

# LMJ-5T-DV-B (0-10V)  
# LMJ-16R-DV-B (Relay)



# LMJ-5T-DV-B (0-10V)  
# LMJ-16R-DV-B (Relay)



## PLUG-IN OUTDOOR OUTLET

- 120V
- Capacity 15A (lighting) or 1/2HP
- IP65 housing

# PD-15OUT-BL



# RR-15OUT-BL



# Components

Caséta™ Wireless


RadioRA2

RadioRA3


## GRAFIK EYE QS WIRELESS

6 dimmers in a 4 gang box to reduce space in wall

# QSRJ-6P-WH



# QSRJ-6P-WH



## BATTERY POWERED MOTION SENSOR

- Ceiling
- Wall mount

# PD-OSENSWH



# LRF2-OCR2B-P-WH



# LRF2-OCR2B-P-WH



# LRF2-OKLB-P-WH



# LRF2-OKLB-P-WH



## STARTER KIT

- 1 x Smart Bridge PRO
- 1 x dimmer
- 1 x Pico remote
- 1 x wallplate

# P-BDGPRO-PKG1W-C



## DIVA STARTER KIT

- 1 x Smart Bridge PRO
- 1 x Diva dimmer
- 1 x Pico remote
- 1 x wallplate

# LUTDVRFBDG1DC





# AUDIO



## AMPLIFIER



ITEM	DESCRIPTION	BRAND	PRODUCT #
Amplifier / music player Pownode	1 zone, 80W / channel, available in black and white	BLUESOUND	1 BLUN330BLKUNV
Amplifier / music player Pownode Edge	1 zone, 40W / channel, available in black and white	BLUESOUND	2 BLUN230BLKUNV
Music player NODE	1 zone, wireless	BLUESOUND	3 BLUN130BLKUNV
Amplifier / music player	1 zone, 60W / channel	NAD	4 NADCI720V2
Amplifier	4 zones, 50W / channel	NAD	5 NADCI980
Amplifier	8 zones, 60W / channel	NAD	6 NADCI1660DSP
Music player	BluOS 4 zones	NAD	7 NADCI580V2
Amplifier / music player	BluOS DAC, amplifier 200W / channel	NAD	8 NADM33

## SPEAKER



ITEM	DESCRIPTION	BRAND	PRODUCT #
In-ceiling speaker	6-1/2 in, mono, 100W max. (pack of 4)	PSB SPEAKER	1 PSBCS605
In-ceiling speaker	6-1/2 in, mono, 100W max.	PSB SPEAKER	2 PSBCS610
In-ceiling speaker	6-1/2 in, stereo, 100W max.	PSB SPEAKER	3 PSBCS630
In-ceiling speaker	6-1/2 in, premium mono, 100W max.	PSB SPEAKER	4 PSBCS650
In-ceiling speaker	8 in, 100W max. (pack of 4)	PSB SPEAKER	5 PSBCS805
In-ceiling speaker	8 in, mono, 100W max.	PSB SPEAKER	6 PSBCS810
In-ceiling speaker	8 in, premium mono, 100W max.	PSB SPEAKER	7 PSBCS850
Surface speaker PULSE FLEX 2i	Portable and wireless, 25W, available in black and white	BLUESOUND	8 BLUPULSEFLEX2IBLK
Surface speaker PULSE M	Portable and wireless, 80W, available in black and white	BLUESOUND	9 BLUP230BLKUNVBLACK
Surface speaker PULSE MINI 2i	Portable and wireless, 100W, available in black and white	BLUESOUND	10 BLUPULSEMINI2IBLK
Surface speaker PULSE 2i	Portable and wireless, 150W, available in black and white	BLUESOUND	11 BLUPULSE2IBLK
PULSE SOUNDBAR+	Wireless, available in black and white	BLUESOUND	12 BLUPULSESOUNDBARPLUSBLK
Surface speaker CS500 BLK	Outdoor, 120W max., available in black and white (pack of 2)	PSB SPEAKER	13 PSBCS500BLK
Surface speaker CS1000 BLK	Outdoor, 150W max., available in black and white	PSB SPEAKER	14 PSBCS1000BLK

## SUBWOOFER



ITEM	DESCRIPTION	BRAND	PRODUCT #
Wireless subwoofer	8 in, BluOS, available in black and white	BLUESOUND	1 BLUPULSESUBPLUSBLK
Powered subwoofer	8 in, 150W continuous power, 210W dynamic	PSB SPEAKER	2 PSBALPHASUB8
Powered subwoofer	10 in, 150W continuous power, 210W dynamic	PSB SPEAKER	3 PSBALPHASUB10
In-wall subwoofer	8 in dual, CS500W amplifier required	PSB SPEAKER	4 PSBCSIWSUB28
In-wall subwoofer	10 in, CS500W amplifier required	PSB SPEAKER	5 PSBCSIWSUB10
In-room passive subwoofer	10 in ultra-slim, CS500W amplifier required, available in black and white	PSB SPEAKER	6 PSBCSIRSUBBLK

## ACCESSORIES



ITEM	PRODUCT #
14/2 speaker cable	CAB14/2HPBLUFT4152
14/4 speaker cable	CAB14/4HPBLUFT4152
16/2 speaker cable	CAB16/2HPWHIFT4152
16/4 speaker cable	CAB16/4HPWHIFT4152



# HEATING



## THERMOSTAT



### Smart Thermostat, 24V

The Nest smart thermostat remembers the temperatures you like, learns your schedule, and programs itself to save energy. Its screen lights up when you approach the thermostat. With WiFi connection, you can control it with your mobile device.

# EVOT3007EF



### WiFi Programmable Thermostat for heated floors, 240V

Program and control the temperature from anywhere using a mobile device. By programming the thermostat in advance, make sure the temperature of your floors is perfect at any time, while saving energy.

# FLEFLP55120240GA



### Wireless Thermostat, 24V

This wireless thermostat allows you to adjust heating systems and air conditioning from anywhere using your mobile device.

# LUTLHWLV2WIFI



### Smart Thermostat, WiFi

#### For electric heating

Smart Thermostat for baseboards and high voltage forced air heating, personalize your heating requirements.

# MYSBB2001NAUS

#### For heated floor

For floor heating systems high voltage, customize your heating schedule, compatible with your smart home device, includes a floor temperature sensor.

# MYSIF1001NA






# SECURITY





# resideo




## The ProSeries Platform

The ProSeries platform is a professional, next-generation security and life safety system for residential and small business installations. This end-to-end solution features a modular design, advanced smart capabilities and technology with dedicated touch-screen panels and built-in Amazon Alexa for hands-free control.

- **ProSeries Platform** : Part of a broad and highly versatile security and smart home and business platform with consistent programming, user interfaces and a common range of sensors and peripherals across all solutions.
- **Modular Design** : Battery, RF, Cellular, Wi-Fi / Z-Wave®, panel, replacements by users.
- **SiX Sensors** : Wide range of detectors and peripherals, bi-directional wireless components, multi wave capabilities.
- **Anti-Takeover Capability** : SiX sensors can be locked to the panel, helping prevent competitive account takeovers and conversions.
- **AlarmNet 360™ Online Management Platform** : Remote programming and diagnostics to improve business efficiencies and reduce truck rolls; [alarmnet360.com](http://alarmnet360.com).
- **Optional Resideo Total Connect Remote Services** : Provide security, home automation, video viewing and real-time alerts, anytime, anywhere, on any PC and smart device.

### CONTROL PANEL



CODE	DESCRIPTION
RESPROA7PLUSCN	7" security panel, Wi-Fi® / Z-Wave® module, Amazon Alexa built-in, Bluetooth disarming, integrated camera.
RESPROA7CN	7" security panel

### USER INTERFACE



CODE	DESCRIPTION
RESPROWLTOUCH	7" wireless touchscreen
RESPROSIXLCKDKCN	Wireless touchpad

## DOOR/WINDOW CONTACT



CODE	DESCRIPTION
<b>RESPROSIXCT</b>	Door and window sensor, transmission range of 300 ft, dimensions : 1.1 x 1.6 x 3.1 in
<b>RESPROSIXMINI</b>	Mini door and window sensor, transmission range of 200 ft, dimensions : 0.45 x 1.25 x 3.1 in
<b>RESPROSIXMINI2</b>	Mini door and window sensor, transmission range of 300 ft, dimensions : 0.75 x 1.15 x 2.9 in

## MOTION SENSOR



CODE	DESCRIPTION
<b>RESPROSIXPIR</b>	Motion sensor

## SOUNDER



CODE	DESCRIPTION
<b>RESPROSIXSIREN</b>	Indoor siren
<b>RESPROSIXSIRENO</b>	Outdoor siren

## GLASSBREAK AND SHOCK SENSOR




CODE	DESCRIPTION
<b>RESPROSIXGB</b>	Glassbreak detector
<b>RESPROSIXSHOCK</b>	Shock sensor

## ENVIRONMENTAL PROTECTION



CODE	DESCRIPTION
<b>RESPROSIXFLOOD</b>	Flood detector
<b>RESPROSIXTEMP</b>	Temperature sensor

## WIRELESS CONVERSION



CODE	DESCRIPTION
<b>RESPROTAKEOVER</b>	Module compatible with multiple detectors with existing protocols
<b>RESPROSIXC2W</b>	Hardwired-to-SiX Wireless Converter

## REMOTE CONTROL KEY FOB



CODE	DESCRIPTION
<b>RESPROSIXFOB</b>	Two-way wireless key

## PERSONAL SECURITY



CODE	DESCRIPTION
<b>RESPROSIXMED</b>	Personal medical transmitter
<b>RESPROSIXPANIC</b>	Personal panic transmitter

## VIDEO AND AUTOMATION



CODE	DESCRIPTION
<b>RESIPCAMWIC2</b>	HD, 1080P, Wi-Fi® indoor video camera
<b>RESDBCAMTRIM</b>	SkyBell® slim video doorbell, silver
<b>RESDBCAMTRIMBR2</b>	SkyBell® slim video doorbell, bronze

## HOME SECURITY




CODE	DESCRIPTION
<b>RESPROSIXCOMBOC</b>	Combination smoke / carbon monoxide (CO) detector
<b>RESPROSIXCOCN</b>	Carbon monoxide (CO) detector
<b>RESPROSIXSMOKEV</b>	Smoke detector

## MOTION VIEWER



CODE	DESCRIPTION
<b>RESPROINDMV</b>	Indoor motion viewer (PROA7PLUS)

## COMMUNICATOR



CODE	DESCRIPTION
<b>RESPROLTEA</b>	AT&T® Network
<b>RESPROLTECN</b>	Bell Network
<b>RESPROWIFI</b>	Wi-Fi® communication module
<b>RESPROWIFIZW</b>	Combination Wi-Fi® / Z-Wave® communications module
<b>RESPROLTEANT</b>	External antenna kit



## WATER LEAK DETECTOR

Are You Protected from Water Leaks?



The Nowa 360 includes 5 sensors, an electric valve and a control panel. You install the mobile application and the control unit, and the sensors are already paired with it. The sensors are equipped with a battery that must be replaced every 10 years, which requires very little maintenance.

CODE	DESCRIPTION
<b>IFLNOW360-5-075</b>	NOWA 360 WiFi kit: 5 sensors and 3/4 in valve
<b>IFLNOWDSF360</b>	Flood / freeze wireless sensor device
<b>IFLNOWDN20</b>	3/4 in valve

## SMART DOORBELL



The Nest Hello video doorbell gives you HD video and crisp, bright images, even at night. It's designed to show you everything, whether it's people or packages left on the ground. With 24/7 streaming, you can monitor your home anytime or even view instant three-hour history.

CODE	DESCRIPTION
<b>EVONC5100EF</b>	Smart doorbell with WiFi camera

## CAMERA



CODE	DESCRIPTION
<b>INAINSDO2IRF</b>	2.1MP H265 dome camera with IR
<b>INAINSBO2IRF</b>	2.1MP H265 bullet camera with IR
<b>INAINSK881N2TB</b>	Camera and NVR kit : 8 channels, 2 TB, 4K NVR et 4 dome cameras 2.1MP (1080P) W/SD

# SMART LIGHTING



## SMART LIGHTING



ITEM	DESCRIPTION	PRODUCT #
Outdoor string lights	48 ft - 24W, 24V, RGB / CCT, Dals Connect PRO	1 DALDCPSTG48
Projector	6 in - 540LM, 24V, RGB / CCT, Dals Connect PRO	2 DALDCPSPT6BK
Projector	30W, 3 000LM, 24V, RGB / CCT, Dals Connect PRO	3 DALDCPFLD30BK
Pathway light	24 in - RGB / CCT, cone, Dals Connect PRO	4 DALDCPCPL24BK
Rock Light	10 in - 24V, RGB / CCT, Dals Connect PRO	5 DALDCPRK10
Rock Light	18 in - 24V, RGB / CCT, Dals Connect PRO	6 DALDCPRK18
Luminaire encastré	3,5 in - 650LM, RGB / CCT, Dals Connect PRO	7 DALDCPGBR35WH
Pathway light	20 in - 24V, RGB / CCT, Dals Connect PRO	8 DALDCPSTK20BK
Digital table lamp	20 in - 120V, 360LM, RGB / CCT, Dals Connect	9 DALSMSTTL20BK
Digital floor lamp	50 in - 120V, 720LM, RGB / CCT, Dals Connect	10 DALSMSTFL50BK
BR30 lightbulb	12W, 1 200LM, RGB / CCT, Dals Connect PRO	11 DALDCPBLBRR30
A19 lightbulb	9W, WiFi, RGB / CCT, Dals Connect	12 DALSMBLBA19
A21 lightbulb	RGB / CCT, Dals Connect PRO	13 DALDCPBLBA21



# DECORATIVE LIGHTING





# DECORATIVE LIGHTING

- Landscape
- Bollards
- Chandelier
- Pendant lighting
- Pathway lighting
- And more !

---

Choosing the right lighting can sometimes be challenging, given the multitude of options and varieties available. Let us guide you in the right direction.

[domotique@lumen.ca](mailto:domotique@lumen.ca)



# CHARGING SOLUTION





# CHARGING STATION



The two EV Series Smart Home electric vehicle charging stations come with 2 RFID cards and 1 administrator card. The My Leviton app, via Wi-Fi (Wi-Fi 802.11 b/g/n) allows you to schedule your charging sessions.

ITEM	PRODUCT #
32A, 208/240 VAC, 7,6 kW	LEVEV32W
48A, 208/240 VAC, 11,5 kW	LEVEV48W



Connectivity is possible via Wi-Fi and Bluetooth. Both models are programmable through the Wallbox app. Another advantage is the power sharing functionality.

ITEM	PRODUCT #
40A, delivers up to 9,6 kW of power Fixed installation or portable with Nema 14/50 (50A breaker)	WALPULSARPLUS40A
48A, delivers up to 11,5 kW of power Fixed installation wired to electrical panel (60A breaker)	WALPULSARPLUS48A



The G5 et X5 charging station are designed to withstand the most extreme conditions due to enclosure entirely made of aluminum, water and corrosive proof. Assuring the same quality of charging, the X5 additionally offers smart functions via the FLO app, simplifying your charging experience.

ITEM	PRODUCT #
208-240V @60 Hz, 30A/6,2-7,2 kW	FLOG5
208-240V @60 Hz, 30A/6,2-7,2 kW, smart functions via the FLO app	FLOX5

# MOTORIZED SHADES






Client : \_\_\_\_\_ Project : \_\_\_\_\_

Room : \_\_\_\_\_ Window(s) : \_\_\_\_\_ Qty : \_\_\_\_\_

## Shade mount and measurements

### Inside mount

Width :




A \_\_\_\_\_ mm/inches

B \_\_\_\_\_ mm/inches

C \_\_\_\_\_ mm/inches

Smallest width : \_\_\_\_\_ mm/inches

Height :



D \_\_\_\_\_ mm/inches

E \_\_\_\_\_ mm/inches

F \_\_\_\_\_ mm/inches

Greatest height : \_\_\_\_\_ mm/inches

### Outside mount

Width : \_\_\_\_\_ mm/inches

Height : \_\_\_\_\_ mm/inches

## Select fabric

Fabric number : \_\_\_\_\_

[lutronfabrics.com/fabrics](http://lutronfabrics.com/fabrics)

## Select power

Battery



Plug-in (12V)

## Select finish

### Headrail with fascia

Fabric-wrapped



Aluminum finish




### Headrail without fascia

Battery

Wired



For more information, please contact [domotique@lumen.ca](mailto:domotique@lumen.ca).



**Come visit our showroom in Montreal!**  
117A boul. Hymus, Pointe-Claire

## Products for every type of home

- Lighting control
- Audio
- Temperature control
- Lighting
- Security
- Charging station
- Motorized shades



To schedule a visit, please contact us at 514-426-9460 or by email at the following address : [domotique@lumen.ca](mailto:domotique@lumen.ca)

## OUR **Lumen** BRANCHES

<b>QUEBEC</b>	<b>Laval</b> (boul. Industriel) ..... 450 629-4561	<b>Saint-Georges</b> ..... 418 220-1344	<b>ATLANTIC</b>
<b>Alma</b> ..... 418 668-8336	<b>Laval</b> (Louis-B.-Mayer) ..... 450 688-9249	<b>Saint-Hubert</b> ..... 450 656-1964	<b>Dartmouth</b> ..... 902 468-7996
<b>Amos</b> ..... 819 732-6436	<b>Lévis</b> ..... 418 833-1344	<b>Saint-Jean</b> ..... 450 346-1320	<b>Moncton</b> ..... 506 382-1396
<b>Anjou</b> ..... 514 493-4127	<b>Longueuil</b> ..... 450 679-3460	<b>Saint-Jérôme</b> ..... 450 436-3225	<b>ONTARIO</b>
<b>Baie-Comeau</b> ..... 418 296-9320	<b>Montréal</b> (De la Savane) .... 514 341-7713	<b>Sainte-Foy</b> ..... 418 656-4247	<b>Ottawa E.</b> ..... 613 789-7500
<b>Candiac</b> ..... 450 632-1320	<b>Montréal</b> (Hochelaga) ..... 514 521-7711	<b>Sept-Îles</b> ..... 418 962-7773	<b>Ottawa O.</b> ..... 613 828-2930
<b>Chicoutimi</b> ..... 418 693-1343	<b>Pointe-Claire</b> ..... 514 426-9460	<b>Sherbrooke</b> ..... 819 566-0966	<b>HEAD OFFICE</b>
<b>Drummondville</b> ..... 819 477-5933	<b>Québec</b> ..... 418 627-5943	<b>Sorel-Tracy</b> ..... 450 742-3771	<b>4655, Autoroute 440 Ouest</b>
<b>Gatineau</b> ..... 819 771-7411	<b>Rimouski</b> ..... 418 723-0969	<b>Trois-Rivières</b> ..... 819 374-5013	<b>Laval (QC) H7P 5P9</b>
<b>Granby</b> ..... 450 776-6333	<b>Rivière-du-Loup</b> ..... 418 867-8515	<b>Val-d'Or</b> ..... 819 825-6555	<b>4655, Autoroute 440 Ouest</b>
<b>Joliette</b> ..... 450 759-8160	<b>Rouyn-Noranda</b> ..... 819 797-0013	<b>Vaudreuil</b> ..... 450 510-7487	<b>Laval (QC) H7P 5P9</b>
<b>Lachenaie</b> ..... 450 471-4561	<b>Saint-Eustache</b> ..... 450 472-6160	<b>Victoriaville</b> ..... 819 758-6205	<b>4655, Autoroute 440 Ouest</b>