

Lumen

A Sonepar Company


ATLANTIC

Special deals
March - April
2021



Valid for Electrical Contractors
ESA and ECA members only

PHILIPS



T8 Linear LED Tube

48 in - 12.5W, 120/277V, frosted lens,
240° beam, hybrid/dual mode
(type A or B installation).

Replaces 32W, fluorescent

3500K, 1700LM

PHI125T8COR48835FF18G

4000K, 1800LM

PHI125T8COR48840FF18G

5000K, 1800LM

PHI125T8COR48850FF18G

LITHONIA LIGHTING



High Bay LED Fixture

120/277V, 4000K, dimmable 0-10V, 6 ft cord, hook,
clear glass lens, 120° beam, white housing.

Replaces 4 x 54W, T5HO or 6 x 32W, T8

12000LM # LITJEBL12L40K80CRIWH

Replaces up to 400W, HID or 6 fluorescents, T5HO

18000LM # LITJEBL18L40K80CRIWH

Replaces up to 400W, HID or 8 fluorescents, T5HO

24000LM # LITJEBL24L40K80CRIWH

Replaces up to 575W, HID or 10 fluorescents, T5HO

30000LM # LITJEBL30L40K80CRIWH

STANPRO

NEW!



LED Panel for Suspended Ceiling

120/347V, 3500/4000/5000K, dimmable 0/10V.

1x4 - 20/30/40W

STAL3PNB1LPSQ3C

2x2 - 20/30/40W

STAL3PNB2LPSQ3C

2x4 - 30/40/50W

STAL3PNB4LPSQ3C

MARRETTE® PRO-BLU™

Did you say FREE?



933JAR

933BK

933BAR

From March 1 to May 31, 2021

Receive a gift card when you buy a barrel,
flip-pak or specially marked jar of our ergonomic
PRO-BLU 933 wire connectors.

Offer valid while supplies last.

Complete details at marrette.com/gift.



ABB



LED Surface Fixture

4 ft - 48W, 120/277V, 4 000K, 4 600LM, dimmable, white acrylic lens.

Replaces 2 x 32W, T8

LITFMLWL48840ZTMVOLT



LED Striplight

120/277V, 3 500/4 000/5 000K, frosted acrylic lens.

48 in - 3 000/4 000/5 000LM

LITCSSL48ALO3MVSWW380CRI

96 in - 6 000/8 000/10 000LM

LITCSSL96ALO4MVSWW380CRI



Suitable for wet location

LED Recessed Fixture

4 in - 8W, 120V, matte white, dimmable.

Replaces up to 65W, incandescent

3 000K, 580LM

LITWF4ELED30K90CRIMWCP6

4 000K, 600LM

LITWF4ELED40K90CRIMWCP6



LED Wall Pack

120/277V, 4 000K, gray finish, photocell included, acrylic lens.

36W, 4 700LM

Replaces up to 100W, mercury vapor

LITBGRLEDP140KMVPERDNA

56W, 7 900LM

Replaces up to 175W, mercury vapor

LITBGRLEDP240KMVPERDNA



LED Projector

120/277V, 4 000K, yoke mount, bronze.

54W, 7 200LM - Replaces 150W, HID

LITTFX1LED40KMVYKDDDBXD

94W, 12 700LM - Replaces 250W, HID

LITTFX2LED40KMVYKDDDBXD

188W, 25 600LM. Replaces up to 400W, HM

LITTFX3LED40KMVYKDDDBXD

296W, 41 000LM. Replaces up to 1 000W, HM

LITTFX4LED40KMVYKDDDBXD



NEW!

LED High Bay Fixture

120/277V, medium distribution, compact, 6 ft cord, dimmable 0/10V, anti-glare lens, V hook and 36" chain included.

14 in x 11.5 in - 18 000LM

4 000K # LITCPHB18LMSEFGCLMDMV4K

5 000K # LITCPHB18LMSEFGCLMDMV5K

22.5 in x 11.5 in - 24 000LM

4 000K # LITCPHB24LMSEFGCLMDMV4K

5 000K # LITCPHB24LMSEFGCLMDMV5K

22.5 in x 11.5 in - 30 000LM

4 000K # LITCPHB30LMSEFGCLMDMV4K

5 000K # LITCPHB30LMSEFGCLMDMV5K

READY-LITE



LED Plastic Pictogram Exit Sign

4.2W

REDRCSU

LUMCMPSACL



Emergency LED Lighting

6-12V

Single - 1 X 3W

REDRP1BLDC

LUMMP1BLDC

Double - 2 X 3W

REDRP2BLDC

LUMMP2BLDC



LED Plastic Pictogram Exit Combo Unit

2 x 1W

REDRCSC2LEDWR

LUMCMPCL



Emergency LED Lighting Fixture Battery Unit

6V, 27W, 2 x 4W

REDLDC6272BLDC

LUMRCG272BLDC

STANPRO



LED Mini Portable Projector

10W, 100/240V, 450LM, 120° beam, lithium-ion 3.7V 2AH battery working time is 2 hours (100%) or 4 hours (energy saving mode), 2 intensity switch, flashing switch, magnetic handle, black housing.

STAMFLBTRYMG10024010WCW

NEW!



LED Wall Pack

120/277V, frosted polycarbonate lens, photocell included, bronze finish. **Replaces up to 70W, HID**

15W, 1 725LM, 3 000K

STAWCILS1W30KBR

20W, 4 000K (2 522LM) / 4 500K (2 926LM) / 5 000K (2 637LM)

STAWCILS2W3CBR



Temporary LED Fixture

150W, 120V, 15 000LM, 360° beam, 18 AWG/3C wire, remote control included.

STATHBDSC150WCWINDORSTD



LED Fixture with Motion Sensor

2 x 12W, 120V

Replaces 50W, MH or 70W, HPS

3 000K, 2 242LM

Bronze # STAESLLS1A30KBR

White # STAESLLS1A30KWH

4 000K, 2 490LM

Bronze # STAESLLS1A40KBR

White # STAESLLS1A40KWH

NEW!



LED Wall Pack

120/347V, 3 000/4 000/5 000K, bronze finish, photocell included, prismatic glass lens, dimmable 0/10V.

25/30/40W

STAWSPSPS40Q3C

60/80/100W

STAWSPSPS100Q3C

120W

STAWPSNS120Q3C



Under-Cabinet LED Fixture

120V, 2 700/3 000/4 000K, 120° beam, dimmable, frosted lens, pivoting light source.

12 in - 5W, 330LM

LUMLUUCS12IN120V5WSELF

18 in - 8W, 530LM

LUMLUUCS18IN120V8WSELF

24 in - 12W, 800LM

LUMLUUCS24IN120V12WSELF

32 in - 16W, 1 060LM

LUMLUUCS32IN120V16WSELF

KEENE

by @ignify



LED Projector

120/277V, 4 000K, bronze, yoke mount.

50W, 5 500LM

Replaces 150W, HID

KEETF50NWXG1KFL8BZ

100W, 12 400LM

Replaces up to 400W, MH

KEETF100NWXG1YFL8BZ


150W, 18 600LM

Replaces up to 400W, MH

KEETF150NWXG1YFL8BZ

KEENE

by @ignify



LED Wallpack

120/277V, 4 000K, titanium finish.

10W, 1 050LM

Replaces up to 50W, HID

KEELPW7G38DGY

30W, 3 364LM

Replaces up to 150W, HID

KEELPW16G38DGY

71W, 5 700LM

Replaces up to 320W, HID

KEELPW32G38DGY

LIGHTOLIER

by @ignify



LED Recessed Fixture

3 in - 8W, 120V, 3 000K, 550LM, white, regressed, large beam, junction box included.

Replaces 50W, halogen

LIGMD3R069301FW

KEENE

by @ignify



LED Wall Pack

20W, 120/277V, 4 000K, 2 277LM, bronze.

Replaces 70W, HID

KEETW20NWXG18BZ

With photocell

KEETW20NWXG1PCB1BZ

KEENE

by @ignify



LED Wall Pack

12W, 120V, 3 000K, 1 100LM, photocell included, bronze finish, wall mount with galvanized mounting plate, frosted polycarbonate lens.

Replaces up to 70W, HID

KEELWLWXG2PCB1BZ

LIGHTOLIER

by @ignify



LED Recessed Fixture

3 in - 8W, 120V, 3 000K, 550LM, gimbal, narrow beam, junction box included.

Replaces 50W, halogen

Matte white # LIGMG3R06930NF1W

Matte black # LIGMG3R06930NF1B

Brushed nickel # LIGMG3R06930NF1N

Duplex Receptacle



15A, 125V
Isolated ground
LEV5262SIG



15A, 125V
LEVCR15W



20A, 125V
LEVCR20W

Toggle Switch



1P, 15A, 120/277V
LEVCS1152W

3-way, 15A, 120/277V
LEVCS3152W



1P, 15A, 347V
LEV18201CW

3-way, 15A, 347V
LEV18203CW



Fuse class CC 600V

- 10A # FERATDR10
- 15A # FERATDR15
- 20A # FERATDR20
- 30A # FERATDR30




Type J Fuse 600V

- 15A # FERAJT15
- 20A # FERAJT20
- 30A # FERAJT30
- 60A # FERAJT60



Valise Plug

15A, 125V, 2P, 3 wires.
HUBHBL5965VY



Valise Connector Body

15A, 125V, 2P, 3 wires.
HUBHBL5969VY

Twist Locks

UL/CSA

	125V	250V	347V AC	600V AC
20A 2P, 3 wires	 NEMA L5-20P 1 HP	 NEMA L6-20P 2 HP	 NEMA L24-20P	 NEMA L9-20P
	# HUBHBL2310	# HUBHBL2320	# HUBHBL3720	# HUBHBL2350
	# HUBHBL2311	# HUBHBL2321	# HUBHBL3721	# HUBHBL2351
	# HUBHBL2313	# HUBHBL2323	# HUBHBL3723	# HUBHBL2353

**STAR
TECK****Connector**1/2 in - 0.525 - 0.65
THOST0504621/2 in - 0.6 - 0.76
THOST0504641/2 in - 0.725 - 0.885
THOST0504651/2 in - 0.825 - 0.985
THOST0504663/4 in - 0.880 - 1.065
THOST0754673/4 in - 1.025 - 1.205
THOST0754681 in - 1.187 - 1.375
THOST100469**Pre-Galvanized Channels**


10 ft - 1-5/8" x 1-5/8", 12 gauge

Full scale
SUPA120010PGCHalf slot
SUPA1200HS10PGC**Ty-Rap^{md} Cable Ties (Pack of 100)****WHITE**

CODE	WIDTH (in)	LENGTH (in)
# THOTY523M	0.09	3.62
# THOTY524M	0.14	5.50
# THOTY525M	0.19	7.31
# THOTY526M	0.14	11.10
# THOTY527M	0.27	13.40
# THOTY528M	0.19	14.20

BLACK*

CODE	WIDTH (in)	LENGTH (in)
# THOTY523MX	0.09	3.62
# THOTY524MX	0.14	5.50
# THOTY525MX	0.19	7.31
# THOTY526MX	0.14	11.10
# THOTY527MX	0.27	13.40
# THOTY528MX	0.19	14.20

Black: recommended for outdoor use*MICROLETRIC****Galvanized Ground Plate**

Complete with JAB

BLA1016BTB

**Meter Socket**

600V

MICBQ2V

**Outside Mast**


2-1/2" diameter

10 ft

MICMM10

12 ft

MICMM12

Service Entrance Masts and Accessories200AM
MICLUM2200MH
MICLUM2MH



THE ULTIMATE HOME SET!

- M18 FUEL power head string trimmer head and XC8.0 battery
- M18 FUEL blower (bare tool only)
- M18 and M12 rapid charger

MILKIT282521ST2724BAT

LIMITED
QUANTITY



LIMITED
QUANTITY



THE ESSENTIAL WORK KIT!

- M18 FUEL 1/2" hammer drill kit (carrying case, multi-voltage charger and two XC5.0 batteries)
- GEN-II M18 FUEL Sawzall (bare tool only)
- Packout rolling tool box

MILKIT2804222821PACKOUT

**KLEIN
TOOLS**



6-in-1 Multi-Bit Screwdriver / Nut Driver

Contains: #1 square recess, #2 square recess, 3/16" (5 mm) slotted, #2 phillips, 1/4" (6 mm) and 5/16" (8 mm) nut drivers.

KLE32562



7-in-1 Screwdriver / Nut Driver

Magnetic, nut driver sizes: 1/4, 5/16, 11/32, 3/8, 1/2, 7/16 and 9/16 in.

KLE32807MAG



Magnetic Screwdriver

Comes with 32 tamperproof bits.

KLE32510



Folding Jab Saw

Lockback mechanism secures the blade open at 125° and at 180°. Durable, carbon steel blade. Handle provides comfortable, non-slip grip.

KLE31737



Crimping / Cutting Tool for Connectors

Crimps 10 to 22 AWG insulated and non-insulated terminals.

KLE1005



Hole Saw Kit

Carbide hole cutter, 4 pieces.

KLE31872

3M

SecureFit™ Protective Eyewear

400 series, amber anti-fog lens.

3MSSF403AF



SecureFit™ Protective Eyewear

Clear anti-fog lens, protects against Ultraviolet (UV) radiation. Adjustable nose pads and soft-touch temple inlays provide increased comfort and improved grip. CSA Z94.3 certified.


3MSSF401AF



Privo™ Safety Glasses

Gray anti-fog lens, black frame. Soft nose bridge and temple tips for all-day comfort. Polycarbonate lenses absorb 99.9% UV. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

3MS12262

BRADY

Clamp-On Breaker Lockout

120/277V

BRA65396



Nylon Cloth Label

Wire & cable wraps. Highly pliable to conform to tightly curved surfaces (black on white).

1/2 in # BRAM21500499

3/4 in # BRAM21750499



Pack of 10

Arc Flash & Shock Hazard Sign

2 x 4 in - Industrial-grade adhesive sticks permanently to a wide variety of surfaces.

BRA101520

GREENLEE

Fiberglass Glo Stix™

Glow in the dark to make fishing voice, data and video wires easier in dark spaces. Includes: bullet and "J" hook nose tips.

GRE54015



Heavy-Duty Cable Cutter

31-1/2 in. Lightweight, fiberglass handles with rubber grip.

GRE706



Wood-Type Auger Bit with Screw Point

3/4 in dia. x 1/4 in shaft dia. x 54 in long. Pulls itself through wood, avoids walking or skidding.

GRE120454A



HackSaw

12 in - heavy duty.

GRE333A



Bi-Metal HackSaw Blade

12 in (305 mm) - 32 teeth / inch.

GRE3331232



Hi-Viz Drop Shoulder Safety Tear-Away Vest

Tricot polyester interlock, 4 sealed pockets, CSA Z96-15, Class 2, Level 2, yellow.

Large / X-Large # PIOV1021061L/XL



**ORDER IN ADVANCE
FOR QUICK PICK UP**

PRIORITY
**FOR ORDERS
ALREADY PLACED**

Place your orders directly on
lumen.ca or on the mobile app



Set your clocks forward on **Sunday, March 14th 2021** and don't forget to:



CLEAN
CRC74085



CHECK
CRC72105



CHANGE
DURPC1604BK



ADD
BRKSC9120BLA
BRK9120BA

Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel.: 902 468-7996 / **Fax:** 902 468-7997
Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel.: 506 382-1396 / **Fax:** 506 382-9376
Toll free: 1 844 311-1396



Prices are subject to change without notice. All promotions are valid from **March 1st to April 30th 2021** while supplies last.
All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only.

