


**Lumen**

A Sonepar Company

Decorative  
*lighting*  
products



# TABLE OF CONTENTS

## LED LUMINAIRE

## TRADITIONAL LUMINAIRE



PAGE

**03**

**CEILING MOUNT  
AND ACCESSORY**



PAGE

**11**


**SUSPENDED**



PAGE

**06**

**WALL  
MOUNT**



PAGE

**12**

**RAIL**



PAGE

**07**

**LED  
LAMP**



PAGE

**13**

**CEILING  
MOUNT**



PAGE

**08**

**UNDER CABINET  
AND ACCESSORY**



PAGE

**14**

**WALL  
MOUNT**



PAGE

**09**

**SIGNAGE**



PAGE

**15**

**RECESSED**



PAGE

**10**

**LANDSCAPE  
LIGHTING**



PAGE

**15**

**SIGNAGE**

## CEILING MOUNT

120V, dimmable, round

# PRODUIT	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUCLWH11R20WA30K	20W, 3 000K, 1 400LM	11 in	White
LUMLUCLWH11R20WA40K	20W, 4 000K, 1 400LM	11 in	White

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

120V, dimmable, round

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUCFG13CC	32W, 5 adjustable CCT from 2 700 to 5 000K, 1 800LM	13 in	Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [dals.com](http://dals.com)

120V, dimmable, round

# PRODUIT	CARACTÉRISTIQUE	DIMENSION	COULEUR
LUMLULEDCLBN57510W3KRND	10W, 3 000K, 550LM	6 in	Brushed nickel
LUMLULEDCLBN57510W4KRND	10W, 4 000K, 550LM	6 in	Brushed nickel
LUMLUCLBL8R13WA30K	13W, 3 000K, 921LM	8 in	Brushed nickel
LUMLULEDCLBN77512W4KRND	12W, 4 000K, 750LM	8 in	Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

120V, dimmable, round

# PRODUIT	CARACTÉRISTIQUE	DIMENSION	COULEUR
LUMLUCLDR12S220W30KRNDBK	20W, 3 000K, 1 458LM	12 in	Black
LUMLUDRCH12R20WA30K	20W, 3 000K, 1 400LM	12 in	Chrome
LUMLUCLDR12S220W30KRND BN	20W, 3 000K, 1 458LM	12 in	Brushed nickel
LUMLUDRBK14R26WA30K	26W, 3 000K, 1 820LM	14 in	Black
LUMLUCLDR14S225W30KRNDCH	25W, 3 000K, 1 860LM	14 in	Chrome
LUMLUDRBN14R26WA30K	26W, 3 000K, 1 820LM	14 in	Brushed nickel
LUMLUDRBK16R26WA30K	26W, 3 000K, 1 923LM	16 in	Black
LUMLUCLDR16S226W30KRNDCH	26W, 3 000K, 1 820LM	16 in	Chrome
LUMLUCLDR16S226W30KRND BN	26W, 3 000K, 1 923LM	16 in	Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## CEILING MOUNT AND ACCESSORY

120V, dimmable, round

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU203674A	6W, 3 000K, 450LM	5 in	White
LUMLU203913A	6W, 4 000K, 450LM	5 in	White
LUMLU203675A	12W, 3 000K, 1 000LM	7 in	White
LUMLU203914A	12W, 4 000K, 1 000LM	7 in	White
LUMLU203646A	18W, 3 000K, 1 500LM	9 in	White
LUMLU203915A	18W, 4 000K, 1 500LM	9 in	White
LUMLU203677A	24W, 3 000K, 2 100LM	12 in	White
LUMLU203916A	24W, 4 000K, 2 100LM	12 in	White

\* For a list of compatible dimmers, see the manufacturer's website: [eglo.com](http://eglo.com)

## Decorative trim

PRODUCT #	DIMENSIONS	COLOR
LUMLU204065	5 in	Brushed gold
LUMLU204072	5 in	White
LUMLU203897	5 in	Chrome
LUMLU203898	5 in	Matte nickel
LUMLU203899	5 in	Nickel black
LUMLU203901	5 in	Black
LUMLU204066	7 in	Brushed gold
LUMLU204073	7 in	White
LUMLU203759	7 in	Chrome
LUMLU203761	7 in	Matte nickel
LUMLU203762	7 in	Nickel black
LUMLU203763	7 in	Black
LUMLU204067	9 in	Brushed gold
LUMLU204074	9 in	White
LUMLU203764	9 in	Chrome
LUMLU203765	9 in	Matte nickel
LUMLU203766	9 in	Nickel black
LUMLU203767	9 in	Black
LUMLU204068	12 in	Brushed gold
LUMLU204075	12 in	White
LUMLU203768	12 in	Chrome
LUMLU203769	12 in	Matte nickel
LUMLU203771	12 in	Nickel black
LUMLU203772	12 in	Black

All images are for illustrative purposes only.

## CEILING MOUNT AND ACCESSORY

120V, dimmable, square

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU203678A	18W, 3 000K, 1 500LM	9 in	White
LUMLU203679A	24W, 3 000K, 2 000LM	12 in	White

\* For a list of compatible dimmers, see the manufacturer's website: [eglo.com](http://eglo.com)

### Decorative trim



PRODUCT #	DIMENSIONS	COLOR
LUMLU204069	9 in	Brushed gold
LUMLU203773	9 in	Chrome
LUMLU203774	9 in	Matte nickel
LUMLU203775	9 in	Black
LUMLU204071	12 in	Brushed gold
LUMLU203776	12 in	Chrome
LUMLU203777	12 in	Matte nickel
LUMLU203778	12 in	Black

## CYLINDRIC SUSPENDED CEILING

120V, dimmable, aluminum housing, frosted reflector, adjustable cord up to 10 ft

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUPDC18CCBK	9W, 3 adjustable CCT (3 000K / 3 500K / 4 000K) 510LM	18 x 1-1/2 in	Black
LUMLUPDC18CCSBA			Sand blasted aluminum
LUMLUPDC18CCWH			White

\* For a list of compatible dimmers, see the manufacturer's website: [dals.com](http://dals.com)



## WALL MOUNT

## Single for vanity

120V, dimmable, frosted lens



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUSVANSINGLE10W30KBNF	10W, 3 000K, 600LM	4-1/8 x 6-25/32 x 2-3/4 in	Brushed nickel
LUMLUSVANSINGLE10W40KBNF	10W, 4 000K, 600LM		Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## Double for vanity

120V, dimmable, frosted lens



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUSVANDOUBLE20W30KBNF	20W, 3 000K, 1 200LM	4-1/8 x 14-7/8 x 2-3/4 in	Brushed nickel
LUMLUSVANDOUBLE20W40KBNF	20W, 4 000K, 1 200LM		Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## Triple for vanity

120V, dimmable, frosted lens



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUSVANTRIPLE30W30KBNF	30W, 3 000K, 1 800LM	4-1/8 x 22-29/32 x 2-3/4 in	Brushed nickel
LUMLUSVANTRIPLE30W40KBNF	30W, 4 000K, 1 800LM		Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## Quadruple for vanity

120V, dimmable, frosted lens



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUSVANQUAD40W30KBNF	40W, 3 000K, 2 400LM	4-1/8 x 31-3/32 x 2-3/4 in	Brushed nickel
LUMLUSVANQUAD40W40KBNF	40W, 4 000K, 2 400LM		Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## For vertical or horizontal installation

120V, frosted lens



PRODUCT #	CHARACTERISTIC	DESCRIPTION	DIMENSIONS	COLOR
① LUMLU95142A	11W, 970LM, 3 000K, dimmable	Glass lens	17-1/8 in	Chrome
② LUMLU94713A	17.4W, 1 450LM, 3 000K, non-dimmable	Plastic lens	23-5/8 in	Chrome
③ LUMLU94714A	26.2W, 2 180LM, 3 000K, non-dimmable	Plastic lens	35-3/8 in	Chrome
④ LUMLU94599A	8.2W, 810LM, 3 000K, non-dimmable	Glass lens	6-7/8 x 8-1/4 in	Silver

\* For a list of compatible dimmers, see the manufacturer's website : [eglo.com](http://eglo.com)

## WALL MOUNT

### For vertical or horizontal installation

120V, dimmable, frosted lens, polycarbonate, 4-3/4 x 7 in mounting plate

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUSVAN5W12IN30KCHF	5W, 3 000K, 443LM	1-3/4 x 12 in	Chrome
LUMLUSVAN5W12IN30KBNF	5W, 3 000K, 439LM	1-3/4 x 12 in	Brushed nickel
LUMLUSVAN5W12IN30KBKF	5W, 3 000K, 421LM	1-3/4 x 12 in	Black
LUMLUSVAN10W24IN30KCHF	10W, 3 000K, 879LM	1-3/4 x 24 in	Chrome
LUMLUSVAN10W24IN30KBNF	10W, 3 000K, 889LM	1-3/4 x 24 in	Brushed nickel
LUMLUSVAN10W24IN30KBKF	10W, 3 000K, 845LM	1-3/4 x 24 in	Black
LUMLUSVAN15W36IN30KCHF	15W, 3 000K, 1 221LM	1-3/4 x 36 in	Chrome
LUMLUSVAN15W36IN30KBNF	15W, 3 000K, 1 219LM	1-3/4 x 36 in	Brushed nickel
LUMLUSVAN15W36IN30KBKF	15W, 3 000K, 1 160LM	1-3/4 x 36 in	Black
LUMLUSVAN20W48IN30KCHF	20W, 3 000K, 1 470LM	1-3/4 x 48 in	Chrome

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## CYLINDRIC WALL MOUNT

### ① Downlight lighting ② Uplight / downlight lighting

120V, dimmable, clear glass lens, aluminum housing, indoor / outdoor

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
① LUMLUL325531BK	1 x 10W, 800LM, 3 000K	6 x 2-3/4 x 4-3/8 x 4-1/4 in	Black
② LUMLUL325532BK	2 x 10W, 1 500LM, 3 000K	8 x 2-3/4 x 4-3/8 x 4-1/4 in	Black

\* For a list of compatible dimmers, see the manufacturer's website : [galaxy-lighting.com](http://galaxy-lighting.com)

## SQUARE WALL MOUNT

### Central, uplight and downlight lighting

120V, dimmable, aluminum housing, indoor / outdoor

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLULWJ16CCBK	20W, 5 CCT, 760LM, adjustable from 2 700 to 5 000K	16-13/16 x 4-1/2 x 4 in	Black
LUMLULWJ16CCWH			White

\* For a list of compatible dimmers, see the manufacturer's website : [dals.com](http://dals.com)

## LAMP

PRODUCT #	CHARACTERISTIC	DESCRIPTION	TYPE
① LAMLEDA199W27KDIM	9W, 2 700K, 800LM	Dimmable	A19
② LAMLEDA199W27KND4P	9W, 2 700K, 800LM	Non-dimmable	A19 (pack of 4)
② LAMLEDA199W27KND	9W, 2 700K, 800LM	Non-dimmable	A19
③ LAMLEDGU107W3KFL	7W, 3 000K, 500LM	35° beam / Dimmable	GU10
④ LAMLEDMR167W3KFL	7W, 3 000K, 500LM	35° beam / Dimmable	MR16
⑤ LAMLEDPAR207W3KFL	7W, 3 000K, 500LM	40° beam / Dimmable	PAR20

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)



## UNDER CABINET

120V, dimmable, with switch, frosted lens

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUUCFL12IN120V5W3KFR	5W, 3 000K, 394LM	12 x 3/4 x 1-1/4 in	White
LUMLUUCFL12IN120V5W4KFR	5W, 4 000K, 411LM	12 x 3/4 x 1-1/4 in	White
LUMLUUCFL24IN120V10W3KFR	10W, 3 000K, 805LM	24 x 3/4 x 1-1/4 in	White
LUMLUUCFL24IN120V10W4KFR	10W, 4 000K, 858LM	24 x 3/4 x 1-1/4 in	White
LUMLUUCFL36IN120V15W3KFR	15W, 3 000K, 1 133LM	36 x 3/4 x 1-1/4 in	White
LUMLUUCFL36IN120V15W4KFR	15W, 4 000K, 1 195LM	36 x 3/4 x 1-1/4 in	White
LUMLUUCFL48IN120V20W3KFR	20W, 3 000K, 1 645LM	48 x 3/4 x 1-1/4 in	White
LUMLUUCFL48IN120V20W4KFR	20W, 4 000K, 1 780LM	48 x 3/4 x 1-1/4 in	White
LUMLUUCFL60IN120V25W3KFR	25W, 3 000K, 1 952LM	60 x 3/4 x 1-1/4 in	White
LUMLUUCFL60IN120V25W4KFR	25W, 4 000K, 2 091LM	60 x 3/4 x 1-1/4 in	White

\* For a list of compatible dimmers, see the manufacturer's website: [standardpro.com](http://standardpro.com)

120V, dimmable, with switch, frosted lens, swivel light source

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLUUCS12IN120V5WSELFR	5W, 2 700 / 3 000 / 4 000K, 330LM	12 in	White
LUMLUUCS18IN120V8WSELFR	8W, 2 700 / 3 000 / 4 000K, 530LM	18 in	White
LUMLUUCS24IN120V12WSELFR	12W, 2 700 / 3 000 / 4 000K, 800LM	24 in	White
LUMLUUCS32IN120V16WSELFR	16W, 2 700 / 3 000 / 4 000K, 1 060LM	32 in	White

\* For a list of compatible dimmers, see the manufacturer's website: [standardpro.com](http://standardpro.com)

## ACCESSORY

## Power cable

PRODUCT #	DIMENSIONS
LUMLUUCSPLUG120V	73-5/8 in

## Interconnection cable

PRODUCT #	DIMENSIONS
LUMLUUCSJUMPER6IN	6 in
LUMLUUCSJUMPER24IN	24 in
LUMLUUCSJUMPER36IN	36 in

## ACCESSORY

Box for direct connection

PRODUCT #	CHARACTERISTIC
LUMLUUCPHARDWIREBOX120V	120V



## UNDER CABINET

### Set of 3 pucks

120° beam, dimmable, frosted lens, swivel light source, surface or recessed installation, 120V power cord included

PRODUCT #	CHARACTERISTIC	COLOR
LUMLUUCPKIT3120V4W3KFRWH	4W, 3 000K, 200LM	White
LUMLUUCPKIT3120V4W3KFRBN	4W, 3 000K, 200LM	Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

### Set of 3 pucks

120° beam, dimmable, frosted lens, surface or recessed installation, 12W / 12V plug-in transformer included

PRODUCT #	CHARACTERISTIC	COLOR
LUMLUUCPKIT312V22W3KFRWH	2.2W, 12V, 3 000K, 150LM	White
LUMLUUCPKIT312V22W4KFRWH	2.2W, 12V, 4 000K, 150LM	White
LUMLUUCPKIT312V22W3KFRBK	2.2W, 12V, 3 000K, 150LM	Black
LUMLUUCPKIT312V22W4KFRBK	2.2W, 12V, 4 000K, 150LM	Black
LUMLUUCPKIT312V22W3KFRBN	2.2W, 12V, 3 000K, 150LM	Brushed nickel
LUMLUUCPKIT312V22W4KFRBN	2.2W, 12V, 4 000K, 150LM	Brushed nickel

\* For a list of compatible dimmers, see the manufacturer's website : [standardpro.com](http://standardpro.com)

## ACCESSORY

Dimmer with LED driver, 120VCA, 12VDC

PRODUCT #	CHARACTERISTIC	COLOR
LUMLUDRIVERDIMMER12V60WW	60W	White

Cover plate for dimmer with LED driver


PRODUCT #	COLOR
LUMLUDRIVERDIMMERTRIMWH	Glossy white

## SIGNAGE

### Aluminum

120 / 277V, indoor / outdoor

PRODUCT #	CHARACTERISTIC	ARM DIMENSIONS	COLOR
LUMLUFL1LED15B4KARMSBK	14W, 4 000K, 1 726LM	8 x 24 in	Black



## LANDSCAPE LIGHTING



### Pathway

PRODUCT #	CHARACTERISTIC	DESCRIPTION	DIMENSIONS	COLOR
① LUMLULPP203KBK	8W, 360LM, 3 000K	Round head	20 in	Black
② LUMLULPL263KBK	13W, 800LM, 3 000K	Lantern head	26 in	Black
③ LUMLULRB203KBK	12W, 600LM, 3 000K	Rectangular	20 in	Black
③ LUMLULRB303KBK	13W, 700LM, 3 000K	Rectangular	30 in	Black

### Projector

5 CCT (2 700K to 5 000K)



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
① LUMLULSP3CCBK	10W, 500LM	3 in	Black
① LUMLULSP4CCBK	20W, 1 000LM	4 in	Black

### Projector wall mounting plate

# PRODUIT	COULEUR
② LUMLULSPWM	Noir

### Low voltage cable



# PRODUIT	DIMENSION	CALIBRE
LUMLULCBL5016	50 pi	16
LUMLULCBL5014	50 pi	14
LUMLULCBL10016	100 pi	16
LUMLULCBL10014	100 pi	14
LUMLULCBL10012	100 pi	12
LUMLULCBL20012	200 pi	12

### Extension rod for projector

PRODUCT #	DIMENSIONS
LUMLULSPEXT04	4 in

### Replacement stake

PRODUCT #	CHARACTERISTIC	MATERIAL
LUMLULANACCMS	For projector	Metal
LUMLULANACCPS	For pathway	Plastic

### Transformers

With timer and photocell



PRODUCT #	CHARACTERISTIC	MATERIAL	COLOR
① LUMLULTRP60BK*	60W, 120V to 12VAC	Plastic housing	Black
② LUMLULTR300BK	300W, 120V to 12 / 13 / 14 / 15VAC	Metal housing	Black

\* Plug in

SUSPENDED

A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
1 LUMLU201527A	1 x 60W	5-3/8 in	72 in	White
2 LUMLU201528A	3 x 60W	5-3/8 x 29 in	72 in	White


\* Lamp not included



A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
1 LUMLU49464A	1 x 60W	6 in	72 in	Black
2 LUMLU49466A	4 x 60W	6 x 41-1/2 in	72 in	Black


\* Lamp not included



A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
1 LUMLU94187A	1 x 100W	6-7/8 in	72 in	Matte black
2 LUMLU94189A	3 X 100W	6-7/8 x 31 in	72 in	Matte black


\* Lamp not included



A19, glass shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
1 LUMLU85977A	1 x 60W	4-3/4 in	59 in	White
2 LUMLU85978A	3 x 60W	4-3/4 x 28-3/8 in	59 in	White

\* Lamp not included



## SUSPENDED



A19, aluminum shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
<b>LUMLU88491A</b>	1 x 60W	14 in	14 in	Matte nickel

\* Lamp not included



A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
<b>LUMLU94188A</b>	1 x 100W	12-3/4 in (diameter)	72 in	Matte black

\* Lamp not included



A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
<b>LUMLU92719A</b>	1 x 100W	15-3/4 in (diameter)	59 in	Polished white

\* Lamp not included




A19, steel shade

PRODUCT #	CHARACTERISTIC	DIMENSIONS	CORD	COLOR
<b>LUMLU94352A</b>	1 x 75W	7-1/2 in (diameter)	72 in	Textured cement gray
<b>LUMLU94354A</b>	1 x 100W	16 in (diameter)	72 in	Textured cement gray

\* Lamp not included

## RAIL




A15 / R20, medium base, frosted glass

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
<b>LUMLU754172BNFR</b>	2 x 60W	15 x 5-3/4 x 6-3/8 in	Brushed nickel
<b>LUMLU754173BNFR</b>	3 x 60W	23 x 5-3/4 x 6-3/8 in	Brushed nickel

\* Lamps not included

GU10



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
<b>LUMLU200399A</b>	3 x 50W	20-1/2 x 4-1/2 in	Chrome
<b>LUMLU200777A</b>	3 x 50W	20-3/8 x 5-1/8 in	Matte nickel
<b>LUMLU200778A</b>	4 x 50W	25-1/8 x 5-1/8 in	Matte nickel

\* Lamps not included

CEILING MOUNT

A19, medium base, frosted glass

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU61035WW	1 x 60W	6 x 7 in	White

\* Lamp not included

Set of 2 ceiling

A19, medium base, frosted glass

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU635278WH2	1 x 100W	11-3/8 x 4-1/2 in	White
LUMLU635278PT2	1 x 100W		Pewter

\* Lamp not included

A19, medium base, marble glass

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU680112MBWH	2 x 60W	12-3/4 x 4 in	White
LUMLU680112MBPT	2 x 60W		Pewter

\* Lamps not included

A15 / R20, medium base, frosted glass, ceiling or wall mount

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU754182BNFR	2 x 60W	5-1/8 x 7-1/2 in	Brushed nickel

\* Lamps not included

A15 / R20, medium base, frosted glass


PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU754183BNFR	3 x 60W	9-3/4 x 7-3/4 in	Brushed nickel

\* Lamps not included

GU10

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU202375A	3 x 50W	12 x 6 in	Chrome
LUMLU202376A	3 x 50W	12 x 6 in	Matte nickel

\* Lamps not included



WALL MOUNT

Cylindric, downlight lighting

BR30 / PAR30, medium base, aluminum housing, indoor / outdoor



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU323041BK	1 x 75W	5 x 7-1/4 x 7-3/4 in	Black
LUMLU200146A	1 X 75W	5-1/4 x 8-5/8 x 7 in	Matte black
LUMLU90119A	1 X 75W		Stainless steel

\* Lamp not included

GU10, medium base, aluminum housing, indoor / outdoor



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU200032A	1 X 50W	4 x 6 x 4 in	Matte black
LUMLU83998A	1 X 50W		Stainless steel

\* Lamp not included

Cylindric, uplight / downlight lighting

BR30 / PAR30, medium base, aluminum housing, indoor / outdoor



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU323042BK	2 x 75W	5 x 14-1/4 x 7-3/4 in	Black
LUMLU200147A	2 x 75W	5-1/4 x 12-7/8 x 7 in	Matte black
LUMLU90121A	2 x 75W		Stainless steel

\* Lamps not included

GU10, medium base, aluminum housing, indoor / outdoor



PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU200033A	2 X 50W	4-1/4 x 8 x 4 in	Matte black
LUMLU84002A	2 X 50W	4-1/4 x 7 x 4 in	Stainless steel

\* Lamps not included

## WALL MOUNT

### Frosted glass

A19

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
① LUMLU83242A	1 x 60W	13-1/4 x 13-1/4 in	Matte nickel
② LUMLU202948A	1 x 100W	5-7/8 x 12-1/2 in	Matte nickel
③ LUMLU84028A	1 x 100W	7-1/8 x 8-1/4 in	Chrome

\* Lamps not included

B11

PRODUCT #	CHARACTERISTIC	DIMENSIONS	COLOR
LUMLU85338A	2 x 40W	4-1/4 x 13 in	Chrome
LUMLU85339A	3 x 40W	4-1/4 x 23-1/4 in	Chrome

\* Lamp not included

## RECESSED

BR30 / PAR30, medium base, indoor / outdoor

PRODUCT #	CHARACTERISTIC	DESCRIPTION	DIMENSIONS	COLOR
LUMLU22WHBPBK	1 x 75W	Black deflector	4-1/2 in	White housing

\* Lamp not included


## SIGNAGE

### Aluminum


Medium base, adjustable conical reflector, indoor / outdoor

PRODUCT #	CHARACTERISTIC	ARM DIMENSIONS	REFLECTOR DIMENSIONS	COLOR
LUMLUVCS212ASBKARM5SBK	1 x 100W	24 in	12 x 12-1/4 in	Black
LUMLUVCS212AINCAARM5WHT	1 x 100W	24 in	12 x 12-1/4 in	White

\* Lamp not included



# ORDER ONLINE 24/7



**WEB / ERP INTEGRATION / MOBILE**



**LUMEN.CA**



Chat online and make an appointment with one of our e-Commerce experts.

- Search products by category
- Access your prices
- View real-time inventory
- Download product spec sheets

## QUEBEC

**ALMA**  
418 668-8336  
**AMOS**  
819 732-6436  
**ANJOU**  
514 493-4127  
**BAIE-COMEAU**  
418 296-9320  
**CANDIAC**  
450 632-1320

## CHICOUTIMI

418 693-1343  
**DRUMMONDVILLE**  
819 477-5933  
**GATINEAU**  
819 771-7411  
**GRANBY**  
450 776-6333  
**JOLIETTE**  
450 759-8160  
**LACHENAIE**  
450 471-4561

## LAVAL (boul. Industriel)

450 629-4561  
**LAVAL (Louis-B. Mayer)**  
450 688-9249  
**LÉVIS**  
418 833-1344  
**LONGUEUIL**  
450 679-3460  
**MONTRÉAL (de la Savane)**  
514 341-7713  
**MONTRÉAL (Hochelaga)**  
514 521-7711

## POINTE-CLAIRE

514 426-9460  
**QUÉBEC (Québec)**  
418 627-5943  
**QUÉBEC (Sainte-Foy)**  
418 656-4247  
**RIMOUSKI**  
418 723-0969  
**RIVIÈRE-DU-LOUP**  
418 867-8515  
**ROUYN-NORANDA**  
819 797-0013

## SAINT-EUSTACHE

450 472-6160  
**SAINT-GEORGES**  
418 220-1344  
**SAINT-JEAN**  
450 346-1320  
**SAINT-JÉRÔME**  
450 436-3225  
**SEPT-ÎLES**  
418 962-7773  
**SHERBROOKE**  
819 566-0966

## SOREL-TRACY

450 742-3771  
**TROIS-RIVIÈRES**  
819 374-5013  
**VAL-D'OR**  
819 825-6555  
**VAUDREUIL**  
450 510-7487  
**VICTORIAVILLE**  
819 758-6205

## ATLANTIC

**DARTMOUTH**  
902 468-7996  
**MONCTON**  
506 382-1396

## ONTARIO

**OTTAWA E.**  
613 789-7500  
**OTTAWA O.**  
613 828-2930