

Lumen

A Sonapar Company

ATLANTIC

Special deals
**January -
February
2021**



Valid for Electrical Contractors
ESA and ECA members only

LEVITON®

Tamper Resistant Duplex Receptacle

15A



20A



Type A and type-C USB port chargers (5.1A), 125V.

15A

White # LEVT5633W
Black # LEVT5633E

20A

White # LEVT5833W
Black # LEVT5833E

15A



20A



Dual type A USB port charger (3.6A), 125V.

15A

White # LEVT5632W
Black # LEVT5632E


20A

White # LEVT5832W
Black # LEVT5832E

ABB

Pre-Galvanized Channels

10 ft - 1-5/8" x 1-5/8", 12 gauge



Full scale

SUPA120010PGC



Half slot

SUPA1200HS10PGC

WALTER

Surface Technologies

Liquid Hand Cleaner/Sanitizer

70% alcohol - Citrus scent, slow evaporation. Safe for skin, with moisturizers and vitamin E. Ideal for cleaning hands.

350mL spray

WALFLSANIH70350ML

500mL spray

WALFLSANIH70500ML

3.78L (1 Gal.)

WALFLSANIH70378L



Adjustable Lumen Visor

Anti-splash, anti-fog. Sold as pack of 20.

LUMVISIERE



Level 1 Protection Mask

Easy to breathe through. Soft, odorless and non-irritating. Filters out bacteria, pollen, smoke and dust. Sold as pack of 50.

CANRML1



LED Wall Pack

14W, 120V, 4 000K, 1 242LM, photocell included.
Bronze finish.

Replaces up to 70W, MH

LITOVWPLED40K120PEDBHP17



LED Wall Pack

Adjustable light output 16W/2 076LM to 78W/9 214LM,
tempered glass lens, bronze finish.

Replaces up to 400W, MH

4 000K # LITTWHELEDALO40K

5 000K # LITTWHELEDALO50K



LED Wall Pack

18W, 120V, 5 000K, 2 124LM
Bronze finish, photocell included.

Replaces up to 100W, MH

LITWSLEDP150KMVPEDDB



LED Projector

120V, 4 000K, bronze finish, arm mount.

24W, 2 500LM

LITQTELEDP140K120THKDDB

40W, 4 000LM

LITQTELEDP240K120THKDDB



LED Linear Shoplight

120V, 4 000K, with reflector, 5' cord with plug,
hooks and assembly lines included, aluminum finish.

Replaces 1 x 32W, T8

36 in - 34W, 3 000LM

LITSHLP36IN40K80CRIDNA

48 in - 36W, 3 200LM (with light switch)

LITSHLP48IN40K80CRIDNA



LED Ceiling Fixture

2 ft - 80W, 120V, 4 000K, 5 000LM.

Polycarbonate frosted lens, 360° passive
infrared motion sensor, 5 ft power cord with
plug and 18" suspension cables included.

Replaces 2 x 32W, T8

LITSGLL2440K80CRIPIR



High Bay LED Fixture

120/277V, 4 000K, dimmable 0-10V, 6 ft cord, hook,
clear glass lens, 120° beam, white housing.

Replaces 4 x 54W, T5HO or 6 x 32W, T8

12 000LM # LITJEBL12L40K80CRIWH

Replaces up to 400W, HID or 6 fluorescents, T5HO


18 000LM # LITJEBL18L40K80CRIWH

Replaces up to 400W, HID or 8 fluorescents, T5HO

24 000LM # LITJEBL24L40K80CRIWH

Replaces up to 575W, HID or 10 fluorescents, T5HO

30 000LM # LITJEBL30L40K80CRIWH



LED Panel for T-Bar

120/277V, can be suspended with aircraft
cable (not included).

2 x 2 - 3 200LM

3 500K # LITCPX2X23200LM35KG2

4 000K # LITCPX2X23200LM40KG2

2 x 4 - 4 000LM

3 500K # LITCPX2X44000LM35KG2

4 000K # LITCPX2X44000LM40KG2



LED Striplight

120/277V, 4 000K, non-dimmable

48 in - 4 500LM

Replaces 2 x 32W, T8

LITMNSLL482LLMVGZN40K

96 in - 8 200LM

Replaces 4 x 32W, T8

LITMNSLL962LLMVGZN40K



LED Dimmer

Compatible with: incandescent, halogen, CFL, single and 3-way dimmer.
Wallplate not included.



Maestro Pro LED Dimmer

120V, 250W LED/CFL, 500W incandescent/halogen/ELV, white.

Compatible with forward-phase or reverse-phase dimmers,
UL® listed for field interchangeable plastics. Wallplate not included.

LUTMAPROWH

SKYLARK SERIES



White

LUTCTCL153PWH

DIVA SERIES



White

LUTDVCL153PHWHC

Day-Brite

CFI

by @ignify

LED Surface Fixture

48 in - 120/277V, 4 000LM
Non-dimmable, acrylic frosted lens.
Replaces 2 x 32W, T8

3 500K # CFIFSSEZ440L835UNV
4 000K # CFIFSSEZ440L840UNV

PHILIPS

Linear LED Tube

48 in - 10W, 100/277/347V, 1 600LM, glass
Replaces 32W, fluorescent

4 000K # PHI10T8CORE48840IF16G
5 000K # PHI10T8CORE48850IF16G

PHILIPS

Linear LED Tube

48 in - 24W, 120/277/347V
Made of polycarbonate
Replaces 54W, fluorescent

3 500K, 3 300LM # PHI24T5LEDHO483500IF
4 000K, 3 500LM # PHI24T5LEDHO484000IF
5 000K, 3 500LM # PHI24T5LEDHO485000IF

T5
HO

Day-Brite

CFI

by @ignify

LED Surface Fixture

4 ft - 120/277V, adjustable color 3 000/3 500/4 000K,
4 000LM, wraparound lens and **occupancy sensor**.

Replaces 2 X 32W, T8
CFINWL440L8CSTUNVDIMOCC

NEW!

Day-Brite

CFI

by @ignify

LED High Bay Fixture

155W, 120/277V, 4 000K, 22 000LM, dimmable 0-10V,
48" chain and V hooks included, general distribution.

Replaces up to 400W, MH
CFIFCX22L840UNVDIM

KEENE

by @ignify

LED Projector

120/277V, 4 000K, bronze finish.
Knuckle or yoke mount.

10W, 1 100LM
Replaces 150W, Quartz
KEETF10NWG1KFL8BZ

30W, 3 250LM
Replaces 150W, HID
KEETF30NWG1KFL8BZ

50W, 5 500LM
Replaces 150W, HID
KEETF50NWG1KFL8BZ



STANPRO

Recessed LED Fixture

3.5 in - 12W, 3 000K, 920LM, pivoting light source.
Replaces 50W, halogen

White # STAGMB12WA9030WH
Brushed nickel # STAGMB12WA9030BN
Black # STAGMB12WA9030BK

LED Recessed Fixture

4 in - 120V, 9W, 600LM, dimmable, round, white trim.
Replaces up to 65W, incandescent

3 000K # STALPDL4RND9W30KWHCHOICE
4 000K # STALPDL4RND9W40KWHCHOICE

LED Wallpack

120/277V, 4 000K, bronze finish

50W, 5 826LM
Replaces 175W, HID or 150W, HPS
STALWPFCO50W40K120277BRZ

80W, 9 053LM
Replaces 250W, HID or 200W, HPS
STALWPFCO80W40K120277BRZ

LED Ceiling Fixture

120/347V, 4 000K, dimmable, bronze.

40W, 5 878LM
STAIFSL1Q40KBZ
60W, 8 034LM
STAIFSL2Q40KBZ

LED Ceiling Fixture

120V, 5CCT (2 700/3 000/3 500/4 000/5 000K),
dimmable, round.

4 in - 8W, 580LM
Replaces up to 60W, incandescent
STACLDK4R8WA5CWH

6 in - 15W, 1 000LM
Replaces up to 75W, incandescent
STACLDK6R15WA5CWH

Commercial Recessed LED Fixture

120/347V, adjustable power and CCT.

4 in - 6W/500LM to 15W/1 200LM
STACDU4RPS4Q3CWH

6 in - 10W/900LM to 25W/2 000LM
STACDU6RPS4Q3CWH

8 in - 20W/1 850LM to 35W/3 000LM
STACDU8RPS4Q3CWH

Suitable
for wet
locations

NEW!



Twist Locks

UL/CSA



Valise Plug

15A, 125V, 2P, 3 wires.








HUBHBL5965VY



Valise Connector Body

15A, 125V, 2P, 3 wires.

HUBHBL5969VY

	125V	250V	347V AC	600V AC
20A 2P, 3 wires	 <i>NEMA L5-20P</i> <i>1 HP</i>	 <i>NEMA L6-20P</i> <i>2 HP</i>	 <i>NEMA L24-20P</i>	 <i>NEMA L9-20P</i>
	# HUBHBL2310	# HUBHBL2320	# HUBHBL3720	# HUBHBL2350
	# HUBHBL2311	# HUBHBL2321	# HUBHBL3721	# HUBHBL2351
	# HUBHBL2313	# HUBHBL2323	# HUBHBL3723	# HUBHBL2353



Multi-Tech Occupancy Sensor

120/277V, 800W incandescent, single pole, 180° field of view. Wallplate not included.

LEVOSSMTMDW



Electronic Timer Switch

120VAC, 60 Hz, 1 800W incandescent, 20A resistive/inductive, 1HP, single pole, 3-way. Wallplate not included.

5-10-15-30 minutes

LEVLTB301LZ



24-Hour Programmable Timer Switch

120VAC, 60 Hz, 1 800W incandescent, 15A resistive/inductive, 1 HP, single pole, 3-way, with astronomical clock and backlit LCD display. Wallplate not included.

LEVPT241PZ



Replacement Fish Tape

120 ft - blue-steel (no case).

IDE31036



Wire Pulling Lubricant

950 ml, Yellow 77.

IDE31358



Wire Pulling Lubricant

3.78L (1 gallon) bucket, Yellow 77.

IDE31351



Threaded Hanger Rod

Length: 10 ft

1/4 in


#VISTF1/4

3/8 in

#VISTF3/8

1/2 in

#VISTF1/2



Scepter PVC Molded Junction Boxes

4 x 4 x 2 in
SCEJBX442

4 x 4 x 4 in
SCEJBX444

5 x 5 x 2 in
SCEJBX552

6 x 3 x 4 in
SCEJBX634

6 x 6 x 4 in
SCEJBX664

6 x 6 x 6 in
SCEJBX666

8 x 8 x 4 in
SCEJBX884

8 x 8 x 7 in
SCEJBX887



Pre-Assembled Heating Cable

120V, self-regulating, with 6 ft lead cable and lighted plug.

6 ft # RAYFG16P

12 ft # RAYFG112P

18 ft # RAYFG118P


24 ft # RAYFG124P

36 ft # RAYFG136P

50 ft # RAYFG150P

75 ft # RAYFG175P

100 ft # RAYFG1100P




RIM-DT Ice Melting System for Roof Drains

Includes cable, connection kit and channel panel.

120V # RAYF6205AL231
208/240V # RAYF6205AL232

°STELPRO

SPIDER™



CEILING FAN HEATER

STESGH4002R 4000W Red
STESGH4002SS 4000W Stainless steel

OXFORD™
SERIES | SÉRIE



COMMERCIAL & RESIDENTIAL UNIT HEATER

Without built-in thermostat

STERUH2CHAR 2000W Charcoal
STERUH3CHAR 3000W Charcoal
STERUH4CHAR 4000W Charcoal
STERUH5CHAR 5000W Charcoal

With built-in thermostat

STERUH2TCHAR 2000W Charcoal
STERUH3TCHAR 3000W Charcoal
STERUH4TCHAR 4000W Charcoal
STERUH5TCHAR 5000W Charcoal

Pulsair™



WALL FAN HEATER

STERWF0502W 500W White
STERWF0752W 750W White
STERWF1002W 1000W White
STERWF1252W 1250W White
STERWF1502W 1500W White
STERWF2002W 2000W White
STERWFT1W Built-in thermostat
STERWFSAW Surface adapter



1-844-STELPRO | WWW.STELPRO.COM



ATLANTIC - Effective from January 1st to February 28th 2021





Wire Stripper/Cutter
10-18 AWG Solid, 6-1/4" length.

KLE11045



Katapult® Wire Stripper/Cutter
Cuts and strips 8-22 AWG wire with ease.

KLE11063W



Cable Splicer's Knife
Special-purpose short blade with textured handle for comfort and firm grip.

KLE44200



M12™ Hexagonal Screwdriver Kit
1/4 in - Includes: 2 batteries, charger and carrying case.

MIL240122



Dual Temperature Heat Gun
Two temperature ranges 299 °C (570 °F) and 538 °C (1 000 °F). Three position rocker switch: off, high and low.

MIL89756



Lineman's Pliers
Pliers black atramentized, head polished, handles with non-slip plastic coating.

KNI0901240SBA




M18 FUEL™ 1" SDS Plus Rotary Hammer
with M18™ HAMMERVAC™ Dedicated Dust Extractor. Includes: two M18™ REDLITHIUM™ XC5.0 battery packs, multi-voltage charger, side handle, HEPA filter, depth rod and carrying case.

MIL271222DE



M12™ Sub-Compact Band Saw
Cuts through 3/4" EMT in only 3 seconds. 1-5/8" x 1-5/8" cut capacity. Includes: 18 TPI metal cutting blade, M12™ REDLITHIUM XC high capacity battery, M12™ Lithium-Ion battery charger, variable speed trigger and carrying case.

MIL242921XC



Ratchet Cable Cutter
Black lacquered tool, handles with multi-component grips. Good for cutting copper and aluminium single conductors as well as multiple stranded cables. Little handforce required due to very high transmission ratio.

KNI9531250SBA



Saw Keyhole
Pointed tip easily punches through drywall. Ergonomic handle with non-slip grip

GRE301A



Slug-Buster® Knockout Kit
1" ratchet wrench allows use with both 7/16" and 3/4" draw studs. 1/2" to 2" conduit.

GRE7238SB



Poly Line
With 6 500' green tracer. Ready-to-use, pre-punched hole in lid with resealable cap Use with power fishing systems directly from the container.

GRE430



Galvanized Iron Hook

For steel deck ceilings and wooden structures.

AT1100



BMP21-Plus Label Printer

Automatic label formatting for wires, 104 symbols for electricity, security and data transmission. 2-year warranty.

BRABMP21PLUS



Safety Padlocks

Lightweight, non-conductive and non-sparking body. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Shackle clearance 1-1/2".

Green # BRA99564
Red # BRA99552
Yellow # BRA99570
Blue # BRA99556



Antibacterial Fabric Face Mask

3-ply. Protects from droplets, dust and other hazardous bacteria. Lasts up to 30 rounds of laundry (or 3 months). One size. **Sold as pack of 5.**

Black # GERGLNMSKBLKOS
White # GERGLNMSKWHTOS



K1 Mid-Sole Ice Cleat

Ads traction in icy and snowy work conditions. Ideal for workers regularly going from outdoor to indoor environments (just rotate them). One size fits all.

GERK1MID
Low profile
GERK1MIDL



Power Flex Extreme Extension Cord

Yellow, 3c/12 SJEOV

25 ft # CEP4202
50 ft # CEP4205



Voltage, Continuity and Current Tester

Automatically measures up to 600V AC or DC via test leads. Widest open fork in the industry; measure up to 4/0 wires up to 200A.

FLUT5600



TwistGuard™ Test Leads

CAT II 1000V, CAT III 1000V, CAT IV 600V, 10A max.

FLUTL175



QD™ Contact Cleaner

A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. QD evaporates quickly and leaves no residue.

311g aerosol # CRC72130



Privo Protective Eyewear

Clear anti-fog lens, black frame. 99.9% UV protection. Polycarbonate Lens. Euro-Style.


3MS12261



Peltor™ Cap-Mounted Earmuff

25dB attenuation. Listen-through capability with the pass-through sound limited to 87 dB.

3MSH7P3E



ScotchCode™ Wire Marker Tape Dispenser

Dispenser is filled with 10 rolls of pre-printed marker tape, one each of numbers "0" to "9".

TROSTD09X


NEW!

Chat online and make an appointment with our e-Commerce experts.

ORDER ONLINE 24/7



WEB • ERP INTEGRATION • MOBILE



- Access your prices
- View real-time inventory
- Search products by category
- Download product spec sheets



Many security measures are in place at Lumen for everyone's health and safety!

- **WEARING** a mask is mandatory
- **DISINFECTING** your hands is mandatory
- **6 FEET (2M)** of social distancing
- **PLEXIGLAS** installed at the counters



Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4

Tel.: 902 468-7996 / Fax: 902 468-7997

Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7

Tel.: 506 382-1396 / Fax: 506 382-9376

Toll free: 1 844 311-1396



Prices are subject to change without notice. All promotions are valid from **January 1st to February 28th 2021** while supplies last. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only.

