



ATLANTIC

Special deals
March-April
2022



Valid for Electrical Contractors
ESA and ECA members only

WALTER
Technologies pour surfaces



Liquid Hand Sanitizer
70 % alcohol, 350 ml
WALFLSANIH70350ML



Surface Cleaner
70 % alcohol
500 ml
WALFLSANIS70500ML
3.78L
WALFLSANIS70378L

Iberville^{MD}



EMT Set Screw Coupling (Steel)
1/2 in # APPTW50S
3/4 in # APPTW75S
1 in # APPTW100S



EMT Set Screw Fitting (Steel)
1/2 in # APPTWC50S
3/4 in # APPTWC75S
1 in # APPTWC100S



**AN EVENT THAT'S
UNIQUE
AND INNOVATIVE**
In the electrical industry

lumen.ca

MONTREAL
Palais des congrès
**Tuesday May 3rd and
Wednesday May 4th 2022**

- 50 000 ft² area
- 175 exhibiting suppliers
- Products and innovations
- Hands-on laboratories
- Conferences



LED Surface Fixture

4 ft - 50W, 120/277V, 4000K, 4000/5000/6000LM, frosted polycarbonate lens, dimmable 0/10V.

LITFML4W48ALO6SEF840MV



LED Surface Fixture

4 ft - 48W, 120/277V, 4000K, 4600LM, dimmable, white acrylic lens.

Replaces 2 x 32W, T8

LITFMLWL48840ZTMVOLT



LED Surface Mount Ceiling Fixture

dimmable, polycarbonate lens, direct mounting on octagonal junction box, can be use in storage room, shower, bathroom, outside under soffit or covered area.

JUNJSBT6IN30K90CRIMWWL



Suitable for damp locations

LED Round Surface Mount Ceiling Fixture

7 in - 12.2W, 120V, 636LM, 3 CCT (3000K/4000K/5000K) dimmable, aluminium housing, acrylic lens, can be use in storage room, corridor, hallways, office, for residential and commercial use.

LITFMMLS7SWW2



LED Panel for T-Bar Ceiling

120/277V, dimmable 0/10V, adjustable output, 3 CCT (3500/4000/5000K),

1 x 4 # LITCPX1X4ALO7SWW7

2 x 2 # LITCPX2X2ALO7SWW7

2 x 4 # LITCPX2X4ALO8SWW7



High Bay LED Fixture

120/277V, 4000K, dimmable 0/10V, medium distribution, 6 ft cord, anti-glare lens, V hook and 36 in chain included.

14 x 11-1/2 in - 18000LM

4000K # LITCPHB18LMSEFGCLMDMV4K

5000K # LITCPHB18LMSEFGCLMDMV5K

22-1/2 x 11-1/2 in - 24000LM

4000K # LITCPHB24LMSEFGCLMDMV4K

5000K # LITCPHB24LMSEFGCLMDMV5K

LED Dimmer

Compatible with: incandescent, halogen, CFL, single and 3-way dimmer. Wallplate not included.

SKYLARK SERIES



White
LUTCTCL153PWH

DIVA SERIES



White
LUTDVCL153PHWHC

Caseta Wireless



Dimmer and Remote Control Kit

150W LED and CFL, 600W incandescent and halogen. Wall mount, wallplate not included.

LUTPPKG1WWHC

LED Recessed Fixture

12W, 120V, adjustable CCT (2700/3000/3500/4000/5000K) Diffused mirror reflector, adjustable gimbal

LUNA SERIES



Ideal for wet location

3-1/2 in

White # LITRA3512RG90WH

Black # LITRA3512RG90BK

4 in

White # LITRA412RG90WH

Black # LITRA412RG90BK

3000 to 2000K

WARM DIM

3-1/2 in

White # LITRA3512RGDTW90WH

Black # LITRA3512RGDTW90BK

4 in

White # LITRA412RGDTW90WH

Black # LITRA412RGDTW90BK



Ideal for wet location

LED Recessed Fixture

4 in - 8W, 120V, 560LM, dimmable, 5CCT (2700/3000K/3500/4000/5000K), 3 magnetic trim (white, black, silver), direct mount on octagonal junction box or in a existing 4 in recessed can (for retrofit purpose).

LITSLMT48W



LED Full Cut Off Wall Pack

120/347V, adjustable CCT (3000K/4000K/5000K) and power (25W/3625LM, 40W/5640LM, 60W/8220LM), photocell included, die cast aluminium housing, bronze finish, polycarbonate lens, dimmable.

Replaces up to 400W, HID or 250W, HPS
STAWFCPS60A3Q3CBRP



LED Wall Pack

120/347V, 3000/4000/5000K, dimmable 0/10V, photocell included, prismatic glass lens, bronze finish.

25/30/40W # STAWSPSPS40Q3C
60/80/100W # STAWSPSPS100Q3C
120W # STAWSPSNS120Q3C



Commercial LED Recessed Fixture

120/347V, adjustable power and CCT.

6 in - 10W/900LM to 25W/2000LM
STACDU6RPS4Q3CWH

8 in - 20W/1850LM to 35W/3000LM
STACDU8RPS4Q3CWH



LED High Bay Fixture

Dimmable, with 10 ft cord and open hook, clear polycarbonate lens.

120/277V, 23000LM
4000K # STAL1RSHLS2W40K
5000K # STAL1RSHLS2W50K

120/277V, 33000LM
4000K # STAL1RSHLS3W40K
5000K # STAL1RSHLS3W50K

347V, 23000LM
4000K # STAL1RSHLS2H40K
5000K # STAL1RSHLS2H50K

347V, 33000LM
4000K # STAL1RSHLS3H40K
4000K # STAL1RSHLS3H50K



Under-Cabinet LED Fixture

120V, 2700/3000/4000K, 120° beam, dimmable, frosted lens, pivoting light source.

12 in - 5W, 330LM
LUMLUUCS12IN120V5WSELFR

24 in - 12W, 800LM
LUMLUUCS24IN120V12WSELFR

32 in - 16W, 1060LM
LUMLUUCS32IN120V16WSELFR



Suitable for damp locations

LED Strip Fixture

Rocker switch, aluminium housing, frosted lens, 120° beam, can be interconnected up to 300W, for undercabinet or task lighting, residential or commercial use, accessories sold separately.

12 in - 5W, 360LM
LUMLUUCFL12IN120V5W3KFR

24 in - 10W, 730LM
LUMLUUCFL24IN120V10W3KFR

36 in - 15W, 1050LM
LUMLUUCFL36IN120V15W3KFR

Day-Brite

CFI
by @ignify



Linear Strip Fixture double tandem

8 ft - 120/277V (lamps not included)

4 x F32T8
CFITT232UNV14EB

4 x F54T5HO
CFISV8S254UNVPV

Day-Brite

CFI
by @ignify



LED Surface Fixture

48 in - 120/277V, 4000LM, adjustable CCT 3000K/3500K/4000K, wraparound lens and occupancy sensor.

Remplace 2 X 32W, T8
CFINWL440L8CSTUNVDIMOC

Day-Brite

CFI
by @ignify



Suitable for damp locations

LED Strip Fixture

120/347V, adjustable CCT (3500K/4000K/5000K), dimmable 0/10V, frosted acrylic lens, metal housing paint white, safety cable between lens and fixture housing.

4 ft - 2448LM
CFISDS42448L8CSTUN3DIM

8 ft - 4998LM
CFISDS84998L8CSTUN3DIM

PHILIPS



Linear LED Tube

48 in - 10W, 100/277/347V, 1600LM, dimmable, glass
Replaces 32W, fluorescent

4000K
PHI10T8CORE48840IF16GDIM

5000K
PHI10T8CORE48850IF16GDIM

KEENE

by @ignify



LED Wall Pack

120/277V, 4000K, titanium finish.

10W, 1050LM
Replaces up to 50W, HID
KEELPW7G38DGY

30W, 3364LM
Replaces up to 150W, HID
KEELPW16G38DGY

71W, 5700LM
Replaces up to 175W, HID
KEELPW32G38DGY

LIGHTOLIER

by @ignify



LED Recessed Fixture

Adjustable colors 2700/3000/4000/5000K, white trim

4 in - 700LM
Replaces 65W incandescent lamp
LIGFD4R4CCT

6 in - 900LM
Replaces 75W incandescent lamp
LIGFD6R4CCT



COMMERCIAL SERIES

Duplex Receptacle




15A, white
HUBCR15WHI




20A, white
HUBCR20WHI


Switch



15A, 1P, white
HUBCS115W



20A, 1P, white
HUBCS120W



Medium Fuse Puller

0-100A, 250V & 600V,
1/2-1" diameter, 7-1/2" long

IDE34002



ClearGlide™ Wire Pulling Lubricant

1-qt. Squeeze bottle

IDE31388



Photocell

For HID or LED fixtures



Button type

6A, 120V, 1 650W at 277VAC

INTEK4036S



Stem and swivel type

120V, 6A, 1 650W at 277VAC

INTEK4236S



Twist Lock Type

120/277V, 8A, 2 200W at 277VAC

INTLED4536SC



GFI Receptacle

Self-test SmartlockPro GFCI, monochromatic, back and side wired, white.
Nylon wallplate, screws and self-grounding clip included.

15A



15A, 125V,
tamper-resistant
LEVGFT1W

15A



15A, 125V
LEVGFT1W

20A




20A, 125V
tamper-resistant,
for residential and
commercial applications.
LEVGFT2W


20A



20A, 125V
for residential and
commercial applications.
LEVGFT2W



**For outdoor grounding installations
such as swimming pools**



Galvanized Ground Plate Complete with JAB

BLA1016BTB



Copper Lay-In Lug Connector

- Open-faced design enables installer to quickly lay-in grounding conductor as jumper to multiple conduits without breaking
- Ideal for swimming pool grounding applications
- Carries "DB" marking for direct burial

BLACULL414TP



Type H Compression Connector

- For tapping copper conductors to unbroken main copper conductors
- Efficient design for lower crimping force
- Standard compression tools and dies

BLACF441

MICROLETRIC



Meter Socket

600V

MICBQ2V



Outside Mast

2-1/2" diameter

10 ft # MICMM10

12 ft # MICMM12

Service Entrance Masts and Accessories



200AM

MICLUM2




200MH

MICLUM2MH

Iberville^{MD}


Steel Stud with Integral Support Bracket




Gangable, 16 cu. in
3 x 2 x 2-1/2 in

With universal connector
IBE3104LSSX

With connector for armored
and standard cable
IBE3104LSSAX



With connector for armored
and standard cable
IBE2104LSSAX



Octagonal Box
4 x 4 x 1-1/2 in

With connector for armored
and standard cable
IBE54151LSSAX

Milwaukee



**LIMITED
QUANTITY**

THE ULTIMATE HOME SET!

- M18 FUEL power head string trimmer head and XC8.0 battery
- M18 FUEL blower (bare tool only)
- M18 and M12 rapid charger

MILKIT282521ST2724BAT

**LIMITED
QUANTITY**



M18 FUEL™ 2-Tool Combo Kit

POWERSTATE™ brushless motor, REDLINK PLUS™ intelligence and REDLITHIUM™ battery technology. Includes: 1/2" hammer drill/driver, 1/4" hex impact driver, 2x XC5.0 battery packs, multi-voltage charger, side handle and carrying case.

MIL299722

**LIMITED
QUANTITY**



M12 FUEL™ 2-Tool Combo Kit

Includes: 1/2" hammer drill and 1/4" HEX impact driver, REDLITHIUM™ CP2.0 battery, M12™ REDLITHIUM™ XC 4.0 extended capacity battery, charger and contractor bag.

MIL259822



Heavy-Duty Hack Saw

12 in - Over-molded rugged design for heavy-duty use and comfort, fully adjustable blade tension up to 30,000 psi for longer blade life and faster, accurate cuts.

GRE333A

1



Mobile Storage Box

1 24" x 48" x 24", capacity of 16 ft³
GRE2448

2 4" casters
2 rigid, 2 swivel, capacity of 1 600 lb
GRE696



350 MCM Cable Cutter

18 in - Economical, lightweight, fits easily into tool boxes.

GRE718



Compact Ratchet Cable Cutter

Cutting range: aluminum 750 MCM, communication cables 1-1/8", copper 500 MCM. Simple one-handed operation, compact for working in tight spaces.

GRE759

**KLEIN
TOOLS**



Folding Jab Saw

Lockback mechanism secures the blade open at 125° and at 180°. Durable, carbon steel blade. Handle provides comfortable, non-slip grip.

KLE31737



15-in-1 Ratcheting Screwdriver

Includes: Phillips (#0, #1, #2, #3), Slotted (3/16", 1/4"), Square (#1, #2), Torx® (T10, T15, T20, T25), and Combo (#1, #2) bits.

KLE32305

BUY ONE

5-PIECE 1000V INSULATED TOOL KIT (94130)



Includes: 1/4-inch cabinet tip and slim tip #2 Phillips screwdrivers, side-cutter, diagonal-cutter and wire stripper.

KLEKITISOLE

GET ONE FREE

1000V INSULATED #2 SQUARE
6-INCH SCREWDRIVER (694-6INS)*



RIZE
ENTERPRISES, LLC



Galvanized Iron Hook

For steel deck ceilings and wooden structures.

ATI100



SecureFit™ Protective Eyewear

Anti-fog lens, protects against Ultraviolet (UV) radiation. Adjustable nose pads and soft-touch temple inlays provide increased comfort and improved grip. CSA Z94.3 certified

Clear lens # 3MSSF401AF
Gray lens # 3MSSF402AF



E-A-R Soft™ Yellow Neons™ Earplugs

Uncorded, pliable foam offers comfortable extended wear. Regular size fits most ear canals. Noise Reduction Rating (NRR): 33 dB.

Pack of 200 # 3MS3121250



CSA Roofing Kit

5-point adjustment harness/dorsal D-Ring, lanyard keeper and pass-through buckles, E4 energy absorber with attached rope grab, rope lifeline and reusable roof anchor connector.

3MS2199910



Economy Spill Kit

Absorbs up to 5 gallons per kit. **Includes:** 10 pads (15 x 19 in), 2 socks (3 in x 4 ft), nitrile gloves, disposal bag and instruction sheet.


BRASKAPP



Safety Padlocks

Lightweight, non-conductive and non-sparking body. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Shackle clearance 1-1/2".

Green # BRA99564
Red # BRA99552
Yellow # BRA99570
Blue # BRA99556



B-500 Wire Marker Cards

36 numerical legends per card, black on white background, vinyl cloth.

Legend: 0 # BRAWM0	Legend: 5 # BRAWM5
Legend: 1 # BRAWM1	Legend: 6 # BRAWM6
Legend: 2 # BRAWM2	Legend: 7 # BRAWM7
Legend: 3 # BRAWM3	Legend: 8 # BRAWM8
Legend: 4 # BRAWM4	Legend: 9 # BRAWM9



MicroMax® NS Coveralls

Combination against dry particles and chemical liquids. Elastic hood, cuffs, waist, ankles and storm flap with zipper. Passed the EN14126 compliance tests. Super "B" ergonomic style.

Large # LAKEMN428L
X-Large # LAKEMN428XL
2X-Large # LAKEMN4282XL



Lightweight Orange Waterproof Suit

2 pieces: hooded jacket and bib pant, fold into storage pouch. CSA Z96-09 Class 1 Level 2. 100% waterproof polyester/PVC.

Large # PIOV1080150L
X-Large # PIOV1080150XL



Hi-Viz Drop Shoulder Safety Tear-Away Vest

Tricot polyester interlock, CSA Z96-15. Class 2, Level 2.

Small/Medium # PIOV1020951S/M
Large/X-Large # PIOV1020951L/XL



SenTec™ Safety Glasses

Impact resistant polycarbonate lens with a scratch resistant coating provides 99.9% UV protection

Clear lens # DEN12E90801
Gray lens # DEN12E90802



Level 1 Protection Mask

Meets stringent ASTM F2100 standards. Latex-free, three-ply construction. Nanofibres provide a densely packed filtration layer that blocks out microscopic particles and pathogens.

Box of 50 # SWESEN710



Mask for Personal Use

Easy to breathe through. Soft, odorless and non-irritating. Filters out bacteria, pollen, smoke and dust.

Box of 50 # CANRML11



**ORDER IN ADVANCE
FOR QUICK PICK UP**

PRIORITY
**FOR ORDERS
ALREADY PLACED**

Place your orders directly on
lumen.ca or on the mobile app




Download on the
App Store

GET IT ON
Google Play



Set your clocks forward on **Sunday, March 13th 2022** and don't forget to:



INSTALL
BRKSC9120LBLA
BRK9120BA



CLEAN
CRC74085



CHECK
CRC72105



REPLACE
DURPC1604BK

Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel.: 902 468-7996 / **Fax:** 902 468-7997
Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel.: 506 382-1396 / **Fax:** 506 382-9376
Toll free: 1 844 311-1396

Lumen
A Sonepar Company

Prices are subject to change without notice. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only. We are currently experiencing an exceptionally high demand for many popular products. As a result, some products advertised in this flyer may not be available. Please check your local branch for availability or visit lumen.ca. We are currently working on replenishing supplies as quickly as possible and apologize for any inconvenience this may cause.

