

Lumen

A Sonepar Company

ATLANTIC

Special deals
**September -
October
2020**



Valid for Electrical Contractors
ESA and ECA members only



Antibacterial Fabric Face Mask

Black, 3-ply. Protects from droplets, dust and penetration of other hazardous bacteria. Lasts up to 30 rounds of laundry (or 3 months from the first use). **Sold as pack of 5.**

One size # GERGLNMSKBLKOS



Antibacterial Fabric Face Mask

White, 3-ply. Protects from droplets, dust and penetration of other hazardous bacteria. Lasts up to 30 rounds of laundry (or 3 months from the first use). **Sold as pack of 5.**

Medium # GERGLNMSKM

One size # GERGLNMSKWHTOS



Adjustable Lumen Visor

Anti-splash, anti-fog. **Sold as pack of 20.**

LUMVISIERE



Level 1 Protection Face Mask

Easy to breathe through. Soft, odorless and non-irritating. Filters out bacteria, pollen, smoke and dust. **Sold as pack of 50.**

CANRMLI1

MARRETTE®

Connect with the best!

Exclusive offer for all
Lumen clients

Don't delay! Limited time offer.

Find our specially-marked Marrette® PRO-BLU™
wire connector containers in all our branches.

Starting September 1, 2020, this offer is valid until supplies last.



ABB

Buy

MAR933JAR1000



Receive

a FREE
pack of 100
Catamount®
cable ties

0.186 in. (width) x 7.5 in. (length),
black.



Made in Canada



LED Surface Fixture

120/277V, 4 000K, dimmable,
white acrylic lens.

4 ft - 48W, 4 600LM

Replaces 2 x 32W, T8

LITFMLWL48840ZTMVOLT



LED Wall Pack

14W, 120V, 4 000K, 1 242LM, photocell included.

Replaces up to 70W, MH

Bronze # LITOVWPLED40K120PEDBHP17

White # LITOVWPLED40K120PEWHHP17



LED Wall Pack

18W, 120V, 5 000K, 2 124LM

Bronze finish, photocell included.

Replaces up to 100W, MH

LITWSLEDP150KMVPEDDB



LED Wall Pack

Adjustable light output from 11W/1 160LM
to 48W/5 174LM, polycarbonate lens with
glass refractor, bronze finish.

Replaces up to 250W, MH

4 000K # LITTWPLEDALO40K

5 000K # LITTWPLEDALO50K



LED Wall Pack

Adjustable light output from 16W/2 076LM
to 78W/9 214LM, polycarbonate lens with
glass refractor, bronze finish.

Replaces up to 400W, MH

4 000K # LITTWHLEDALO40K

5 000K # LITTWHLEDALO50K



LED Projector

120V, 4 000K, bronze finish, arm mount.

24W, 2 500LM

LITQTELEDP140K120THKDDB

40W, 4 000LM

LITQTELEDP240K120THKDDB



High Bay LED Fixture

120/277V, 4 000K, dimmable 0-10V, 6 ft cord, hook,
clear glass lens, 120° beam, white housing.

Replaces 4 x 54W, T5HO or 6 x 32W, T8

12 000LM # LITJEBL12L40K80CRIWH

Replaces up to 400W, HID or 6 fluorescents, T5HO

18 000LM # LITJEBL18L40K80CRIWH

Replaces up to 400W, HID or 8 fluorescents, T5HO

24 000LM # LITJEBL24L40K80CRIWH

Replaces up to 575W, HID or 10 fluorescents, T5HO

30 000LM # LITJEBL30L40K80CRIWH



LED Panel for T-Bar


120/277V, 4 000K, can be suspended
with aircraft cable (not included).

2 x 2 - 3 200LM

LITCPX2X23200LM40KG2

2 x 4 - 4 000LM

LITCPX2X44000LM40KG2



LED Striplight

120/277V, 4 000K, non-dimmable

48 in - 4 500LM


Replaces 2 x 32W, T8

LITMNSLL482LLMVGZN40K

96 in - 8 200LM

Replaces 4 x 32W, T8

LITMNSLL962LLMVGZN40K



Fluorescent Striplight

120V/277V (lamps not included)

2 x F54T5HO

LITZ254T5HOMV

Tandem

4 x F54T5HO

LITTZ254T5HOMV



With
specular
reflector

Fluorescent High Bay Fixture

120/277V, with 6 ft flexible cord (lamps not included)

13 - 1/4" wide, 4 x F54T5HO

LITIBZT5454MVCSS93W

18 - 1/8" wide, 6 x F54T5HO

LITIBZT5654MVCSS93W




Fluorescent Surface Fixture

120V/277V (lamps not included)

2 x F32T8

LITRB232MV

STANPRO



Temporary **LED** Fixture

150W, 120V, 15 000LM, 360° beam,
18 AWG/3C wire, remote control included.

STATHBDSC150WCWINDORSTD



LED Fixture with Motion Sensor

2 x 12W, 120V

Replaces 50W, MH or 70W, HPS

3 000K, 2 242LM

Bronze # STAESLLS1A30KBR

White # STAESLLS1A30KWH

4 000K, 2 490LM

Bronze # STAESLLS1A40KBR

White # STAESLLS1A40KWH



Recessed **LED** Fixture

3.5 in - 12W, pivoting light source. Replaces 50W, halogen

3 000K, 920LM

White # STAGMB12WA9030WH

Brushed nickel # STAGMB12WA9030BN

Black # STAGMB12WA9030BK

Warm dim 3 000K to 2 200K, 660LM

White # STAGMB12WA90TWWH



Commercial Recessed **LED** Fixture

120/347V, adjustable power and CCT.

4 in - 6W/500LM to 15W/1200LM

STACDU4RPS4Q3CWH

6 in - 10W/900LM to 25W/2 000LM

STACDU6RPS4Q3CWH

8 in - 20W/1 850LM to 35W/3 000LM

STACDU8RPS4Q3CWH




LED Shoplight

4 ft - 40W, 120V, 4 000K, 4 000LM

Non dimmable, pull chain switch,
5 ft cord with plug, polycarbonate lens.

Replaces 2 X 32W, T8

STALSHOPS240W40K120NDSTD



LED Recessed Fixture

120V, 3 000K to 2 200K, dimmable "warm dim"

3 in - 7W, Replaces up to 50W, incandescent

Brushed nickel

STALPDL3RND7W3022KBNWDIM

White

STALPDL3RND7W3022KWHWDIM

4 in - 9W, Replaces up to 65W, incandescent

Brushed nickel

STALPDL4RND9W3022KSLVWDI

White

STALPDL4RND9W3022KWHWDIM

KEENE

by @ignify



LED Projector

120/277V, 4 000K, bronze, yoke mount.

Replaces up to 400W, MH

100W, 12 400LM

KEETF100NWG1YFL8BZ

150W, 18 600LM


KEETF150NWG1YFL8BZ

200W, 25 000LM

KEETF200NWG1YFL8BZ

KEENE

by @ignify



LED Wallpack

120/277V, 4 000K, titanium finish

Replaces up to 50W, HID

10W, 1 050LM # KEELPW7G38DGY

Replaces up to 150W, HID

30W, 3 364LM # KEELPW16G38DGY

Replaces up to 320W, HID

71W, 5 700LM # KEELPW32G38DGY

KEENE

by @ignify



LED Bronze Ceiling Fixture

40W, 4 000K, 4 735LM

120/277V - Replaces up to 150W, HID

KEEGC40NWG1SM58BZ

347V - Replaces up to 150W, HID

KEEGC40NWG1SM56BZ

57W, 4 000K, 6 313LM

120/277V - Replaces up to 175W, HID

KEEGC57NWG1SM58BZ

347V - Replaces up to 175W, HID

KEEGC57NWG1SM56BZ



KEENE


by @ignify

LED Projector

300W, 120/277V, 4 000K, 34 025LM,
bronze, yoke mount.

Replaces up to 400W, HID

KEEFL300NWG1TFL8BZ



LED PLC Lamp

GX24Q/4 pin base/Opal lens

Replaces compact fluorescent PLC up to 26W

8.5W - Horizontal installation

3500K # PHI85PLCTLED26H3500IF4P

4000K # PHI85PLCTLED26H4000IF4P

10.5W - Vertical installation

3500K # PHI105PLCTLED26V3500IF4P

4000K # PHI105PLCTLED26V4000IF4P

PHILIPS



Linear **LED** Tube

48 in - 10W, 100/277/347V, 1 600LM, glass

Replaces 32W, fluorescent

4 000K # PHI10T8CORE48840IF16G

5000K # PHI10T8CORE48850IF16G



Pre-Galvanized Channels

10 ft - 1-5/8" x 1-5/8", 12 gauge



Full scale
SUPA120010PGC



Half slot
SUPA1200HS10PGC

LHTQ Boxes



14.5 cu. in., non-gangable
IBE2304LHTQ



27 cu. in., 2 gang
IBE2304LHTQ2



16 cu. in., gangable
IBE3104LHTQ




4" x 1-1/2"
IBE54151L



Steel Stud with Integral Support Bracket


3" x 2" x 2-1/2"



Gangable, 16 cu. in.


With connector for armored and standard cable
IBE3104LSSAX

With universal connector
IBE3104LSSX



With connector for armored and standard cable
IBE2104LSSAX

With universal connector
IBE2104LSSX



With connector for armored and standard cable

4" x 4" x 1-1/2"
IBE54151LSSAX



SCEPTER™ Rigid PVC Conduit

1/2 in, 10 ft
SCEPVC1/2

3/4 in, 10 ft
SCEPVC3/4

1 in, 10 ft
SCEPVC1



Pipe Straps PVC

2 holes

1/2 in
SCEPS10

3/4 in
SCEPS15

1 in
SCEPS20



Terminal Adapters

1/2 in
SCETA10

3/4 in
SCETA15


1 in
SCETA20



Pre-Assembled Heating Cable

120V, self-regulating, with 6 ft lead cable and lighted plug.

- 6 ft # RAYFG16P
- 12 ft # RAYFG112P
- 18 ft # RAYFG118P
- 24 ft # RAYFG124P
- 36 ft # RAYFG136P
- 50 ft # RAYFG150P
- 75 ft # RAYFG175P
- 100 ft # RAYFG1100P



RIM-DT Ice Melting System for Roof Drains

Includes cable, connection kit and channel panel.

- 120V # RAYF6205AL231
- 208/240V # RAYF6205AL232



Commercial Grade

Duplex Receptacle



15A, 125V
Isolated ground
LEV5262SIG



15A, 125V
LEVCR15W



20A, 125V
LEVCR20W

Toggle Switch



1P, 15A, 120/277V
LEVCS1152W

3-way, 15A, 120/277V
LEVCS3152W



1P, 15A, 347V
LEV18201CW

3-way, 15A, 347V
LEV18203CW

Decora Commercial Grade

Decora Receptacle



15A, 125V, white
LEVTDR15W



20A, 125V, white
LEVTDR20W

Decora Switch



1P, 15A, 120V, white
LEV56912W



3-way, 15A, 120V, white
LEV56932W



1P, 15A, 347V, white
LEV5691CW



3-way, 15A, 347V, white
LEV5693CW



Fuse class CC 600V



10A # FERATDR10

15A # FERATDR15

20A # FERATDR20

30A # FERATDR30



Type J Fuse 600V

15A # FERAJT15

20A # FERAJT20

30A # FERAJT30

60A # FERAJT60



Switch



15A, 1P, white
HUBCS115W

20A, 1P, white
HUBCS120W

Duplex Receptacle



15A, white
HUBCR15WHI



20A, white
HUBCR20WHI

Duplex Receptacle Decorator Commercial Series



15A, 125V, white
HUBDR15WHI

**KLEIN
TOOLS**



AFCI/GFCI Outlet Tester

Detects the most common wiring faults in standard, AFCI and GFCI electrical outlets.

KLERT310



Magnetic Nut Driver Set

Heavy duty, 6 pieces. **Includes:** 1/4", 5/16", 3/8", 7/16", 1/2" and 9/16" hex sizes.

KLE6356



Tradesman Pro™ Tool Master Tool Bag Backpack

19-1/2 in. 48 pockets. Made of durable water resistant 1680d ballistic weave material and a molded bottom to help protect from the elements.

KLE55485



Tradesman Pro™ Rolling Tool Bag

Rugged 8" wheels provide high clearance to easily roll over rough terrain. Hard top allows for stacking materials on top. Load tested up to 250 lb. 19 pockets for maximum tool storage.

KLE55473RTB

Wera



High Quality Bits

For square socket screws with holding function. No. 2, 6", 1/4" hexagon.

WER060304



16 VDE Interchangeable Blades

With 2 817 VDE Kraftform holders in a robust belt pouch. Individually tested tools as per IEC 60900. 1 000V insulation.

WER347108

FLUKE



Voltage Detector

Voltbeat™ technology and continuous self-test. Upon detection, tip glows and beeper sounds. CAT IV, 1 000V

FLU1ACA1II



Infrared Thermometer

Large backlit display, Supports heat, dust, water and a 3m drop. Accuracy of +/- 1.5°C.

FLU62MAX

BRADY



Safety Padlocks

Lightweight, non-conductive and non-sparking body. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Shackle clearance 1-1/2".

Green # BRA99564
Red # BRA99552
Yellow # BRA99570
Blue # BRA99556



Steel Lockout Hasp with Tab

1" diameter jaws and lock holes
3/8" diameter.

BRA105718


KNIPEX



Lineman's Pliers

Pliers black atramentized, head polished, handles with non-slip plastic coating.

KNI0901240SBA



Ratchet Cable Cutter

Black lacquered tool, handles with multi-component grips. Good for cutting copper and aluminium single conductors as well as multiple stranded cables. Little handforce required due to very high transmission ratio.

KNI9531250SBA

3M

3M™ E-A-Rsoft Earplugs

Yellow neon, uncorded, pliable foam offers comfortable extended wear. Regular size fits most ear canals. Noise Reduction Rating (NRR): 33 dB.



Box of 200 # 3MS3121250



SecureFit™ Protective Eyewear

Anti-fog lens, CSA Z94.3 certified, gray.



3MSSF402AF



Super 88 Vinyl Electrical Tape

3/4 in x 66 ft - 8.5 mil.

All-weather vinyl insulating tape.



TRO883/4X66



Electrician's Step Bit

1/2 in, 7/8 in, 1-1/8 in

GRE30008



Bit

9/16 x 3/16 in. type "A". For drilling in soft woods or through thin sections.

54 in # GRE090354A

72 in # GRE090372A



Bushing for Metal Stud Punches

For pre-punched hole or 1-11/32" diameter hole punched by 710.

Bag of 100 # GRE712A100



Nail Eater® Extreme

18" made of super tough, heat-treated steel, cuts through nails and provides longer life.

5/8 in # GRE66PT5/8

3/4 in # GRE66PT3/4

13/16 in # GRE66PT13/16

7/8 in # GRE66PT7/8



COMPLETE THIS KIT
WITH A **FREE GIFT**
OF YOUR CHOICE



M18™ FUEL™ 2-Tool Combo Kit

Includes: hammer drill, hex impact driver, M12/M18™ multi-voltage charger, two XC 5.0AH batteries and carrying case.



XC 6.0AH BATTERY

M18 REDLITHIUM™ HIGH OUTPUT™ XC 6.0AH battery pack.

MILKIT299722



SAWZALL® SAW

M18 FUEL™ SAWZALL® reciprocating saw.

MILKIT2997222720



GRINDER

M18 FUEL™ 4-1/2" / 5", paddle switch no-lock.

MILKIT2997222780



CIRCULAR SAW

M18 FUEL™ 6-1/2" circular saw.

MILKIT2997222730



100 ml
BIOBC100
1 L
BIOBC302
4 L
BIOBC402
20 L
BIOBCPAIL
208 L
BIOBCDRUM

A NEW TYPE OF SURFACE DISINFECTANT

*Non-toxic, biodegradable, fragrance-free, hypo-allergenic,
non-corrosive, non-flammable and alcohol-free*

DISINFECTS • CLEANS • ELIMINATES ODOURS

- Construction sites, offices, workplaces, industries, institutions, etc.
- A multi-use solution for a clean and safe environment.
- Active for up to 24 hours after application.
- Hospital grade disinfectant Certified by Health Canada (DIN)
*** Accepted as an interim hand sanitizer.

**Many security measures are in place at Lumen
for everyone's health and safety!**

- **WEARING** a mask is mandatory
- **DISINFECTING** your hands is mandatory
- **6 FEET (2M)** of social distancing
- **PLEXIGLAS** installed at the counters



Download the Lumen app!



To limit risk of contamination, place
your orders directly online at lumen.ca
or via the Lumen app.



Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel.: 902 468-7996 / **Fax:** 902 468-7997
Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel.: 506 382-1396 / **Fax:** 506 382-9376
Toll free: 1 844 311-1396



Prices are subject to change without notice. All promotions are valid from **September 1st to October 31st 2020** while supplies last.
All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only.

