PROMOTION MASTER THE GRIND



CUT-OFF WHEELS -GRINDING WHEELS

Promo starts on **October 1, 2025** at participating distributors, while supplies last**



FLEXCUT™XX

Fast, efficient flexible material removal on steel and stainless steel

- Open diamond cut pattern prevents clogging for a smoother, longer-lasting performance
- Premium reinforcement enhances durability and safety during use
- Self-sharpening ceramic grain blend allows for a faster material removal rate





^{**}Please contact your local authorized WALTER distributor for more details.





Series: 10A, 10B, 10C, 10H, 10L, 10P, 10Q, 10W, 11A, 11D, 11F, 11H, 11L, 11T, 11U, 11V, 11W, 11X

PRODUCT SPOTLIGHT

ZIP[™] XX




EXPERIENCE FASTER, SMOOTHER & SAFER CUTTING

- ▶ 100% self-sharpening ceramic grains
- ► SMART RESIN™ Technology exposes fresh grains at the optimal time to optimize the balance between sharpness & life
- Premium reinforcement and improved wheel density exceed the highest industry safety standards
- ▶ At least 30% more cuts than competitive ceramic wheels resulting in maximum productivity and reduced change outs

ZIP+ XTRAT

Performance cutting in thicker metal



COMBO ZIP™

Heavily reinforced for extra operator safety

Dia.	Thick.	Arbor	Order No.
TYPE 27	_		
4 ½"	5/64"	⁷ /8"	11T842
5"	5/64"	⁷ /8"	11T852
6"	54."	7.4"	11TQ62

ZIP ONE™

For quick and safe cutting on thin gauge steel or stainless steel

			Otobi Gamiloo
Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 1/2"	1/32"	7/8"	11T542
5"	1/32"	⁷ /8"	11T552

Type 27 also available. See product list.

ZIP XXTREME™

Provides the lowest overall cost-per-cut

Dia.	Thick.	Arbor	Order No.
TYPE 27	_		
4 ½"	3/64"	7/8"	11T044
5"	3/64"	7/8"	11T054
6"	3/64"	7/8"	11T064
7"	1/16"	7/8"	11T074

solution for cutting titanium and brass

book boldstorr for butting startiating and braco			litanium	Brass	Ductile Cast Iron
Dia.	Thick.	Arbor		10	rder No.
TYPE 27	_				
4 ½"	3/64"	7/8"		11	1H042
5"	3/64"	⁷ /8"		11	1H052
6"	3/64"	⁷ /8"		11	1H062
7"	¹ / ₁₆ "	⁷ /8"		1	1H072



sare, rast and	reliable	cutting	
Dia.		1	[hick

Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 ½"	3/64"	7/8"	11T042
5"	3/64"	⁷ /8"	11T052
6"	3/64"	⁷ /8"	11T062
7"	1/16"	⁷ /8"	11T072
*9"	5/64"	⁷ /8"	11T092
TYPE 27	_		
4 ½"	3/64"	7/8"	11T142
5"	3/64"	⁷ /8"	11T152
6"	3/64"	⁷ /8"	11T162
7"	1/16"	⁷ /8"	11T172
9"	5/64"	7/8"	11T192

*Must be used with 3" clamping flange No. 30-B 022 (according to ANSI B7.1) Also available for circular saws (Type 1) and in Spin-On version (Type 27S). See product list.

Stainless


Performance cutting with straight shaft and die grinder

Dia.	Thick.	Arbor	Order No.
TYPE 1			
3"	1/32"	3/8"	11L303
3"	1/16"	3/8"	11L313
4"	1/32"	3/8"	11L403
4"	1/16"	3/8"	111 413

			Stairiuss
Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 ½"	3/64"	7/8"	11F042
5"	3/64"	7/8"	11F052
6"	3/64"	7/8"	11F062
7"	1/16"	7/8"	11F072
*9"	5/64"	7/8"	11F092

*Must be used with 3" clamping flange No. 30-B 022 (according to ANSI B7.1) Type 27 also available. See product list.

Fast & free cutting on aluminum & other non-ferrous metals



Type 27 also available. See product list.





Series: 08B, 08C, 08D, 08E, 08F, 08H, 08K, 08L, 08N, 08P, 08X, 15L

FLEXCUT XX

Fast, efficient material removal on steel stainless steel & millscale



Dia.	Grade	Arbor	Order No.
TYPE 29			
4 1/2"	CA-36	7/8"	15L743
5"	CA-36	7/8"	15L753
6"	CA-36	7/8"	15L763
7"	CA-36	7/8"	15L773

XCAVATOR XX™

High performance grinding wheel with ultra-fast removal rate on steel and stainless steel. Fe-Free formulation (guaranteed not to contaminate stainless steel)



Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27			
4 1/2"	1/8"	7/8"	08X452
5"	1/8"	7/8"	08X502
6"	1/8"	⁷ /8"	08X602
1/4" TYPE 27			
4 ½"	1/4"	7/8"	08X450
5"	1/4"	7/8"	08X500
6"	1/4"	⁷ /8"	08X600

XCAVATOR"

High removal rate on steel, stainless steel and hard metals



Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27			
4 1/2"	1/4"	⁷ /8"	08P460
5"	1/4"	7/8"	08P510
6"	1/4"	⁷ /8"	08P600
1/4" TYPE 27S	~~~		
4 16"	17.0	5 ½ " 11	080450





riigii periormance and exceptional comort for everyday grinding			Steel Stainless
Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27S	~~~		
4 ½"	1/4"	5%"-11	08B450
5"	1/4"	⁵ / ₈ "-11	08B500
6"	1/4"	5%"-11	08B630

4 /4II TVDE		_		$\overline{}$		
Always use	1/4"	wheels	with	flange	30-B 05.	7.

1/4" TYPE 28S			
4 ½"	1/4"	5⁄%"-11	08B451
5"	1/4"	⁵⁄8 "-11	08B501
1/4" TYPE 27			
4 ½"	1/4"	⁷ /8"	08B460
5"	1/4"	⁷ /8"	08B510
6"	1/4"	⁷ /8"	08B600

For use on aluminum and other soft metals



1/8"	⁷ /8"	08L452
1/8"	⁷ /8"	08L502
1/8"	⁷ /8"	08L602
1/4"	⁷ / ₈ "	08L450
1/4"	⁷ /8"	08L500
1/4"	⁷ /8"	08L600
	1/e" 1/e" 1/4" 1/4"	1/8" 7/8" 1/8" 7/8" 1/4" 7/8" 1/4" 7/8"

HP XX™

Premium grinding at the lowest overall cost





Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27			
4 1/2"	1/8"	7/8"	08H452
5"	1/8"	7/8"	08H502
6"	1/8"	⁷ /8"	08H602
1/4" TYPE 27	_		
4 1/2"	1/4"	⁷ /8"	08H450
5"	1/4"	⁷ /8"	08H500
6"	1/4"	7/8"	08H600



Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27S	~		
4 ½"	1/4"	⁵⁄₃" -11	08K450
5"	1/4"	⁵ / ₈ "-11	08K500
1/4" TYPE 28			
7"	1/4"	⁷ /8"	08K701
9"	1/4"	⁷ /8"	08K901

HP COMBO™

High performance cutting and grinding; all in one wheel





Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27S	~~~		
4 1/2"	1/8"	⁵⁄ ₈ "-11	08B452
5"	1/8"	⁵ / ₈ "-11	08B502
6"	1/8"	⁵⁄ ₈ "-11	08B632

Always use 1/4" wheels with flange 30-B 057.

1/8" TYPE 27	_		
4 1/2"	1/8"	7/8"	08B462
5"	1/8"	⁷ /8"	08B512
6"	1/8"	⁷ /8"	08B602

Steel only options also available.

Superior grinding and cutting on Stainless steel



caponor grinaing and	Otalilioss		
Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27S	~~~		
4 ½"	1/8"	5/8"-11	08F452
5"	1/8"	⁵ /8"-11	08F502
1/8" TYPE 27			
4 ½"	1/8"	7/8"	08F462
5"	1/8"	⁷ /8"	08F512
1/4" TYPE 27S -	~~~		
4 ½"	1/4"	5/8"-11	08F450
5"	1/4"	⁵ /8"-11	08F500
1/4" TYPE 27			
4 ½"	1/4"	7/8"	08F460
5"	1/4"	⁷ /8"	08F510

ALLSTEEL

Series: 08W







Delivers fast removal rates on steel and stainless steel. High-strength abrasive grain ensures durability and aggressive grinding action with less effort, making even the toughest jobs easier.





The WALTER SHOP program stands as our proprietary approach designed to help you maximize operational efficiency across all sectors of your metalworking business.

RESULTS YOU CAN EXPECT







HOW IT WORKS

1. Assessment

Pre-visit meeting and comprehensive plant walkthrough, to gather information on actual challenges, bottlenecks & production needs, current processes & applications, safety requirements and more.

2. Analysis

Evaluation of gathered observations and feedback using comparative benchmarking and metalworking expertise to quantify potential improvements.

3. Technical Report


Comprehensive report with recommendations to help solve current challenges and improve processes, with products, systems or working techniques intended to deliver on your most important goals.


4. Commitment

We work closely with the customer to ensure the seamless implementation of the recommended products and solutions.

5. Measure True Impact We continue to monitor the success & performance of our recommendations to help sustain improvements.









*Some conditions apply. Other skus may qualify. See your participating WALTER dealer or contact your WALTER Territory Manager for details. WALTER Surface Technologies Inc © 2025 All rights reserved. Limited time offer, while supplies last. All taxes extra. Available at participatiing WALTER distributors. Promo starts on October 1, 2025.