

INNOVATIVE SOLUTIONS DESIGNED FOR METALWORKING



CLEANERS AND DEGREASERS



 **WALTER**
Achieve Greatness™

WALTER OFFERS HIGH-PERFORMANCE CLEANING AND DEGREASING SOLUTIONS TAILORED TO THE METALWORKING INDUSTRY. INCREASE YOUR WORKPLACE PRODUCTIVITY & IMPROVE EMPLOYEE SAFETY.

ENSURING MATERIAL COMPABILITY

WHEN CHOOSING CHEMICALS, IT IS IMPORTANT TO IDENTIFY WHICH MATERIALS THEY WILL BE USED ON.

► Look for the following icons when choosing the right product for your application:



All Metals



Steel



Alu.



Galvanized Steel



Inox.



Rubber



Plastic



Brass



Glass and Mirror



Concrete

CERTIFICATIONS AND KEY ATTRIBUTES

► WALTER offers chemicals that meet various certification levels and benefits.



NON-FLAMMABLE

Safe for use in environments where flames or sparks are present.



NONFOOD COMPOUNDS PROGRAM

The global food industry relies upon nonfood compounds to facilitate the efficient processing, handling and storage of food throughout the supply chain. NSF certification ensures products meet strict standards in these environments.



ACCEPTED FOR USE IN CANADIAN FOOD PLANTS

Products with this logo present are accepted for use in food plants within Canadian borders.



LOW VOC AND VOC-FREE FORMULAS

VOC is an abbreviation for Volatile Organic Compounds. Common side-effects of high VOC exposure include headaches, nausea, and skin irritation. Long-term exposure to certain high VOC solvents can lead to more severe side-effects.

INDUSTRIAL CLEANER/DEGREASER



UNO™ S

Foaming Cleaner & Degreaser - Concentrated

Highly concentrated and powerful foaming cleaner/degreaser that quickly lifts dirt and grease. Dilutable up to 50:1. Foam solution for additional cleaning power. Built-in corrosion inhibitors prevent flash rusting. Meets non-aerosol general-purpose degreaser VOC compliance limits <0.5%

Application Type:

- *Spray*
- *Floor Washing*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G033	L-143	12
Liquid	3.78 L	1 gal	53G035	L-143	1
Liquid	20 L	5.2 gal	53G037	L-143	1
Liquid	208 L	55 gal	53G038	L-143	1
Liquid	1000 L	264 gal	53G039	L-143	1



UNO™ SF

Foamless Cleaner & Degreaser - Concentrated

Highly concentrated and powerful foamless cleaner/degreaser that quickly lifts dirt and grease. Dilutable up to 40:1. Built-in corrosion inhibitors prevent flash rusting. Meets non-aerosol general-purpose hard-surface cleaner VOC compliance limits <0.5%

Application Type:

- *Spray*
- *Floor Washing*
- *Pressure Washing*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G023	L-48	12
Liquid	3.78 L	1 gal	53G015	L-48	1
Liquid	20 L	5.2 gal	53G017	L-48	1
Liquid	208 L	55 gal	53G018	L-48	1
Liquid	1000 L	264 gal	53G019	L-48	1

GENERAL PURPOSE CLEANING/DEGREASING/DISINFECTING



HEAVY-DUTY CLEANER, DEGREASER & DISINFECTANT

All-Purpose Cleaner – Ready-to-Use

Cleans oils, grease, organic contaminants, dust, and smoke. Kills 99.99% of germs and viruses. No fragrance and free of harsh chemicals. Apply and wipe clean. Meets non-aerosol general-purpose hard-surface cleaner VOC compliance limits <0.5%

Application Type:

- ▷ Spray
- ▷ Floor Cleaning
- ▷ Pressure Washing



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G083	L-88	12
Sprayer	946 mL	32 oz.	53G084	L-88	12
Liquid	3.78 L	1 gal	53G085	L-88	4
Liquid	20 L	5.2 gal	53G087	L-88	1
Liquid	208 L	52.8 gal	53G088	L-88	1



HEAVY-DUTY CLEANER, DEGREASER & DISINFECTANT (CONCENTRATED)

All-Purpose Cleaner – Concentrated

Cleans oils, grease, organic contaminants, dust, and smoke. Kills 99.99% of germs and viruses. No fragrance and free of harsh chemicals. Apply and wipe clean. Meets non-aerosol general-purpose hard-surface cleaner VOC compliance limits <0.5%

Application Type:

- ▷ Spray
- ▷ Floor Cleaning
- ▷ Pressure Washing



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G093	L-89	12
Sprayer	946 mL	32 oz.	53G094	L-89	12
Liquid	3.78 L	1 gal	53G095	L-89	4
Liquid	20 L	5.2 gal	53G097	L-89	1
Liquid	208 L	52.8 gal	53G098	L-89	1



SCRUBBING, DISINFECTANT CLEANER AND DEGREASER TOWELS

All-Purpose Cleaning Wipes

Scrubbing and degreasing wipes clean tough greases that are bound to surfaces. Kills 99.99% of germs and viruses. No fragrance and free of harsh chemicals. Apply and wipe clean. Meets non-aerosol general-purpose hard-surface cleaner VOC compliance limits <0.5%

Application Type:

- ▷ Hand



Description	Count	Order No.	(M)SDS	Std. Pkg.
Canister	80 wipes	53G615	L-188	20
Canister	140 wipes	53G616	L-188	12

INDUSTRIAL CLEANER/DEGREASER



GOLD MATRIX READY™

Foamless Cleaner & Degreaser – Ready-to-use

Industrial strength cleaner/degreaser that removes oils, greases, organic contaminants, carbon deposits, and other contaminants. Can be heated up to 90°C (194°F) for maximum cleaning power. Built-in corrosion inhibitors prevent flash rusting. Meets Non-Aerosol General Purpose Degreaser VOC compliance limits of <0.5%

Application Type:

- ▷ Spray
- ▷ Floor Washing
- ▷ Pressure Washing



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G073	L-68	12
Liquid	3.78 L	1 gal	53G075	L-68	1
Liquid	20 L	5.2 gal	53G077	L-68	1
Liquid	208 L	55 gal	53G078	L-68	1
Liquid	1000 L	264 gal	53G079	L-68	1

HEAVY-DUTY DEGREASER



SLAP SHOT™ LOW VOC

Heavy-Duty Degreaser and Part Cleaners
SLAP SHOT™ LOW VOC is a heavy-duty degreaser that dissolves and removes grease, oil, and grime on contact without leaving residue. It delivers heavy-duty performance similar to WALTER's original SLAP SHOT™ but contains less than 10% VOCs. Designed for industrial and metalworking applications. Meets Automotive Brake Cleaner VOC compliance limits of <10%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	500 mL	16.9 oz.	53C512	L-200	12
Trigger sprayer	500 mL	16.9 oz.	53C513	L-201	12
Liquid	5 L	1.3 gal	53C516	L-201	1
Liquid	20 L	5.2 gal	53C517	L-201	1
Liquid	200 L	52.8 gal	53C519	L-201	1
ACCESSORIES			Order No.		
Spout for 20 L round metal pail and 200 L metal drum 3/4" NPT			53L208		
Empty			53L311		



SLAP SHOT PL™ LOW VOC

Heavy-Duty Degreaser and Part Cleaners – Plastic Safe

Highly effective, residue-free, fast evaporating cleaner/degreaser that dissolves and removes grease, oil, and grime on contact. Specially formulated for maximum compatibility with plastics and rubber. Meets Automotive Brake Cleaner VOC compliance limits of <10%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	400 mL	13.5 oz.	53C552	L-64	12



ALLSTEEL™ BRAKE CLEANER

Fast Evaporating Brake Cleaner

Solvent-based cleaner designed to remove grease, oil, and grime on contact. This aerosol goes on clear, leaves no residue, and has a low VOC formula to ensure reliable performance on brakes. Designed to dry quickly and leave no film. Meets Automotive Brake Cleaner VOC compliance limits of <10%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	489 mL	16.43 oz.	53C412	L-211 E	12

AIR FORCE™ AF-PL LOW VOC™ AEROSOL CAN REFILL STATION



System: 53M012

Cost-effective brake cleaner alternative. Easy-to-use refillable aerosol cans reduce the costs and hassle associated with traditional aerosol disposal.

Size	Order No.
Metric	US Gal
20 L	5.2 gal
200 L	52.8 gal

*Includes 6x refillable bottles (53M109)



AF-PL LOW VOC™

Heavy-Duty Degreaser and Brake Cleaner – Plastic Safe

Plastic-safe, fast-evaporating brake cleaner designed for use with Air Force™ system. Meets Automotive Brake Cleaner VOC compliance limits of <10%

Application Type:

▷ Spray ▷ Air Force™ System



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid, trigger sprayer	500 mL	16.9 fl. oz.	53C563	L-212	12
Liquid	5 L	1.3 gal	53C566	L-212	1
Liquid	20 L	5.2 gal	53C567	L-212	1
Liquid	200 L	52.8 gal	53C568	L-212	1

ASPHALT & TAR REMOVER



SC 400™ LOW VOC

High-Strength Citrus Degreaser

When you need a powerful degreaser for the most challenging jobs, SC 400™ LOW VOC is the solution you can rely on. Formulated with citrus peel extracts, this heavy-duty cleaner effectively removes tar, bitumen, grease, lubricants, and oils. The slow evaporation rate ensures extended contact time, allowing thorough removal of contaminants with minimal cleaning liquid needed. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G653	L-202	12
Liquid	3.78 L	1 gal	53G655	L-202	1
Liquid	20 L	5.2 gal	53G657	L-202	1
Liquid	200 L	52.8 gal	53G658	L-202	1



HEAVY-DUTY CITRUS DEGREASER

Heavy-Duty Citrus Degreaser

Cleans difficult contaminants such as asphalt, bunker, carbon, grease, oil, and tar residue that are bound to metallic surfaces. Great for paving and mining equipment. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G533	L-187	12
Sprayer	946 mL	32 oz.	53G534	L-187	12
Liquid	3.78 L	1 gal	53G535	L-187	1
Liquid	20 L	5.2 gal	53G537	L-187	1
Liquid	208 L	55 gal	53G538	L-187	1



ALL-SEASON™

All-Weather Tar & Bitumen Degreaser

Built for tough applications, even at the most extreme temperatures (From -40°C (-40°F) to over 100°C (212°F)). Perfect alternative to solvent based and d-limonene based cleaners. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray
▷ Pressure Washing



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G553	L-75	12
Liquid	3.78 L	1 gal	53G555	L-75	1
Liquid	20 L	5.2 gal	53G557	L-75	1
Liquid	208 L	55 gal	53G558	L-75	1
Liquid	1000 L	264 gal	53G559	L-75	1

ADHESIVE & INK REMOVER



SC 400 FOAM™

High Strength Adhesive & Ink Remover

Removes hardened adhesives and paints. Suitable for metal, wood, ceramics, glass. Added corrosion protection agents prevent flash rusting on metal surfaces.

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	500 mL	16.9 oz.	53G652	L-171	12



PRO CLEAN™

Natural Solvent Adhesive & Paint Remover

Removes hard-to-clean contaminants such as paint, ink, adhesives, anti-corrosion waxes, resins, and tar. Made from bio-renewable extracts. Creates a safer, more pleasant work environment.

Application Type:

▷ Spray
▷ Dipping



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G523	L-169	12
Liquid	3.78 L	1 gal	53G525	L-169	1
Liquid	20 L	5.2 gal	53G527	L-169	1
Liquid	208 L	55 gal	53G528	L-169	1

GLASS CLEANING



FT 100™ FOAM

Foaming Glass Cleaner

FT 100™ is a fast-drying cleaning agent that removes light oil, pollution, dust, fingerprints, and felt pen marks. Leaves no residue, streaks, or strains.

Application Type:

▷ *Spray*



Glass and Mirror

Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	400 mL	13.5 oz.	53G182	L-172	12

SURFACE PREPARER



FT 200™

Surface Preparation Cleaner

Prepares metallic surfaces for painting, priming, coating, bonding, metalizing, welding, and a variety of other processes. Residue-free after wiping.

Application Type:

▷ *Spray*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G173	L-128	12
Liquid	20 L	5.2 gal	53G177	L-128	1
Liquid	208 L	55 gal	53G178	L-128	1

RUST REMOVER



POWER CLEANER 100™

Rust & Mineral Remover/Brightener

Quickly breaks down rust, dissolves limescale, eliminates mineral deposits, and brightens metallic surfaces. Phosphoric acid based. Does not contain nitric, hydrofluoric or hydrochloric acid. Can be diluted up to 40:1. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ *Spray*
▷ *Dipping*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G253	L-23	12
Liquid	3.78 L	1 gal	53G255	L-23	1
Liquid	20 L	5.2 gal	53G257	L-23	1



BIO-RUST™

Rust & Mineral Remover/Brightener

Non-caustic rust removers that safely eliminates rust on all ferrous alloys. Soak for up to 24 hours for best results. Non-hazardous, OSHA, and WHMIS compliant. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ *Dipping*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G243	L-134	12
Liquid	20 L	5.2 gal	53G247	L-134	1
Liquid	208 L	55 gal	53G248	L-134	1



STAINLESS STEEL CLEANING & PREPARATION



FT 100™

Stainless Steel Surface Preparation Cleaner
Cleans light contaminants on stainless steel surfaces. Leaves no residue, streaks or stains. Dries quickly and acts fast.

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G183	L-167	12
Liquid	20 L	5.2 gal	53G187	L-167	1
Liquid	208 L	55 gal	53G188	L-167	1



STAINLESS STEEL CLEANER

Stainless Steel Cleaner & Polisher
Cleans, polishes, shines, and protects stainless steel surfaces. Leaves no residue, streaks or stains. Designed to be fast acting and fast drying.

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	500 mL	16.9 oz.	53G412	L-99	1



E-NOX CLEAN™

Stainless Steel Cleaner & Brightener
Removes tarnish, rust, and mineral deposits from stainless steel surfaces. Gel consistency sticks to vertical surfaces for non-messy application. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Gel, sprayer	500 mL	16.9 oz.	53G303	L-59	12
Liquid	3.78 L	1 gal	53G305	L-59	1
Liquid	20 L	5.2 gal	53G307	L-59	1
Liquid	208 L	55 gal	53G308	L-59	1



E-NOX SHINE™

Stainless Steel Cleaner & Protector
Removes light contaminants such as dust, light oils, and fingerprints prior to shipping. Creates a thin, invisible protective film to preserve the quality of your work until it reaches its final destination.

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G403	L-102	12
Liquid	3.78 L	1 gal	53G405	L-102	1
Liquid	20 L	5.2 gal	53G407	L-102	1
Liquid	208 L	55 gal	53G408	L-102	1

CONTACT CLEANER



CONTACT CLEAN™

Non-Flammable Contact Cleaner
Removes grease, oil, and contaminants from sensitive electronics and electrical equipment to prevent contact failure. Fast evaporating and residue-free. Meets Electronics Cleaner VOC compliance limits of <75%

Application Type:

▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	500 g	17.6 oz.	53C713	L-165	12
Liquid, Trigger sprayer	500 ml	16.9 oz.	53C714	L-210	12
Liquid	3.78 L	1 gal	53C715	L-210	1
Liquid	20 L	5.2 gal	53C717	L-210	1

MANUAL PARTS WASHING



BIO-CIRCLE® MAXI™

Parts Washing Machine
Cutting-edge cleaning and degreasing system that is sturdy, reliable, and low maintenance. Specially designed for water-based cleaning.

Application Type:

▷ Manual Parts Washing

DESIGNED TO BE USED WITH
BIO-CIRCLE® AND CB 100™ SOLUTIONS.

Order No.	Dimensions	Max tank capacity	Load capacity
55D600	97 × 69 × 110 (38" × 27" × 43")	140 L (37 gal)	220 kg (500 lbs)



BIO-CIRCLE® ULTRA

Heavy-Duty Bio-Remediating Parts Washing Solution
Aggressively removes the toughest, hardened oil/grease as well as other stubborn contaminants from parts while maintaining its cleaning power over time. Safe & effective replacement for hazardous solvents. Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

▷ Manual Parts Washing with MAXI™ machine



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	20 L	5.2 gal	55A107	L-148	1
Liquid	208 L	55 gal	55A108	L-148	1
Liquid	1000 L	264 gal	55A109	L-148	1



CB 100™

Ultra-Strength Parts Washing Solution
Removes heavy greases, anti-seize, burnt oil/fat, paint, and many other stubborn industrial contaminants. Optimized cleaning strength with enhanced user safety. Outlasts solvents 3-5 times. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray
▷ Manual Parts Washing
▷ Dipping
▷ Ultrasonic Bath



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G163	L-155	12
Liquid	3.78 L	1 gal	53G165	L-155	1
Liquid	20 L	5.2 gal	53G167	L-155	1
Liquid	208 L	55 gal	53G168	L-155	1
Liquid	1000 L	264 gal	53G169	L-155	1



BIO-CIRCLE® L

Bio-Remediating Parts Washing Solution
Effectively removes oil and grease from parts while maintaining its cleaning power over time thanks to the self-cleaning action of natural bioremediation. Safest & most effective replacement for hazardous solvents. Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

▷ Manual Parts Washing with MAXI™ machine



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	20 L	5.2 gal	55A007	L-78	1
Liquid	208 L	55 gal	55A008	L-78	1
Liquid	1000 L	264 gal	55A009	L-78	1



BIO-CIRCLE® AERO

Aluminum Bio-Remediating Parts Washing Solution
Removes oil and grease from parts. Meets the aeronautical industry's stringent requirements. Safe for use on aluminum and other sensitive alloys. Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

▷ Manual Parts Washing with MAXI™ machine



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	20 L	5.2 gal	55A207	L-161	1
Liquid	208 L	55 gal	55A208	L-161	1
Liquid	1000 L	264 gal	55A209	L-161	1



CB 100 ALU™

Aluminum Ultra-Strength Parts Washing Solution
Designed for use on aluminum. Removes heavy greases, anti-seize, burnt oil/fat, paint, and many other stubborn industrial contaminants. Optimized cleaning strength with enhanced user safety. Outlasts solvents 3-5 times. Meets Non-Aerosol, Metal Polish or Cleaner VOC compliance limits of <3%

Application Type:

▷ Spray
▷ Manual Parts Washing
▷ Dipping
▷ Ultrasonic Bath



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Sprayer	500 mL	16.9 oz.	53G123	L-158	12
Liquid	3.78 L	1 gal	53G125	L-158	1
Liquid	20 L	5.2 gal	53G127	L-158	1
Liquid	208 L	55 gal	53G128	L-158	1
Liquid	1000 L	264 gal	53G129	L-158	1

AUTOMATED PARTS WASHING



STAR 200™

Automated Parts Washing Solution

Cleans oils, greases, lubricants, and grime.

Built-in corrosion inhibitors for temporary corrosion protection. Foamless. Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

- ▷ Automated Parts Washer
- ▷ Ultrasonic Bath
- ▷ Dipping



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	20 L	5.2 gal	53G067	L-107	1
Liquid	208 L	55 gal	53G068	L-107	1
Liquid	1000 L	264 gal	53G069	L-107	1



ALUSTAR 200™

Aluminum Automated Parts Washing Solution

Designed for use on aluminum. Cleans oils, greases, lubricants, and grime. Built-in corrosion inhibitors for temporary corrosion protection. Foamless.

Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

- ▷ Automated Parts Washer
- ▷ Ultrasonic Bath
- ▷ Dipping



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	3.78 L	1 gal	53G705	L-79	1
Liquid	20 L	5.2 gal	53G707	L-79	1
Liquid	208 L	55 gal	53G708	L-79	1
Liquid	1000 L	264 gal	53G709	L-79	1



ALUSTAR 300™

Aluminum Automated Parts Washing Solution – Heavy-Duty

Designed for use on aluminum. Cleans the toughest contaminants such as oils, greases, lubricants, grime, smoke, dust, and carbon deposits. Built-in corrosion inhibitors for temporary corrosion protection. Foamless. Meets metal polish or cleanser designed for use in degreasing tanks VOC compliance limits of <3%

Application Type:

- ▷ Automated Parts Washer
- ▷ Ultrasonic Bath
- ▷ Dipping



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	20 L	5.2 gal	53G757	L-106	1
Liquid	208 L	55 gal	53G758	L-106	1
Liquid	1000 L	264 gal	53G759	L-106	1

MULTI-PURPOSE CLEANER & LUBRICANT



OMNI™

Cleaner, Lubricant & Protectant

Can be used for multiple maintenance applications. Protects surfaces from oxidation. Creates a safer and healthier work environment. Non-flammable, silicone-free, PTFE-free. Meets Multi-Purpose Lubricants That Are Not Solid or Semi-Solid VOC compliance limits of <25%

Application Type:

- ▷ Spray



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	480 mL	16.2 fl. oz.	53X002	L-73	12
Sprayer	500 mL	16.9 oz.	53X003	L-74	12
Liquid	3.78 L	1 gal	53X005	L-74	1
Liquid	20 L	5.2 gal	53X007	L-74	1
Liquid	208 L	55 gal	53X008	L-74	1
Liquid	1000 L	264.6 gal	53X009	L-74	1



WALTER SHOP

CHEMICAL SOLUTIONS

DESIGNED FOR METALWORKING

HOLE MAKING STATION

Cutting Fluids:

- ▶ COOLCUT™
- ▶ ICECUT™
- ▶ TAPCUT™

CNC STATION

Cutting Fluids:

- ▶ COOLCUT™

SURFACE PREPARATION STATION

Degreasers:

- ▶ SLAP SHOT™
- ▶ SC 400™
- ▶ CB 100™

WELDING STATION

Anti-Spatter:

- ▶ E-WELD 3™
- ▶ E-WELD 4™
- ▶ E-WELD NOZZLE™



CHEMICAL STORAGE CABINET

MRO Chemicals:

- ▶ BOLT OUT™
- ▶ OPEN GEAR™
- ▶ HANG-ON™
- ▶ ZINC-100™
- ▶ ZINC-200™
- ▶ SHIELD PRO™

MAINTENANCE STATION

MRO Chemicals:

- ▶ CHAIN GANG™
- ▶ COLD SHOCK™
- ▶ OMNI™

Parts Washing:

- ▶ CB 100™
- ▶ BIO-CIRCLE™
- ▶ MAXI™

Degreasers:

- ▶ AF-PL™

FINISHING STATION

SURFOX™ Solutions:

- ▶ SURFOX-T™
- ▶ SURFOX-G™
- ▶ SURFOX-N™

Cleaners/Degreasers:

- ▶ FT-100™

WALTER Surface Technologies

Canada

Montreal

5977 Trans Canada Highway
Pointe-Claire, Quebec
H9R 1C1
Tel.: 514 630-2800
Toll free: 1 800 363-7368
Fax: 514 630-2825

Edmonton

18527 – 104 Avenue NW
Edmonton, Alberta
T5S 2V8
Tel.: 780 451-2053
Toll free: 1 866 435-1271
Fax: 780 453-1589

Toronto

151 Superior Blvd., Unit 12
Mississauga, Ontario
L5T 2L1
Tel.: 905 795-8555
Toll free: 1 888 821-9444
Fax: 905 795-8558

Vancouver

1-1595 Cliveden Ave. West,
Delta, British Columbia
V3M 6M2
Tel.: 604 540-4777
Toll free: 1 877 366-9258
Fax: 604 540-4778
Fax toll free: 1 877 329-9258

FOR MORE INFORMATION, TO SCHEDULE A FREE DEMO OR TO ORDER

Phone: 888 592-5837

Fax: 866 581-1121

Email: csr@walter.com

Or visit: walter.com



Facebook/
[WalterSurfaceTech](https://www.facebook.com/WalterSurfaceTech)



Twitter/
[@WalterSurfaceTech](https://twitter.com/WalterSurfaceTech)



YouTube/
[TheWalterNetwork](https://www.youtube.com/TheWalterNetwork)



LinkedIn/
[Walter-Surface-Technologies](https://www.linkedin.com/company/Walter-Surface-Technologies)



Instagram.com/
[Waltersurfacetech](https://www.instagram.com/Waltersurfacetech)

