
Lavoro

Product Specifications	382
Fabrics and Options	383
Contrasting Fabrics Specifications	384
Product Pages	385
COM Yardage Requirements	401



LAVORO PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

GUEST MODELS

- Legs and cross members are made of 1" tubular steel
- Available in polished aluminum or Cinder powder coat

SEAT CONSTRUCTION

TASK MODELS

- 2½" of high grade polyurethane foam covers a contoured injection molded seat panel

GUEST MODELS

- 1½" of high grade polyurethane foam covers an injection molded seat panel

BACK CONSTRUCTION

TASK MODELS

- Injection molded polypropylene outer shell
- Injection molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Upholstered back features 1" of custom molded foam

GUEST MODELS

- Injection molded polypropylene inner and outer back panels
- Upholstered back features 1" of custom molded foam

BACK REST (UPHOLSTERED BACK MODELS)

- Back height can be adjusted by simply lifting up on the back of upholstered back models
- The range of adjustment is approximately 3"

MESH

- 100% polypropylene
- Cleaning code: W
- 100,000+ double rubs

LUMBAR (MESH BACK MODELS)

- Lumbar on mesh back adjusts approximately 2¼" by simply lifting and lowering the lumbar pad
- Cannot be field installed to non-lumbar models

ARMS

- Encased uprights are made of reinforced nylon or polished aluminum
- Height adjustable arms adjust in height with a push button to 1 of 8 positions within a 3" range
- Arms with width adjustment allow arms to adjust within a 2½" range
- Arms with depth adjustment allows arm pad to adjust within a 2" range
- Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONFERENCE ARMS

- Die cast polished aluminum
- Arm pads are soft black polyurethane

CONTROL MECHANISM

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in infinite position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2¼" range

BASE AND CASTERS



- Features a 5-prong black glass filled nylon base or a polished cast aluminum base
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

GLIDE

- Durable hard black nylon glides are standard
- Soft glides are available for an upcharge

GUEST STACKING

- Plastic seat models can be stacked up to 4 high
- Stacking upholstered seat models is not recommended



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 401.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

CASTERS

ALL MODELS

- C3 Hard (standard)
- C4 Soft (add \$28 list)

GLIDES

FOR TASK STOOL MODELS

- C54 Hard (standard)
- C55 Soft (add \$28 list)

FOR GUEST MODELS

- C53 Hard (standard)
- C52 Soft (add \$28 list)

PACK

- KD Tool-less Knock Down – back, seat, and arms attached
- FA Fully Assembled (add \$86 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

LAVORO

High Back Upholstered Height, Arm Cap Depth page 389

High Back Upholstered Height, Width, Arm Cap Depth page 390

High Back Upholstered Static Arms page 391

High Back Upholstered Conference Arms page 392

Mid Back Upholstered Height, Arm Cap Depth page 393

Mid Back Upholstered Height, Width, Arm Cap Depth page 394

Mid Back Upholstered Static Arms page 395

Mid Back Upholstered Conference Arms page 396

1. Model Number plus "X"
2. Pack
3. Back Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Seat Fabric Grade Number/Cover Number
6. Caster or Glide




Contrasting Fabric

Stool Mid Back Upholstered Height, Width, Arm Cap Depth page 398


Stool Mid Back Upholstered Static Arms page 399

Stool Mid Back Upholstered Conference Arms page 400

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Caster or Glide



Contrasting Fabric
Front View



Back View

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
MESH
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM2SP		\$ 892	914	930	949	969	990	1007	1029	1051
		1072	1106	1175	1218	1240	1263	1285	1307	1328
N30HML2SP	Lumbar	975	997	1013	1032	1052	1073	1090	1112	1134
		1155	1189	1258	1301	1323	1346	1368	1390	1411
N30HM2SSP	Seat Slide	993	1015	1031	1050	1070	1091	1108	1130	1152
		1173	1207	1276	1319	1341	1364	1386	1408	1429
N30HML2SSP	Lumbar, Seat Slide	1076	1098	1114	1133	1153	1174	1191	1213	1235
		1256	1290	1359	1402	1424	1447	1469	1491	1512
N30HM2SN	Polished Aluminum	1004	1026	1042	1061	1081	1102	1119	1141	1163
		1184	1218	1287	1330	1352	1375	1397	1419	1440
N30HML2SN	Lumbar, Polished Aluminum	1087	1109	1125	1144	1164	1185	1202	1224	1246
		1267	1301	1370	1413	1435	1458	1480	1502	1523
N30HM2SSN	Seat Slide, Polished Aluminum	1106	1128	1144	1163	1183	1204	1221	1243	1265
		1286	1320	1389	1432	1454	1477	1499	1521	1542
N30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1189	1211	1227	1246	1266	1287	1304	1326	1348
		1369	1403	1472	1515	1537	1560	1582	1604	1625

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK MESH HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM3SP		\$	948	970	986	1005	1025	1046	1063	1085	1107
			1128	1162	1231	1274	1296	1319	1341	1363	1384
N30HML3SP	Lumbar		1032	1054	1070	1089	1109	1130	1147	1169	1191
			1212	1246	1315	1358	1380	1403	1425	1447	1468
N30HM3SSP	Seat Slide		1048	1070	1086	1105	1125	1146	1163	1185	1207
			1228	1262	1331	1374	1396	1419	1441	1463	1484
N30HML3SSP	Lumbar, Seat Slide		1134	1156	1172	1191	1211	1232	1249	1271	1293
			1314	1348	1417	1460	1482	1505	1527	1549	1570
N30HM3SN	Polished Aluminum		1060	1082	1098	1117	1137	1158	1175	1197	1219
			1240	1274	1343	1386	1408	1431	1453	1475	1496
N30HML3SN	Lumbar, Polished Aluminum		1145	1167	1183	1202	1222	1243	1260	1282	1304
			1325	1359	1428	1471	1493	1516	1538	1560	1581
N30HM3SSN	Seat Slide, Polished Aluminum		1161	1183	1199	1218	1238	1259	1276	1298	1320
			1341	1375	1444	1487	1509	1532	1554	1576	1597
N30HML3SSN	Lumbar, Seat Slide, Polished Aluminum		1247	1269	1285	1304	1324	1345	1362	1384	1406
			1427	1461	1530	1573	1595	1618	1640	1662	1683

DIMENSIONS

Width	28¼	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
MESH
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM9SP		\$ 836	858	874	893	913	934	951	973	995
		1016	1050	1119	1162	1184	1207	1229	1251	1272
N30HML9SP	Lumbar	920	942	958	977	997	1018	1035	1057	1079
		1100	1134	1203	1246	1268	1291	1313	1335	1356
N30HM9SSP	Seat Slide	936	958	974	993	1013	1034	1051	1073	1095
		1116	1150	1219	1262	1284	1307	1329	1351	1372
N30HML9SSP	Lumbar, Seat Slide	1021	1043	1059	1078	1098	1119	1136	1158	1180
		1201	1235	1304	1347	1369	1392	1414	1436	1457
N30HM9SN	Polished Aluminum	948	970	986	1005	1025	1046	1063	1085	1107
		1128	1162	1231	1274	1296	1319	1341	1363	1384
N30HML9SN	Lumbar, Polished Aluminum	1032	1054	1070	1089	1109	1130	1147	1169	1191
		1212	1246	1315	1358	1380	1403	1425	1447	1468
N30HM9SSN	Seat Slide, Polished Aluminum	1048	1070	1086	1105	1125	1146	1163	1185	1207
		1228	1262	1331	1374	1396	1419	1441	1463	1484
N30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1134	1156	1172	1191	1211	1232	1249	1271	1293
		1314	1348	1417	1460	1482	1505	1527	1549	1570

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

• All height measurements for polished aluminum base models are ½" less than shown above

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK MESH CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM8SN	Polished Aluminum	\$	1173	1195	1211	1230	1250	1271	1288	1310	1332
			1353	1387	1456	1499	1521	1544	1566	1588	1609
N30HML8SN	Lumbar, Polished Aluminum		1257	1279	1295	1314	1334	1355	1372	1394	1416
			1437	1471	1540	1583	1605	1628	1650	1672	1693
N30HM8SSN	Seat Slide, Polished Aluminum		1274	1296	1312	1331	1351	1372	1389	1411	1433
			1454	1488	1557	1600	1622	1645	1667	1689	1710
N30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1359	1381	1397	1416	1436	1457	1474	1496	1518
			1539	1573	1642	1685	1707	1730	1752	1774	1795

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	20¾	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¾				

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HP2SP	Plastic Extreme Back	\$ 1050	1085	1112	1142	1174	1209	1237	1272	1308
		1342	1398	1510	1579	1615	1653	1688	1724	1758
N30HP2SSP	Plastic Extreme Back, Seat Slide	1150	1185	1212	1242	1274	1309	1337	1372	1408
		1442	1498	1610	1679	1715	1753	1788	1824	1858
N30HP2SN	Plastic Extreme Back, Polished Aluminum	1162	1197	1224	1254	1286	1321	1349	1384	1420
		1454	1510	1622	1691	1727	1765	1800	1836	1870
N30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1263	1298	1325	1355	1387	1422	1450	1485	1521
		1555	1611	1723	1792	1828	1866	1901	1937	1971
N30HU2SP	Upholstered Back, Plastic Base	1114	1154	1186	1220	1258	1298	1330	1370	1412
		1451	1516	1645	1724	1766	1810	1850	1892	1931
N30HU2SSP	Upholstered Back, Seat Slide	1215	1255	1287	1321	1359	1399	1431	1471	1513
		1552	1617	1746	1825	1867	1911	1951	1993	2032
N30HU2SN	Upholstered Back, Polished Aluminum	1227	1267	1299	1333	1371	1411	1443	1483	1525
		1564	1629	1758	1837	1879	1923	1963	2005	2044
N30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1328	1368	1400	1434	1472	1512	1544	1584	1626
		1665	1730	1859	1938	1980	2024	2064	2106	2145

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP3SP	Plastic Extreme Back	\$	1105	1140	1167	1197	1229	1264	1292	1327	1363
			1397	1453	1565	1634	1670	1708	1743	1779	1813
N30HP3SSP	Plastic Extreme Back, Seat Slide		1206	1241	1268	1298	1330	1365	1393	1428	1464
			1498	1554	1666	1735	1771	1809	1844	1880	1914
N30HP3SN	Plastic Extreme Back, Polished Aluminum		1218	1253	1280	1310	1342	1377	1405	1440	1476
			1510	1566	1678	1747	1783	1821	1856	1892	1926
N30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1319	1354	1381	1411	1443	1478	1506	1541	1577
			1611	1667	1779	1848	1884	1922	1957	1993	2027
N30HU3SP	Upholstered Back		1171	1211	1243	1277	1315	1355	1387	1427	1469
			1508	1573	1702	1781	1823	1867	1907	1949	1988
N30HU3SSP	Upholstered Back, Seat Slide		1272	1312	1344	1378	1416	1456	1488	1528	1570
			1609	1674	1803	1882	1924	1968	2008	2050	2089
N30HU3SN	Upholstered Back, Polished Aluminum		1284	1324	1356	1390	1428	1468	1500	1540	1582
			1621	1686	1815	1894	1936	1980	2020	2062	2101
N30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1385	1425	1457	1491	1529	1569	1601	1641	1683
			1722	1787	1916	1995	2037	2081	2121	2163	2202

DIMENSIONS

Width	25½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP9SP	Plastic Extreme Back	\$	993	1028	1055	1085	1117	1152	1180	1215	1251
			1285	1341	1453	1522	1558	1596	1631	1667	1701
N30HP9SSP	Plastic Extreme Back, Seat Slide		1094	1129	1156	1186	1218	1253	1281	1316	1352
			1386	1442	1554	1623	1659	1697	1732	1768	1802
N30HP9SN	Plastic Extreme Back, Polished Aluminum		1105	1140	1167	1197	1229	1264	1292	1327	1363
			1397	1453	1565	1634	1670	1708	1743	1779	1813
N30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1206	1241	1268	1298	1330	1365	1393	1428	1464
			1498	1554	1666	1735	1771	1809	1844	1880	1914
N30HU9SP	Upholstered Back		1059	1099	1131	1165	1203	1243	1275	1315	1357
			1396	1461	1590	1669	1711	1755	1795	1837	1876
N30HU9SSP	Upholstered Back, Seat Slide		1159	1199	1231	1265	1303	1343	1375	1415	1457
			1496	1561	1690	1769	1811	1855	1895	1937	1976
N30HU9SN	Upholstered Back, Polished Aluminum		1171	1211	1243	1277	1315	1355	1387	1427	1469
			1508	1573	1702	1781	1823	1867	1907	1949	1988
N30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1272	1312	1344	1378	1416	1456	1488	1528	1570
			1609	1674	1803	1882	1924	1968	2008	2050	2089

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¾-27		
Height	42¾-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP8SN	Plastic Extreme Back, Polished Aluminum	\$	1330	1365	1392	1422	1454	1489	1517	1552	1588
			1622	1678	1790	1859	1895	1933	1968	2004	2038
N30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1432	1467	1494	1524	1556	1591	1619	1654	1690
			1724	1780	1892	1961	1997	2035	2070	2106	2140
N30HU8SN	Upholstered Back, Polished Aluminum		1396	1436	1468	1502	1540	1580	1612	1652	1694
			1733	1798	1927	2006	2048	2092	2132	2174	2213
N30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1497	1537	1569	1603	1641	1681	1713	1753	1795
			1834	1899	2028	2107	2149	2193	2233	2275	2314

DIMENSIONS

Width	25½	Arm Height	26¾- 31½	Seat Depth	16½	Weight	53
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	41¼-46½	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30HP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30MP2SP	Plastic Extreme Back	\$ 993	1025	1051	1078	1108	1141	1166	1198	1232
		1263	1315	1418	1481	1515	1550	1582	1616	1647
N30MP2SSP	Plastic Extreme Back, Seat Slide	1094	1126	1152	1179	1209	1242	1267	1299	1333
		1364	1416	1519	1582	1616	1651	1683	1717	1748
N30MP2SN	Plastic Extreme Back, Polished Aluminum	1105	1137	1163	1190	1220	1253	1278	1310	1344
		1375	1427	1530	1593	1627	1662	1694	1728	1759
N30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1207	1239	1265	1292	1322	1355	1380	1412	1446
		1477	1529	1632	1695	1729	1764	1796	1830	1861
N30MU2SP	Upholstered Back	1059	1097	1126	1158	1193	1231	1261	1298	1338
		1374	1434	1555	1629	1668	1709	1746	1786	1822
N30MU2SSP	Upholstered Back, Seat Slide	1161	1199	1228	1260	1295	1333	1363	1400	1440
		1476	1536	1657	1731	1770	1811	1848	1888	1924
N30MU2SN	Upholstered Back, Polished Aluminum	1172	1210	1239	1271	1306	1344	1374	1411	1451
		1487	1547	1668	1742	1781	1822	1859	1899	1935
N30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1274	1312	1341	1373	1408	1446	1476	1513	1553
		1589	1649	1770	1844	1883	1924	1961	2001	2037

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP3SP	Plastic Extreme Back	\$	1050	1082	1108	1135	1165	1198	1223	1255	1289
			1320	1372	1475	1538	1572	1607	1639	1673	1704
N30MP3SSP	Plastic Extreme Back, Seat Slide		1152	1184	1210	1237	1267	1300	1325	1357	1391
			1422	1474	1577	1640	1674	1709	1741	1775	1806
N30MP3SN	Plastic Extreme Back, Polished Aluminum		1163	1195	1221	1248	1278	1311	1336	1368	1402
			1433	1485	1588	1651	1685	1720	1752	1786	1817
N30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1265	1297	1323	1350	1380	1413	1438	1470	1504
			1535	1587	1690	1753	1787	1822	1854	1888	1919
N30MU3SP	Upholstered Back		1114	1152	1181	1213	1248	1286	1316	1353	1393
			1429	1489	1610	1684	1723	1764	1801	1841	1877
N30MU3SSP	Upholstered Back, Seat Slide		1216	1254	1283	1315	1350	1388	1418	1455	1495
			1531	1591	1712	1786	1825	1866	1903	1943	1979
N30MU3SN	Upholstered Back, Polished Aluminum		1227	1265	1294	1326	1361	1399	1429	1466	1506
			1542	1602	1723	1797	1836	1877	1914	1954	1990
N30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1329	1367	1396	1428	1463	1501	1531	1568	1608
			1644	1704	1825	1899	1938	1979	2016	2056	2092

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**MID BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP9SP	Plastic Extreme Back	\$	938	970	996	1023	1053	1086	1111	1143	1177
			1208	1260	1363	1426	1460	1495	1527	1561	1592
N30MP9SSP	Plastic Extreme Back, Seat Slide		1039	1071	1097	1124	1154	1187	1212	1244	1278
			1309	1361	1464	1527	1561	1596	1628	1662	1693
N30MP9SN	Plastic Extreme Back, Polished Aluminum		1050	1082	1108	1135	1165	1198	1223	1255	1289
			1320	1372	1475	1538	1572	1607	1639	1673	1704
N30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1152	1184	1210	1237	1267	1300	1325	1357	1391
			1422	1474	1577	1640	1674	1709	1741	1775	1806
N30MU9SP	Upholstered Back		1002	1040	1069	1101	1136	1174	1204	1241	1281
			1317	1377	1498	1572	1611	1652	1689	1729	1765
N30MU9SSP	Upholstered Back, Seat Slide		1103	1141	1170	1202	1237	1275	1305	1342	1382
			1418	1478	1599	1673	1712	1753	1790	1830	1866
N30MU9SN	Upholstered Back, Polished Aluminum		1114	1152	1181	1213	1248	1286	1316	1353	1393
			1429	1489	1610	1684	1723	1764	1801	1841	1877
N30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1216	1254	1283	1315	1350	1388	1418	1455	1495
			1531	1591	1712	1786	1825	1866	1903	1943	1979

DIMENSIONS

Width	26½	Arm Height	26¼-31½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	22¼-24¼		
Height	39½-44	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP8SN	Plastic Extreme Back, Polished Aluminum	\$	1275	1307	1333	1360	1390	1423	1448	1480	1514
			1545	1597	1700	1763	1797	1832	1864	1898	1929
N30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1377	1409	1435	1462	1492	1525	1550	1582	1616
			1647	1699	1802	1865	1899	1934	1966	2000	2031
N30MU8SN	Upholstered Back, Polished Aluminum		1339	1377	1406	1438	1473	1511	1541	1578	1618
			1654	1714	1835	1909	1948	1989	2026	2066	2102
N30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1441	1479	1508	1540	1575	1613	1643	1680	1720
			1756	1816	1937	2011	2050	2091	2128	2168	2204

DIMENSIONS

Width	25½	Arm Height	26¼-31	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	22¼-24¼		
Height	39-43½	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30MP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP2SP	Plastic Extreme Back	\$ 1022	1054	1080	1107	1137	1170	1195	1227	1261
		1292	1344	1447	1510	1544	1579	1611	1645	1676
N30SP2SPG	Plastic Extreme Back, Glides	1022	1054	1080	1107	1137	1170	1195	1227	1261
		1292	1344	1447	1510	1544	1579	1611	1645	1676
N30SP2SN	Plastic Extreme Back, Polished Aluminum	1135	1167	1193	1220	1250	1283	1308	1340	1374
		1405	1457	1560	1623	1657	1692	1724	1758	1789
N30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides	1135	1167	1193	1220	1250	1283	1308	1340	1374
		1405	1457	1560	1623	1657	1692	1724	1758	1789
N30SU2SP	Upholstered Back	1114	1152	1181	1213	1248	1286	1316	1353	1393
		1429	1489	1610	1684	1723	1764	1801	1841	1877
N30SU2SPG	Upholstered Back, Glides	1114	1152	1181	1213	1248	1286	1316	1353	1393
		1429	1489	1610	1684	1723	1764	1801	1841	1877
N30SU2SN	Upholstered Back, Polished Aluminum	1227	1265	1294	1326	1361	1399	1429	1466	1506
		1542	1602	1723	1797	1836	1877	1914	1954	1990
N30SU2SNG	Upholstered Back, Polished Aluminum, Glides	1227	1265	1294	1326	1361	1399	1429	1466	1506
		1542	1602	1723	1797	1836	1877	1914	1954	1990

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38¾	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19%	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP3SP	Plastic Extreme Back	\$	1078	1110	1136	1163	1193	1226	1251	1283	1317
			1348	1400	1503	1566	1600	1635	1667	1701	1732
N30SP3SPG	Plastic Extreme Back, Glides		1078	1110	1136	1163	1193	1226	1251	1283	1317
			1348	1400	1503	1566	1600	1635	1667	1701	1732
N30SP3SN	Plastic Extreme Back, Polished Aluminum		1191	1223	1249	1276	1306	1339	1364	1396	1430
			1461	1513	1616	1679	1713	1748	1780	1814	1845
N30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1191	1223	1249	1276	1306	1339	1364	1396	1430
			1461	1513	1616	1679	1713	1748	1780	1814	1845
N30SU3SP	Upholstered Back		1172	1210	1239	1271	1306	1344	1374	1411	1451
			1487	1547	1668	1742	1781	1822	1859	1899	1935
N30SU3SPG	Upholstered Back, Glides		1172	1210	1239	1271	1306	1344	1374	1411	1451
			1487	1547	1668	1742	1781	1822	1859	1899	1935
N30SU3SN	Upholstered Back, Polished Aluminum		1284	1322	1351	1383	1418	1456	1486	1523	1563
			1599	1659	1780	1854	1893	1934	1971	2011	2047
N30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1284	1322	1351	1383	1418	1456	1486	1523	1563
			1599	1659	1780	1854	1893	1934	1971	2011	2047

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	18¼-20½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
STATIC ARMS**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP9SP	Plastic Extreme Back	\$ 966	998	1024	1051	1081	1114	1139	1171	1205
		1236	1288	1391	1454	1488	1523	1555	1589	1620
N30SP9SPG	Plastic Extreme Back, Glides	966	998	1024	1051	1081	1114	1139	1171	1205
		1236	1288	1391	1454	1488	1523	1555	1589	1620
N30SP9SN	Plastic Extreme Back, Polished Aluminum	1078	1110	1136	1163	1193	1226	1251	1283	1317
		1348	1400	1503	1566	1600	1635	1667	1701	1732
N30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides	1078	1110	1136	1163	1193	1226	1251	1283	1317
		1348	1400	1503	1566	1600	1635	1667	1701	1732
N30SU9SP	Upholstered Back	1059	1097	1126	1158	1193	1231	1261	1298	1338
		1374	1434	1555	1629	1668	1709	1746	1786	1822
N30SU9SPG	Upholstered Back, Glides	1059	1097	1126	1158	1193	1231	1261	1298	1338
		1374	1434	1555	1629	1668	1709	1746	1786	1822
N30SU9SN	Upholstered Back, Polished Aluminum	1172	1210	1239	1271	1306	1344	1374	1411	1451
		1487	1547	1668	1742	1781	1822	1859	1899	1935
N30SU9SNG	Upholstered Back, Polished Aluminum, Glides	1172	1210	1239	1271	1306	1344	1374	1411	1451
		1487	1547	1668	1742	1781	1822	1859	1899	1935

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	30-38	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled


LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

STOOL MID BACK UPHOLSTERED CONFERENCE ARMS



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP8SN	Plastic Extreme Back, Polished Aluminum	\$	1303	1335	1361	1388	1418	1451	1476	1508	1542
			1573	1625	1728	1791	1825	1860	1892	1926	1957
N30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1303	1335	1361	1388	1418	1451	1476	1508	1542
			1573	1625	1728	1791	1825	1860	1892	1926	1957
N30SU8SN	Upholstered Back, Polished Aluminum		1396	1434	1463	1495	1530	1568	1598	1635	1675
			1711	1771	1892	1966	2005	2046	2083	2123	2159
N30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1396	1434	1463	1495	1530	1568	1598	1635	1675
			1711	1771	1892	1966	2005	2046	2083	2123	2159

DIMENSIONS

Width	26½	Seat Height	21-28¼	Arm Height	29½-37½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	20½	Cubic Ft.	18.7
Height	42¼-53	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30SP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET	
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL		
N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN			0.80	1.00	1.20	2.10	16
N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN			1.30	1.50	2.10	3.40	26
N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10		18 16
N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN			1.50	1.80	2.60	4.40	30
N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10		18 18 16
N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG			1.20	1.50	2.20	3.00	24

LAVORO

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30MP2SPX, N30MP2SSPX						
N30MP2SNX, N30MP2SSNX						
N30MP3SPX, N30MP3SSPX						
N30MP3SNX, N30MP3SSNX						
N30MP9SPX, N30MP9SSPX						
N30MP9SNX, N30MP9SSNX						
N30MP8SNX, N30MP8SSNX						
N30SP2SPX, N30SP2SPGX						
N30SP2SNX, N30SP2SNGX						
N30SP3SPX, N30SP3SPGX						
N30SP3SNX, N30SP3SNGX						
N30SP9SPX, N30SP9SPGX						
N30SP9SNX, N30SP9SNGX	Back	0.80	0.90	1.40	1.90	16
N30SP8SNX, N30SP8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30MU2SP, N30MU2SSP						
N30MU2SN, N30MU2SSN						
N30MU3SP, N30MU3SSP						
N30MU3SN, N30MU3SSN						
N30MU9SP, N30MU9SSP						
N30MU9SN, N30MU9SSN						
N30MU8SN, N30MU8SSN						
N30SU2SP, N30SU2SPG						
N30SU2SN, N30SU2SNG						
N30SU3SP, N30SU3SPG						
N30SU3SN, N30SU3SNG						
N30SU9SP, N30SU9SPG						
N30SU9SN, N30SU9SNG						
N30SU8SN, N30SU8SNG		1.40	1.60	2.60	3.60	28
N30MU2SPX, N30MU2SSPX						
N30MU2SNX, N30MU2SSNX						
N30MU3SPX, N30MU3SSPX						
N30MU3SNX, N30MU3SSNX						
N30MU9SPX, N30MU9SSPX						
N30MU9SNX, N30MU9SSNX						
N30MU8SNX, N30MU8SSNX						
N30SU2SPX, N30SU2SPGX						
N30SU2SNX, N30SU2SNGX						
N30SU3SPX, N30SU3SPGX						
N30SU3SNX, N30SU3SNGX						
N30SU9SPX, N30SU9SPGX	Back	0.80	0.90	1.40	1.90	16
N30SU9SNX, N30SU9SNGX	Extreme Back	0.80	1.00	1.30	1.40	16
N30SU8SNX, N30SU8SNGX	Seat	0.80	1.00	1.20	2.10	16

LAVORO