
Twill

Product Specifications	696
Fabrics and Options	697
Product Pages	698
COM Yardage Requirements	699

TWILL

TWILL PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Kiln-dried European beech frame

SEAT CONSTRUCTION

- Clean out
- Moisture barrier is available on the seat or seat and inside back; upcharge applies

ARMS

- Curved, open arms with radiused edges

CONTRASTING FABRIC

- Contrasting fabric available on inside and outside back, seat, and seat panel

LEGS

- Wall saver



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer specified laminate (CSL)
- Customer specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 699.

The yardage requirement for each model is based on 54" wide fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

WOOD FINISHES

BZ	Brazilwood
CO	Canyon
CI	Chai
CC	Cordoba
DF	Driftwood
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PB	Portobello
792	Sable
NW	Tuscan
WL	Willow

IMPORTANT: Hardwood finishes on seating are complementary to veneer finishes on casegoods and tables, but may not be a direct match due to the difference in substrates

Contact Customer Service for more information

MOISTURE BARRIER

X	None
MB1	Seat (\$140 upcharge)
MB2	Inside back and seat (\$245 upcharge)


TWILL

TO ORDER, SPECIFY:


1. Model Number
2. Back Fabric Grade
3. Back Fabric Number
4. Seat Fabric Grade
5. Seat Fabric Number
6. Wood Finish Price Group
7. Wood Finish Designator
8. Moisture Barrier

- See page 697 for Twill options
- See page 699 for COM fabric yardage

GUEST SEATING



Chair



Settee

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
KA2G1UOACO	Chair	\$	2024	2096	2152	2208	2269	2341	2381	2460	2525
			2593	2701	2917	3054	3083	3110	3144	3176	3326
KA2G2UOACO	Settee		3203	3377	3514	3650	3798	3972	4070	4261	4420
			4584	4846	5370	5703	5774	5840	5921	5998	6364

DIMENSIONS - CHAIR


Width	24	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	60
Depth	27 $\frac{3}{16}$	Seat Depth	19%			Cubic Ft.	12.70
Height	33 $\frac{3}{4}$	Seat Width	21				

DIMENSIONS - SETTEE


Width	48	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	87
Depth	27 $\frac{3}{16}$	Seat Depth	19%			Cubic Ft.	25.30
Height	33 $\frac{3}{4}$	Seat Width	45				

- Kiln-dried European beech frame
- Wall saver legs
- Curved, open arms with radiused edges
- Clean out
- Moisture barrier on the seat or seat and inside back

CHAIRS



Patient



Bariatric

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
KA2P1UOACO	Patient Chair	\$	2161	2241	2304	2366	2435	2515	2560	2648	2721
			2795	2916	3157	3310	3343	3373	3410	3446	3614
KA2BA1UOACO	Bariatric Chair		2766	2855	2924	2993	3069	3158	3207	3305	3385
			3469	3603	3869	4039	4075	4108	4150	4189	4375

DIMENSIONS - PATIENT CHAIR

Width	24	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	58
Depth	27 $\frac{3}{16}$	Seat Depth	19%			Cubic Ft.	16.10
Height	43	Seat Width	21				

DIMENSIONS - BARIATRIC CHAIR

Width	32	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	80
Depth	27 $\frac{3}{16}$	Seat Depth	19%			Cubic Ft.	16.90
Height	34 $\frac{3}{8}$	Seat Width	29				

- Kiln-dried European beech frame
- Wall saver legs
- Curved, open arms with radiused edges
- Clean out
- Moisture barrier on the seat or seat and inside back

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
KA2G1UOACO	Entire Unit	1.70	2.30	3.60	4.00	34.3
	Back	1.40	1.70	1.80	2.00	28.2
	Seat	1.10	2.20	2.30	3.00	22.7
KA2G2UOACO	Entire Unit	3.10	3.40	3.80	4.70	60.9
	Back	1.80	2.00	2.40	2.90	36.5
	Seat	1.60	2.00	2.30	3.20	31.5
KA2P1UOACO	Entire Unit	2.00	2.50	4.00	5.00	39.8
	Back	1.80	2.00	2.30	2.70	35.4
	Seat	1.10	1.50	2.30	3.00	22.7
KA2BA1UOACO	Entire Unit	2.70	3.20	3.50	4.20	54.2
	Back	1.40	1.50	1.90	2.00	28.2
	Seat	1.40	1.90	2.30	3.00	27.7

TWILL

