
Acquaint

Product Specifications	28
Fabrics and Options	29
Contrasting Fabrics Specifications	30
Product Pages	31
COM Yardage Requirements	35

ACQUAINT

ACQUAINT PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Constructed of exterior beech with mortise and tenon joints that are securely glued for maximum joint stability
- Wall saving design feature on back legs
- Non-marring nylon glides

SEAT CONSTRUCTION

- 4" high grade polyurethane foam covers a plywood panel for added comfort and support
- Corner blocks screwed and glued in all 4 corners of the seat

BACK CONSTRUCTION (ALL MODELS)

- Features exterior rails and slats cut from beech wood

UPHOLSTERED BACK CONSTRUCTION

- ½" high grade polyurethane foam covers contoured panel for added support and comfort

ARMS

- Available with black protective polyurethane arm caps for added durability

EASY ACCESS CHAIR FOOT REST

- ¾" x 2¾" (19mm x 70mm) full length foot rest, solid wood (Beech)
- Anti-slip material applied to top face

CONTRASTING FABRICS


- All models available with contrasting fabric

FINISH

- A catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 35.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY


ACQUAINT

Half Upholstered page 31


Fully Upholstered Back page 32

Slat Back Upholstered Lumbar page 32

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number (when applicable)
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Extreme Lumbar Fabric Grade Number/Cover Number (when applicable)
6. Seat Fabric Grade Number/Cover Number
7. Finish Designator



N59BBX




N59JJX

Bariatric Half Upholstered page 33

Easy Access Chair Half Upholstered page 34

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish Designator



N59MMX




N59PPX

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

HALF UPHOLSTERED



N59AA



N59AAT



N59DD



N59AL

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N59AA	Arms	\$ 1145	1171	1191	1213	1236	1261	1281	1307	1333
		1359	1399	1480	1531	1557	1584	1610	1636	1661
N59AAT	Arms, Black Polyurethane Arm Caps	1252	1278	1298	1320	1343	1368	1388	1414	1440
		1466	1506	1587	1638	1664	1691	1717	1743	1768
N59DD	Arms, Exposed Wood Slats	1258	1284	1304	1326	1349	1374	1394	1420	1446
		1472	1512	1593	1644	1670	1697	1723	1749	1774
N59DDT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps	1361	1387	1407	1429	1452	1477	1497	1523	1549
		1575	1615	1696	1747	1773	1800	1826	1852	1877
N59AL	Armless	1103	1129	1149	1171	1194	1219	1239	1265	1291
		1317	1357	1438	1489	1515	1542	1568	1594	1619
N59DL	Armless, Exposed Wood Slats	1216	1242	1262	1284	1307	1332	1352	1378	1404
		1430	1470	1551	1602	1628	1655	1681	1707	1732

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	33
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

• Contrasting fabric option – specify X (i.e., N59AAX); see page 30. For list pricing, use your electronic specification tool or contact customer service


ACQUAINT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

FULLY UPHOLSTERED BACK



N59BB



N59BBT



N59JJ



N59BL

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			ALLIANCE PROGRAM PRICE GRADES									
			A	B	C	D	E	F	G	H	I	
			J	K	L	M	N	O	P	Q	R	
N59BB	Arms	\$	1222	1257	1284	1312	1344	1377	1404	1438	1473	
			1507	1561	1669	1736	1771	1807	1842	1876	1910	
N59BBT	Arms, Black Polyurethane Arm Caps		1324	1359	1386	1414	1446	1479	1506	1540	1575	
			1609	1663	1771	1838	1873	1909	1944	1978	2012	
N59JJ	Arms, Exposed Wood Slats		1330	1362	1386	1412	1441	1472	1496	1528	1560	
			1590	1640	1739	1801	1832	1865	1897	1929	1960	
N59JJT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps		1436	1468	1492	1518	1547	1578	1602	1634	1666	
			1696	1746	1845	1907	1938	1971	2003	2035	2066	
N59BL	Armless		1181	1216	1243	1271	1303	1336	1363	1397	1432	
			1466	1520	1628	1695	1730	1766	1801	1835	1869	
N59JL	Armless, Exposed Wood Slats		1286	1318	1342	1368	1397	1428	1452	1484	1516	
			1546	1596	1695	1757	1788	1821	1853	1885	1916	

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	36
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	35
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

- Contrasting fabric option – specify X (i.e., N59BBX); see page 30. For list pricing, use your electronic specification tool or contact customer service

SLAT BACK UPHOLSTERED LUMBAR



N59HH



N59HHT



N59HL

			ALLIANCE PROGRAM PRICE GRADES									
			A	B	C	D	E	F	G	H	I	
			J	K	L	M	N	O	P	Q	R	
N59HH	Arms	\$	1299	1325	1345	1367	1390	1415	1435	1461	1487	
			1513	1553	1634	1685	1711	1738	1764	1790	1815	
N59HHT	Arms, Black Polyurethane Arm Caps		1403	1429	1449	1471	1494	1519	1539	1565	1591	
			1617	1657	1738	1789	1815	1842	1868	1894	1919	
N59HL	Armless		1258	1284	1304	1326	1349	1374	1394	1420	1446	
			1472	1512	1593	1644	1670	1697	1723	1749	1774	

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	31
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5


- Contrasting fabric option – specify X (i.e., N59HHX); see page 30. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

SLAT BACK



N59CC



N59CCT



N59CL

MODEL NO.


ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59CC	Arms	\$	1229	1255	1275	1297	1320	1345	1365	1391	1417
			1443	1483	1564	1615	1641	1668	1694	1720	1745
N59CCT	Arms, Black Polyurethane Arm Caps		1336	1362	1382	1404	1427	1452	1472	1498	1524
			1550	1590	1671	1722	1748	1775	1801	1827	1852
N59CL	Armless		1187	1213	1233	1255	1278	1303	1323	1349	1375
			1401	1441	1522	1573	1599	1626	1652	1678	1703


DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	33
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	32
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5


BARIATRIC HALF UPHOLSTERED



N59MM



N59MMT



N59PP

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59MM		\$	2012	2055	2088	2124	2163	2205	2238	2282	2325
			2367	2435	2570	2654	2697	2742	2786	2829	2871
N59MMT	Black Polyurethane Arm Caps		2117	2160	2193	2229	2268	2310	2343	2387	2430
			2472	2540	2675	2759	2802	2847	2891	2934	2976
N59PP	Exposed Wood Slats		2112	2152	2183	2217	2253	2292	2323	2364	2404
			2444	2507	2633	2711	2752	2794	2834	2875	2914
N59PPT	Exposed Wood Slats/ Black Polyurethane Arm Caps		2219	2259	2290	2324	2360	2399	2430	2471	2511
			2551	2614	2740	2818	2859	2901	2941	2982	3021

DIMENSIONS

Width	35	Seat Height	18½	Arm Height	27	Weight	47
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

- Contrasting fabric option – specify X (i.e., N59MMX); see page 30. For list pricing, use your electronic specification tool or contact customer service
- Meets 500 lb. weight load

ACQUAINT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

BARIATRIC SLAT BACK



N59KK



N59KKT

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES


			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59KK		\$	2044	2070	2090	2112	2135	2160	2180	2206	2232
			2258	2298	2379	2430	2456	2483	2509	2535	2560
N59KKT	Black Polyurethane Arm Caps		2149	2175	2195	2217	2240	2265	2285	2311	2337
			2363	2403	2484	2535	2561	2588	2614	2640	2665

DIMENSIONS


Width	35	Seat Height	18½	Arm Height	27	Weight	45
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

- Meets 500 lb. weight load

EASY ACCESS CHAIR HALF UPHOLSTERED



N59HAA



N59HAAT

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59HAA	Arms	\$	1577	1603	1623	1645	1668	1693	1713	1739	1765
			1791	1831	1912	1963	1989	2016	2042	2068	2093
N59HAAT	Arms, Black Polyurethane Arm Caps		1680	1706	1726	1748	1771	1796	1816	1842	1868
			1894	1934	2015	2066	2092	2119	2145	2171	2196

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¼	Weight	40
Depth	25½	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20% ₁₆	Cubic Ft.	18.4
Height	40	Seat Width	20¼	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

- Contrasting fabric option – specify X (i.e., N59HAAX); see page 30. For list pricing, use your electronic specification tool or contact customer service

EASY ACCESS CHAIR SLAT BACK



N59HCC



N59HCCT

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59HCC	Arms	\$	1631	1657	1677	1699	1722	1747	1767	1793	1819
			1845	1885	1966	2017	2043	2070	2096	2122	2147
N59HCCT	Arms, Black Polyurethane Arm Caps		1734	1760	1780	1802	1825	1850	1870	1896	1922
			1948	1988	2069	2120	2146	2173	2199	2225	2250

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¼	Weight	40
Depth	25½	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20% ₁₆	Cubic Ft.	18.4
Height	40	Seat Width	20¼	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N59AA, N59AAT, N59AL		0.90	1.40	1.60	2.40	18
N59BB, N59BBT, N59BL		1.20	1.60	1.90	3.40	24
N59CC, N59CCT, N59CL		0.90	1.10	1.20	1.10	18
N59DD, N59DDT, N59DL		0.90	1.30	1.50	1.90	18
N59HAA, N59HAAT		0.90	1.40	1.60	2.40	18
N59HCC, N59HCCT		0.90	1.10	1.20	1.10	18
N59HH, N59HHT, N59HL		0.90	1.40	1.60	2.40	18
N59JJ, N59JJT, N59JL		1.10	1.60	1.80	2.90	22
N59KK, N59KKT		0.90	1.00	1.20	1.50	18
N59MM, N59MMT		1.50	1.60	2.10	2.30	30
N59PP, N59PPT		1.40	1.50	1.70	2.20	28
N59AAX	Back	0.40	0.60	0.70	0.90	2.6
N59AATX	Extreme	0.40	0.60	0.70	0.90	2.6
N59ALX	Seat	0.90	1.10	1.20	1.10	18
N59BBX	Back	0.40	0.60	0.70	0.90	2.6
N59BBTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59BLX	Extreme Back	0.40	0.60	0.70	0.90	2.6
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59DDX	Back	0.40	0.60	0.70	0.90	2.6
N59DDTX	Extreme Back	0.30	0.40	0.60	0.80	1.5
N59DLX	Seat	0.90	1.10	1.20	1.10	18
N59HHX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59HHTX	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
N59HLX	Seat	0.90	1.10	1.20	1.10	18
N59JJX	Back	0.40	0.60	0.70	0.90	2.6
N59JJTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59JLX	Extreme Back	0.30	0.40	0.60	0.80	1.5
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59MMX	Back	0.40	0.50	0.60	0.90	4
N59MMTX	Extreme Back	0.40	0.50	0.60	0.90	4
	Seat	0.90	1.00	1.10	1.40	18
N59PPX	Back	0.40	0.50	0.60	0.90	4
N59PPTX	Extreme Back	0.20	0.30	0.50	0.70	2.5
	Seat	0.90	1.00	1.10	1.40	18

ACQUAINT

