
Lavoro

Product Specifications	406
Fabrics and Options	407
Contrasting Fabrics Specifications	408
Product Pages	409
COM Yardage Requirements	425



LAVORO PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

GUEST MODELS

- Legs and cross members are made of 1" tubular steel
- Available in polished aluminum or Cinder powder coat

SEAT CONSTRUCTION

TASK MODELS

- 2½" of high grade polyurethane foam covers a contoured injection molded seat panel

GUEST MODELS

- 1½" of high grade polyurethane foam covers an injection molded seat panel

BACK CONSTRUCTION

TASK MODELS

- Injection molded polypropylene outer shell
- Injection molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Upholstered back features 1" of custom molded foam

GUEST MODELS

- Injection molded polypropylene inner and outer back panels
- Upholstered back features 1" of custom molded foam

BACK REST (UPHOLSTERED BACK MODELS)

- Back height can be adjusted by simply lifting up on the back of upholstered back models
- The range of adjustment is approximately 3"

MESH

- 100% polypropylene
- Cleaning code: W
- 100,000+ double rubs

LUMBAR (MESH BACK MODELS)

- Lumbar on mesh back adjusts approximately 2¼" by simply lifting and lowering the lumbar pad
- Cannot be field installed to non-lumbar models

ARMS

- Encased uprights are made of reinforced nylon or polished aluminum
- Height adjustable arms adjust in height with a push button to 1 of 8 positions within a 3" range
- Arms with width adjustment allow arms to adjust within a 2½" range
- Arms with depth adjustment allows arm pad to adjust within a 2" range
- Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONFERENCE ARMS

- Die cast polished aluminum
- Arm pads are soft black polyurethane

CONTROL MECHANISM

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in infinite position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2¼" range

BASE AND CASTERS



- Features a 5-prong black glass filled nylon base or a polished cast aluminum base
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

GLIDE

- Durable hard black nylon glides are standard
- Soft glides are available for an upcharge

GUEST STACKING

- Plastic seat models can be stacked up to 4 high
- Stacking upholstered seat models is not recommended



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 425.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

CASTERS

ALL MODELS

- C3 Hard (standard)
- C4 Soft (add \$36 list)

GLIDES

FOR TASK STOOL MODELS

- C54 Hard (standard)
- C55 Soft (add \$36 list)

FOR GUEST MODELS

- C53 Hard (standard)
- C52 Soft (add \$36 list)

PACK

- KD Tool-less Knock Down – back, seat, and arms attached
- FA Fully Assembled (add \$114 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

LAVORO

High Back Upholstered Height, Arm Cap Depth page 413

High Back Upholstered Height, Width, Arm Cap Depth page 414

High Back Upholstered Static Arms page 415

High Back Upholstered Conference Arms page 416

Mid Back Upholstered Height, Arm Cap Depth page 417

Mid Back Upholstered Height, Width, Arm Cap Depth page 418

Mid Back Upholstered Static Arms page 419

Mid Back Upholstered Conference Arms page 420

1. Model Number plus "X"
2. Pack
3. Back Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Seat Fabric Grade Number/Cover Number
6. Caster or Glide



Contrasting Fabric


Stool Mid Back Upholstered Height, Arm Cap Depth page 421

Stool Mid Back Upholstered Height, Width, Arm Cap Depth page 422


Stool Mid Back Upholstered Static Arms page 423

Stool Mid Back Upholstered Conference Arms page 424

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Caster or Glide



Contrasting Fabric
Front View



Back View

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
MESH
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM2SP		\$ 1184	1214	1236	1260	1287	1315	1338	1367	1395
		1425	1470	1561	1618	1647	1677	1707	1736	1764
N30HML2SP	Lumbar	1294	1324	1346	1370	1397	1425	1448	1477	1505
		1535	1580	1671	1728	1757	1787	1817	1846	1874
N30HM2SSP	Seat Slide	1319	1349	1371	1395	1422	1450	1473	1502	1530
		1560	1605	1696	1753	1782	1812	1842	1871	1899
N30HML2SSP	Lumbar, Seat Slide	1429	1459	1481	1505	1532	1560	1583	1612	1640
		1670	1715	1806	1863	1892	1922	1952	1981	2009
N30HM2SN	Polished Aluminum	1332	1362	1384	1408	1435	1463	1486	1515	1543
		1573	1618	1709	1766	1795	1825	1855	1884	1912
N30HML2SN	Lumbar, Polished Aluminum	1444	1474	1496	1520	1547	1575	1598	1627	1655
		1685	1730	1821	1878	1907	1937	1967	1996	2024
N30HM2SSN	Seat Slide, Polished Aluminum	1469	1499	1521	1545	1572	1600	1623	1652	1680
		1710	1755	1846	1903	1932	1962	1992	2021	2049
N30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1579	1609	1631	1655	1682	1710	1733	1762	1790
		1820	1865	1956	2013	2042	2072	2102	2131	2159

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK MESH HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM3SP		\$ 1259	1289	1311	1335	1362	1390	1413	1442	1470
		1500	1545	1636	1693	1722	1752	1782	1811	1839
N30HML3SP	Lumbar	1370	1400	1422	1446	1473	1501	1524	1553	1581
		1611	1656	1747	1804	1833	1863	1893	1922	1950
N30HM3SSP	Seat Slide	1391	1421	1443	1467	1494	1522	1545	1574	1602
		1632	1677	1768	1825	1854	1884	1914	1943	1971
N30HML3SSP	Lumbar, Seat Slide	1506	1536	1558	1582	1609	1637	1660	1689	1717
		1747	1792	1883	1940	1969	1999	2029	2058	2086
N30HM3SN	Polished Aluminum	1407	1437	1459	1483	1510	1538	1561	1590	1618
		1648	1693	1784	1841	1870	1900	1930	1959	1987
N30HML3SN	Lumbar, Polished Aluminum	1520	1550	1572	1596	1623	1651	1674	1703	1731
		1761	1806	1897	1954	1983	2013	2043	2072	2100
N30HM3SSN	Seat Slide, Polished Aluminum	1541	1571	1593	1617	1644	1672	1695	1724	1752
		1782	1827	1918	1975	2004	2034	2064	2093	2121
N30HML3SSN	Lumbar, Seat Slide, Polished Aluminum	1656	1686	1708	1732	1759	1787	1810	1839	1867
		1897	1942	2033	2090	2119	2149	2179	2208	2236

DIMENSIONS

Width	28¼	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
MESH
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM9SP		\$ 1110	1140	1162	1186	1213	1241	1264	1293	1321
		1351	1396	1487	1544	1573	1603	1633	1662	1690
N30HML9SP	Lumbar	1221	1251	1273	1297	1324	1352	1375	1404	1432
		1462	1507	1598	1655	1684	1714	1744	1773	1801
N30HM9SSP	Seat Slide	1243	1273	1295	1319	1346	1374	1397	1426	1454
		1484	1529	1620	1677	1706	1736	1766	1795	1823
N30HML9SSP	Lumbar, Seat Slide	1355	1385	1407	1431	1458	1486	1509	1538	1566
		1596	1641	1732	1789	1818	1848	1878	1907	1935
N30HM9SN	Polished Aluminum	1259	1289	1311	1335	1362	1390	1413	1442	1470
		1500	1545	1636	1693	1722	1752	1782	1811	1839
N30HML9SN	Lumbar, Polished Aluminum	1370	1400	1422	1446	1473	1501	1524	1553	1581
		1611	1656	1747	1804	1833	1863	1893	1922	1950
N30HM9SSN	Seat Slide, Polished Aluminum	1391	1421	1443	1467	1494	1522	1545	1574	1602
		1632	1677	1768	1825	1854	1884	1914	1943	1971
N30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1506	1536	1558	1582	1609	1637	1660	1689	1717
		1747	1792	1883	1940	1969	1999	2029	2058	2086

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

• All height measurements for polished aluminum base models are ½" less than shown above

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK MESH CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM8SN	Polished Aluminum	\$	1557	1587	1609	1633	1660	1688	1711	1740	1768
			1798	1843	1934	1991	2020	2050	2080	2109	2137
N30HML8SN	Lumbar, Polished Aluminum		1668	1698	1720	1744	1771	1799	1822	1851	1879
			1909	1954	2045	2102	2131	2161	2191	2220	2248
N30HM8SSN	Seat Slide, Polished Aluminum		1692	1722	1744	1768	1795	1823	1846	1875	1903
			1933	1978	2069	2126	2155	2185	2215	2244	2272
N30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1804	1834	1856	1880	1907	1935	1958	1987	2015
			2045	2090	2181	2238	2267	2297	2327	2356	2384

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HP2SP	Plastic Extreme Back	\$ 1394	1442	1478	1517	1560	1606	1643	1690	1737
		1785	1858	2006	2098	2146	2195	2243	2291	2336
N30HP2SSP	Plastic Extreme Back, Seat Slide	1527	1575	1611	1650	1693	1739	1776	1823	1870
		1918	1991	2139	2231	2279	2328	2376	2424	2469
N30HP2SN	Plastic Extreme Back, Polished Aluminum	1542	1590	1626	1665	1708	1754	1791	1838	1885
		1933	2006	2154	2246	2294	2343	2391	2439	2484
N30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1676	1724	1760	1799	1842	1888	1925	1972	2019
		2067	2140	2288	2380	2428	2477	2525	2573	2618
N30HU2SP	Upholstered Back, Plastic Base	1478	1533	1575	1620	1670	1722	1766	1820	1874
		1929	2013	2184	2291	2346	2402	2457	2513	2565
N30HU2SSP	Upholstered Back, Seat Slide	1613	1668	1710	1755	1805	1857	1901	1955	2009
		2064	2148	2319	2426	2481	2537	2592	2648	2700
N30HU2SN	Upholstered Back, Polished Aluminum	1629	1684	1726	1771	1821	1873	1917	1971	2025
		2080	2164	2335	2442	2497	2553	2608	2664	2716
N30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1762	1817	1859	1904	1954	2006	2050	2104	2158
		2213	2297	2468	2575	2630	2686	2741	2797	2849

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP3SP	Plastic Extreme Back	\$	1466	1514	1550	1589	1632	1678	1715	1762	1809
			1857	1930	2078	2170	2218	2267	2315	2363	2408
N30HP3SSP	Plastic Extreme Back, Seat Slide		1601	1649	1685	1724	1767	1813	1850	1897	1944
			1992	2065	2213	2305	2353	2402	2450	2498	2543
N30HP3SN	Plastic Extreme Back, Polished Aluminum		1617	1665	1701	1740	1783	1829	1866	1913	1960
			2008	2081	2229	2321	2369	2418	2466	2514	2559
N30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1750	1798	1834	1873	1916	1962	1999	2046	2093
			2141	2214	2362	2454	2502	2551	2599	2647	2692
N30HU3SP	Upholstered Back		1554	1609	1651	1696	1746	1798	1842	1896	1950
			2005	2089	2260	2367	2422	2478	2533	2589	2641
N30HU3SSP	Upholstered Back, Seat Slide		1688	1743	1785	1830	1880	1932	1976	2030	2084
			2139	2223	2394	2501	2556	2612	2667	2723	2775
N30HU3SN	Upholstered Back, Polished Aluminum		1705	1760	1802	1847	1897	1949	1993	2047	2101
			2156	2240	2411	2518	2573	2629	2684	2740	2792
N30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1838	1893	1935	1980	2030	2082	2126	2180	2234
			2289	2373	2544	2651	2706	2762	2817	2873	2925

DIMENSIONS

Width	25½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP9SP	Plastic Extreme Back	\$	1318	1366	1402	1441	1484	1530	1567	1614	1661
			1709	1782	1930	2022	2070	2119	2167	2215	2260
N30HP9SSP	Plastic Extreme Back, Seat Slide		1452	1500	1536	1575	1618	1664	1701	1748	1795
			1843	1916	2064	2156	2204	2253	2301	2349	2394
N30HP9SN	Plastic Extreme Back, Polished Aluminum		1466	1514	1550	1589	1632	1678	1715	1762	1809
			1857	1930	2078	2170	2218	2267	2315	2363	2408
N30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1601	1649	1685	1724	1767	1813	1850	1897	1944
			1992	2065	2213	2305	2353	2402	2450	2498	2543
N30HU9SP	Upholstered Back		1406	1461	1503	1548	1598	1650	1694	1748	1802
			1857	1941	2112	2219	2274	2330	2385	2441	2493
N30HU9SSP	Upholstered Back, Seat Slide		1539	1594	1636	1681	1731	1783	1827	1881	1935
			1990	2074	2245	2352	2407	2463	2518	2574	2626
N30HU9SN	Upholstered Back, Polished Aluminum		1554	1609	1651	1696	1746	1798	1842	1896	1950
			2005	2089	2260	2367	2422	2478	2533	2589	2641
N30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1688	1743	1785	1830	1880	1932	1976	2030	2084
			2139	2223	2394	2501	2556	2612	2667	2723	2775

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¾-27		
Height	42¾-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¾				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP8SN	Plastic Extreme Back, Polished Aluminum	\$	1766	1814	1850	1889	1932	1978	2015	2062	2109
			2157	2230	2378	2470	2518	2567	2615	2663	2708
N30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1901	1949	1985	2024	2067	2113	2150	2197	2244
			2292	2365	2513	2605	2653	2702	2750	2798	2843
N30HU8SN	Upholstered Back, Polished Aluminum		1852	1907	1949	1994	2044	2096	2140	2194	2248
			2303	2387	2558	2665	2720	2776	2831	2887	2939
N30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1987	2042	2084	2129	2179	2231	2275	2329	2383
			2438	2522	2693	2800	2855	2911	2966	3022	3074

DIMENSIONS

Width	25½	Arm Height	26¾- 31½	Seat Depth	16½	Weight	53
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	41¼-46½	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30HP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30MP2SP	Plastic Extreme Back	\$ 1318	1362	1396	1432	1471	1513	1548	1591	1635
		1679	1746	1883	1968	2013	2057	2101	2146	2188
N30MP2SSP	Plastic Extreme Back, Seat Slide	1453	1497	1531	1567	1606	1648	1683	1726	1770
		1814	1881	2018	2103	2148	2192	2236	2281	2323
N30MP2SN	Plastic Extreme Back, Polished Aluminum	1468	1512	1546	1582	1621	1663	1698	1741	1785
		1829	1896	2033	2118	2163	2207	2251	2296	2338
N30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1603	1647	1681	1717	1756	1798	1833	1876	1920
		1964	2031	2168	2253	2298	2342	2386	2431	2473
N30MU2SP	Upholstered Back	1406	1457	1497	1539	1585	1634	1674	1725	1775
		1827	1905	2065	2164	2216	2268	2320	2372	2421
N30MU2SSP	Upholstered Back, Seat Slide	1542	1593	1633	1675	1721	1770	1810	1861	1911
		1963	2041	2201	2300	2352	2404	2456	2508	2557
N30MU2SN	Upholstered Back, Polished Aluminum	1556	1607	1647	1689	1735	1784	1824	1875	1925
		1977	2055	2215	2314	2366	2418	2470	2522	2571
N30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1692	1743	1783	1825	1871	1920	1960	2011	2061
		2113	2191	2351	2450	2502	2554	2606	2658	2707

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP3SP	Plastic Extreme Back	\$	1394	1438	1472	1508	1547	1589	1624	1667	1711
			1755	1822	1959	2044	2089	2133	2177	2222	2264
N30MP3SSP	Plastic Extreme Back, Seat Slide		1530	1574	1608	1644	1683	1725	1760	1803	1847
			1891	1958	2095	2180	2225	2269	2313	2358	2400
N30MP3SN	Plastic Extreme Back, Polished Aluminum		1544	1588	1622	1658	1697	1739	1774	1817	1861
			1905	1972	2109	2194	2239	2283	2327	2372	2414
N30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1680	1724	1758	1794	1833	1875	1910	1953	1997
			2041	2108	2245	2330	2375	2419	2463	2508	2550
N30MU3SP	Upholstered Back		1480	1531	1571	1613	1659	1708	1748	1799	1849
			1901	1979	2139	2238	2290	2342	2394	2446	2495
N30MU3SSP	Upholstered Back, Seat Slide		1615	1666	1706	1748	1794	1843	1883	1934	1984
			2036	2114	2274	2373	2425	2477	2529	2581	2630
N30MU3SN	Upholstered Back, Polished Aluminum		1629	1680	1720	1762	1808	1857	1897	1948	1998
			2050	2128	2288	2387	2439	2491	2543	2595	2644
N30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1764	1815	1855	1897	1943	1992	2032	2083	2133
			2185	2263	2423	2522	2574	2626	2678	2730	2779

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**MID BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP9SP	Plastic Extreme Back	\$	1245	1289	1323	1359	1398	1440	1475	1518	1562
			1606	1673	1810	1895	1940	1984	2028	2073	2115
N30MP9SSP	Plastic Extreme Back, Seat Slide		1379	1423	1457	1493	1532	1574	1609	1652	1696
			1740	1807	1944	2029	2074	2118	2162	2207	2249
N30MP9SN	Plastic Extreme Back, Polished Aluminum		1394	1438	1472	1508	1547	1589	1624	1667	1711
			1755	1822	1959	2044	2089	2133	2177	2222	2264
N30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1530	1574	1608	1644	1683	1725	1760	1803	1847
			1891	1958	2095	2180	2225	2269	2313	2358	2400
N30MU9SP	Upholstered Back		1330	1381	1421	1463	1509	1558	1598	1649	1699
			1751	1829	1989	2088	2140	2192	2244	2296	2345
N30MU9SSP	Upholstered Back, Seat Slide		1465	1516	1556	1598	1644	1693	1733	1784	1834
			1886	1964	2124	2223	2275	2327	2379	2431	2480
N30MU9SN	Upholstered Back, Polished Aluminum		1480	1531	1571	1613	1659	1708	1748	1799	1849
			1901	1979	2139	2238	2290	2342	2394	2446	2495
N30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1615	1666	1706	1748	1794	1843	1883	1934	1984
			2036	2114	2274	2373	2425	2477	2529	2581	2630

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP8SN	Plastic Extreme Back, Polished Aluminum	\$	1692	1736	1770	1806	1845	1887	1922	1965	2009
			2053	2120	2257	2342	2387	2431	2475	2520	2562
N30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1828	1872	1906	1942	1981	2023	2058	2101	2145
			2189	2256	2393	2478	2523	2567	2611	2656	2698
N30MU8SN	Upholstered Back, Polished Aluminum		1778	1829	1869	1911	1957	2006	2046	2097	2147
			2199	2277	2437	2536	2588	2640	2692	2744	2793
N30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1913	1964	2004	2046	2092	2141	2181	2232	2282
			2334	2412	2572	2671	2723	2775	2827	2879	2928

DIMENSIONS

Width	25½	Arm Height	26¼-31	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	22¼-24¼		
Height	39-43½	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30MP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP2SP	Plastic Extreme Back	\$ 1356	1400	1434	1470	1509	1551	1586	1629	1673
		1717	1784	1921	2006	2051	2095	2139	2184	2226
N30SP2SPG	Plastic Extreme Back, Glides	1356	1400	1434	1470	1509	1551	1586	1629	1673
		1717	1784	1921	2006	2051	2095	2139	2184	2226
N30SP2SN	Plastic Extreme Back, Polished Aluminum	1507	1551	1585	1621	1660	1702	1737	1780	1824
		1868	1935	2072	2157	2202	2246	2290	2335	2377
N30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides	1507	1551	1585	1621	1660	1702	1737	1780	1824
		1868	1935	2072	2157	2202	2246	2290	2335	2377
N30SU2SP	Upholstered Back	1480	1531	1571	1613	1659	1708	1748	1799	1849
		1901	1979	2139	2238	2290	2342	2394	2446	2495
N30SU2SPG	Upholstered Back, Glides	1480	1531	1571	1613	1659	1708	1748	1799	1849
		1901	1979	2139	2238	2290	2342	2394	2446	2495
N30SU2SN	Upholstered Back, Polished Aluminum	1629	1680	1720	1762	1808	1857	1897	1948	1998
		2050	2128	2288	2387	2439	2491	2543	2595	2644
N30SU2SNG	Upholstered Back, Polished Aluminum, Glides	1629	1680	1720	1762	1808	1857	1897	1948	1998
		2050	2128	2288	2387	2439	2491	2543	2595	2644

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38¾	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19%	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP3SP	Plastic Extreme Back	\$	1431	1475	1509	1545	1584	1626	1661	1704	1748
			1792	1859	1996	2081	2126	2170	2214	2259	2301
N30SP3SPG	Plastic Extreme Back, Glides		1431	1475	1509	1545	1584	1626	1661	1704	1748
			1792	1859	1996	2081	2126	2170	2214	2259	2301
N30SP3SN	Plastic Extreme Back, Polished Aluminum		1581	1625	1659	1695	1734	1776	1811	1854	1898
			1942	2009	2146	2231	2276	2320	2364	2409	2451
N30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1581	1625	1659	1695	1734	1776	1811	1854	1898
			1942	2009	2146	2231	2276	2320	2364	2409	2451
N30SU3SP	Upholstered Back		1556	1607	1647	1689	1735	1784	1824	1875	1925
			1977	2055	2215	2314	2366	2418	2470	2522	2571
N30SU3SPG	Upholstered Back, Glides		1556	1607	1647	1689	1735	1784	1824	1875	1925
			1977	2055	2215	2314	2366	2418	2470	2522	2571
N30SU3SN	Upholstered Back, Polished Aluminum		1704	1755	1795	1837	1883	1932	1972	2023	2073
			2125	2203	2363	2462	2514	2566	2618	2670	2719
N30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1704	1755	1795	1837	1883	1932	1972	2023	2073
			2125	2203	2363	2462	2514	2566	2618	2670	2719

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	18¼-20½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		


- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
STATIC ARMS**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP9SP	Plastic Extreme Back	\$ 1283	1327	1361	1397	1436	1478	1513	1556	1600
		1644	1711	1848	1933	1978	2022	2066	2111	2153
N30SP9SPG	Plastic Extreme Back, Glides	1283	1327	1361	1397	1436	1478	1513	1556	1600
		1644	1711	1848	1933	1978	2022	2066	2111	2153
N30SP9SN	Plastic Extreme Back, Polished Aluminum	1431	1475	1509	1545	1584	1626	1661	1704	1748
		1792	1859	1996	2081	2126	2170	2214	2259	2301
N30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides	1431	1475	1509	1545	1584	1626	1661	1704	1748
		1792	1859	1996	2081	2126	2170	2214	2259	2301
N30SU9SP	Upholstered Back	1406	1457	1497	1539	1585	1634	1674	1725	1775
		1827	1905	2065	2164	2216	2268	2320	2372	2421
N30SU9SPG	Upholstered Back, Glides	1406	1457	1497	1539	1585	1634	1674	1725	1775
		1827	1905	2065	2164	2216	2268	2320	2372	2421
N30SU9SN	Upholstered Back, Polished Aluminum	1556	1607	1647	1689	1735	1784	1824	1875	1925
		1977	2055	2215	2314	2366	2418	2470	2522	2571
N30SU9SNG	Upholstered Back, Polished Aluminum, Glides	1556	1607	1647	1689	1735	1784	1824	1875	1925
		1977	2055	2215	2314	2366	2418	2470	2522	2571

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	30-38	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¼		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled


LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

STOOL MID BACK UPHOLSTERED CONFERENCE ARMS



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP8SN	Plastic Extreme Back, Polished Aluminum	\$	1730	1774	1808	1844	1883	1925	1960	2003	2047
			2091	2158	2295	2380	2425	2469	2513	2558	2600
N30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1730	1774	1808	1844	1883	1925	1960	2003	2047
			2091	2158	2295	2380	2425	2469	2513	2558	2600
N30SU8SN	Upholstered Back, Polished Aluminum		1854	1905	1945	1987	2033	2082	2122	2173	2223
			2275	2353	2513	2612	2664	2716	2768	2820	2869
N30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1854	1905	1945	1987	2033	2082	2122	2173	2223
			2275	2353	2513	2612	2664	2716	2768	2820	2869

DIMENSIONS

Width	26½	Seat Height	21-28¼	Arm Height	29½-37½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	20½	Cubic Ft.	18.7
Height	42¼-53	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30SP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET	
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL		
N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN			0.80	1.00	1.20	2.10	16
N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN			1.30	1.50	2.10	3.40	26
N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10		18 16
N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN			1.50	1.80	2.60	4.40	30
N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10		18 18 16
N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG			1.20	1.50	2.20	3.00	24

LAVORO

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30MP2SPX, N30MP2SSPX						
N30MP2SNX, N30MP2SSNX						
N30MP3SPX, N30MP3SSPX						
N30MP3SNX, N30MP3SSNX						
N30MP9SPX, N30MP9SSPX						
N30MP9SNX, N30MP9SSNX						
N30MP8SNX, N30MP8SSNX						
N30SP2SPX, N30SP2SPGX						
N30SP2SNX, N30SP2SNGX						
N30SP3SPX, N30SP3SPGX						
N30SP3SNX, N30SP3SNGX						
N30SP9SPX, N30SP9SPGX						
N30SP9SNX, N30SP9SNGX	Back	0.80	0.90	1.40	1.90	16
N30SP8SNX, N30SP8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30MU2SP, N30MU2SSP						
N30MU2SN, N30MU2SSN						
N30MU3SP, N30MU3SSP						
N30MU3SN, N30MU3SSN						
N30MU9SP, N30MU9SSP						
N30MU9SN, N30MU9SSN						
N30MU8SN, N30MU8SSN						
N30SU2SP, N30SU2SPG						
N30SU2SN, N30SU2SNG						
N30SU3SP, N30SU3SPG						
N30SU3SN, N30SU3SNG						
N30SU9SP, N30SU9SPG						
N30SU9SN, N30SU9SNG						
N30SU8SN, N30SU8SNG		1.40	1.60	2.60	3.60	28
N30MU2SPX, N30MU2SSPX						
N30MU2SNX, N30MU2SSNX						
N30MU3SPX, N30MU3SSPX						
N30MU3SNX, N30MU3SSNX						
N30MU9SPX, N30MU9SSPX						
N30MU9SNX, N30MU9SSNX						
N30MU8SNX, N30MU8SSNX						
N30SU2SPX, N30SU2SPGX						
N30SU2SNX, N30SU2SNGX						
N30SU3SPX, N30SU3SPGX						
N30SU3SNX, N30SU3SNGX						
N30SU9SPX, N30SU9SPGX	Back	0.80	0.90	1.40	1.90	16
N30SU9SNX, N30SU9SNGX	Extreme Back	0.80	1.00	1.30	1.40	16
N30SU8SNX, N30SU8SNGX	Seat	0.80	1.00	1.20	2.10	16

LAVORO