
Acquaint

Product Specifications	28
Fabrics and Options	29
Contrasting Fabrics Specifications	30
Product Pages	31
COM Yardage Requirements	35

ACQUAINT

ACQUAINT PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Constructed of exterior beech with mortise and tenon joints that are securely glued for maximum joint stability
- Wall saving design feature on back legs
- Non-marring nylon glides

SEAT CONSTRUCTION

- 4" high grade polyurethane foam covers a plywood panel for added comfort and support
- Corner blocks screwed and glued in all 4 corners of the seat

BACK CONSTRUCTION (ALL MODELS)

- Features exterior rails and slats cut from beech wood

UPHOLSTERED BACK CONSTRUCTION

- ½" high grade polyurethane foam covers contoured panel for added support and comfort

ARMS

- Available with black protective polyurethane arm caps for added durability

EASY ACCESS CHAIR FOOT REST

- ¾" x 2¾" (19mm x 70mm) full length foot rest, solid wood (Beech)
- Anti-slip material applied to top face

CONTRASTING FABRICS


- All models available with contrasting fabric

FINISH

- A catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 35.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY


ACQUAINT

Half Upholstered page 31


Fully Upholstered Back page 32

Slat Back Upholstered Lumbar page 32

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number (when applicable)
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Extreme Lumbar Fabric Grade Number/Cover Number (when applicable)
6. Seat Fabric Grade Number/Cover Number
7. Finish Designator



N59BBX




N59JJX

Bariatric Half Upholstered page 33

Easy Access Chair Half Upholstered page 34

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish Designator



N59MMX




N59PPX

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

HALF UPHOLSTERED



N59AA



N59AAT



N59DD



N59AL

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59AA	Arms	\$	1448	1481	1507	1534	1563	1595	1621	1653	1686
			1719	1769	1872	1936	1969	2003	2036	2069	2101
N59AAT	Arms, Black Polyurethane Arm Caps		1584	1617	1643	1670	1699	1731	1757	1789	1822
			1855	1905	2008	2072	2105	2139	2172	2205	2237
N59DD	Arms, Exposed Wood Slats		1591	1624	1650	1677	1706	1738	1764	1796	1829
			1862	1912	2015	2079	2112	2146	2179	2212	2244
N59DDT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps		1722	1755	1781	1808	1837	1869	1895	1927	1960
			1993	2043	2146	2210	2243	2277	2310	2343	2375
N59AL	Armless		1395	1428	1454	1481	1510	1542	1568	1600	1633
			1666	1716	1819	1883	1916	1950	1983	2016	2048
N59DL	Armless, Exposed Wood Slats		1538	1571	1597	1624	1653	1685	1711	1743	1776
			1809	1859	1962	2026	2059	2093	2126	2159	2191

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	33
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

• Contrasting fabric option – specify X (i.e., N59AAX); see page 30. For list pricing, use your electronic specification tool or contact customer service

ACQUAINT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

FULLY UPHOLSTERED BACK

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES



N59BB



N59BBT



N59JJ



N59BL

			ALLIANCE PROGRAM PRICE GRADES									
			A	B	C	D	E	F	G	H	I	
			J	K	L	M	N	O	P	Q	R	
N59BB	Arms	\$	1546	1590	1624	1660	1699	1741	1776	1819	1863	
			1907	1974	2111	2196	2241	2285	2329	2374	2416	
N59BBT	Arms, Black Polyurethane Arm Caps		1675	1719	1753	1789	1828	1870	1905	1948	1992	
			2036	2103	2240	2325	2370	2414	2458	2503	2545	
N59JJ	Arms, Exposed Wood Slats		1682	1723	1753	1786	1823	1861	1893	1933	1972	
			2013	2075	2200	2278	2319	2360	2400	2441	2479	
N59JJT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps		1816	1857	1887	1920	1957	1995	2027	2067	2106	
			2147	2209	2334	2412	2453	2494	2534	2575	2613	
N59BL	Armless		1494	1538	1572	1608	1647	1689	1724	1767	1811	
			1855	1922	2059	2144	2189	2233	2277	2322	2364	
N59JL	Armless, Exposed Wood Slats		1626	1667	1697	1730	1767	1805	1837	1877	1916	
			1957	2019	2144	2222	2263	2304	2344	2385	2423	

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	36
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	35
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

- Contrasting fabric option – specify X (i.e., N59BBX); see page 30. For list pricing, use your electronic specification tool or contact customer service

SLAT BACK UPHOLSTERED LUMBAR



N59HH



N59HHT



N59HL

			ALLIANCE PROGRAM PRICE GRADES									
			A	B	C	D	E	F	G	H	I	
			J	K	L	M	N	O	P	Q	R	
N59HH	Arms	\$	1644	1677	1703	1730	1759	1791	1817	1849	1882	
			1915	1965	2068	2132	2165	2199	2232	2265	2297	
N59HHT	Arms, Black Polyurethane Arm Caps		1775	1808	1834	1861	1890	1922	1948	1980	2013	
			2046	2096	2199	2263	2296	2330	2363	2396	2428	
N59HL	Armless		1591	1624	1650	1677	1706	1738	1764	1796	1829	
			1862	1912	2015	2079	2112	2146	2179	2212	2244	

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	31
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5


- Contrasting fabric option – specify X (i.e., N59HHX); see page 30. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

SLAT BACK



N59CC



N59CCT



N59CL

MODEL NO.


ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N59CC	Arms	\$ 1555	1588	1614	1641	1670	1702	1728	1760	1793
		1826	1876	1979	2043	2076	2110	2143	2176	2208
N59CCT	Arms, Black Polyurethane Arm Caps	1690	1723	1749	1776	1805	1837	1863	1895	1928
		1961	2011	2114	2178	2211	2245	2278	2311	2343
N59CL	Armless	1502	1535	1561	1588	1617	1649	1675	1707	1740
		1773	1823	1926	1990	2023	2057	2090	2123	2155


DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	33
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	32
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5


BARIATRIC HALF UPHOLSTERED



N59MM



N59MMT



N59PP

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N59MM		\$ 2544	2599	2641	2686	2736	2788	2832	2886	2940
		2995	3079	3250	3357	3412	3468	3523	3579	3631
N59MMT	Black Polyurethane Arm Caps	2677	2732	2774	2819	2869	2921	2965	3019	3073
		3128	3212	3383	3490	3545	3601	3656	3712	3764
N59PP	Exposed Wood Slats	2671	2722	2762	2804	2850	2899	2939	2990	3040
		3092	3170	3330	3429	3481	3533	3585	3637	3686
N59PPT	Exposed Wood Slats/ Black Polyurethane Arm Caps	2807	2858	2898	2940	2986	3035	3075	3126	3176
		3228	3306	3466	3565	3617	3669	3721	3773	3822

DIMENSIONS

Width	35	Seat Height	18½	Arm Height	27	Weight	47
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

- Contrasting fabric option – specify X (i.e., N59MMX); see page 30. For list pricing, use your electronic specification tool or contact customer service
- Meets 500 lb. weight load

ACQUAINT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 29 for Acquaint options
- See page 35 for COM fabric yardage

BARIATRIC SLAT BACK



N59KK



N59KKT

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES


			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59KK		\$	2585	2618	2644	2671	2700	2732	2758	2790	2823
			2856	2906	3009	3073	3106	3140	3173	3206	3238
N59KKT	Black Polyurethane Arm Caps		2718	2751	2777	2804	2833	2865	2891	2923	2956
			2989	3039	3142	3206	3239	3273	3306	3339	3371

DIMENSIONS

Width	35	Seat Height	18½	Arm Height	27	Weight	45
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

- Meets 500 lb. weight load

EASY ACCESS CHAIR HALF UPHOLSTERED



N59HAA



N59HAAT

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59HAA	Arms	\$	1995	2028	2054	2081	2110	2142	2168	2200	2233
			2266	2316	2419	2483	2516	2550	2583	2616	2648
N59HAAT	Arms, Black Polyurethane Arm Caps		2125	2158	2184	2211	2240	2272	2298	2330	2363
			2396	2446	2549	2613	2646	2680	2713	2746	2778

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¼	Weight	40
Depth	25½	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20% ₁₆	Cubic Ft.	18.4
Height	40	Seat Width	20¼	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

- Contrasting fabric option – specify X (i.e., N59HAAX); see page 30. For list pricing, use your electronic specification tool or contact customer service

EASY ACCESS CHAIR SLAT BACK



N59HCC



N59HCCT

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N59HCC	Arms	\$	2063	2096	2122	2149	2178	2210	2236	2268	2301
			2334	2384	2487	2551	2584	2618	2651	2684	2716
N59HCCT	Arms, Black Polyurethane Arm Caps		2194	2227	2253	2280	2309	2341	2367	2399	2432
			2465	2515	2618	2682	2715	2749	2782	2815	2847

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¼	Weight	40
Depth	25½	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20% ₁₆	Cubic Ft.	18.4
Height	40	Seat Width	20¼	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N59AA, N59AAT, N59AL		0.90	1.40	1.60	2.40	18
N59BB, N59BBT, N59BL		1.20	1.60	1.90	3.40	24
N59CC, N59CCT, N59CL		0.90	1.10	1.20	1.10	18
N59DD, N59DDT, N59DL		0.90	1.30	1.50	1.90	18
N59HAA, N59HAAT		0.90	1.40	1.60	2.40	18
N59HCC, N59HCCT		0.90	1.10	1.20	1.10	18
N59HH, N59HHT, N59HL		0.90	1.40	1.60	2.40	18
N59JJ, N59JJT, N59JL		1.10	1.60	1.80	2.90	22
N59KK, N59KKT		0.90	1.00	1.20	1.50	18
N59MM, N59MMT		1.50	1.60	2.10	2.30	30
N59PP, N59PPT		1.40	1.50	1.70	2.20	28
N59AAX, N59HAAX	Back	0.40	0.60	0.70	0.90	2.6
N59AATX, N59HAATX	Extreme	0.40	0.60	0.70	0.90	2.6
N59ALX	Seat	0.90	1.10	1.20	1.10	18
N59BBX	Back	0.40	0.60	0.70	0.90	2.6
N59BBTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59BLX	Extreme Back	0.40	0.60	0.70	0.90	2.6
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59DDX	Back	0.40	0.60	0.70	0.90	2.6
N59DDTX	Extreme Back	0.30	0.40	0.60	0.80	1.5
N59DLX	Seat	0.90	1.10	1.20	1.10	18
N59HHX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59HHTX	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
N59HLX	Seat	0.90	1.10	1.20	1.10	18
N59JJX	Back	0.40	0.60	0.70	0.90	2.6
N59JJTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59JLX	Extreme Back	0.30	0.40	0.60	0.80	1.5
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59MMX	Back	0.40	0.50	0.60	0.90	4
N59MMTX	Extreme Back	0.40	0.50	0.60	0.90	4
	Seat	0.90	1.00	1.10	1.40	18
N59PPX	Back	0.40	0.50	0.60	0.90	4
N59PPTX	Extreme Back	0.20	0.30	0.50	0.70	2.5
	Seat	0.90	1.00	1.10	1.40	18

ACQUAINT

