
Toss Accent Pillows and Floor Pillows

ACCENT PILLOWS	
Product Specifications	658
Fabrics and Options	659
Contrasting Fabrics Specifications	660
Product Pages	661
FLOOR PILLOWS	
Product Specifications	663
Fabrics and Options	664
Contrasting Fabrics Specifications	665
Product Pages	666
COM YARDAGE REQUIREMENTS	667

TOSS

TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION

SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

RELAXED TOSS PILLOWS

- Relaxed pillow insert has a light, soft fill that is blended from poly fibers, providing a more relaxed pillow aesthetic. It's a perfect complement to our residentially inspired lounge collection, Collette

CLASSIC TOSS PILLOWS

- Classic pillow insert has a heavier, firm fill that is blended from poly fibers, providing a more structured pillow aesthetic for commercial environments

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting fabric available on all models



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 667.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FILL INSERT

- F1 Classic
- F2 Relaxed


*Not available on bolster

TO ORDER CONTRASTING FABRIC, SPECIFY

TOSS ACCENT PILLOWS



Bolster page 661

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number





Square Pillow page 661

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number



Rectangle Pillow page 662

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number



TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert (Not Available on Bolster)
3. Fabric Grade/Color

- See page 659 for Toss Accent Pillows options
- See pages 667-668 for COM fabric yardage

BOLSTER

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES




			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PBL1806	18x6 Bolster	\$	255	278	294	312	332	353	371	392	414
			436	470	538	581	603	625	647	669	690
N10PBL1806P	18x6 Bolster with Piping		295	321	341	362	385	409	430	455	480
			506	545	625	675	701	727	752	778	803

Weight 3.5
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PBL1806X); see page 660. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow

SQUARE PILLOW



			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PSQ1414	14x14	\$	202	225	242	260	280	301	319	341	363
			386	420	489	533	555	578	600	623	644
N10PSQ1414B	14x14 Button		236	259	276	294	314	335	353	375	397
			420	454	523	567	589	612	634	657	678
N10PSQ1414P	14x14 Piping		270	296	316	337	360	384	405	430	455
			481	520	600	650	676	702	727	753	778
N10PSQ1414BP	14x14 Button and Piping		287	313	333	354	377	401	422	447	472
			498	537	617	667	693	719	744	770	795
N10PSQ1616	16x16	\$	245	271	291	312	335	359	380	405	430
			456	495	575	625	651	677	702	728	753
N10PSQ1616B	16x16 Button		278	304	324	345	368	392	413	438	463
			489	528	608	658	684	710	735	761	786
N10PSQ1616P	16x16 Piping		310	338	359	382	406	433	454	481	508
			536	578	664	717	745	772	800	828	854
N10PSQ1616BP	16x16 Button and Piping		329	357	378	401	425	452	473	500	527
			555	597	683	736	764	791	819	847	873
N10PSQ1818	18x18	\$	285	313	334	357	381	408	429	456	483
			511	553	639	692	720	747	775	803	829
N10PSQ1818B	18x18 Button		317	345	366	389	413	440	461	488	515
			543	585	671	724	752	779	807	835	861
N10PSQ1818P	18x18 Piping		350	380	402	426	453	481	504	533	561
			591	636	727	784	813	843	873	902	930
N10PSQ1818BP	18x18 Button and Piping		368	398	420	444	471	499	522	551	579
			609	654	745	802	831	861	891	920	948

14" Weight 3.5
16" Weight 3.75
18" Weight 4.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PSQ1414X); see page 660. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Fabric Grade/Color

- See page 659 for Toss Accent Pillows options
- See pages 667-668 for COM fabric yardage


RECTANGLE PILLOW

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES




Standard Model



Stripe Center



Stripe Left Side with Piping (as seated)



Stripe Right Side with Piping (as seated)

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PRT1508	15x8	\$	207	221	233	245	258	272	283	298	312
			327	349	395	423	438	453	468	483	497
N10PRT1508L	15x8 Stripe Left		224	238	250	262	275	289	300	315	329
			344	366	412	440	455	470	485	500	514
N10PRT1508R	15x8 Stripe Right		224	238	250	262	275	289	300	315	329
			344	366	412	440	455	470	485	500	514
N10PRT1508C	15x8 Stripe Center		224	238	250	262	275	289	300	315	329
			344	366	412	440	455	470	485	500	514
N10PRT1508P	15x8 Piping		243	261	275	290	307	324	339	357	375
			393	421	478	514	532	551	569	588	605
N10PRT1508LP	15x8 Piping and Stripe Left		259	277	291	306	323	340	355	373	391
			409	437	494	530	548	567	585	604	621
N10PRT1508RP	15x8 Piping and Stripe Right		259	277	291	306	323	340	355	373	391
			409	437	494	530	548	567	585	604	621
N10PRT1508CP	15x8 Piping and Stripe Center		259	277	291	306	323	340	355	373	391
			409	437	494	530	548	567	585	604	621

Weight 3.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PRT1508X); see page 660. For list pricing, use your electronic specification tool or contact customer service
- Right and left models are as seated
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS FLOOR PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION


- Features an 8½" steel spring coil pack enveloped by a high grade polyurethane foam
- Black upholstered bottom

UPHOLSTERY DETAILS

- Comfort wrinkles on the seat are an inherent part of the design
- Contrasting fabric available on all models

HANDLE

- Available in 4 Florence leather colors: Almond Biscotti, Terra, Mezza Luna, Struzzo



TOSS FLOOR PILLOWS

SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 667.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:


Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

LEATHER HANDLE OPTIONS

82002	Florence Almond Biscotti
82006	Florence Terra
82008	Florence Mezza Luna
82009	Florence Struzzo

TOSS FLOOR PILLOWS
Floor Pillows page 666

1. Model Number plus "X"
2. Seat Upholstery Fabric Grade Number/Cover Number
3. Upholstery Fabric Grade Number/Cover Number
4. Piping Fabric Grade Number/Cover Number
5. Handle Color




TOSS FLOOR PILLOWS

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Handle Color

- See page 664 for Toss Floor Pillows options
- See pages 667-668 for COM fabric yardage

FLOOR PILLOWS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10FPSQ2424	24x24	\$	658	709	749	791	837	886	926	977	1027
			1079	1157	1317	1416	1468	1520	1572	1624	1673
N10FPSQ3030	30x30		813	894	956	1022	1094	1171	1235	1314	1394
			1475	1598	1849	2005	2087	2168	2249	2331	2408
N10FPSQ3636	36x36		968	1056	1124	1196	1275	1359	1428	1515	1601
			1690	1824	2098	2268	2357	2446	2535	2624	2708

	Weight	Cubic Feet
24x24	8.3	3.0
30x30	12	4.5
36x36	17.3	6.5

- Contrasting fabric option – specify X (i.e., N10FPSQ2424X); see page 665. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10FPSQ2424		1.40	3.00	4.30	6.00	27.7
N10FPSQ2424X	Seat	0.90	1.00	1.50	1.50	16.1
	Upholstery	0.90	2.00	3.30	5.30	16.7
N10FPSQ3030		2.20	3.00	4.30	6.00	43.2
N10FPSQ3030X	Seat	1.00	1.30	1.50	1.50	20.0
	Upholstery	1.40	2.00	3.30	5.30	26.6
N10FPSQ3636		2.40	3.00	4.30	7.30	47.6
N10FPSQ3636X	Seat	1.20	1.30	1.50	2.30	23.3
	Upholstery	1.40	2.00	3.30	5.80	26.6
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1

TOSS

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX,	Upholstery	0.40	0.50	0.60	0.80	4
N10PRT1508RPX,	Back	0.40	0.50	0.60	0.80	4
N10PRT1508CPX	Accent	0.40	0.50	0.60	0.80	4
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3

TOSS