
Twill

Product Specifications	678
Fabrics and Options	679
Product Pages	680
COM Yardage Requirements	681

TWILL

TWILL PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Kiln-dried European beech frame

SEAT CONSTRUCTION

- Clean out
- Moisture barrier is available on the seat or seat and inside back; upcharge applies

ARMS

- Curved, open arms with radiused edges

CONTRASTING FABRIC

- Contrasting fabric available on inside and outside back, seat, and seat panel

LEGS

- Wall saver



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer specified laminate (CSL)
- Customer specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 681.

The yardage requirement for each model is based on 54" wide fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

WOOD FINISHES

AD	Almond
MC	Amber
IM	Brighton
CO	Canyon
CC	Cordoba
DF	Driftwood
ES	Espresso
TM	Huntington
MW	Midtown
MH	Mocha
YO	Monterey
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
NW	Tuscan
UW	Urban

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match. Contact Customer Service for more information.

MOISTURE BARRIER

X	None
MB1	Seat (\$116 upcharge)
MB2	Inside back and seat (\$203 upcharge)


TWILL

TO ORDER, SPECIFY:


1. Model Number
2. Back Fabric Grade
3. Back Fabric Number
4. Seat Fabric Grade
5. Seat Fabric Number
6. Wood Finish Price Group
7. Wood Finish Designator
8. Moisture Barrier

- See page 679 for Twill options
- See page 681 for COM fabric yardage

GUEST SEATING



Chair



Settee

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
KA2G1UOACO	Chair	\$	1674	1734	1781	1829	1878	1937	1973	2036	2089
			2146	2236	2416	2528	2553	2574	2603	2630	2753
KA2G2UOACO	Settee		2648	2795	2910	3025	3145	3287	3374	3527	3658
			3794	4013	4450	4722	4783	4832	4903	4969	5268

DIMENSIONS - CHAIR


Width	24	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	60
Depth	27 $\frac{3}{16}$	Seat Depth	19 $\frac{1}{2}$			Cubic Ft.	12.70
Height	33 $\frac{3}{4}$	Seat Width	21				

DIMENSIONS - SETTEE


Width	48	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	87
Depth	27 $\frac{3}{16}$	Seat Depth	19 $\frac{1}{2}$			Cubic Ft.	25.30
Height	33 $\frac{3}{4}$	Seat Width	45				

- Kiln-dried European beech frame
- Wall saver legs
- Curved, open arms with radiused edges
- Clean out
- Moisture barrier on the seat or seat and inside back

CHAIRS



Patient



Bariatric

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
KA2P1UOACO	Patient Chair	\$	1788	1856	1908	1961	2016	2081	2121	2192	2252
			2314	2416	2616	2741	2769	2792	2824	2854	2992
KA2BA1UOACO	Bariatric Chair		2289	2363	2422	2480	2541	2614	2658	2736	2803
			2872	2983	3206	3345	3375	3401	3437	3470	3623

DIMENSIONS - PATIENT CHAIR

Width	24	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	58
Depth	27 $\frac{3}{16}$	Seat Depth	19 $\frac{1}{2}$			Cubic Ft.	16.10
Height	43	Seat Width	21				

DIMENSIONS - BARIATRIC CHAIR

Width	32	Seat Height	18 $\frac{3}{4}$	Arm Height	27	Weight	80
Depth	27 $\frac{3}{16}$	Seat Depth	19 $\frac{1}{2}$			Cubic Ft.	16.90
Height	34 $\frac{3}{8}$	Seat Width	29				

- Kiln-dried European beech frame
- Wall saver legs
- Curved, open arms with radiused edges
- Clean out
- Moisture barrier on the seat or seat and inside back

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
KA2G1UOACO	Entire Unit	1.70	2.30	3.60	4.00	34.3
	Back	1.40	1.70	1.80	2.00	28.2
	Seat	1.10	2.20	2.30	3.00	22.7
KA2G2UOACO	Entire Unit	3.10	3.40	3.80	4.70	60.9
	Back	1.80	2.00	2.40	2.90	36.5
	Seat	1.60	2.00	2.30	3.20	31.5
KA2P1UOACO	Entire Unit	2.00	2.50	4.00	5.00	39.8
	Back	1.80	2.00	2.30	2.70	35.4
	Seat	1.10	1.50	2.30	3.00	22.7
KA2BA1UOACO	Entire Unit	2.70	3.20	3.50	4.20	54.2
	Back	1.40	1.50	1.90	2.00	28.2
	Seat	1.40	1.90	2.30	3.00	27.7

TWILL

