
Toss Accent Pillows and Floor Pillows

ACCENT PILLOWS	
Product Specifications	652
Fabrics and Options	653
Contrasting Fabrics Specifications	654
Product Pages	655
FLOOR PILLOWS	
Product Specifications	657
Fabrics and Options	658
Contrasting Fabrics Specifications	659
Product Pages	660
COM YARDAGE REQUIREMENTS	661



TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION

SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

RELAXED TOSS PILLOWS

- Relaxed pillow insert has a light, soft fill that is blended from poly fibers, providing a more relaxed pillow aesthetic. It's a perfect complement to our residentially inspired lounge collection, Collette

CLASSIC TOSS PILLOWS

- Classic pillow insert has a heavier, firm fill that is blended from poly fibers, providing a more structured pillow aesthetic for commercial environments

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting fabric available on all models



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 661.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FILL INSERT

- F1 Classic
- F2 Relaxed


*Not available on bolster

TO ORDER CONTRASTING FABRIC, SPECIFY

TOSS ACCENT PILLOWS



Bolster page 655

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number




Square Pillow page 655

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number



Rectangle Pillow page 656

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number




TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert (Not Available on Bolster)
3. Fabric Grade/Color

- See page 653 for Toss Accent Pillows options
- See pages 661-662 for COM fabric yardage

BOLSTER



MODEL NO.


ALLIANCE PROGRAM PRICE GRADES

				A	B	C	D	E	F	G	H	I
				J	K	L	M	N	O	P	Q	R
N10PBL1806	18x6 Bolster	\$		202	220	233	247	263	280	293	310	328
				344	371	425	459	476	494	512	529	546
N10PBL1806P	18x6 Bolster with Piping			234	254	270	286	305	324	340	360	380
				400	431	494	534	554	575	595	615	635

Weight 3.5
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PBL1806X); see page 654. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow

SQUARE PILLOW



				A	B	C	D	E	F	G	H	I
				J	K	L	M	N	O	P	Q	R
N10PSQ1414	14x14	\$		160	177	191	205	221	238	252	269	287
				304	332	387	421	438	457	474	492	509
N10PSQ1414B	14x14 Button			187	204	218	232	248	265	279	296	314
				331	359	414	448	465	484	501	519	536
N10PSQ1414P	14x14 Piping			214	234	250	266	285	304	320	340	360
				380	411	474	514	534	555	575	595	615
N10PSQ1414BP	14x14 Button and Piping			228	248	264	280	299	318	334	354	374
				394	425	488	528	548	569	589	609	629
N10PSQ1616	16x16	\$		194	214	230	246	265	284	300	320	340
				360	391	454	494	514	535	555	575	595
N10PSQ1616B	16x16 Button			220	240	256	272	291	310	326	346	366
				386	417	480	520	540	561	581	601	621
N10PSQ1616P	16x16 Piping			245	267	284	302	321	342	359	380	402
				423	457	524	566	588	611	632	654	675
N10PSQ1616BP	16x16 Button and Piping			260	282	299	317	336	357	374	395	417
				438	472	539	581	603	626	647	669	690
N10PSQ1818	18x18	\$		225	247	264	282	301	322	339	360	382
				403	437	504	546	568	591	612	634	655
N10PSQ1818B	18x18 Button			251	273	290	308	327	348	365	386	408
				429	463	530	572	594	617	638	660	681
N10PSQ1818P	18x18 Piping			277	300	317	337	357	380	397	421	444
				466	502	574	619	642	666	689	713	735
N10PSQ1818BP	18x18 Button and Piping			292	315	332	352	372	395	412	436	459
				481	517	589	634	657	681	704	728	750

14" Weight 3.5
16" Weight 3.75
18" Weight 4.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PSQ1414X); see page 654. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Fabric Grade/Color

- See page 653 for Toss Accent Pillows options
- See pages 661-662 for COM fabric yardage


RECTANGLE PILLOW

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES




Standard Model



Stripe Center



Stripe Left Side with Piping (as seated)



Stripe Right Side with Piping (as seated)

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PRT1508	15x8	\$	163	174	183	193	203	214	223	235	246
			258	276	312	334	346	358	369	381	392
N10PRT1508L	15x8 Stripe Left		177	188	197	207	217	228	237	249	260
			272	290	326	348	360	372	383	395	406
N10PRT1508R	15x8 Stripe Right		177	188	197	207	217	228	237	249	260
			272	290	326	348	360	372	383	395	406
N10PRT1508C	15x8 Stripe Center		177	188	197	207	217	228	237	249	260
			272	290	326	348	360	372	383	395	406
N10PRT1508P	15x8 Piping		193	207	218	230	243	257	268	283	297
			311	334	379	407	421	436	451	465	479
N10PRT1508LP	15x8 Piping and Stripe Left		205	219	230	242	255	269	280	295	309
			323	346	391	419	433	448	463	477	491
N10PRT1508RP	15x8 Piping and Stripe Right		205	219	230	242	255	269	280	295	309
			323	346	391	419	433	448	463	477	491
N10PRT1508CP	15x8 Piping and Stripe Center		205	219	230	242	255	269	280	295	309
			323	346	391	419	433	448	463	477	491

Weight 3.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PRT1508X); see page 654. For list pricing, use your electronic specification tool or contact customer service
- Right and left models are as seated
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS FLOOR PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION


- Features an 8½" steel spring coil pack enveloped by a high grade polyurethane foam
- Black upholstered bottom

UPHOLSTERY DETAILS

- Comfort wrinkles on the seat are an inherent part of the design
- Contrasting fabric available on all models

HANDLE

- Available in 4 Florence leather colors: Almond Biscotti, Terra, Mezza Luna, Struzzo



TOSS FLOOR PILLOWS

SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 661.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:


Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

LEATHER HANDLE OPTIONS

82002	Florence Almond Biscotti
82006	Florence Terra
82008	Florence Mezza Luna
82009	Florence Struzzo

TOSS FLOOR PILLOWS
Floor Pillows page 660

1. Model Number plus "X"
2. Seat Upholstery Fabric Grade Number/Cover Number
3. Upholstery Fabric Grade Number/Cover Number
4. Piping Fabric Grade Number/Cover Number
5. Handle Color




TOSS FLOOR PILLOWS

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Handle Color

- See page 658 for Toss Floor Pillows options
- See pages 661-662 for COM fabric yardage

FLOOR PILLOWS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10FPSQ2424	24x24	\$	521	561	592	626	662	701	732	773	813
			853	916	1042	1120	1161	1203	1243	1284	1323
N10FPSQ3030	30x30		643	707	756	808	866	927	976	1039	1103
			1165	1264	1462	1585	1649	1715	1779	1842	1904
N10FPSQ3636	36x36		766	835	888	946	1008	1075	1128	1198	1267
			1335	1443	1659	1793	1863	1935	2004	2074	2141

	Weight	Cubic Feet
24x24	8.3	3.0
30x30	12	4.5
36x36	17.3	6.5

- Contrasting fabric option – specify X (i.e., N10FPSQ2424X); see page 659. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10FPSQ2424		1.40	3.00	4.30	6.00	27.7
N10FPSQ2424X	Seat	0.90	1.00	1.50	1.50	16.1
	Upholstery	0.90	2.00	3.30	5.30	16.7
N10FPSQ3030		2.20	3.00	4.30	6.00	43.2
N10FPSQ3030X	Seat	1.00	1.30	1.50	1.50	20.0
	Upholstery	1.40	2.00	3.30	5.30	26.6
N10FPSQ3636		2.40	3.00	4.30	7.30	47.6
N10FPSQ3636X	Seat	1.20	1.30	1.50	2.30	23.3
	Upholstery	1.40	2.00	3.30	5.80	26.6
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1

TSSS

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX,	Upholstery	0.40	0.50	0.60	0.80	4
N10PRT1508RPX,	Back	0.40	0.50	0.60	0.80	4
N10PRT1508CPX	Accent	0.40	0.50	0.60	0.80	4
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3