
Lavoro

Product Specifications	382
Fabrics and Options	383
Contrasting Fabrics Specifications	384
Product Pages	385
COM Yardage Requirements	401

LAVORO PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

GUEST MODELS

- Legs and cross members are made of 1" tubular steel
- Available in polished aluminum or Cinder powder coat

SEAT CONSTRUCTION

TASK MODELS

- 2½" of high grade polyurethane foam covers a contoured injection molded seat panel

GUEST MODELS

- 1½" of high grade polyurethane foam covers an injection molded seat panel

BACK CONSTRUCTION

TASK MODELS

- Injection molded polypropylene outer shell
- Injection molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Upholstered back features 1" of custom molded foam

GUEST MODELS

- Injection molded polypropylene inner and outer back panels
- Upholstered back features 1" of custom molded foam

BACK REST (UPHOLSTERED BACK MODELS)

- Back height can be adjusted by simply lifting up on the back of upholstered back models
- The range of adjustment is approximately 3"

MESH

- 100% polypropylene
- Cleaning code: W
- 100,000+ double rubs

LUMBAR (MESH BACK MODELS)

- Lumbar on mesh back adjusts approximately 2¼" by simply lifting and lowering the lumbar pad
- Cannot be field installed to non-lumbar models

ARMS

- Encased uprights are made of reinforced nylon or polished aluminum
- Height adjustable arms adjust in height with a push button to 1 of 8 positions within a 3" range
- Arms with width adjustment allow arms to adjust within a 2½" range
- Arms with depth adjustment allows arm pad to adjust within a 2" range
- Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONFERENCE ARMS

- Die cast polished aluminum
- Arm pads are soft black polyurethane

CONTROL MECHANISM

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in infinite position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2¼" range

BASE AND CASTERS



- Features a 5-prong black glass filled nylon base or a polished cast aluminum base
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

GLIDE

- Durable hard black nylon glides are standard
- Soft glides are available for an upcharge

GUEST STACKING

- Plastic seat models can be stacked up to 4 high
- Stacking upholstered seat models is not recommended



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 401.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

CASTERS

ALL MODELS

- C3 Hard (standard)
- C4 Soft (add \$29 list)

GLIDES

FOR TASK STOOL MODELS

- C54 Hard (standard)
- C55 Soft (add \$29 list)

FOR GUEST MODELS

- C53 Hard (standard)
- C52 Soft (add \$29 list)

PACK

- KD Tool-less Knock Down – back, seat, and arms attached
- FA Fully Assembled (add \$90 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

LAVORO

High Back Upholstered Height, Arm Cap Depth page 389

High Back Upholstered Height, Width, Arm Cap Depth page 390

High Back Upholstered Static Arms page 391

High Back Upholstered Conference Arms page 392

Mid Back Upholstered Height, Arm Cap Depth page 393

Mid Back Upholstered Height, Width, Arm Cap Depth page 394

Mid Back Upholstered Static Arms page 395

Mid Back Upholstered Conference Arms page 396

1. Model Number plus "X"
2. Pack
3. Back Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Seat Fabric Grade Number/Cover Number
6. Caster or Glide




Contrasting Fabric

Stool Mid Back Upholstered Height, Width, Arm Cap Depth page 398


Stool Mid Back Upholstered Static Arms page 399

Stool Mid Back Upholstered Conference Arms page 400

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Caster or Glide



Contrasting Fabric
Front View



Back View

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
MESH
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM2SP		\$ 937	960	977	997	1017	1040	1057	1081	1104
		1126	1162	1234	1279	1302	1326	1349	1373	1395
N30HML2SP	Lumbar	1024	1047	1064	1084	1104	1127	1144	1168	1191
		1213	1249	1321	1366	1389	1413	1436	1460	1482
N30HM2SSP	Seat Slide	1043	1066	1083	1103	1123	1146	1163	1187	1210
		1232	1268	1340	1385	1408	1432	1455	1479	1501
N30HML2SSP	Lumbar, Seat Slide	1130	1153	1170	1190	1210	1233	1250	1274	1297
		1319	1355	1427	1472	1495	1519	1542	1566	1588
N30HM2SN	Polished Aluminum	1054	1077	1094	1114	1134	1157	1174	1198	1221
		1243	1279	1351	1396	1419	1443	1466	1490	1512
N30HML2SN	Lumbar, Polished Aluminum	1142	1165	1182	1202	1222	1245	1262	1286	1309
		1331	1367	1439	1484	1507	1531	1554	1578	1600
N30HM2SSN	Seat Slide, Polished Aluminum	1162	1185	1202	1222	1242	1265	1282	1306	1329
		1351	1387	1459	1504	1527	1551	1574	1598	1620
N30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1249	1272	1289	1309	1329	1352	1369	1393	1416
		1438	1474	1546	1591	1614	1638	1661	1685	1707

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK MESH HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM3SP	\$	996	1019	1036	1056	1076	1099	1116	1140	1163
		1185	1221	1293	1338	1361	1385	1408	1432	1454
N30HML3SP	Lumbar	1084	1107	1124	1144	1164	1187	1204	1228	1251
		1273	1309	1381	1426	1449	1473	1496	1520	1542
N30HM3SSP	Seat Slide	1101	1124	1141	1161	1181	1204	1221	1245	1268
		1290	1326	1398	1443	1466	1490	1513	1537	1559
N30HML3SSP	Lumbar, Seat Slide	1191	1214	1231	1251	1271	1294	1311	1335	1358
		1380	1416	1488	1533	1556	1580	1603	1627	1649
N30HM3SN	Polished Aluminum	1113	1136	1153	1173	1193	1216	1233	1257	1280
		1302	1338	1410	1455	1478	1502	1525	1549	1571
N30HML3SN	Lumbar, Polished Aluminum	1202	1225	1242	1262	1282	1305	1322	1346	1369
		1391	1427	1499	1544	1567	1591	1614	1638	1660
N30HM3SSN	Seat Slide, Polished Aluminum	1219	1242	1259	1279	1299	1322	1339	1363	1386
		1408	1444	1516	1561	1584	1608	1631	1655	1677
N30HML3SSN	Lumbar, Seat Slide, Polished Aluminum	1310	1333	1350	1370	1390	1413	1430	1454	1477
		1499	1535	1607	1652	1675	1699	1722	1746	1768

DIMENSIONS

Width	28¼	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
MESH
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM9SP		\$ 878	901	918	938	958	981	998	1022	1045
		1067	1103	1175	1220	1243	1267	1290	1314	1336
N30HML9SP	Lumbar	966	989	1006	1026	1046	1069	1086	1110	1133
		1155	1191	1263	1308	1331	1355	1378	1402	1424
N30HM9SSP	Seat Slide	983	1006	1023	1043	1063	1086	1103	1127	1150
		1172	1208	1280	1325	1348	1372	1395	1419	1441
N30HML9SSP	Lumbar, Seat Slide	1072	1095	1112	1132	1152	1175	1192	1216	1239
		1261	1297	1369	1414	1437	1461	1484	1508	1530
N30HM9SN	Polished Aluminum	996	1019	1036	1056	1076	1099	1116	1140	1163
		1185	1221	1293	1338	1361	1385	1408	1432	1454
N30HML9SN	Lumbar, Polished Aluminum	1084	1107	1124	1144	1164	1187	1204	1228	1251
		1273	1309	1381	1426	1449	1473	1496	1520	1542
N30HM9SSN	Seat Slide, Polished Aluminum	1101	1124	1141	1161	1181	1204	1221	1245	1268
		1290	1326	1398	1443	1466	1490	1513	1537	1559
N30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1191	1214	1231	1251	1271	1294	1311	1335	1358
		1380	1416	1488	1533	1556	1580	1603	1627	1649

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

• All height measurements for polished aluminum base models are ½" less than shown above

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK MESH CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM8SN	Polished Aluminum	\$	1232	1255	1272	1292	1312	1335	1352	1376	1399
			1421	1457	1529	1574	1597	1621	1644	1668	1690
N30HML8SN	Lumbar, Polished Aluminum		1320	1343	1360	1380	1400	1423	1440	1464	1487
			1509	1545	1617	1662	1685	1709	1732	1756	1778
N30HM8SSN	Seat Slide, Polished Aluminum		1338	1361	1378	1398	1418	1441	1458	1482	1505
			1527	1563	1635	1680	1703	1727	1750	1774	1796
N30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1427	1450	1467	1487	1507	1530	1547	1571	1594
			1616	1652	1724	1769	1792	1816	1839	1863	1885

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	20¾	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¾				

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HP2SP	Plastic Extreme Back	\$ 1102	1140	1168	1200	1233	1270	1298	1336	1374
		1410	1469	1586	1659	1696	1735	1773	1811	1847
N30HP2SSP	Plastic Extreme Back, Seat Slide	1207	1245	1273	1305	1338	1375	1403	1441	1479
		1515	1574	1691	1764	1801	1840	1878	1916	1952
N30HP2SN	Plastic Extreme Back, Polished Aluminum	1219	1257	1285	1317	1350	1387	1415	1453	1491
		1527	1586	1703	1776	1813	1852	1890	1928	1964
N30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1325	1363	1391	1423	1456	1493	1521	1559	1597
		1633	1692	1809	1882	1919	1958	1996	2034	2070
N30HU2SP	Upholstered Back, Plastic Base	1169	1212	1245	1281	1320	1362	1395	1439	1482
		1524	1592	1727	1811	1854	1899	1943	1986	2028
N30HU2SSP	Upholstered Back, Seat Slide	1275	1318	1351	1387	1426	1468	1501	1545	1588
		1630	1698	1833	1917	1960	2005	2049	2092	2134
N30HU2SN	Upholstered Back, Polished Aluminum	1288	1331	1364	1400	1439	1481	1514	1558	1601
		1643	1711	1846	1930	1973	2018	2062	2105	2147
N30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1394	1437	1470	1506	1545	1587	1620	1664	1707
		1749	1817	1952	2036	2079	2124	2168	2211	2253

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	24¾-27		
Height	42¾-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP3SP	Plastic Extreme Back	\$	1159	1197	1225	1257	1290	1327	1355	1393	1431
			1467	1526	1643	1716	1753	1792	1830	1868	1904
N30HP3SSP	Plastic Extreme Back, Seat Slide		1265	1303	1331	1363	1396	1433	1461	1499	1537
			1573	1632	1749	1822	1859	1898	1936	1974	2010
N30HP3SN	Plastic Extreme Back, Polished Aluminum		1278	1316	1344	1376	1409	1446	1474	1512	1550
			1586	1645	1762	1835	1872	1911	1949	1987	2023
N30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1384	1422	1450	1482	1515	1552	1580	1618	1656
			1692	1751	1868	1941	1978	2017	2055	2093	2129
N30HU3SP	Upholstered Back		1229	1272	1305	1341	1380	1422	1455	1499	1542
			1584	1652	1787	1871	1914	1959	2003	2046	2088
N30HU3SSP	Upholstered Back, Seat Slide		1335	1378	1411	1447	1486	1528	1561	1605	1648
			1690	1758	1893	1977	2020	2065	2109	2152	2194
N30HU3SN	Upholstered Back, Polished Aluminum		1348	1391	1424	1460	1499	1541	1574	1618	1661
			1703	1771	1906	1990	2033	2078	2122	2165	2207
N30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1454	1497	1530	1566	1605	1647	1680	1724	1767
			1809	1877	2012	2096	2139	2184	2228	2271	2313

DIMENSIONS

Width	25½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¾-27		
Height	42¾-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¾				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HP9SP	Plastic Extreme Back	\$ 1042	1080	1108	1140	1173	1210	1238	1276	1314
		1350	1409	1526	1599	1636	1675	1713	1751	1787
N30HP9SSP	Plastic Extreme Back, Seat Slide	1148	1186	1214	1246	1279	1316	1344	1382	1420
		1456	1515	1632	1705	1742	1781	1819	1857	1893
N30HP9SN	Plastic Extreme Back, Polished Aluminum	1159	1197	1225	1257	1290	1327	1355	1393	1431
		1467	1526	1643	1716	1753	1792	1830	1868	1904
N30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1265	1303	1331	1363	1396	1433	1461	1499	1537
		1573	1632	1749	1822	1859	1898	1936	1974	2010
N30HU9SP	Upholstered Back	1112	1155	1188	1224	1263	1305	1338	1382	1425
		1467	1535	1670	1754	1797	1842	1886	1929	1971
N30HU9SSP	Upholstered Back, Seat Slide	1217	1260	1293	1329	1368	1410	1443	1487	1530
		1572	1640	1775	1859	1902	1947	1991	2034	2076
N30HU9SN	Upholstered Back, Polished Aluminum	1229	1272	1305	1341	1380	1422	1455	1499	1542
		1584	1652	1787	1871	1914	1959	2003	2046	2088
N30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum	1335	1378	1411	1447	1486	1528	1561	1605	1648
		1690	1758	1893	1977	2020	2065	2109	2152	2194

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¾-27		
Height	42¾-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

HIGH BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP8SN	Plastic Extreme Back, Polished Aluminum	\$	1396 1704	1434 1763	1462 1880	1494 1953	1527 1990	1564 2029	1592 2067	1630 2105	1668 2141
N30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1503 1811	1541 1870	1569 1987	1601 2060	1634 2097	1671 2136	1699 2174	1737 2212	1775 2248
N30HU8SN	Upholstered Back, Polished Aluminum		1465 1820	1508 1888	1541 2023	1577 2107	1616 2150	1658 2195	1691 2239	1735 2282	1778 2324
N30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1571 1926	1614 1994	1647 2129	1683 2213	1722 2256	1764 2301	1797 2345	1841 2388	1884 2430

DIMENSIONS

Width	25½	Arm Height	26¾- 31½	Seat Depth	16½	Weight	53
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	41¼-46½	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30HP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP2SP	Plastic Extreme Back	\$	1042	1077	1104	1132	1164	1197	1224	1258	1293
			1327	1381	1489	1556	1591	1627	1662	1696	1730
N30MP2SSP	Plastic Extreme Back, Seat Slide		1148	1183	1210	1238	1270	1303	1330	1364	1399
			1433	1487	1595	1662	1697	1733	1768	1802	1836
N30MP2SN	Plastic Extreme Back, Polished Aluminum		1160	1195	1222	1250	1282	1315	1342	1376	1411
			1445	1499	1607	1674	1709	1745	1780	1814	1848
N30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1267	1302	1329	1357	1389	1422	1449	1483	1518
			1552	1606	1714	1781	1816	1852	1887	1921	1955
N30MU2SP	Upholstered Back		1112	1152	1183	1217	1253	1292	1323	1364	1404
			1444	1507	1633	1711	1752	1794	1834	1875	1914
N30MU2SSP	Upholstered Back, Seat Slide		1219	1259	1290	1324	1360	1399	1430	1471	1511
			1551	1614	1740	1818	1859	1901	1941	1982	2021
N30MU2SN	Upholstered Back, Polished Aluminum		1230	1270	1301	1335	1371	1410	1441	1482	1522
			1562	1625	1751	1829	1870	1912	1952	1993	2032
N30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum		1338	1378	1409	1443	1479	1518	1549	1590	1630
			1670	1733	1859	1937	1978	2020	2060	2101	2140

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP3SP	Plastic Extreme Back	\$	1102	1137	1164	1192	1224	1257	1284	1318	1353
			1387	1441	1549	1616	1651	1687	1722	1756	1790
N30MP3SSP	Plastic Extreme Back, Seat Slide		1209	1244	1271	1299	1331	1364	1391	1425	1460
			1494	1548	1656	1723	1758	1794	1829	1863	1897
N30MP3SN	Plastic Extreme Back, Polished Aluminum		1220	1255	1282	1310	1342	1375	1402	1436	1471
			1505	1559	1667	1734	1769	1805	1840	1874	1908
N30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1328	1363	1390	1418	1450	1483	1510	1544	1579
			1613	1667	1775	1842	1877	1913	1948	1982	2016
N30MU3SP	Upholstered Back		1170	1210	1241	1275	1311	1350	1381	1422	1462
			1502	1565	1691	1769	1810	1852	1892	1933	1972
N30MU3SSP	Upholstered Back, Seat Slide		1277	1317	1348	1382	1418	1457	1488	1529	1569
			1609	1672	1798	1876	1917	1959	1999	2040	2079
N30MU3SN	Upholstered Back, Polished Aluminum		1288	1328	1359	1393	1429	1468	1499	1540	1580
			1620	1683	1809	1887	1928	1970	2010	2051	2090
N30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1395	1435	1466	1500	1536	1575	1606	1647	1687
			1727	1790	1916	1994	2035	2077	2117	2158	2197

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**MID BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP9SP	Plastic Extreme Back	\$	984	1019	1046	1074	1106	1139	1166	1200	1235
			1269	1323	1431	1498	1533	1569	1604	1638	1672
N30MP9SSP	Plastic Extreme Back, Seat Slide		1090	1125	1152	1180	1212	1245	1272	1306	1341
			1375	1429	1537	1604	1639	1675	1710	1744	1778
N30MP9SN	Plastic Extreme Back, Polished Aluminum		1102	1137	1164	1192	1224	1257	1284	1318	1353
			1387	1441	1549	1616	1651	1687	1722	1756	1790
N30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1209	1244	1271	1299	1331	1364	1391	1425	1460
			1494	1548	1656	1723	1758	1794	1829	1863	1897
N30MU9SP	Upholstered Back		1052	1092	1123	1157	1193	1232	1263	1304	1344
			1384	1447	1573	1651	1692	1734	1774	1815	1854
N30MU9SSP	Upholstered Back, Seat Slide		1158	1198	1229	1263	1299	1338	1369	1410	1450
			1490	1553	1679	1757	1798	1840	1880	1921	1960
N30MU9SN	Upholstered Back, Polished Aluminum		1170	1210	1241	1275	1311	1350	1381	1422	1462
			1502	1565	1691	1769	1810	1852	1892	1933	1972
N30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1277	1317	1348	1382	1418	1457	1488	1529	1569
			1609	1672	1798	1876	1917	1959	1999	2040	2079

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP8SN	Plastic Extreme Back, Polished Aluminum	\$	1338 1623	1373 1677	1400 1785	1428 1852	1460 1887	1493 1923	1520 1958	1554 1992	1589 2026
N30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1445 1730	1480 1784	1507 1892	1535 1959	1567 1994	1600 2030	1627 2065	1661 2099	1696 2133
N30MU8SN	Upholstered Back, Polished Aluminum		1406 1738	1446 1801	1477 1927	1511 2005	1547 2046	1586 2088	1617 2128	1658 2169	1698 2208
N30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1513 1845	1553 1908	1584 2034	1618 2112	1654 2153	1693 2195	1724 2235	1765 2276	1805 2315

DIMENSIONS

Width	25½	Arm Height	26¼-31	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	22¼-24¼		
Height	39-43½	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				


- Contrasting fabric option – specify X (i.e., N30MP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP2SP	Plastic Extreme Back	\$ 1072	1107	1134	1162	1194	1227	1254	1288	1323
		1357	1411	1519	1586	1621	1657	1692	1726	1760
N30SP2SPG	Plastic Extreme Back, Glides	1072	1107	1134	1162	1194	1227	1254	1288	1323
		1357	1411	1519	1586	1621	1657	1692	1726	1760
N30SP2SN	Plastic Extreme Back, Polished Aluminum	1191	1226	1253	1281	1313	1346	1373	1407	1442
		1476	1530	1638	1705	1740	1776	1811	1845	1879
N30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides	1191	1226	1253	1281	1313	1346	1373	1407	1442
		1476	1530	1638	1705	1740	1776	1811	1845	1879
N30SU2SP	Upholstered Back	1170	1210	1241	1275	1311	1350	1381	1422	1462
		1502	1565	1691	1769	1810	1852	1892	1933	1972
N30SU2SPG	Upholstered Back, Glides	1170	1210	1241	1275	1311	1350	1381	1422	1462
		1502	1565	1691	1769	1810	1852	1892	1933	1972
N30SU2SN	Upholstered Back, Polished Aluminum	1288	1328	1359	1393	1429	1468	1499	1540	1580
		1620	1683	1809	1887	1928	1970	2010	2051	2090
N30SU2SNG	Upholstered Back, Polished Aluminum, Glides	1288	1328	1359	1393	1429	1468	1499	1540	1580
		1620	1683	1809	1887	1928	1970	2010	2051	2090

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38¾	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19¾	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP2SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP3SP	Plastic Extreme Back	\$	1131	1166	1193	1221	1253	1286	1313	1347	1382
			1416	1470	1578	1645	1680	1716	1751	1785	1819
N30SP3SPG	Plastic Extreme Back, Glides		1131	1166	1193	1221	1253	1286	1313	1347	1382
			1416	1470	1578	1645	1680	1716	1751	1785	1819
N30SP3SN	Plastic Extreme Back, Polished Aluminum		1250	1285	1312	1340	1372	1405	1432	1466	1501
			1535	1589	1697	1764	1799	1835	1870	1904	1938
N30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1250	1285	1312	1340	1372	1405	1432	1466	1501
			1535	1589	1697	1764	1799	1835	1870	1904	1938
N30SU3SP	Upholstered Back		1230	1270	1301	1335	1371	1410	1441	1482	1522
			1562	1625	1751	1829	1870	1912	1952	1993	2032
N30SU3SPG	Upholstered Back, Glides		1230	1270	1301	1335	1371	1410	1441	1482	1522
			1562	1625	1751	1829	1870	1912	1952	1993	2032
N30SU3SN	Upholstered Back, Polished Aluminum		1348	1388	1419	1453	1489	1528	1559	1600	1640
			1680	1743	1869	1947	1988	2030	2070	2111	2150
N30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1348	1388	1419	1453	1489	1528	1559	1600	1640
			1680	1743	1869	1947	1988	2030	2070	2111	2150

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	18¼-20½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP3SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
STATIC ARMS**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30SP9SP	Plastic Extreme Back	\$ 1014	1049	1076	1104	1136	1169	1196	1230	1265
		1299	1353	1461	1528	1563	1599	1634	1668	1702
N30SP9SPG	Plastic Extreme Back, Glides	1014	1049	1076	1104	1136	1169	1196	1230	1265
		1299	1353	1461	1528	1563	1599	1634	1668	1702
N30SP9SN	Plastic Extreme Back, Polished Aluminum	1131	1166	1193	1221	1253	1286	1313	1347	1382
		1416	1470	1578	1645	1680	1716	1751	1785	1819
N30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides	1131	1166	1193	1221	1253	1286	1313	1347	1382
		1416	1470	1578	1645	1680	1716	1751	1785	1819
N30SU9SP	Upholstered Back	1112	1152	1183	1217	1253	1292	1323	1364	1404
		1444	1507	1633	1711	1752	1794	1834	1875	1914
N30SU9SPG	Upholstered Back, Glides	1112	1152	1183	1217	1253	1292	1323	1364	1404
		1444	1507	1633	1711	1752	1794	1834	1875	1914
N30SU9SN	Upholstered Back, Polished Aluminum	1230	1270	1301	1335	1371	1410	1441	1482	1522
		1562	1625	1751	1829	1870	1912	1952	1993	2032
N30SU9SNG	Upholstered Back, Polished Aluminum, Glides	1230	1270	1301	1335	1371	1410	1441	1482	1522
		1562	1625	1751	1829	1870	1912	1952	1993	2032

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	30-38	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP9SPX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled


LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 383 for Lavoro options
- See pages 401-402 for COM fabric yardage

STOOL MID BACK UPHOLSTERED CONFERENCE ARMS



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP8SN	Plastic Extreme Back, Polished Aluminum	\$	1367	1402	1429	1457	1489	1522	1549	1583	1618
			1652	1706	1814	1881	1916	1952	1987	2021	2055
N30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1367	1402	1429	1457	1489	1522	1549	1583	1618
			1652	1706	1814	1881	1916	1952	1987	2021	2055
N30SU8SN	Upholstered Back, Polished Aluminum		1466	1506	1537	1571	1607	1646	1677	1718	1758
			1798	1861	1987	2065	2106	2148	2188	2229	2268
N30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1466	1506	1537	1571	1607	1646	1677	1718	1758
			1798	1861	1987	2065	2106	2148	2188	2229	2268

DIMENSIONS

Width	26½	Seat Height	21-28¼	Arm Height	29½-37½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	20½	Cubic Ft.	18.7
Height	42¼-53	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30SP8SNX); see page 384. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN		0.80	1.00	1.20	2.10	16
N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN		1.30	1.50	2.10	3.40	26
N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10	18 16
N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN		1.50	1.80	2.60	4.40	30
N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10	18 18 16
N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG		1.20	1.50	2.20	3.00	24

LAVORO

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30MP2SPX, N30MP2SSPX						
N30MP2SNX, N30MP2SSNX						
N30MP3SPX, N30MP3SSPX						
N30MP3SNX, N30MP3SSNX						
N30MP9SPX, N30MP9SSPX						
N30MP9SNX, N30MP9SSNX						
N30MP8SNX, N30MP8SSNX						
N30SP2SPX, N30SP2SPGX						
N30SP2SNX, N30SP2SNGX						
N30SP3SPX, N30SP3SPGX						
N30SP3SNX, N30SP3SNGX						
N30SP9SPX, N30SP9SPGX						
N30SP9SNX, N30SP9SNGX	Back	0.80	0.90	1.40	1.90	16
N30SP8SNX, N30SP8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30MU2SP, N30MU2SSP						
N30MU2SN, N30MU2SSN						
N30MU3SP, N30MU3SSP						
N30MU3SN, N30MU3SSN						
N30MU9SP, N30MU9SSP						
N30MU9SN, N30MU9SSN						
N30MU8SN, N30MU8SSN						
N30SU2SP, N30SU2SPG						
N30SU2SN, N30SU2SNG						
N30SU3SP, N30SU3SPG						
N30SU3SN, N30SU3SNG						
N30SU9SP, N30SU9SPG						
N30SU9SN, N30SU9SNG						
N30SU8SN, N30SU8SNG		1.40	1.60	2.60	3.60	28
N30MU2SPX, N30MU2SSPX						
N30MU2SNX, N30MU2SSNX						
N30MU3SPX, N30MU3SSPX						
N30MU3SNX, N30MU3SSNX						
N30MU9SPX, N30MU9SSPX						
N30MU9SNX, N30MU9SSNX						
N30MU8SNX, N30MU8SSNX						
N30SU2SPX, N30SU2SPGX						
N30SU2SNX, N30SU2SNGX						
N30SU3SPX, N30SU3SPGX						
N30SU3SNX, N30SU3SNGX						
N30SU9SPX, N30SU9SPGX	Back	0.80	0.90	1.40	1.90	16
N30SU9SNX, N30SU9SNGX	Extreme Back	0.80	1.00	1.30	1.40	16
N30SU8SNX, N30SU8SNGX	Seat	0.80	1.00	1.20	2.10	16

LAVORO