

---

# Fierce

Product Specifications	194
Fabrics and Options	194
Product Pages	195



# FIERCE

---

## FIERCE PRODUCT SPECIFICATIONS

### BACK AND SEAT CONSTRUCTION

- Injection molded frame

### MESH

- Elastomer (Hytrel) 40% and Polyester 60%
- Cleaning code: W

### ARMS

- Encased uprights are made of reinforced glass filled nylon
- Height adjustable arm adjusts in height with a push button to one of 6 positions with a 3 $\frac{3}{8}$ " range

### CONTROL

- Weight balanced synchro control with seat slide
- 3 positions available in the seat slide depth adjustment range of 1 $\frac{1}{4}$ "

### BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors



## UPHOLSTERY

Black Mesh only

**TO ORDER, SPECIFY:**

1. Model Number

**BLACK MESH BACK  
BLACK SEAT  
HEIGHT ADJUSTABLE  
ARMS**



<b>MODEL NO.</b>	<b>LIST PRICE</b>
------------------	-------------------

N76MM2SB	\$ 613
----------	--------

N10CSC4	Set of 5 Soft Casters	36
---------	-----------------------	----

**DIMENSIONS**

Width	26¼	Seat Height	16½-20¼	Arm Height	27¼-31	Weight	40
Depth	28	Seat Depth	16¾-18½	Back Height	22¾	Cubic Ft.	6.05
Height	37¾-41¼	Seat Width	18¾	Back Width	16¾		

- Specify model number only
- Ships KD, tool included

