

---

# Independence

**SUFFOLK CHAIRS**

|                        |     |
|------------------------|-----|
| Product Specifications | 340 |
| Fabrics and Options    | 341 |
| Product Pages          | 342 |

**HILLSBOROUGH LOUNGE SEATING**

|                        |     |
|------------------------|-----|
| Product Specifications | 343 |
| Fabrics and Options    | 344 |
| Product Pages          | 345 |

**COM YARDAGE REQUIREMENTS** 346

# INDEPENDENCE

## SUFFOLK PRODUCT SPECIFICATIONS

- Three models are available: mid back desk, mid back side, and a complementary open back side chair

### FRAME CONSTRUCTION

- Frame is maple hardwood
- Joints are double doweled and securely glued to ensure maximum strength. Tie screws are added for strength
- Seat is reinforced with corner blocks and four screws
- Side-to-side rails on desk chair provide strength and a secure place to mount the swivel tilt mechanism

### SEAT CONSTRUCTION

- Cushions are high resiliency, CFC-free polyurethane foam
- Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails
- 3" thick seat cushion is applied to the flexible webbing suspension
- 1½" thick back cushion is bonded to the hardwood back panel
- Upholstery is wrapped over the cushions and secured with upholstery staples

### ARMS

- Arm caps are upholstered
- Brass trim nails, standard on all models, are individually driven head to head around the bottom edge of the upholstered arm caps

### CONTROL


- Swivel tilt and pneumatic height are standard
- Swivel tilt mechanism on desk chair is attached with T-nuts and machine screws
- Swivel tilt control allows reclining while keeping the back-to-seat angle constant. It features a heavy-duty adjustable torsion spring
- Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Up or down movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair

### 5-PRONG BASE

- 5-prong base has a rigid steel understructure and hardwood caps with radius ends

### CASTERS AND GLIDES

- Antique English hooded ball casters are standard on desk chair with casters
- Nickel-plated glides on side chairs are ¾" in diameter



## SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at [kimballhospitality.com](http://kimballhospitality.com) for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer specified laminate (CSL)
- Customer specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

### ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 346.

The yardage requirement for each model is based on 54" wide fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

### PRICE GRADES A-R

See Surface Materials at [www.kimballhospitality.com](http://www.kimballhospitality.com) for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

### FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

|              |              |  |
|--------------|--------------|--|
| Arc-Com      | 800.223.5466 | <a href="http://arc-com.com">arc-com.com</a>                 |
| Carnegie     | 800.727.6770 | <a href="http://carnegiefabrics.com">carnegiefabrics.com</a> |
| CF Stinson   | 800.841.6279 | <a href="http://cfstinson.com">cfstinson.com</a>             |
| Designtex    | 800.221.1540 | <a href="http://designtex.com">designtex.com</a>             |
| Maharam      | 800.645.3943 | <a href="http://maharam.com">maharam.com</a>                 |
| Mayer        | 800.428.4415 | <a href="http://mayerfabrics.com">mayerfabrics.com</a>       |
| Momentum     | 800.366.6839 | <a href="http://memosamples.com">memosamples.com</a>         |
| Ultrafabrics | 877.309.6648 | <a href="http://ultrafabricsllc.com">ultrafabricsllc.com</a> |

## WOOD FINISHES

### PRICE GROUP 1

|     |            |
|-----|------------|
| AD  | Almond     |
| MC  | Amber      |
| CO  | Canyon     |
| CC  | Cordoba    |
| ES  | Espresso   |
| DF  | Driftwood  |
| TM  | Huntington |
| MW  | Midtown    |
| MH  | Mocha      |
| YO  | Monterey   |
| PB  | Portobello |
| 792 | Sable      |
| SC  | Sedona     |
| TW  | Tribeca    |
| NW  | Tuscan     |
| UW  | Urban      |

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match. Contact Customer Service for more information.

### BASE (OMIT FOR SIDE CHAIRS)

B11 5-Prong Base, Wood Base

### CASTERS (OMIT FOR SIDE CHAIRS)

C44 Antique English Hooded Bell Casters for Desk Chair (set of 5)

# INDEPENDENCE

## TO ORDER, SPECIFY:

1. Model Number
2. Upholstery Grade
3. Upholstery Number
4. Finish Price Group
5. Finish Designator
6. Base (omit for side chairs)
7. Casters (omit for side chairs)

- See page 341 for Independence options
- See page 346 for COM fabric yardage

### SUFFOLK™ MID BACK DESK CHAIR



#### MODEL NO.

#### ALLIANCE PROGRAM PRICE GRADES

|    |          |    | A    | B    | C    | D    | E    | F    | G    | H    | I    |
|----|----------|----|------|------|------|------|------|------|------|------|------|
|    |          |    | J    | K    | L    | M    | N    | O    | P    | Q    | R    |
| 82 | Mid Back | \$ | 2314 | 2391 | 2450 | 2512 | 2578 | 2655 | 2699 | 2782 | 2853 |
|    |          |    | 2925 | 3042 | 3273 | 3420 | 3453 | 3482 | 3517 | 3552 | 3715 |

#### DIMENSIONS

|        |         |             |        |            |        |        |           |
|--------|---------|-------------|--------|------------|--------|--------|-----------|
| Width  | 26      | Seat Height | 16-18¾ | Arm Height | 26¼-29 | Weight | Cubic Ft. |
| Depth  | 28      | Seat Depth  | 19     |            |        |        |           |
| Height | 37¾-39¾ | Seat Width  | 19     |            |        |        |           |

### SUFFOLK™ MID BACK SIDE CHAIR



|    |          |    | A    | B    | C    | D    | E    | F    | G    | H    | I    |
|----|----------|----|------|------|------|------|------|------|------|------|------|
|    |          |    | J    | K    | L    | M    | N    | O    | P    | Q    | R    |
| 84 | Mid Back | \$ | 1746 | 1823 | 1882 | 1944 | 2010 | 2087 | 2131 | 2214 | 2285 |
|    |          |    | 2357 | 2474 | 2705 | 2852 | 2885 | 2914 | 2949 | 2984 | 3147 |

#### DIMENSIONS

|        |     |             |     |            |    |        |           |
|--------|-----|-------------|-----|------------|----|--------|-----------|
| Width  | 26¾ | Seat Height | 19½ | Arm Height | 26 | Weight | Cubic Ft. |
| Depth  | 27  | Seat Depth  | 19½ |            |    |        |           |
| Height | 37  | Seat Width  | 20¾ |            |    |        |           |

### SUFFOLK™ OPEN BACK SIDE CHAIR



|    |           |    | A    | B    | C    | D    | E    | F    | G    | H    | I    |
|----|-----------|----|------|------|------|------|------|------|------|------|------|
|    |           |    | J    | K    | L    | M    | N    | O    | P    | Q    | R    |
| 81 | Open Back | \$ | 1599 | 1644 | 1680 | 1716 | 1755 | 1800 | 1826 | 1876 | 1917 |
|    |           |    | 1960 | 2029 | 2166 | 2253 | 2272 | 2289 | 2310 | 2331 | 2427 |

#### DIMENSIONS

|        |     |             |     |            |    |        |           |
|--------|-----|-------------|-----|------------|----|--------|-----------|
| Width  | 25¾ | Seat Height | 18½ | Arm Height | 26 | Weight | Cubic Ft. |
| Depth  | 22¾ | Seat Depth  | 18  |            |    |        |           |
| Height | 30½ | Seat Width  | 18½ |            |    |        |           |

## HILLSBOROUGH PRODUCT SPECIFICATIONS

### FRAME CONSTRUCTION

- Frame is kiln-dried maple hardwoods
- Joints are double doweled and securely glued to ensure maximum strength
- Tie screws are added for strength
- Seat is reinforced with support rails and corner blocks secured with four screws for extreme rigidity and strength

### BACK CONSTRUCTION

- Back suspension is constructed of five 11" gauge sinuous springs that are suspended from the frame by metal clips
- Springs are tied together with a strong steel-resistant wrapping
- Back cushion is 3" thick and is supported with a layer of high quality woven webbing covering the back suspension
- Rails are padded with foam for additional cushioning

### SEAT CONSTRUCTION

- Cushions are high resiliency, CFC-free polyurethane foam
- Seat suspension is constructed with pre-assembled high carbon, high tensile, hand drawn drop-in coil spring units, covered with a high quality woven webbing
- A ¼" insulator pad is applied over the seat suspension
- Denim material is upholstered over the pad
- Removable seat cushions have 4¼" of bonded foam on side chair, 4" of bonded foam on 2-seat and 3-seat lounge
- Upholstery is wrapped over the cushions and secured with upholstery staples

### ARMS


- Brass trim nails are individually driven head to head around the bottom edge of seat and on the front of rolled arm

### LEGS

- Legs are reinforced with stretchers and rails for added durability

### GLIDES

- Nickel-plated glides are ⅝" in diameter



# INDEPENDENCE

## SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at [kimballhospitality.com](http://kimballhospitality.com) for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer specified laminate (CSL)
- Customer specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

### ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 346.

The yardage requirement for each model is based on 54" wide fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

### PRICE GRADES A-R

See Surface Materials at [www.kimballhospitality.com](http://www.kimballhospitality.com) for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

### FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

|              |              |  |
|--------------|--------------|--|
| Arc-Com      | 800.223.5466 | <a href="http://arc-com.com">arc-com.com</a>                 |
| Carnegie     | 800.727.6770 | <a href="http://carnegiefabrics.com">carnegiefabrics.com</a> |
| CF Stinson   | 800.841.6279 | <a href="http://cfstinson.com">cfstinson.com</a>             |
| Designtex    | 800.221.1540 | <a href="http://designtex.com">designtex.com</a>             |
| Maharam      | 800.645.3943 | <a href="http://maharam.com">maharam.com</a>                 |
| Mayer        | 800.428.4415 | <a href="http://mayerfabrics.com">mayerfabrics.com</a>       |
| Momentum     | 800.366.6839 | <a href="http://memosamples.com">memosamples.com</a>         |
| Ultrafabrics | 877.309.6648 | <a href="http://ultrafabricsllc.com">ultrafabricsllc.com</a> |

## WOOD FINISHES

### PRICE GROUP 1

|     |            |
|-----|------------|
| AD  | Almond     |
| MC  | Amber      |
| BZ  | Brazilwood |
| CO  | Canyon     |
| CI  | Chai       |
| CC  | Cordoba    |
| ES  | Espresso   |
| DF  | Driftwood  |
| TM  | Huntington |
| KN  | Kona       |
| MW  | Midtown    |
| MH  | Mocha      |
| YO  | Monterey   |
| PC  | Porcini    |
| PB  | Portobello |
| 792 | Sable      |
| SC  | Sedona     |
| TW  | Tribeca    |
| NW  | Tuscan     |
| UW  | Urban      |
| WL  | Willow     |


IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match  
Contact Customer Service for more information

**TO ORDER, SPECIFY:**

1. Model Number
2. Upholstery Grade
3. Upholstery Number
4. Finish Price Group
5. Finish Designator

- See page 344 for Independence options
- See page 346 for COM fabric yardage

**HILLSBOROUGH™  
WING CHAIR  
LOUNGE SEATING**



**MODEL NO.**

**ALLIANCE PROGRAM PRICE GRADES**


|     |            |    |  | A    | B    | C    | D    | E    | F    | G    | H    | I    |
|-----|------------|----|--|------|------|------|------|------|------|------|------|------|
|     |            |    |  | J    | K    | L    | M    | N    | O    | P    | Q    | R    |
| 956 | Wing Chair | \$ |  | 3623 | 3794 | 3927 | 4064 | 4211 | 4382 | 4480 | 4666 | 4823 |
|     |            |    |  | 4985 | 5245 | 5759 | 6087 | 6161 | 6225 | 6303 | 6381 | 6744 |

**DIMENSIONS**

|        |     |             |     |            |    |           |  |
|--------|-----|-------------|-----|------------|----|-----------|--|
| Width  | 31½ | Seat Height | 19  | Arm Height | 26 | Weight    |  |
| Depth  | 32  | Seat Depth  | 19¾ |            |    | Cubic Ft. |  |
| Height | 42¾ | Seat Width  | 19¾ |            |    |           |  |

- Faux leather upholstery with TB133 option is not available on Hillsborough wing chairs and lounges

**HILLSBOROUGH™  
2 SEAT  
LOUNGE SEATING**




|     |                          |    |  | A    | B    | C    | D    | E    | F    | G    | H    | I     |
|-----|--------------------------|----|--|------|------|------|------|------|------|------|------|-------|
|     |                          |    |  | J    | K    | L    | M    | N    | O    | P    | Q    | R     |
| 957 | Camel Back 2 Seat Lounge | \$ |  | 5558 | 5807 | 5999 | 6197 | 6410 | 6659 | 6801 | 7071 | 7298  |
|     |                          |    |  | 7532 | 7908 | 8654 | 9130 | 9236 | 9328 | 9442 | 9556 | 10081 |

**DIMENSIONS**

|        |    |             |    |            |     |           |  |
|--------|----|-------------|----|------------|-----|-----------|--|
| Width  | 64 | Seat Height | 18 | Arm Height | 28½ | Weight    |  |
| Depth  | 32 | Seat Depth  | 21 |            |     | Cubic Ft. |  |
| Height | 35 | Seat Width  | 42 |            |     |           |  |

- Faux leather upholstery with TB133 option is not available on Hillsborough wing chairs and lounges

**HILLSBOROUGH™  
3 SEAT  
LOUNGE SEATING**



|     |                          |    |  | A    | B     | C     | D     | E     | F     | G     | H     | I     |
|-----|--------------------------|----|--|------|-------|-------|-------|-------|-------|-------|-------|-------|
|     |                          |    |  | J    | K     | L     | M     | N     | O     | P     | Q     | R     |
| 958 | Camel Back 3 Seat Lounge | \$ |  | 6846 | 7196  | 7466  | 7746  | 8046  | 8396  | 8596  | 8976  | 9296  |
|     |                          |    |  | 9626 | 10156 | 11206 | 11876 | 12026 | 12156 | 12316 | 12476 | 13216 |

**DIMENSIONS**

|        |     |             |    |            |     |           |  |
|--------|-----|-------------|----|------------|-----|-----------|--|
| Width  | 88  | Seat Height | 18 | Arm Height | 28½ | Weight    |  |
| Depth  | 32  | Seat Depth  | 21 |            |     | Cubic Ft. |  |
| Height | 36½ | Seat Width  | 68 |            |     |           |  |

- Faux leather upholstery with TB133 option is not available on Hillsborough wing chairs and lounges

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED   | NON DIRECTIONAL<br>OR<br>SOLID | 1"-4" REPEAT                      | 5"-11" REPEAT                       | 12"-18" REPEAT                      | COL<br>SQUARE<br>FEET |
|-------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
|       | Contact customer<br>service 800-634-9510<br>for ydg requirements |                                | 4" VERTICAL<br>X<br>4" HORIZONTAL | 11" VERTICAL<br>X<br>11" HORIZONTAL | 18" VERTICAL<br>X<br>18" HORIZONTAL |                       |
| 81    |  | 1.30                           | 1.90                              | 2.00                                | 2.20                                | 22                    |
| 82    |  | 2.20                           | 2.60                              | 3.60                                | 3.70                                | 40                    |
| 84    |  | 2.20                           | 2.60                              | 3.60                                | 3.70                                | 40                    |
| 956   |  | 4.90                           | 5.80                              | 6.80                                | 7.90                                | 90                    |
| 957   |  | 7.10                           | 8.80                              | 9.50                                | 12.10                               | 150                   |
| 958   |  | 10.00                          | 12.40                             | 17.90                               | 18.70                               | 220                   |
| 995   |  | 0.70                           | 0.80                              | 1.00                                | 1.00                                | 12                    |
| 996   |  | 0.70                           | 0.80                              | 1.00                                | 1.00                                | 12                    |
| 997   |  | 0.70                           | 0.80                              | 1.00                                | 1.00                                | 12                    |
| 9998  |  | 0.70                           | 0.80                              | 1.00                                | 1.00                                | 12                    |