
Toss Accent Pillows and Floor Pillows

ACCENT PILLOWS	
Product Specifications	670
Fabrics and Options	671
Contrasting Fabrics Specifications	672
Product Pages	673
FLOOR PILLOWS	
Product Specifications	675
Fabrics and Options	676
Contrasting Fabrics Specifications	677
Product Pages	678
COM YARDAGE REQUIREMENTS	679

TOSS

TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION

SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

RELAXED TOSS PILLOWS

- Relaxed pillow insert has a light, soft fill that is blended from poly fibers, providing a more relaxed pillow aesthetic. It's a perfect complement to our residentially inspired lounge collection, Collette

CLASSIC TOSS PILLOWS

- Classic pillow insert has a heavier, firm fill that is blended from poly fibers, providing a more structured pillow aesthetic for commercial environments

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting fabric available on all models



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 679.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FILL INSERT

- F1 Classic
- F2 Relaxed


*Not available on bolster

TO ORDER CONTRASTING FABRIC, SPECIFY

TOSS ACCENT PILLOWS



Bolster page 673

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number





Square Pillow page 673

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number



Rectangle Pillow page 674

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Fabric Grade Number/Cover Number
4. Back Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Piping Fabric Grade Number/Cover Number



TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert (Not Available on Bolster)
3. Fabric Grade/Color

- See page 671 for Toss Accent Pillows options
- See pages 679-680 for COM fabric yardage

BOLSTER

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES




			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PBL1806	18x6 Bolster	\$	232	252	268	284	302	321	337	357	376
			396	427	489	528	548	568	588	609	628
N10PBL1806P	18x6 Bolster with Piping		269	292	310	329	350	372	391	414	437
			460	496	568	613	637	661	684	708	730

Weight 3.5
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PBL1806X); see page 672. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow

SQUARE PILLOW



			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PSQ1414	14x14	\$	184	204	220	236	255	274	290	310	330
			350	382	445	484	505	526	546	566	586
N10PSQ1414B	14x14 Button		215	235	251	267	286	305	321	341	361
			381	413	476	515	536	557	577	597	617
N10PSQ1414P	14x14 Piping		246	269	287	306	327	349	368	391	414
			437	473	545	590	614	638	661	685	707
N10PSQ1414BP	14x14 Button and Piping		262	285	303	322	343	365	384	407	430
			453	489	561	606	630	654	677	701	723
N10PSQ1616	16x16	\$	223	246	264	283	304	326	345	368	391
			414	450	522	567	591	615	638	662	684
N10PSQ1616B	16x16 Button		253	276	294	313	334	356	375	398	421
			444	480	552	597	621	645	668	692	714
N10PSQ1616P	16x16 Piping		283	307	327	347	370	394	413	438	463
			487	526	604	652	677	703	727	753	777
N10PSQ1616BP	16x16 Button and Piping		300	324	344	364	387	411	430	455	480
			504	543	621	669	694	720	744	770	794
N10PSQ1818	18x18	\$	260	284	304	324	347	371	390	415	440
			464	503	581	629	654	680	704	730	754
N10PSQ1818B	18x18 Button		289	313	333	353	376	400	419	444	469
			493	532	610	658	683	709	733	759	783
N10PSQ1818P	18x18 Piping		318	345	365	387	411	437	457	484	510
			537	577	661	712	739	766	793	820	845
N10PSQ1818BP	18x18 Button and Piping		335	362	382	404	428	454	474	501	527
			554	594	678	729	756	783	810	837	862

14" Weight 3.5
16" Weight 3.75
18" Weight 4.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PSQ1414X); see page 672. For list pricing, use your electronic specification tool or contact customer service
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Fabric Grade/Color

- See page 671 for Toss Accent Pillows options
- See pages 679-680 for COM fabric yardage


RECTANGLE PILLOW

MODEL NO.

ALLIANCE PROGRAM PRICE GRADES




Standard Model



Stripe Center



Stripe Left Side with Piping (as seated)



Stripe Right Side with Piping (as seated)

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10PRT1508	15x8	\$	188	201	211	222	234	247	257	270	284
			297	317	359	384	398	412	425	438	451
N10PRT1508L	15x8 Stripe Left		204	217	227	238	250	263	273	286	300
			313	333	375	400	414	428	441	454	467
N10PRT1508R	15x8 Stripe Right		204	217	227	238	250	263	273	286	300
			313	333	375	400	414	428	441	454	467
N10PRT1508C	15x8 Stripe Center		204	217	227	238	250	263	273	286	300
			313	333	375	400	414	428	441	454	467
N10PRT1508P	15x8 Piping		221	238	251	264	279	295	308	325	341
			358	383	435	467	484	501	518	535	551
N10PRT1508LP	15x8 Piping and Stripe Left		235	252	265	278	293	309	322	339	355
			372	397	449	481	498	515	532	549	565
N10PRT1508RP	15x8 Piping and Stripe Right		235	252	265	278	293	309	322	339	355
			372	397	449	481	498	515	532	549	565
N10PRT1508CP	15x8 Piping and Stripe Center		235	252	265	278	293	309	322	339	355
			372	397	449	481	498	515	532	549	565

Weight 3.0
Cubic Ft. 1.8

- Contrasting fabric option – specify X (i.e., N10PRT1508X); see page 672. For list pricing, use your electronic specification tool or contact customer service
- Right and left models are as seated
- Directional fabrics are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS FLOOR PILLOWS PRODUCT SPECIFICATIONS

CONSTRUCTION


- Features an 8½" steel spring coil pack enveloped by a high grade polyurethane foam
- Black upholstered bottom

UPHOLSTERY DETAILS

- Comfort wrinkles on the seat are an inherent part of the design
- Contrasting fabric available on all models

HANDLE

- Available in 4 Florence leather colors: Almond Biscotti, Terra, Mezza Luna, Struzzo



TOSS FLOOR PILLOWS

SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 679.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:


Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

LEATHER HANDLE OPTIONS

82002	Florence Almond Biscotti
82006	Florence Terra
82008	Florence Mezza Luna
82009	Florence Struzzo

TOSS FLOOR PILLOWS
Floor Pillows page 678

1. Model Number plus "X"
2. Seat Upholstery Fabric Grade Number/Cover Number
3. Upholstery Fabric Grade Number/Cover Number
4. Piping Fabric Grade Number/Cover Number
5. Handle Color




TOSS FLOOR PILLOWS

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Handle Color

- See page 676 for Toss Floor Pillows options
- See pages 679-680 for COM fabric yardage

FLOOR PILLOWS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N10FPSQ2424	24x24	\$	599	645	681	719	761	806	842	888	935
			981	1052	1198	1287	1335	1383	1429	1476	1521
N10FPSQ3030	30x30		740	812	870	929	995	1065	1123	1195	1268
			1340	1453	1681	1822	1897	1972	2044	2119	2190
N10FPSQ3636	36x36		881	960	1022	1087	1159	1236	1298	1377	1457
			1536	1658	1908	2061	2143	2225	2304	2385	2462

	Weight	Cubic Feet
24x24	8.3	3.0
30x30	12	4.5
36x36	17.3	6.5

- Contrasting fabric option – specify X (i.e., N10FPSQ2424X); see page 677. For list pricing, use your electronic specification tool or contact customer service

TOSS

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10FPSQ2424		1.40	3.00	4.30	6.00	27.7
N10FPSQ2424X	Seat	0.90	1.00	1.50	1.50	16.1
	Upholstery	0.90	2.00	3.30	5.30	16.7
N10FPSQ3030		2.20	3.00	4.30	6.00	43.2
N10FPSQ3030X	Seat	1.00	1.30	1.50	1.50	20.0
	Upholstery	1.40	2.00	3.30	5.30	26.6
N10FPSQ3636		2.40	3.00	4.30	7.30	47.6
N10FPSQ3636X	Seat	1.20	1.30	1.50	2.30	23.3
	Upholstery	1.40	2.00	3.30	5.80	26.6
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1

TOSS

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3

TOSS