
Lavoro

Product Specifications	406
Fabrics and Options	407
Contrasting Fabrics Specifications	408
Product Pages	409
COM Yardage Requirements	425



LAVORO PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

GUEST MODELS

- Legs and cross members are made of 1" tubular steel
- Available in polished aluminum or Cinder powder coat

SEAT CONSTRUCTION

TASK MODELS

- 2½" of high grade polyurethane foam covers a contoured injection molded seat panel

GUEST MODELS

- 1½" of high grade polyurethane foam covers an injection molded seat panel

BACK CONSTRUCTION

TASK MODELS

- Injection molded polypropylene outer shell
- Injection molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Upholstered back features 1" of custom molded foam

GUEST MODELS

- Injection molded polypropylene inner and outer back panels
- Upholstered back features 1" of custom molded foam

BACK REST (UPHOLSTERED BACK MODELS)

- Back height can be adjusted by simply lifting up on the back of upholstered back models
- The range of adjustment is approximately 3"

MESH

- 100% polypropylene
- Cleaning code: W
- 100,000+ double rubs

LUMBAR (MESH BACK MODELS)

- Lumbar on mesh back adjusts approximately 2¼" by simply lifting and lowering the lumbar pad
- Cannot be field installed to non-lumbar models

ARMS

- Encased uprights are made of reinforced nylon or polished aluminum
- Height adjustable arms adjust in height with a push button to 1 of 8 positions within a 3" range
- Arms with width adjustment allow arms to adjust within a 2½" range
- Arms with depth adjustment allows arm pad to adjust within a 2" range
- Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONFERENCE ARMS

- Die cast polished aluminum
- Arm pads are soft black polyurethane

CONTROL MECHANISM

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in infinite position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2¼" range

BASE AND CASTERS



- Features a 5-prong black glass filled nylon base or a polished cast aluminum base
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

GLIDE

- Durable hard black nylon glides are standard
- Soft glides are available for an upcharge

GUEST STACKING

- Plastic seat models can be stacked up to 4 high
- Stacking upholstered seat models is not recommended



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 425.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

CASTERS

ALL MODELS

- C3 Hard (standard)
- C4 Soft (add \$33 list)

GLIDES

FOR TASK STOOL MODELS

- C54 Hard (standard)
- C55 Soft (add \$33 list)

FOR GUEST MODELS

- C53 Hard (standard)
- C52 Soft (add \$33 list)

PACK

- KD Tool-less Knock Down – back, seat, and arms attached
- FA Fully Assembled (add \$104 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

LAVORO

High Back Upholstered Height, Arm Cap Depth page 413

High Back Upholstered Height, Width, Arm Cap Depth page 414

High Back Upholstered Static Arms page 415

High Back Upholstered Conference Arms page 416

Mid Back Upholstered Height, Arm Cap Depth page 417

Mid Back Upholstered Height, Width, Arm Cap Depth page 418

Mid Back Upholstered Static Arms page 419

Mid Back Upholstered Conference Arms page 420

1. Model Number plus "X"
2. Pack
3. Back Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Seat Fabric Grade Number/Cover Number
6. Caster or Glide



Contrasting Fabric


Stool Mid Back Upholstered Height, Arm Cap Depth page 421

Stool Mid Back Upholstered Height, Width, Arm Cap Depth page 422


Stool Mid Back Upholstered Static Arms page 423

Stool Mid Back Upholstered Conference Arms page 424

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Caster or Glide



Contrasting Fabric
Front View



Back View

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
MESH
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM2SP		\$ 1077	1104	1124	1146	1170	1196	1216	1243	1269
		1296	1336	1420	1471	1498	1525	1552	1579	1604
N30HML2SP	Lumbar	1177	1204	1224	1246	1270	1296	1316	1343	1369
		1396	1436	1520	1571	1598	1625	1652	1679	1704
N30HM2SSP	Seat Slide	1199	1226	1246	1268	1292	1318	1338	1365	1391
		1418	1458	1542	1593	1620	1647	1674	1701	1726
N30HML2SSP	Lumbar, Seat Slide	1299	1326	1346	1368	1392	1418	1438	1465	1491
		1518	1558	1642	1693	1720	1747	1774	1801	1826
N30HM2SN	Polished Aluminum	1211	1238	1258	1280	1304	1330	1350	1377	1403
		1430	1470	1554	1605	1632	1659	1686	1713	1738
N30HML2SN	Lumbar, Polished Aluminum	1313	1340	1360	1382	1406	1432	1452	1479	1505
		1532	1572	1656	1707	1734	1761	1788	1815	1840
N30HM2SSN	Seat Slide, Polished Aluminum	1336	1363	1383	1405	1429	1455	1475	1502	1528
		1555	1595	1679	1730	1757	1784	1811	1838	1863
N30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1436	1463	1483	1505	1529	1555	1575	1602	1628
		1655	1695	1779	1830	1857	1884	1911	1938	1963

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK MESH HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM3SP		\$	1145	1172	1192	1214	1238	1264	1284	1311	1337
			1364	1404	1488	1539	1566	1593	1620	1647	1672
N30HML3SP	Lumbar		1246	1273	1293	1315	1339	1365	1385	1412	1438
			1465	1505	1589	1640	1667	1694	1721	1748	1773
N30HM3SSP	Seat Slide		1265	1292	1312	1334	1358	1384	1404	1431	1457
			1484	1524	1608	1659	1686	1713	1740	1767	1792
N30HML3SSP	Lumbar, Seat Slide		1369	1396	1416	1438	1462	1488	1508	1535	1561
			1588	1628	1712	1763	1790	1817	1844	1871	1896
N30HM3SN	Polished Aluminum		1279	1306	1326	1348	1372	1398	1418	1445	1471
			1498	1538	1622	1673	1700	1727	1754	1781	1806
N30HML3SN	Lumbar, Polished Aluminum		1382	1409	1429	1451	1475	1501	1521	1548	1574
			1601	1641	1725	1776	1803	1830	1857	1884	1909
N30HM3SSN	Seat Slide, Polished Aluminum		1401	1428	1448	1470	1494	1520	1540	1567	1593
			1620	1660	1744	1795	1822	1849	1876	1903	1928
N30HML3SSN	Lumbar, Seat Slide, Polished Aluminum		1506	1533	1553	1575	1599	1625	1645	1672	1698
			1725	1765	1849	1900	1927	1954	1981	2008	2033

DIMENSIONS

Width	28¾	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¾	Arm Width	18¾-20¾	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¾-27¾	Seat Height with		Back Height	25		
Height	42¾-47	Seat Slide	17¾-22¾	Back Width	17¾		
		Seat Width	20¾				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
MESH
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HM9SP		\$ 1009	1036	1056	1078	1102	1128	1148	1175	1201
		1228	1268	1352	1403	1430	1457	1484	1511	1536
N30HML9SP	Lumbar	1110	1137	1157	1179	1203	1229	1249	1276	1302
		1329	1369	1453	1504	1531	1558	1585	1612	1637
N30HM9SSP	Seat Slide	1130	1157	1177	1199	1223	1249	1269	1296	1322
		1349	1389	1473	1524	1551	1578	1605	1632	1657
N30HML9SSP	Lumbar, Seat Slide	1232	1259	1279	1301	1325	1351	1371	1398	1424
		1451	1491	1575	1626	1653	1680	1707	1734	1759
N30HM9SN	Polished Aluminum	1145	1172	1192	1214	1238	1264	1284	1311	1337
		1364	1404	1488	1539	1566	1593	1620	1647	1672
N30HML9SN	Lumbar, Polished Aluminum	1246	1273	1293	1315	1339	1365	1385	1412	1438
		1465	1505	1589	1640	1667	1694	1721	1748	1773
N30HM9SSN	Seat Slide, Polished Aluminum	1265	1292	1312	1334	1358	1384	1404	1431	1457
		1484	1524	1608	1659	1686	1713	1740	1767	1792
N30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1369	1396	1416	1438	1462	1488	1508	1535	1561
		1588	1628	1712	1763	1790	1817	1844	1871	1896

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

• All height measurements for polished aluminum base models are ½" less than shown above

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK MESH CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HM8SN	Polished Aluminum	\$	1416	1443	1463	1485	1509	1535	1555	1582	1608
			1635	1675	1759	1810	1837	1864	1891	1918	1943
N30HML8SN	Lumbar, Polished Aluminum		1517	1544	1564	1586	1610	1636	1656	1683	1709
			1736	1776	1860	1911	1938	1965	1992	2019	2044
N30HM8SSN	Seat Slide, Polished Aluminum		1538	1565	1585	1607	1631	1657	1677	1704	1730
			1757	1797	1881	1932	1959	1986	2013	2040	2065
N30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1640	1667	1687	1709	1733	1759	1779	1806	1832
			1859	1899	1983	2034	2061	2088	2115	2142	2167

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30HP2SP	Plastic Extreme Back	\$ 1267	1310	1344	1379	1418	1460	1493	1536	1579
		1622	1688	1824	1907	1951	1995	2038	2082	2124
N30HP2SSP	Plastic Extreme Back, Seat Slide	1388	1431	1465	1500	1539	1581	1614	1657	1700
		1743	1809	1945	2028	2072	2116	2159	2203	2245
N30HP2SN	Plastic Extreme Back, Polished Aluminum	1402	1445	1479	1514	1553	1595	1628	1671	1714
		1757	1823	1959	2042	2086	2130	2173	2217	2259
N30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1524	1567	1601	1636	1675	1717	1750	1793	1836
		1879	1945	2081	2164	2208	2252	2295	2339	2381
N30HU2SP	Upholstered Back, Plastic Base	1344	1394	1433	1473	1518	1566	1605	1655	1704
		1754	1830	1986	2082	2133	2184	2234	2285	2333
N30HU2SSP	Upholstered Back, Seat Slide	1466	1516	1555	1595	1640	1688	1727	1777	1826
		1876	1952	2108	2204	2255	2306	2356	2407	2455
N30HU2SN	Upholstered Back, Polished Aluminum	1481	1531	1570	1610	1655	1703	1742	1792	1841
		1891	1967	2123	2219	2270	2321	2371	2422	2470
N30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1602	1652	1691	1731	1776	1824	1863	1913	1962
		2012	2088	2244	2340	2391	2442	2492	2543	2591

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	24¾-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP3SP	Plastic Extreme Back	\$	1333	1376	1410	1445	1484	1526	1559	1602	1645
			1688	1754	1890	1973	2017	2061	2104	2148	2190
N30HP3SSP	Plastic Extreme Back, Seat Slide		1455	1498	1532	1567	1606	1648	1681	1724	1767
			1810	1876	2012	2095	2139	2183	2226	2270	2312
N30HP3SN	Plastic Extreme Back, Polished Aluminum		1470	1513	1547	1582	1621	1663	1696	1739	1782
			1825	1891	2027	2110	2154	2198	2241	2285	2327
N30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1591	1634	1668	1703	1742	1784	1817	1860	1903
			1946	2012	2148	2231	2275	2319	2362	2406	2448
N30HU3SP	Upholstered Back		1413	1463	1502	1542	1587	1635	1674	1724	1773
			1823	1899	2055	2151	2202	2253	2303	2354	2402
N30HU3SSP	Upholstered Back, Seat Slide		1535	1585	1624	1664	1709	1757	1796	1846	1895
			1945	2021	2177	2273	2324	2375	2425	2476	2524
N30HU3SN	Upholstered Back, Polished Aluminum		1550	1600	1639	1679	1724	1772	1811	1861	1910
			1960	2036	2192	2288	2339	2390	2440	2491	2539
N30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1671	1721	1760	1800	1845	1893	1932	1982	2031
			2081	2157	2313	2409	2460	2511	2561	2612	2660

DIMENSIONS

Width	25½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**HIGH BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP9SP	Plastic Extreme Back	\$	1198	1241	1275	1310	1349	1391	1424	1467	1510
			1553	1619	1755	1838	1882	1926	1969	2013	2055
N30HP9SSP	Plastic Extreme Back, Seat Slide		1320	1363	1397	1432	1471	1513	1546	1589	1632
			1675	1741	1877	1960	2004	2048	2091	2135	2177
N30HP9SN	Plastic Extreme Back, Polished Aluminum		1333	1376	1410	1445	1484	1526	1559	1602	1645
			1688	1754	1890	1973	2017	2061	2104	2148	2190
N30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1455	1498	1532	1567	1606	1648	1681	1724	1767
			1810	1876	2012	2095	2139	2183	2226	2270	2312
N30HU9SP	Upholstered Back		1278	1328	1367	1407	1452	1500	1539	1589	1638
			1688	1764	1920	2016	2067	2118	2168	2219	2267
N30HU9SSP	Upholstered Back, Seat Slide		1399	1449	1488	1528	1573	1621	1660	1710	1759
			1809	1885	2041	2137	2188	2239	2289	2340	2388
N30HU9SN	Upholstered Back, Polished Aluminum		1413	1463	1502	1542	1587	1635	1674	1724	1773
			1823	1899	2055	2151	2202	2253	2303	2354	2402
N30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1535	1585	1624	1664	1709	1757	1796	1846	1895
			1945	2021	2177	2273	2324	2375	2425	2476	2524

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¾-27		
Height	42¼-47	Seat Slide	17¾-22¼	Back Width	18¾		
		Seat Width	20¾				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

HIGH BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30HP8SN	Plastic Extreme Back, Polished Aluminum	\$	1605	1648	1682	1717	1756	1798	1831	1874	1917
			1960	2026	2162	2245	2289	2333	2376	2420	2462
N30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1728	1771	1805	1840	1879	1921	1954	1997	2040
			2083	2149	2285	2368	2412	2456	2499	2543	2585
N30HU8SN	Upholstered Back, Polished Aluminum		1684	1734	1773	1813	1858	1906	1945	1995	2044
			2094	2170	2326	2422	2473	2524	2574	2625	2673
N30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1806	1856	1895	1935	1980	2028	2067	2117	2166
			2216	2292	2448	2544	2595	2646	2696	2747	2795

DIMENSIONS

Width	25½	Arm Height	26¾- 31½	Seat Depth	16½	Weight	53
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	41¼-46½	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30HP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
N30MP2SP	Plastic Extreme Back	\$ 1199	1238	1270	1302	1338	1376	1408	1447	1487
		1526	1588	1712	1789	1830	1871	1910	1951	1990
N30MP2SSP	Plastic Extreme Back, Seat Slide	1321	1360	1392	1424	1460	1498	1530	1569	1609
		1648	1710	1834	1911	1952	1993	2032	2073	2112
N30MP2SN	Plastic Extreme Back, Polished Aluminum	1335	1374	1406	1438	1474	1512	1544	1583	1623
		1662	1724	1848	1925	1966	2007	2046	2087	2126
N30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1458	1497	1529	1561	1597	1635	1667	1706	1746
		1785	1847	1971	2048	2089	2130	2169	2210	2249
N30MU2SP	Upholstered Back	1279	1325	1361	1399	1441	1486	1522	1568	1615
		1661	1732	1878	1967	2015	2063	2109	2156	2201
N30MU2SSP	Upholstered Back, Seat Slide	1402	1448	1484	1522	1564	1609	1645	1691	1738
		1784	1855	2001	2090	2138	2186	2232	2279	2324
N30MU2SN	Upholstered Back, Polished Aluminum	1415	1461	1497	1535	1577	1622	1658	1704	1751
		1797	1868	2014	2103	2151	2199	2245	2292	2337
N30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum	1539	1585	1621	1659	1701	1746	1782	1828	1875
		1921	1992	2138	2227	2275	2323	2369	2416	2461

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP3SP	Plastic Extreme Back	\$	1268	1307	1339	1371	1407	1445	1477	1516	1556
			1595	1657	1781	1858	1899	1940	1979	2020	2059
N30MP3SSP	Plastic Extreme Back, Seat Slide		1391	1430	1462	1494	1530	1568	1600	1639	1679
			1718	1780	1904	1981	2022	2063	2102	2143	2182
N30MP3SN	Plastic Extreme Back, Polished Aluminum		1404	1443	1475	1507	1543	1581	1613	1652	1692
			1731	1793	1917	1994	2035	2076	2115	2156	2195
N30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1528	1567	1599	1631	1667	1705	1737	1776	1816
			1855	1917	2041	2118	2159	2200	2239	2280	2319
N30MU3SP	Upholstered Back		1346	1392	1428	1466	1508	1553	1589	1635	1682
			1728	1799	1945	2034	2082	2130	2176	2223	2268
N30MU3SSP	Upholstered Back, Seat Slide		1469	1515	1551	1589	1631	1676	1712	1758	1805
			1851	1922	2068	2157	2205	2253	2299	2346	2391
N30MU3SN	Upholstered Back, Polished Aluminum		1481	1527	1563	1601	1643	1688	1724	1770	1817
			1863	1934	2080	2169	2217	2265	2311	2358	2403
N30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum		1604	1650	1686	1724	1766	1811	1847	1893	1940
			1986	2057	2203	2292	2340	2388	2434	2481	2526

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	18¾-20½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**MID BACK
UPHOLSTERED
STATIC ARMS**



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP9SP	Plastic Extreme Back	\$	1132	1171	1203	1235	1271	1309	1341	1380	1420
			1459	1521	1645	1722	1763	1804	1843	1884	1923
N30MP9SSP	Plastic Extreme Back, Seat Slide		1254	1293	1325	1357	1393	1431	1463	1502	1542
			1581	1643	1767	1844	1885	1926	1965	2006	2045
N30MP9SN	Plastic Extreme Back, Polished Aluminum		1268	1307	1339	1371	1407	1445	1477	1516	1556
			1595	1657	1781	1858	1899	1940	1979	2020	2059
N30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1391	1430	1462	1494	1530	1568	1600	1639	1679
			1718	1780	1904	1981	2022	2063	2102	2143	2182
N30MU9SP	Upholstered Back		1210	1256	1292	1330	1372	1417	1453	1499	1546
			1592	1663	1809	1898	1946	1994	2040	2087	2132
N30MU9SSP	Upholstered Back, Seat Slide		1332	1378	1414	1452	1494	1539	1575	1621	1668
			1714	1785	1931	2020	2068	2116	2162	2209	2254
N30MU9SN	Upholstered Back, Polished Aluminum		1346	1392	1428	1466	1508	1553	1589	1635	1682
			1728	1799	1945	2034	2082	2130	2176	2223	2268
N30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1469	1515	1551	1589	1631	1676	1712	1758	1805
			1851	1922	2068	2157	2205	2253	2299	2346	2391

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¾-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service

LAVORO

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30MP8SN	Plastic Extreme Back, Polished Aluminum	\$	1539	1578	1610	1642	1678	1716	1748	1787	1827
			1866	1928	2052	2129	2170	2211	2250	2291	2330
N30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1662	1701	1733	1765	1801	1839	1871	1910	1950
			1989	2051	2175	2252	2293	2334	2373	2414	2453
N30MU8SN	Upholstered Back, Polished Aluminum		1617	1663	1699	1737	1779	1824	1860	1906	1953
			1999	2070	2216	2305	2353	2401	2447	2494	2539
N30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1740	1786	1822	1860	1902	1947	1983	2029	2076
			2122	2193	2339	2428	2476	2524	2570	2617	2662

DIMENSIONS

Width	25½	Arm Height	26¼-31	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¼	KD Cubic Ft.	15.0
Seat Slide	25¼-27¼	Seat Height with		Back Height	22¼-24¼		
Height	39-43½	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- Contrasting fabric option – specify X (i.e., N30MP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
HEIGHT, ARM CAP DEPTH**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP2SP	Plastic Extreme Back	\$	1233	1272	1304	1336	1372	1410	1442	1481	1521
			1560	1622	1746	1823	1864	1905	1944	1985	2024
N30SP2SPG	Plastic Extreme Back, Glides		1233	1272	1304	1336	1372	1410	1442	1481	1521
			1560	1622	1746	1823	1864	1905	1944	1985	2024
N30SP2SN	Plastic Extreme Back, Polished Aluminum		1370	1409	1441	1473	1509	1547	1579	1618	1658
			1697	1759	1883	1960	2001	2042	2081	2122	2161
N30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides		1370	1409	1441	1473	1509	1547	1579	1618	1658
			1697	1759	1883	1960	2001	2042	2081	2122	2161
N30SU2SP	Upholstered Back		1346	1392	1428	1466	1508	1553	1589	1635	1682
			1728	1799	1945	2034	2082	2130	2176	2223	2268
N30SU2SPG	Upholstered Back, Glides		1346	1392	1428	1466	1508	1553	1589	1635	1682
			1728	1799	1945	2034	2082	2130	2176	2223	2268
N30SU2SN	Upholstered Back, Polished Aluminum		1481	1527	1563	1601	1643	1688	1724	1770	1817
			1863	1934	2080	2169	2217	2265	2311	2358	2403
N30SU2SNG	Upholstered Back, Polished Aluminum, Glides		1481	1527	1563	1601	1643	1688	1724	1770	1817
			1863	1934	2080	2169	2217	2265	2311	2358	2403

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38¾	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19%	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP2SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP3SP	Plastic Extreme Back	\$	1301	1340	1372	1404	1440	1478	1510	1549	1589
			1628	1690	1814	1891	1932	1973	2012	2053	2092
N30SP3SPG	Plastic Extreme Back, Glides		1301	1340	1372	1404	1440	1478	1510	1549	1589
			1628	1690	1814	1891	1932	1973	2012	2053	2092
N30SP3SN	Plastic Extreme Back, Polished Aluminum		1438	1477	1509	1541	1577	1615	1647	1686	1726
			1765	1827	1951	2028	2069	2110	2149	2190	2229
N30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1438	1477	1509	1541	1577	1615	1647	1686	1726
			1765	1827	1951	2028	2069	2110	2149	2190	2229
N30SU3SP	Upholstered Back		1415	1461	1497	1535	1577	1622	1658	1704	1751
			1797	1868	2014	2103	2151	2199	2245	2292	2337
N30SU3SPG	Upholstered Back, Glides		1415	1461	1497	1535	1577	1622	1658	1704	1751
			1797	1868	2014	2103	2151	2199	2245	2292	2337
N30SU3SN	Upholstered Back, Polished Aluminum		1550	1596	1632	1670	1712	1757	1793	1839	1886
			1932	2003	2149	2238	2286	2334	2380	2427	2472
N30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1550	1596	1632	1670	1712	1757	1793	1839	1886
			1932	2003	2149	2238	2286	2334	2380	2427	2472

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	18¼-20½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP3SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

**STOOL MID BACK
UPHOLSTERED
STATIC ARMS**



Mobile



Static



**MODEL
NO.**

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP9SP	Plastic Extreme Back	\$	1167	1206	1238	1270	1306	1344	1376	1415	1455
			1494	1556	1680	1757	1798	1839	1878	1919	1958
N30SP9SPG	Plastic Extreme Back, Glides		1167	1206	1238	1270	1306	1344	1376	1415	1455
			1494	1556	1680	1757	1798	1839	1878	1919	1958
N30SP9SN	Plastic Extreme Back, Polished Aluminum		1301	1340	1372	1404	1440	1478	1510	1549	1589
			1628	1690	1814	1891	1932	1973	2012	2053	2092
N30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides		1301	1340	1372	1404	1440	1478	1510	1549	1589
			1628	1690	1814	1891	1932	1973	2012	2053	2092
N30SU9SP	Upholstered Back		1279	1325	1361	1399	1441	1486	1522	1568	1615
			1661	1732	1878	1967	2015	2063	2109	2156	2201
N30SU9SPG	Upholstered Back, Glides		1279	1325	1361	1399	1441	1486	1522	1568	1615
			1661	1732	1878	1967	2015	2063	2109	2156	2201
N30SU9SN	Upholstered Back, Polished Aluminum		1415	1461	1497	1535	1577	1622	1658	1704	1751
			1797	1868	2014	2103	2151	2199	2245	2292	2337
N30SU9SNG	Upholstered Back, Polished Aluminum, Glides		1415	1461	1497	1535	1577	1622	1658	1704	1751
			1797	1868	2014	2103	2151	2199	2245	2292	2337

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	30-38	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP9SPX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled


LAVORO

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

- See page 407 for Lavoro options
- See pages 425-426 for COM fabric yardage

STOOL MID BACK UPHOLSTERED CONFERENCE ARMS



Mobile



Static



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
N30SP8SN	Plastic Extreme Back, Polished Aluminum	\$	1573	1612	1644	1676	1712	1750	1782	1821	1861
			1900	1962	2086	2163	2204	2245	2284	2325	2364
N30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1573	1612	1644	1676	1712	1750	1782	1821	1861
			1900	1962	2086	2163	2204	2245	2284	2325	2364
N30SU8SN	Upholstered Back, Polished Aluminum		1686	1732	1768	1806	1848	1893	1929	1975	2022
			2068	2139	2285	2374	2422	2470	2516	2563	2608
N30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1686	1732	1768	1806	1848	1893	1929	1975	2022
			2068	2139	2285	2374	2422	2470	2516	2563	2608

DIMENSIONS

Width	26½	Seat Height	21-28¼	Arm Height	29½-37½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	20½	Cubic Ft.	18.7
Height	42¼-53	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30SP8SNX); see page 408. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN		0.80	1.00	1.20	2.10	16
N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN		1.30	1.50	2.10	3.40	26
N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10	18 16
N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN		1.50	1.80	2.60	4.40	30
N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10	18 18 16
N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG		1.20	1.50	2.20	3.00	24

LAVORO

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30MP2SPX, N30MP2SSPX						
N30MP2SNX, N30MP2SSNX						
N30MP3SPX, N30MP3SSPX						
N30MP3SNX, N30MP3SSNX						
N30MP9SPX, N30MP9SSPX						
N30MP9SNX, N30MP9SSNX						
N30MP8SNX, N30MP8SSNX						
N30SP2SPX, N30SP2SPGX						
N30SP2SNX, N30SP2SNGX						
N30SP3SPX, N30SP3SPGX						
N30SP3SNX, N30SP3SNGX						
N30SP9SPX, N30SP9SPGX						
N30SP9SNX, N30SP9SNGX	Back	0.80	0.90	1.40	1.90	16
N30SP8SNX, N30SP8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30MU2SP, N30MU2SSP						
N30MU2SN, N30MU2SSN						
N30MU3SP, N30MU3SSP						
N30MU3SN, N30MU3SSN						
N30MU9SP, N30MU9SSP						
N30MU9SN, N30MU9SSN						
N30MU8SN, N30MU8SSN						
N30SU2SP, N30SU2SPG						
N30SU2SN, N30SU2SNG						
N30SU3SP, N30SU3SPG						
N30SU3SN, N30SU3SNG						
N30SU9SP, N30SU9SPG						
N30SU9SN, N30SU9SNG						
N30SU8SN, N30SU8SNG		1.40	1.60	2.60	3.60	28
N30MU2SPX, N30MU2SSPX						
N30MU2SNX, N30MU2SSNX						
N30MU3SPX, N30MU3SSPX						
N30MU3SNX, N30MU3SSNX						
N30MU9SPX, N30MU9SSPX						
N30MU9SNX, N30MU9SSNX						
N30MU8SNX, N30MU8SSNX						
N30SU2SPX, N30SU2SPGX						
N30SU2SNX, N30SU2SNGX						
N30SU3SPX, N30SU3SPGX						
N30SU3SNX, N30SU3SNGX						
N30SU9SPX, N30SU9SPGX	Back	0.80	0.90	1.40	1.90	16
N30SU9SNX, N30SU9SNGX	Extreme Back	0.80	1.00	1.30	1.40	16
N30SU8SNX, N30SU8SNGX	Seat	0.80	1.00	1.20	2.10	16

LAVORO