
Arlington

Product Specifications	52
Fabrics and Options	53
Product Pages	54
COM Yardage Requirements	56

ARLINGTON

ARLINGTON PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Interior and exterior frame constructed of kiln-dried hardwoods, with joints double doweled and securely glued for maximum joint stability
- Tie screws are installed at all critical joints for added strength
- Guest conference models have seat joints supported with additional corner blocks secured with high tensile screws

SEAT AND BACK CONSTRUCTION

- High grade polyurethane foam covers high tension strip webbing for comfort
- 64X-GWXX back offers a high grade polyurethane foam covering a non-stretch suspension with an extra layer of suspension in the lumbar area for increased support

TUFTING

- Button tufting utilizes a metal prong unit pulled through both the foam and fabric, then inserted through a self-locking steel washer that is clinched for long life

TRIM NAILS


- Decorative antique brass trim nails are individually hand applied to the arm and seat base for a clean, tailored appearance

FINISH

- All finishes feature a catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Maple



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 56.

The yardage requirement for each model is based on 54" W fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, CF Stinson, Designtex, Maharam, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Designtex	800.221.1540	designtex.com
CF Stinson	800.841.6279	cfstinson.com
Maharam	800.645.3943	maharam.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

FINISHES

AC	Autumn	PB	Portobello
AD	Almond	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White
IM	Brighton	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*
NM	Natural		

*Acorn is the finish complement to Clear Walnut finish


ARLINGTON

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 53 for Arlington options
- Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.
- See page 56 for COM fabric yardage

GUEST WRAPPED ARMS



MODEL NO.



ALLIANCE PROGRAM PRICE GRADES

			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
48-GC	\$		1327	1405	1466	1532	1605	1683	1744	1822	1904
			1979	2104	2353	2507	2588	2672	2750	2832	2907
48-GCN		Trim Nails	1327	1405	1466	1532	1605	1683	1744	1822	1904
			1979	2104	2353	2507	2588	2672	2750	2832	2907

DIMENSIONS

Width	26	Arm Height	26¾	Seat Width	19¾	Weight	43
Depth	28	Seat Height	19½			Cubic Ft.	15.9
Height	38½	Seat Depth	19				

GUEST CLUB



			A	B	C	D	E	F	G	H	I
			J	K	L	M	N	O	P	Q	R
451	\$	Non-tufted/Trim Nails, Static	1389	1478	1547	1623	1705	1794	1864	1953	2045
			2131	2273	2557	2732	2824	2920	3009	3101	3187
451T		Tufted/Trim Nails, Static	1444	1541	1617	1700	1790	1887	1962	2060	2160
			2254	2409	2718	2909	3010	3114	3212	3312	3406
452	\$	Non-tufted/Trim Nails, Mobile	1408	1497	1566	1642	1724	1813	1883	1972	2064
			2150	2292	2576	2751	2843	2939	3028	3120	3206
452T		Tufted/Trim Nails, Mobile	1458	1555	1631	1714	1804	1901	1976	2074	2174
			2268	2423	2732	2923	3024	3128	3226	3326	3420

DIMENSIONS

Width	28¾	Arm Height	25¾	Seat Width	20	Weight	52
Depth	27¾	Seat Height	19½			Cubic Ft.	15.0
Height	32	Seat Depth	19				

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 53 for Arlington options
- Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.
- See page 56 for COM fabric yardage

GUEST CAPTAIN



MODEL NO.


ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
72X-GUXX	Non-tufted	\$ 829	861	887	914	944	977	1002	1034	1068
		1099	1151	1254	1317	1351	1386	1418	1452	1483
72X-GUXT	Non-tufted/Trim Nails	833	865	891	918	948	981	1006	1038	1072
		1103	1155	1258	1321	1355	1390	1422	1456	1487

DIMENSIONS

Width	25¼	Arm Height	26	Seat Width	18½	Weight	36
Depth	22¼	Seat Height	18½			Cubic Ft.	14.6
Height	30½	Seat Depth	18				

GUEST WOOD ARMS



		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
64X-GWXX		\$ 924	961	989	1021	1055	1091	1120	1157	1195
		1230	1289	1406	1478	1516	1555	1592	1630	1665

DIMENSIONS

Width	22¼	Arm Height	25¼	Seat Width	19½	Weight	27
Depth	25	Seat Height	17¼			Cubic Ft.	16.6
Height	35	Seat Depth	17¼				

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
451		3.30	4.05	5.35	5.90	67
451T		3.60	4.15	5.30	5.90	73
452		3.30	4.05	5.35	5.90	67
452T		3.60	4.15	5.30	5.90	73
48-GC, 48-GCN		2.90	3.10	3.90	3.90	59
64X-GWXX		1.36	1.58	2.97	2.97	28
72X-GUXT, 72-GUXX		1.20	1.70	1.80	2.20	25