
Nash

Product Specifications	470
Fabrics and Options	471
Contrasting Fabrics Specifications	472
Product Pages	473
COM Yardage Requirements	474



NASH PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Steam-bent frame is constructed of kiln-dried European beech to support the body's curves
- Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use
- Clean out is standard to make cleaning easy and simple

SEAT CONSTRUCTION

- Seat rails are reinforced with wood corner blocks and cleats attached with glued and wood screws
- Seat suspension is constructed of $\frac{3}{32}$ " thick molded plywood that is machined to form an open perimeter
- Unidirectional webbing is machine-stretched across the open perimeter and stapled to the edges to form a secure suspension
- Seat assembly is attached with wood screws to wood cleats on the frame
- Seat cushion is made of $1\frac{1}{4}$ " thin-profile, high resiliency, CFC-free foam for maximum comfort and durability
- Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples

LEGS

- Wall saver legs flare slightly so they contact the baseboard first, saving the wall's finish

FOOT RAIL



- Brushed aluminum foot rail protector is standard on front rails of bar stools

GLIDES

- Nylon glides are $\frac{7}{8}$ " in diameter

CONTRASTING UPHOLSTERY

- Contrasting upholstery is available on backs and seats



SURFACE MATERIALS

See the Kimball Hospitality Surface Materials Reference Guide at kimballhospitality.com for a complete overview of our materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer specified laminate (CSL)
- Customer specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) process overview
- Alliance program

ALLIANCE FABRIC PROGRAM

Kimball Hospitality has analyzed each model to most accurately reflect the COM/COL yardage requirements shown on page 474.

The yardage requirement for each model is based on 54" wide fabric and cutting the fabric up the roll.

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required. When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

Contact Customer Service.

PRICE GRADES A-R

See Surface Materials at www.kimballhospitality.com for a wide variety of graded-in fabrics from Arc-Com, Carnegie, CF Stinson, Designtex, Maharam, Mayer, Momentum, and Ultrafabrics.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
CF Stinson	800.841.6279	cfstinson.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

WOOD FINISHES

PRICE GROUP 1

AD	Almond
MC	Amber
BZ	Brazilwood
IM	Brighton
CO	Canyon
CI	Chai
CC	Cordoba
ES	Espresso
DF	Driftwood
TM	Huntington
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
NW	Tuscan
UW	Urban
WL	Willow

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match
Contact Customer Service for more information

TO ORDER CONTRASTING FABRIC, SPECIFY

NASH
Side Chair page 473
Bar Stool page 473

1. Model Number plus "X"
2. Back Upholstery Grade
3. Back Upholstery Number
4. Seat Upholstery Grade
5. Seat Upholstery Number
6. Frame Finish Price Group
7. Frame Finish Designator



Contrasting Fabric may be specified on
back and seat

TO ORDER, SPECIFY:

1. Model Number
2. Back Upholstery Grade
3. Back Upholstery Number
4. Seat Upholstery Grade
5. Seat Upholstery Number
6. Frame Finish Price Group
7. Frame Finish Designator

- See page 471 for Nash options
- See page 474 for COM fabric yardage

SIDE CHAIR



MODEL NO.

ALLIANCE PROGRAM PRICE GRADES

		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
K54GC	Side Chair	\$ 2262	2343	2405	2469	2538	2619	2665	2752	2826
		2901	3023	3265	3419	3453	3483	3520	3557	3727

DIMENSIONS

Width	27¾	Seat Height	18	Arm Height	26	Weight	
Depth	24½	Seat Depth	20			Cubic Ft.	
Height	30¾	Seat Width	23				

- Contrasting fabric option – specify X (i.e., K54GCX); see page 472. For list pricing, use your electronic specification tool or contact customer service
- Due to three dimensional design of back and arms, horizontal stripes are not recommended as they will appear wavy across the back
- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams

BAR STOOL



		A	B	C	D	E	F	G	H	I
		J	K	L	M	N	O	P	Q	R
K54ST	Bar Stool	\$ 2363	2444	2506	2570	2639	2720	2766	2853	2927
		3002	3124	3366	3520	3554	3584	3621	3658	3828

DIMENSIONS

Width	24½	Seat Height	30	Arm Height	37¾	Weight	
Depth	23½	Seat Depth	20			Cubic Ft.	
Height	42	Seat Width	23				

- Contrasting fabric option – specify X (i.e., K54STX); see page 472. For list pricing, use your electronic specification tool or contact customer service
- Due to three dimensional design of back and arms, horizontal stripes are not recommended as they will appear wavy across the back
- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-634-9510 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
K54GC	Entire Unit	1.90	2.40	3.00	3.80	38
	Back	1.20	1.60	2.10	2.80	24
	Seat	1.00	1.10	1.40	1.50	20
K54ST	Entire Unit	1.90	2.40	3.00	3.80	38
	Back	1.20	1.60	2.10	2.80	24
	Seat	1.00	1.10	1.40	1.50	20