


Agilent 34826A – BenchLink Data Logger Software for 34980A

Data Sheet

High-speed data logging with no programming required

Key features

- Supports high-performance data logging for the 34980A Switch/Measure unit
- Quick test setup and execution
- Set alarms and execute scans
- Collect, monitor and manage data
- Present data on a single or multiple graphs
- Export data to other applications for presentation and analysis



The Agilent BenchLink Data Logger software provides a convenient way to collect and analyze your data. This software is a Windows®-based application that uses a familiar spreadsheet environment to define measurement data to be collected. The tab-based format makes it easy to set up and initiate scans. Simply identify the measurements you want to acquire, initiate the process, and see the data displayed real-time.

With the BenchLink Data Logger software you get PC-based data logging capability without spending hours programming.



Agilent Technologies

This BenchLink software supports advanced features of the 34980A. You can log data at high speeds with the 34925A FET multiplexer at 900 ch/sec. Additionally, with the high-density capabilities of the 34980A, you can capture up to 560 2-wire multiplexer channels from one 34980A mainframe, or 1120 channels from two 34980As.

With the Windows tabbed-based interface, you can use the 4 easy steps to setup and capture your data:

- Configure 34980As
- Configure Channels
- Scan and Log Data
- Quick Graph

You can specify individual channel setups and perform statistical calculations to analyze the data points you want. Create computed channels for mathematical relationships with +, -, *, /, dB, dBm, dBV, \sqrt{x} , SRT, full, $\sqrt{1/2}$ or 1/4 bridge strain. Graph your data, save it to disk, or you can copy data to the Windows clipboard for export to other applications.



The raw data is saved in .CSV format and can be easily imported into standard Microsoft® applications such as Microsoft Word and Excel for further analysis and documentation. Whether you monitor incoming data or review historical data, you can use one of the many analog or digital options to display your data.

The Windows user interface is also localized into multiple languages and includes context sensitive help.

Use the quick graph tab to monitor your data real time. You can specify multiple channels per graph, or send collected data to multiple graphs. Use strip charts with markers and alarm indication, or histograms with statistics. Also, the graphs can be copied into other applications for inclusion in presentations or reports.

Additional display options include single channel results with AVG, MIN, and MAX.

Data management is vital for data logging applications. The BenchLink software features a data manager that allows you to easily manage all configurations and dataset files. Use this feature to copy instrument settings, find related data logs, rename files, edit comments, export data logs to Comma separated variable (CSV) format or just delete unwanted data.

Specifications

System requirements

Operating system:

Windows 7® and Windows Vista® Pro, Enterprise and Ultimate (32 bit and 64 bit); XP SP1, SP2, SP3. (Does not support any Home edition)

Controller: Recommend Pentium® 4, 800 MHz or greater, Min: Pentium III, 500 MHz

RAM: Recommend 256 MB or greater, Min 128 MB

Disk Space: Recommend 200 MB, Min 100 MB

Display: 1024x768 resolution, 256 colors

Adobe® Acrobat® Reader V5.0 or higher (to view documentation)

Included run-time**software components:**

Microsoft .NET V1.1 Microsoft Data access components V2.8 SP1

Agilent IO Libraries**Version 14.1 or later**

(included on a separate CD)

Supported instruments

34980A Multifunction Switch/Measure Unit with DMM and any of the following modules:

- 34921A/22A/23A/24A/25A Multiplexers
- 34952A Multifunction Module
- Supports one instrument at full speed or 2 instruments at a reduced speed

Supported interfaces:

- IEEE-488 GPIB, LAN, USB

Performance

Scanning speeds with 34980A:

343921A/22A	100 ch/sec
34923A/24A	500 ch/sec
34925A	900 ch/sec
34952A	DIO read/write speed 95 ch/sec

** Speeds are for 4 ½ digits, delay 0, display off, autozero off. Scanning is within bank on the same module. Add 10 ms for between banks or modules. See the 34980A data sheet for additional 34980A performance specs.*

Localization

GUI fully localized with context sensitive help in English, Simplified Chinese, Japanese, Korean, French, and German.

Ordering information

All 34980A switch/measure units ship with a free copy of BenchLink Data Logger software (34826A). An evaluation version of the BenchLink Data Logger Pro (34832A) software also ships with the 34980A Switch/measure unit. This version is fully functional and works for 30 days. A license is required to be installed on your PC to use the software beyond the evaluation period.

Optional: purchase the 34832A at a later date and install the license on your PC.

Related Literature

[Agilent 34980A Multifunction Switch/measure Unit](#)

Data Sheet: 5989-1437EN



Agilent Email Updates

www.agilent.com/find/emailupdates

Get the latest information on the products and applications you select.

Agilent Channel Partners

www.agilent.com/find/channelpartners

Get the best of both worlds: Agilent's measurement expertise and product breadth, combined with channel partner convenience.

Agilent Advantage Services



Agilent Advantage Services is committed to your success throughout your equipment's lifetime. To keep you competitive, we continually invest in tools and processes that speed up calibration and repair and reduce your cost of ownership. You can also use Infoline Web Services to manage equipment and services more effectively. By sharing our measurement and service expertise, we help you create the products that change our world.

www.agilent.com/find/advantageservices



www.agilent.com/quality

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

www.agilent.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	(11) 4197 3500
Mexico	01800 5064 800
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 375 8100

Europe & Middle East

Belgium	32 (0) 2 404 93 40
Denmark	45 70 13 15 15
Finland	358 (0) 10 855 2100
France	0825 010 700*
	*0.125 €/minute
Germany	49 (0) 7031 464 6333
Ireland	1890 924 204
Israel	972-3-9288-504/544
Italy	39 02 92 60 8484
Netherlands	31 (0) 20 547 2111
Spain	34 (91) 631 3300
Sweden	0200-88 22 55
United Kingdom	44 (0) 131 452 0200

For other unlisted countries:

www.agilent.com/find/contactus

Revised: June 8, 2011

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2011
Published in USA, August 11, 2011
5989-5473EN



Agilent Technologies