

Technical Support
Knowledge Center Open

M8040AU Upgrades for M8040A 64Gbaud high- performance BERT

Notices

© Keysight Technologies Incorporated, 2002-2020

1400 Fountaingrove Pkwy., Santa Rosa, CA 95403-1738, United States All rights reserved.

No part of this documentation may be reproduced in any form or by any means (including electronic storage and retrieval or translation into a foreign language) without prior agreement and written consent from Keysight Technologies, Inc. as governed by United States and international copyright laws.

Restricted Rights Legend

If software is for use in the performance of a U.S. Government prime contract or subcontract, Software is delivered and licensed as "Commercial computer software" as defined in DFAR 252.227-7014 (June 1995), or as a "commercial item" as defined in FAR 2.101(a) or as "Restricted computer software" as defined in FAR 52.227-19 (June 1987) or any equivalent agency regulation or contract clause.

Use, duplication or disclosure of Software is subject to Keysight Technologies' standard commercial license terms, and non-DOD Departments and Agencies of the U.S. Government will receive no greater than Restricted Rights as defined in FAR 52.227-19(c)(1-2) (June 1987). U.S. Government users will receive no greater than Limited Rights as defined in FAR 52.227-14 (June 1987) or DFAR 252.227-7015 (b)(2) (November 1995), as applicable in any technical data.

Portions of this software are licensed by third parties including open source terms and conditions.

For detail information on third party licenses, see [Notice](#).

Contents

Upgrades for M8045A	
M8045A-U64	Upgrade to 64 GBaud from M8045A-G32, Module-wide License
M8045A-UG2	Upgrade of M8045A to second Channel for Pattern Generator, License (Return to factory)
M8045A-UG3	Upgrade of M8045A to Advanced Jitter Sources for Receiver Characterization, Module-wide License
M8045A-UG4	Upgrade of M8045A to De-emphasis, Module-wide License
M8045A-UP3	Upgrade of M8045A to PAM-4 Encoding up to 32 GBaud, Module-wide License
M8045A-UP6	Upgrade of M8045A to PAM-4 Extension up to 64 GBaud, Module-wide License
Upgrades for M8046A	
M8046A-U64	Upgrade to 64 GBaud from M8046A-A32, License (Return to factory)
M8046A-UA3	Upgrade of M8046A to Analyzer Equalization, License (requires M8046A-A64 or -U64. Return to factory for S/N below DE56C00399)
M8046A-UP3	Upgrade of M8046A to PAM-4 Decoding up to 32 GBaud, License
Accessories	
M8045A-801	Short Cable 1.85 mm (m) to 1.85 mm (m), 0.15 m, absolute matching 699 ps +- 1 ps
M8045A-802	Matched directional coupler pair 50 GHz, 13 dB, 2.4 mm (recommended for external interference source RI/SI)
M8046A-801	Cable, 2.92 mm (m) to 2.92 mm (m), Length 0.5 m
M8046A-802	Matched Cable Pair, 2.4 mm, 2 ps, Length 0.85 m
M8061A-803	Bandpass filter 11.1 to 17.5 GHz, SMA (for M8046A clock input)
8490G-006	Attenuator, 6 dB, 1.85 mm

N9398F	DC block 2.4 mm
N1027A-2 P2	Microwave pick-off tees, 2.4 mm, matched pair (Qty 1 is recommend for use with N1076A/77A)
11900B	Adapter 2.4 mm (f) to 2.4 mm (f) (Qty 2 is recommended for connecting cables to pick-off tees)
83059A	Adapter 3.5 mm (m) to 3.5 mm (m) (Qty 2 is recommended for connecting pick-off tees directly to N1076A/77A inputs)
Y1226A	Rack-mount kit for AXIe 5-slot chassis M9505A

Contact Keysight for option pricing

