

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
CAT128		9.1	1090	0	0	0	0	0	0	0	0	0	0	0
DAR300218		9.41	1128	4.2	503	4.2	503	44.6	0	0	0	0	58.1	3.95
DAR47177		8.19	981	4.41	528	4.41	528	53.8	0	0	0	0	61.2	3.91
DA53021		12.89	1545	2.07	248	1.21	145	42.8	0	33.4	0	41.7	58.2	0.41
DA53025		12.69	1521	2.1	252	1.25	149	43.1	0	33.2	0	40.8	58	0.47
DA53027		13.19	1581	2.06	247	1.23	147	41	0	31.6	0	40.3	57	0.21
DAU75		7.53	902	5.88	705	5.88	705	78.2	0	0	0	0	82.5	0.55
DBC500		7.75	929	5.72	685	5.72	685	73.8	0	0	0	0	78.4	0.83
DBC5231		8.21	984	5.99	717	5.98	717	72.9	0	0	0	0	82.3	0.67
DBC7012		9.98	1196	5.16	618	5.16	618	51.7	0	0	0	0	71.4	0.49
DBC925703		7.78	932	6.02	721	6.01	720	77.4	0	0	0	0	82.4	0.59
DBC925704		7.83	938	5.9	707	5.9	706	75.3	0	0	0	0	80.7	0.6
DBC9700		7.49	897	6.05	725	6.05	725	80.8	0	0	0	0	83.9	2.3
DBU500		7.93	950	4.96	594	4.82	577	63.2	0	2.3	0	2.8	69.1	0.67
DBU9700		8.01	960	4.8	575	4.63	555	60.8	0	2.9	0	3.5	67.3	0.76
DBX1689		7.55	905	6.48	776	6.48	776	85.8	0.1	0	0.1	0	89.7	0.66
DBX695		7.79	933	5.58	668	5.27	632	72.4	0	4.6	0	5.4	77.4	2.01
DC1100E		7.87	943	4.79	574	4.79	574	60.9	0	0	0	0	67.2	0.01
DC1290E		8.04	963	6.26	750	6.26	750	77.9	0	0	0	0	81.8	1.65
DC2000		7.85	941	3.67	440	2.76	331	56.2	0.1	20.9	0.1	24.6	63.1	0
DC3000		7.67	919	4.29	515	3.45	413	62.1	0	17.2	0	19.8	68.2	2.43
DC4000		7.84	939	4.6	551	4.32	518	60.3	0	5.1	0	6	66	3.5
DC4010	Clear Ctg	9.06	1086	2.69	323	1.25	149	70.4	0.1	56.6	0.1	53.7	71.3	0.84
DC4125	Clear Ctg	8.36	1002	2.93	351	2.08	250	55	0.1	30	0.1	28.9	58.8	0
DC4925		7.82	937	4.59	550	4.32	518	60.3	0	5	0	5.9	65.8	3.39
DC5030		7.98	956	3.31	396	2.83	339	47.5	0	12	0	14.3	54.1	1.63
DC5050		8.11	972	3.7	443	3.46	415	47.9	0	5.1	0	6.2	53.8	2.55
DC8115		8.82	1057	4.16	498	4.15	498	47.1	0	0	0	0	56.4	0.5
DC8117		8.61	1032	4.28	513	4.28	513	49.7	0	0	0	0	58.1	0.34
DCA468		7.86	942	5.17	620	5.17	619	65.8	0	0	0	0	71.6	3.35
DCC8717		10.59	1269	3.79	454	3.79	454	35.8	0	0	0	0	50.9	0.52
DCC9300		8.29	993	4.27	512	4.27	512	51.6	0	0	0	0	58.2	1.37
DCC9741		8.3	995	5.19	622	5.19	621	62.5	0	0	0	0	70.6	0.49
DCD35		8.25	989	3.19	383	3.17	380	39.1	0	0.6	0	0.8	44.9	0.01
DCH2015		9.41	1128	1.82	219	1.54	185	34.8	0	18.4	0	15.5	36.5	0
DCH3070		8.74	1047	2.3	275	2.3	275	26.3	0	0	0	0	32.7	0.6
DCH3085		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	32.7	0.6
DCH3095		8.73	1046	2.29	275	2.29	275	26.3	0	0	0	0	32.7	0.6
DCH3098		9.03	1082	2.32	279	2.32	278	25.8	0	0	0	0	29.9	0

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DCH3610	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	52	26.7	0	22.2	0	19.4	25.3	0
DCH3620	Clear Ctg (Hardener)	9.72	1165	0.54	65	0.44	53	25.2	0	20.6	0	17.9	24	0
DCH3630	Clear Ctg (Hardener)	9.72	1165	0.54	65	0.44	53	25.2	0	20.6	0	18	24	0
DCH3640	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	23.9	0
DCH4126	Clear Ctg (Hardener)	10.18	1220	0	0	0	0	36.5	0	36.5	0	33.2	33.2	0
DCH8239	Hardener	8.62	1033	4.12	494	4.12	494	47.8	0	0	0	0	58.1	2.25
DCU2002		7.95	953	4.04	484	4.04	484	50.8	0	0	0	0	56.6	2.89
DCU2021		7.94	951	4.03	483	4.03	483	50.8	0	0	0	0	56.7	2.82
DCU2042		7.92	949	4.03	483	4	479	51.1	0	0.6	0	0.7	57.6	3.04
DCU2055		8.12	973	3.34	400	3.34	400	41.1	0	0	0	0	47.3	1.93
DCU2060		8.01	960	5.35	641	5.35	641	66.8	0	0	0	0	73.8	1.2
DCX3030		8.13	974	4.29	514	4.29	514	52.8	0	0	0	0	60.7	2.36
DCX3035		8.12	973	4.37	523	4.37	523	53.8	0	0	0	0	60.5	1.12
DCX61	Single-Stage Ctg (Hardener)	8.95	1072	1.44	172	1.44	172	16.1	0	0	0	0	21.2	0
DCX8		9.02	1081	1.44	173	1.44	173	16	0	0	0	0	21.6	1.43
DCX9		8.9	1066	1.43	172	1.43	172	16.1	0	0	0	0	21.4	1.42
DDL9423		7.88	944	5.27	631	5.27	631	66.9	0	0	0	0	73.8	2.81
DF700		9.98	1196	1.5	179	1.5	179	15	0	0	0	0	19.7	1.5
DF705		10.4	1246	1.82	218	1.82	218	17.5	0	0	0	0	23.9	1.87
DF708		10	1198	0	0	0	0	17	17	0	20.4	0	17	0
DF715		13.56	1625	2.37	284	2.37	284	17.5	0	0	0	0	31.2	2.51
DFL1		13.02	1560	3.71	445	3.71	444	28.5	0.1	0	0.1	0	51.8	1.08
DFL17		14.26	1709	3.54	424	3.54	424	24.9	0.1	0	0.1	0	49.2	0.92
DFX11		8.09	969	3.94	472	3.94	472	48.8	0	0	0	0	55.7	0
DMA307		7.74	927	5.37	643	5.36	643	69.4	0.1	0	0.1	0	77	2.66
DMA309		7.82	937	5.38	644	5.37	643	68.8	0.1	0	0.1	0	76.7	3.13
DMA310		7.62	913	5.29	634	5.29	634	69.5	0	0	0	0	75.9	2.67
DMA311		8.95	1072	4.8	575	4.79	574	53.7	0.2	0	0.2	0	67.7	2.68
DMA312		7.84	939	5.34	639	5.33	639	68.2	0.2	0	0.1	0	76.6	2.47
DMA314		7.75	929	5.34	640	5.33	639	69	0.1	0	0.1	0	76.5	2.81
DMA316		7.68	920	5.34	640	5.33	639	69.6	0.2	0	0.2	0	76.7	2.52
DMA320		7.76	930	5.31	636	5.3	635	68.5	0.1	0	0.1	0	75.2	3.38
DMA321		7.74	927	5.3	635	5.3	635	68.6	0.1	0	0.1	0	75.3	3.34
DMA325		8.39	1005	5.24	628	5.23	627	62.5	0.1	0	0.1	0	75.2	2.17
DMA329		8.33	998	5.08	609	5.08	608	61.1	0.2	0	0.2	0	71.5	3.22
DMA333		8.34	999	5.12	614	5.11	613	61.5	0.2	0	0.2	0	72	3.06
DMA342		7.84	939	5.29	634	5.28	633	67.5	0.1	0	0.1	0	75.3	3.26
DMA346		7.77	931	5.19	622	5.18	621	66.8	0.2	0	0.2	0	73.4	3.06
DMA349		7.66	918	5.37	643	5.36	642	70.2	0.2	0	0.2	0	77.2	2.45

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMA351		7.91	948	5.25	629	5.25	629	66.5	0.1	0	0.1	0	74.7	3.65
DMA356		7.73	926	5.35	641	5.34	640	69.3	0.2	0	0.1	0	76.7	2.91
DMA357		7.66	918	5.47	656	5.47	655	71.5	0.1	0	0.1	0	78.1	3.37
DMA359		7.78	932	5.3	635	5.28	633	68.2	0.3	0	0.2	0	75.5	3.05
DMA360		7.74	927	5.36	642	5.35	641	69.3	0.1	0	0.1	0	76.1	3.34
DMA363		7.68	920	5.37	643	5.36	643	69.9	0.2	0	0.1	0	77	2.78
DMA375		7.75	929	5.29	634	5.28	633	68.3	0.2	0	0.1	0	75.3	3.03
DMA382		7.72	925	5.32	638	5.31	637	69	0.1	0	0.1	0	76.3	2.87
DMA383		7.78	932	5.33	639	5.32	638	68.6	0.1	0	0.1	0	76.3	3.02
DMA384		8.01	960	5.12	614	5.12	613	64	0.1	0	0.1	0	72.9	3.23
DMA395		8.18	980	5.41	648	5.4	647	66.2	0.1	0	0.1	0	78.1	2.15
DMC900	Single-Stage Ctg	10.86	1301	3.75	449	3.75	449	34.5	0	0	0	0	50.4	0.42
DMC901	Single-Stage Ctg	8.45	1013	4.27	512	4.27	512	50.6	0	0	0	0	57.2	1.01
DMC902	Single-Stage Ctg	8.4	1007	4.29	514	4.29	514	51.2	0	0	0	0	57.4	0.48
DMC903	Single-Stage Ctg	8.37	1003	3.98	477	3.98	477	47.6	0	0	0	0	53.5	0.68
DMC904	Single-Stage Ctg	8.44	1011	4.22	506	4.22	506	50.1	0	0	0	0	56.6	0.67
DMC908	Single-Stage Ctg	9.31	1116	3.96	474	3.96	474	42.5	0	0	0	0	52.8	1
DMC910	Single-Stage Ctg	8.44	1011	4.09	490	4.09	490	48.5	0	0	0	0	54.9	0.15
DMC911	Single-Stage Ctg	8.3	995	4.5	539	4.5	539	54.2	0	0	0	0	60.2	0.64
DMC917	Single-Stage Ctg	8.63	1034	3.62	434	3.62	434	41.9	0	0	0	0	60.1	1.4
DMC918	Single-Stage Ctg	8.84	1059	3.89	466	3.89	466	44	0	0	0	0	52.2	1.43
DMC919	Single-Stage Ctg	11.5	1378	3.76	450	3.76	450	32.7	0	0	0	0	50.2	0.25
DMC920	Single-Stage Ctg	8.86	1062	3.97	475	3.96	475	44.8	0	0	0	0	53.2	0.52
DMC921	Single-Stage Ctg	8.34	999	4.22	505	4.22	505	50.6	0	0	0	0	56.9	1.86
DMC923	Single-Stage Ctg	8.48	1016	4.24	508	4.24	508	50	0	0	0	0	56.1	0.89
DMC925	Single-Stage Ctg	8.37	1003	4.11	493	4.11	493	49.1	0	0	0	0	54.9	0.76
DMC926	Single-Stage Ctg	8.34	999	4.78	573	4.78	573	57.4	0	0	0	0	64.3	1.71
DMC927	Single-Stage Ctg	8.7	1042	4.36	522	4.36	522	50.1	0	0	0	0	58.6	1.77
DMC928	Single-Stage Ctg	8.45	1013	4.06	486	4.06	486	48	0	0	0	0	54.6	0.61
DMC929	Single-Stage Ctg	9.66	1158	3.86	463	3.86	463	40	0	0	0	0	51.7	0.88
DMC930	Single-Stage Ctg	8.75	1048	4.32	517	4.32	517	49.3	0	0	0	0	58.1	1.78
DMC931	Single-Stage Ctg	8.42	1009	4.2	504	4.2	504	49.9	0	0	0	0	56.7	1.54
DMC932	Single-Stage Ctg	8.52	1021	4.23	507	4.23	507	49.7	0	0	0	0	56.8	1.49
DMC933	Single-Stage Ctg	8.32	997	4.48	537	4.48	537	53.9	0	0	0	0	60.4	1.66
DMC934	Single-Stage Ctg	8.39	1005	4.16	498	4.15	498	49.6	0	0	0	0	55.5	0.35
DMC935	Single-Stage Ctg	8.53	1022	4.12	494	4.12	493	48.3	0	0	0	0	55.2	0.97
DMC936	Single-Stage Ctg	8.5	1019	4.39	526	4.39	526	51.7	0	0	0	0	58.9	0.81
DMC937	Single-Stage Ctg	8.79	1053	4.39	526	4.39	526	50	0	0	0	0	58.8	0.6
DMC981	Single-Stage Ctg	8.16	978	4.61	552	4.61	552	56.5	0	0	0	0	62.8	2.35

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMC982	Single-Stage Ctg	8.16	978	4.63	555	4.63	555	56.8	0	0	0	0	63.1	2.41
DMC983	Single-Stage Ctg	8.16	978	4.63	555	4.63	555	56.7	0	0	0	0	63.1	2.43
DMC984	Single-Stage Ctg	8.26	990	4.36	522	4.36	522	52.7	0	0	0	0	58.9	1.53
DMC985	Single-Stage Ctg	8.27	991	4.64	556	4.64	556	56.1	0	0	0	0	63.4	2.46
DMC986	Single-Stage Ctg	8.47	1015	4.41	528	4.41	528	52.1	0	0	0	0	59.3	1.59
DMC987	Single-Stage Ctg	8.74	1047	3.87	464	3.87	464	44.3	0	0	0	0	51.6	0.23
DMC988	Single-Stage Ctg	8.21	984	4.69	562	4.69	562	57.1	0	0	0	0	63.6	0.83
DMD1602		7.93	950	5.79	694	5.79	693	73	0	0	0	0	78.8	0.86
DMD1603		7.95	953	6.14	736	6.14	735	77.3	0	0	0	0	83.5	0.54
DMD1605		7.87	943	5.9	708	5.9	707	75	0	0	0	0	80.7	0.82
DMD1606		7.84	939	5.94	711	5.94	711	75.8	0	0	0	0	81	0.52
DMD1607		7.95	953	5.72	685	5.72	685	71.9	0	0	0	0	78.3	1.16
DMD1608		8.16	978	5.42	649	5.41	649	66.4	0	0	0	0	73.7	0.6
DMD1609		7.97	955	5.87	703	5.87	703	73.7	0	0	0	0	79.8	0.46
DMD1610		8.23	986	5.75	689	5.75	689	69.9	0	0	0	0	78.4	0.56
DMD1611		7.99	957	5.29	634	5.29	634	66.2	0	0	0	0	72.2	0.65
DMD1612		7.78	932	5.93	710	5.93	710	76.2	0	0	0	0	81.3	0.68
DMD1613		7.78	932	6.01	720	6.01	720	77.3	0	0	0	0	82	0.67
DMD1614		7.89	945	5.96	715	5.96	714	75.6	0	0	0	0	81.7	0.61
DMD1615		7.8	935	5.86	702	5.86	702	75.2	0	0	0	0	80.4	1.16
DMD1616		7.77	931	6	719	6	719	77.3	0	0	0	0	81.9	0.67
DMD1617		7.85	941	5.56	666	5.56	666	70.8	0	0	0	0	76.4	0.89
DMD1619		7.81	936	5.79	693	5.78	693	74.1	0	0	0	0	83.5	0.9
DMD1621		9.47	1135	5.66	678	5.66	678	59.8	0	0	0	0	77.8	1.05
DMD1625		10.92	1309	5.35	641	5.35	641	49.1	0	0	0	0	73.1	0.71
DMD1626		8.04	963	5.79	694	5.79	694	72.1	0	0	0	0	78.6	0.9
DMD1626		8.04	963	5.79	694	5.79	694	72.1	0	0	0	0	78.6	0.9
DMD1627		7.93	950	5.38	645	5.38	645	67.9	0	0	0	0	74.5	1.3
DMD1628		8.26	990	5.73	687	5.73	687	69.4	0	0	0	0	84.7	0.66
DMD1630		7.88	944	5.73	686	5.73	686	72.7	0	0	0	0	78.2	0.92
DMD1632		8.06	966	5.89	706	5.89	706	73.1	0	0	0	0	79.8	0.54
DMD1634		7.8	935	5.56	666	5.56	666	71.3	0	0	0	0	75.7	0.67
DMD1641	Color Coating	8.2	983	4.96	594	4.95	594	60.4	0	0	0	0		0.92
DMD1642	Color Coating	8.21	984	4.96	594	4.96	594	60.4	0	0	0	0		0.92
DMD1643	Color Coating	8.2	983	4.96	594	4.95	594	60.4	0	0	0	0		0.92
DMD1644	Color Coating	8.18	980	4.94	592	4.94	592	60.4	0	0	0	0		0.92
DMD1646		8.96	1074	5.64	676	5.64	676	63	0	0	0	0	76.9	0.72
DMD1647		7.95	953	5.79	694	5.79	694	73	0	0	0	0	78.8	0.74
DMD1648		7.9	947	5.7	683	5.7	683	72.2	0	0	0	0	78	0.68

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMD1649		8.13	974	5.31	636	5.3	636	65.3	0	0	0	0	72.6	0.5
DMD1650	Color Coating	8.57	1027	4.92	590	4.92	590	57.5	0	0	0	0		0.95
DMD1651	Color Coating	8.74	1047	4.87	584	4.87	584	55.8	0	0	0	0		0.93
DMD1652	Color Coating	8.57	1027	4.91	588	4.91	588	57.3	0	0	0	0		0.94
DMD1653	Color Coating	8.59	1029	4.89	586	4.89	586	57	0	0	0	0		0.94
DMD1654	Color Coating	8.59	1029	4.89	586	4.89	586	57	0	0	0	0		0.94
DMD1655	Color Coating	8.56	1026	4.91	589	4.91	589	57.4	0	0	0	0		0.93
DMD1656	Color Coating	8.63	1034	4.91	589	4.91	589	57	0	0	0	0		0.94
DMD1657	Color Coating	8.54	1023	4.93	591	4.93	591	57.8	0	0	0	0	69.6	0.91
DMD1658	Color Coating	8.55	1025	4.94	592	4.94	592	57.8	0	0	0	0		0.92
DMD1659		9.88	1184	3.29	395	1.21	145	79.2	0	67	0.1	63.3	79.9	0.86
DMD1660		8.17	979	5.62	673	5.61	673	68.8	0	0	0	0	77.4	0.53
DMD1661		8.16	978	5.61	672	5.61	672	68.7	0	0	0	0	77.3	0.54
DMD1662		8.06	966	5.55	666	5.55	665	68.9	0	0	0	0	76.6	0.58
DMD1663		8.12	973	5.57	668	5.57	667	68.6	0	0	0	0	76.9	0.56
DMD1664		8.09	969	5.57	667	5.57	667	68.9	0	0	0	0	76.8	0.57
DMD1665		8.14	975	5.58	668	5.57	668	68.6	0	0	0	0	76.9	0.56
DMD1666		8.23	986	5.63	675	5.63	674	68.4	0	0	0	0	77.6	0.52
DMD1667		8.16	978	5.6	671	5.6	671	68.7	0	0	0	0	77.2	0.54
DMD1668		8.14	975	5.59	670	5.59	669	68.7	0	0	0	0	77.1	0.55
DMD1669		8.21	984	5.65	677	5.64	676	68.8	0	0	0	0	77.8	0.53
DMD1670		8.21	984	5.64	676	5.64	676	68.8	0	0	0	0	77.8	0.52
DMD1671		8.23	986	5.65	677	5.65	677	68.7	0	0	0	0	77.9	0.52
DMD1672		8.16	978	5.61	672	5.61	672	68.8	0	0	0	0	77.4	0.54
DMD1675		7.91	948	5.78	692	5.78	692	73.1	0	0	0	0	79	0.94
DMD1676		7.94	951	5.79	694	5.79	694	73	0	0	0	0	79.2	0.96
DMD1677		7.98	956	5.75	689	5.75	689	72.1	0	0	0	0	78.7	0.9
DMD1678		8.02	961	5.77	691	5.77	691	72	0	0	0	0	78.9	1.13
DMD1679		7.82	937	5.99	718	5.99	718	76.6	0	0	0	0	82	0.71
DMD1680		7.99	957	5.97	716	5.97	715	74.8	0	0	0	0	82.4	0.55
DMD1681		7.86	942	6.01	720	6.01	720	76.4	0	0	0	0	82.7	0.54
DMD1682		7.88	944	6	719	6	719	76.2	0	0	0	0	82.6	0.53
DMD1683		7.52	901	6.07	728	6.07	728	80.8	0	0	0	0	83.8	2.14
DMD1684		10.68	1280	5.19	622	5.19	621	48.6	0	0	0	0	70.4	1.07
DMD1685		7.85	941	6.06	727	6.06	726	77.3	0	0	0	0	83.2	0.51
DMD1686		7.84	939	5.98	717	5.98	716	76.4	0	0	0	0	82.1	0.54
DMD1687		7.85	941	6.01	720	6.01	720	76.6	0	0	0	0	82.7	0.64
DMD1690		7.84	939	6.03	723	6.03	722	77	0	0	0	0	82.9	0.52
DMD1692		7.98	956	5.64	675	5.63	675	70.7	0	0	0	0	77.1	0.91

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMD1693		7.97	955	5.81	696	5.81	696	72.9	0	0	0	0	79.5	1.13
DMD1694		7.86	942	6.07	727	6.07	727	77.2	0	0	0	0	83.3	0.89
DMD1695		7.89	945	6.03	722	6.03	722	76.5	0	0	0	0	82.9	0.74
DMD1696		7.94	951	6	719	6	719	75.6	0	0	0	0	82.1	0.47
DMD1697		7.82	937	6	719	6	719	76.7	0	0	0	0	82.2	0.79
DMD1698		7.98	956	5.96	714	5.95	713	74.7	0	0	0	0	82.4	0.93
DMD1699		7.81	936	6.03	723	6.03	722	77.2	0	0	0	0	82.7	0.73
DMD1750		8.04	963	6.32	758	6.32	757	78.7	0	0	0	0	84.5	0
DMD1770		7.6	911	7.22	865	7.2	863	95	0.1	0.2	0	0.2	96.3	1.99
DMD1781		7.99	957	6.01	720	6	720	75.2	0	0	0	0	82.3	0.75
DMD609		8.58	1028	4.33	519	4.33	519	50.5	0	0	0	0	59.7	0.35
DMD613		8.22	985	4.09	490	4.09	490	49.7	0	0	0	0	56.6	0.51
DMD614		8.2	983	4.05	486	4.05	486	49.5	0	0	0	0	56.2	0.27
DMD615		8.17	979	4.14	496	4.14	496	50.6	0	0	0	0	57.3	0.27
DMD616		8.16	978	4.2	503	4.2	503	51.4	0	0	0	0	58.1	0.26
DMD618		10.39	1245	3.87	463	3.87	463	37.2	0	0	0	0	53.7	0.58
DMD619		8.14	975	4.21	505	4.21	505	51.8	0	0	0	0	58.3	0.26
DMD620		8.49	1017	4.62	553	4.61	553	54.4	0	0	0	0	64.9	0.87
DMD622		8.6	1031	4.1	492	4.1	492	47.7	0	0	0	0	56.9	0.37
DMD623		8.53	1022	4.16	498	4.16	498	48.8	0	0	0	0	57.8	0.98
DMD624		8.14	975	4.21	505	4.21	505	51.8	0	0	0	0	58.3	0.26
DMD629NF		8.29	993	4.07	488	4.07	488	49.1	0	0	0	0	56.4	0.26
DMD631		8.44	1011	3.95	473	3.95	473	46.8	0	0	0	0	55	1.04
DMD633		8.4	1007	3.92	470	3.92	470	46.7	0	0	0	0	54.7	1.06
DMD641		8.64	1035	4.11	493	4.11	492	47.6	0	0	0	0	57	0.36
DMD642		8.87	1063	3.96	475	3.96	475	44.7	0	0	0	0	55	0.39
DMD646		8.74	1047	4.04	485	4.04	484	46.3	0	0	0	0	56	0.38
DMD648		8.13	974	4.1	491	4.1	491	50.4	0	0	0	0	56.8	0.27
DMD649		8.08	968	4.25	509	4.25	509	52.6	0	0	0	0	58.9	0.26
DMD650		8.9	1066	3.83	459	3.83	459	43.1	0	0	0	0	54.1	0.92
DMD651		8.75	1048	4.05	485	4.05	485	46.3	0	0	0	0	56.9	0.92
DMD652		8.52	1021	3.86	463	3.86	463	45.3	0	0	0	0	53.5	0.36
DMD656		8.12	973	4.4	528	4.4	527	54.2	0	0	0	0	60.8	0.32
DMD657		8.19	981	4.23	507	4.23	507	51.7	0	0	0	0	58.5	0.4
DMD658		8.26	990	4.08	489	4.08	489	49.4	0	0	0	0	56.6	0.38
DMD660		8.31	996	3.83	459	3.83	459	46.1	0	0	0	0	53.2	0.27
DMD662		8.56	1026	3.94	472	3.94	472	46.1	0	0	0	0	54.7	0.32
DMD665		9.12	1093	4.07	487	4.07	487	44.6	0	0	0	0	56	0.38
DMD666		9.49	1137	3.95	473	3.95	473	41.6	0	0	0	0	54.4	0.3

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMD669		8.08	968	5.35	641	5.35	640	66.2	0	0	0	0	74	0.66
DMD670		8.03	962	4.55	546	4.55	546	56.8	0	0	0	0	63.4	0.86
DMD672		7.95	953	5.18	620	5.18	620	65.1	0	0	0	0	71.9	1.27
DMD673		8.05	965	5.27	632	5.27	632	65.5	0	0	0	0	72.6	0.91
DMD691		8.6	1031	4.33	518	4.32	518	50.3	0	0	0	0	59.9	0.42
DMR487		7.98	956	4.26	510	4.26	510	53.4	0	0	0	0	59	4.15
DMU755		8.48	1016	4.36	522	4.36	522	51.4	0	0	0	0	59.5	0.32
DMU779		8.42	1009	4.15	497	4.15	497	49.3	0	0	0	0	56.7	0.34
DMX210	Color Ctg	7.63	914	6.23	747	6.23	746	81.7	0.1	0	0.1	0	86	0
DMX211	Color Ctg	7.61	912	6.26	750	6.25	749	82.2	0.1	0	0.1	0	87.4	0
DMX212	Color Ctg	7.58	908	6.22	746	6.22	745	82.2	0.1	0	0.1	0	86.9	0
DMX213	Color Ctg	7.51	900	6.32	757	6.31	756	84.1	0.1	0	0.1	0	88.2	0
DMX214	Color Ctg	7.42	889	6.53	782	6.52	782	88	0.1	0	0.1	0	91.3	0
DMX215	Color Ctg	7.34	880	6.76	810	6.76	810	92.1	0.1	0	0.1	0	94.4	0
DMX216	Color Ctg	7.48	896	6.44	772	6.43	771	86.1	0.1	0	0.1	0	89.9	0
DMX217	Color Ctg	7.43	890	6.52	781	6.51	781	87.8	0.1	0	0.1	0	91.1	0
DMX218	Color Ctg	7.01	840	6.42	770	6.42	769	91.7	0.1	0	0.1	0	89.8	0
DMX219	Color Ctg	7.38	884	6.76	810	6.75	809	91.7	0.1	0	0.1	0	94.4	0
DMX220	Color Ctg	7.45	893	6.51	780	6.5	779	87.3	0.1	0	0.1	0	89.8	0
DP401LF		7.33	878	5.15	617	5.15	617	70.2	0	0	0	0	73	1.18
DP401LV	Primer, Primer Sealer (Hardener)	8.85	1060	2.8	335	2.2	264	51.9	0	27	0	21.4	53	1.29
DP402LF		7.69	921	5.14	616	5.13	614	66.9	0.1	0.2	0	0.2	72.2	0.08
DP40LF		11.6	1390	4.18	501	4.18	501	36.1	0	0	0	0	59.3	1.64
DP48LF		12.07	1446	4.23	507	4.23	507	35.1	0	0	0	0	60	1.57
DP48LV	Primer, Primer Sealer	12.76	1529	1.59	191	1.25	150	23	0	13.2	0.1	21.2	39.4	0.33
DP50LF		11.79	1413	4.16	499	4.16	499	35.3	0	0	0	0	59	1.47
DP50LV	Primer, Primer Sealer	11.61	1391	1.61	193	1.24	149	25.8	0.1	15	0.1	22.9	40.9	0.36
DP74LF		11.82	1416	4.21	504	4.21	504	35.6	0	0	0	0	59.6	1.42
DP90LF		11.33	1358	4.14	496	4.14	496	36.6	0	0	0	0	58.6	1.49
DP90LV	Primer, Primer Sealer	11.27	1350	1.65	198	1.22	146	28.2	0.1	17.3	0.1	25.8	43.6	0.35
DPE1850		10.29	1233	4.71	565	4.7	563	45.9	0.2	0	0.3	0	66.5	3.79
DPLV3055	Primer	13.6	1630	2.25	270	1.36	163	42.6	0	32.6	0	39.7	58.9	0.76
DPS3051		12.58	1507	4.21	505	4.21	505	33.5	0	0	0	0	57.6	1.43
DPS3055		12.42	1488	4.17	500	4.17	500	33.6	0	0	0	0	56.9	1.47
DPS3057		11.8	1414	4.15	497	4.15	497	35.2	0	0	0	0	56.9	1.36
DPS3105		12.75	1528	3.01	361	2.69	322	30.3	0	9.2	0	10.8	48.4	2.23
DPS7500		12.75	1528	3.02	361	2.69	322	30.3	0	9.2	0	10.8	48.4	2.24
DPX171		9.23	1106	5.31	637	5.23	627	58.1	1.5	0	1.6	0	78	1.55
DPX172		6.91	828	6.73	807	6.71	803	97.6	0.5	0	0.4	0	99	3.44

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DPX173		6.9	827	6.73	806	6.7	802	97.6	0.5	0	0.5	0	99	2.63
DPX801	Adhesion Promoter	6.95	833	6.69	802	6.69	801	96.2	0	0	0	0	97	1.84
DR220		8.05	965	7.68	920	6.91	828	99.9	0	13.9	0	10	99.9	0.53
DRR1170		7.13	854	6.93	830	5.42	650	96.4	0.1	20.3	0.1	21.6	97.3	1.25
DRR1185		7.39	886	7.13	854	7.12	854	96.4	0	0	0	0	97.1	1.18
DT1565	Thinner	6.94	832	6.94	832	6.94	831	100	0.1	0	0.1	0	100	3.85
DT1575	Thinner	7.09	850	7.09	850	7.09	849	100	0.1	0	0.1	0	100	3.1
DT1585	Thinner	7	839	7	839	7	838	100	0.1	0	0.1	0	100	2.01
DT1595	Thinner	7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77
DT1598	Thinner	7.04	844	7.01	840	7.01	840	99.5	0	0	0	0	99.5	0.87
DT1845	Clear Ctg, Single-Stage Ctg, Primer (Thinner), Adhesion Promoter	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0
DT1850	Clear Ctg, Single-Stage Ctg, Primer (Thinner), Adhesion Promoter	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0
DT1855	Clear Ctg, Single-Stage Ctg, Primer (Thinner), Adhesion Promoter	11.2	1342	0	0	0	0	100	0	100	0	100.2	100	0
DT8110		7.04	844	7.04	844	7.04	844	100	0	0	0	0	100	0
DT860		6.61	792	6.55	785	3.56	427	100	0.2	45.9	0.2	45.4	100	1.41
DT870		6.91	828	6.91	828	6.91	828	100	0	0	0	0	100	1.31
DT885	Single-Stage Ctg	7.04	844	7.04	844	7.04	844	100	0	0	0	0	100	1.17
DT895		7	839	7	839	7	838	100	0.1	0	0.1	0	100	2.01
DT898		7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77
DTL10		6.94	832	7	839	5.69	682	100	0.1	17.9	0.1	18.7	100	0
DTL105		6.94	832	7	839	5.69	682	100	0.1	17.9	0.1	18.7	100	0
DTL16		6.7	803	6.71	804	4.4	527	100	0.2	34.2	0.2	34.3	100	1.1
DTL876		6.69	802	6.69	801	4.02	482	100	0.2	39.7	0.2	39.7	100	1.24
DTV801		6.68	800	6.64	796	1.14	137	100	0.4	82.5	0.3	82.5	100	0.13
DTV802		6.65	797	6.52	781	1.13	135	100	0.4	82.7	0.3	82.4	100	0.12
DTX1140		7.33	878	7.44	891	6.33	759	100	0.1	13.5	0.1	14.8	100	1.16
DU1000		8.25	989	4.49	537	4.48	537	54.4	0	0	0	0	61.2	0.38
DU5		8.45	1013	3.93	470	3.93	470	46.5	0	0	0	0	53.6	0
DU6		8.24	987	3.71	445	3.71	445	45.1	0	0	0	0	53.5	0
DU9645		8.24	987	5	599	5	599	60.6	0	0	0	0	69.8	0.49
DX101		12.84	1539	0.35	42	0.16	19	37	35.8	0	55.1	0	57.5	0
DX103		6.57	787	6.54	784	6.47	775	99.9	1.4	0	1.1	0	99.9	0
DX1791		7.38	884	6.18	741	5.98	717	84.8	3.7	0	3.3	0	86.5	1.1
DX1792		6.88	824	6.69	802	6.34	760	98.6	6.4	0	5.3	0	99.4	0.32
DX1999	Single-Stage Coating (Additive)	7.5	899	0	0	0	0	0	0	0	0	0	0	0
DX320		6.32	757	6.32	757	6.32	757	100	0	0	0	0	100	0

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DX330	Solvent (Substrate Cleaner)	6.36	762	6.36	762	6.36	762	100	0	0	0	0	100	0.09
DX440		6.46	774	6.46	774	6.46	774	100	0	0	0	0	100	0.75
DX501		8.35	1001	0	0	0	0	99.4	99.4	0	99.6	0	0	0
DX503		8.43	1010	0.03	3	0	0	97.9	97.9	0	99.1	0	0	0
DX520		9.43	1130	0.02	3	0	0	84	84	0	95.1	0	86.9	0
DX533	Solvent (Substrate Cleaner)	8.95	1072	4.22	506	0.9	108	83.3	73.2	0	78.6	0	90.5	0
DX54		8.35	1001	5.1	611	5.09	610	61	0	0	0	0	74.6	0
DX57		8.81	1056	1.64	196	1.64	196	18.6	0	0	0	0	24.4	1.62
DX579		9.63	1154	4.45	533	1.93	231	69	49.1	0	56.7	0	81.4	0.95
DX685		8.14	975	6.49	778	6.49	778	79.8	0	0	0	0	87.2	0.31
DX73		8.03	962	7.83	938	7.82	937	97.5	0.1	0	0.1	0	97.5	0
DX814		7.68	920	5.06	607	5.06	606	65.9	0	0	0	0	70.1	4.99
DX820		9.99	1197	5.14	616	5.14	616	51.5	0	0	0	0	64.3	0
DX821		9.09	1089	4.59	550	4.58	549	50.5	0	0	0	0	67	3.18
DX84	Single-Stage Coating Primer (Additive)	8.15	977	8.01	960	7.99	957	98.3	0.1	0.2	0.1	0.2	98.4	0
DX840		7.27	871	6.97	835	6.96	835	95.9	0.1	0	0	0	96.7	3.93
DX89		8.29	993	2.82	338	2.33	279	42.2	0.2	14	0.1	17.4	52.5	1.11
DX995		8.05	965	6.04	723	6.03	723	75	0	0	0	0	83	0.64
DXA110		8.68	1040	0	0	0	0	0	0	0	0	0	0	0
DXR80		9.26	1110	1.54	184	1.54	184	16.6	0	0	0	0	20.2	0
DXR81		7.24	868	7.1	850	7.1	850	98.1	0	0	0	0	98.4	7.09
DZ3		10.46	1253	4.36	522	4.35	521	41.7	0.1	0	0.2	0	61	3.07
GXA75240		7.89	945	6.03	723	6.03	723	76.5	0	0	0	0	83	0.7
GXA76022		7.85	941	6.05	725	6.05	725	77.2	0	0	0	0	82.8	0.51
GXA80008		8.58	1028	2.8	335	0.72	87	80.4	72	0	74.1	0	83.8	0
GXA80010		8.34	999	2.27	272	0.42	50	86.6	81.6	0	81.7	0	87.7	0
GXA90006		8.72	1045	5.54	664	5.54	664	63.6	0	0	0	0	76.3	0.47
GXA90007		8.72	1045	5.54	664	5.54	664	63.6	0	0	0	0	76.3	0.47
GXA90008		8.72	1045	5.54	664	5.54	664	63.6	0	0	0	0	76.3	0.47
GXA90011		8.07	967	6.18	741	6.18	741	76.7	0	0	0	0	83.7	0.95
GXA90012		8.15	977	5.83	699	5.83	698	71.6	0	0	0	0	80.3	0.47
GXA90015		8.12	973	5.58	668	5.57	668	68.7	0	0	0	0	76.9	0.55
GXA90024		8.11	972	5.42	649	5.42	649	66.8	0	0	0	0	73.8	0.63
GXA90026		8.11	972	5.8	696	5.8	695	71.6	0	0	0	0	79.9	0.47
GXA90027		8.11	972	5.8	695	5.8	695	71.6	0	0	0	0	79.9	0.47
GXA90036		9.91	1187	3.76	451	3.76	451	38	0	0	0	0	52.9	2.62
GXA90037		9.91	1187	3.76	451	3.76	451	38	0	0	0	0	52.9	2.62
K201		8.15	977	4.74	568	4.74	568	58.3	0	0	0	0	64.6	0.73
K36		12.52	1500	4.09	491	3.9	467	33.7	0	2.5	0	4.8	58.8	1.56

Detailed Deltron Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
K38		12.34	1479	4.06	487	4.06	487	32.9	0	0	0	0	56.1	1.85
LRR1185		6.91	828	6.75	809	6.75	809	97.7	0	0	0	0	98.3	0
LT8110		6.53	782	6.52	782	6.52	782	100	0	0	0	0	100	0.99
LT8110B		7.56	906	7.56	906	7.56	906	100	0	0	0	0	100	3.92
NCP250		10.9	1306	4.62	554	4.52	542	42.8	0	1.3	0	2.2	64.1	1.63
NCP271		12.7	1522	3.41	409	3.41	409	26.9	0	0	0	0	48.8	1.35
NCP280	Primer	13.62	1632	1.34	161	1.12	135	18.6	0	10.4	0.1	16	32.4	0.45
NCP450	Primer	12.9	1546	1.73	208	1.19	142	27.1	0	17.9	0	31.5	51.2	0.13
NCS2003		12.34	1479	3.52	422	3.52	422	28.5	0	0	0	0	46.5	0.98
NCS2004		12.01	1439	3.52	422	3.52	422	29.3	0	0	0	0	46.6	0.99
NCS2005		11.53	1382	3.52	422	3.52	422	30.6	0	0	0	0	46.6	1
NCX2200		8.63	1034	4.3	515	2.82	338	69.2	0.1	36.4	0.1	34.4	72.6	0
NCX275		8.49	1017	1.85	222	1.48	177	33.4	0.1	15.9	0.1	20.3	41.7	0.7
NCX285	Primer (Hardener)	8.66	1038	1.72	206	1.49	179	27.4	0.1	10.1	0.1	13.1	35.1	0.23
NCX455	Primer	8.5	1019	3.79	454	2.26	271	73.1	0	46.5	0	40.4	72.7	1.42
NSX338		7.91	948	7.91	948	7.9	946	100	0.2	0	0.2	0	100	0
OEC105		8.03	962	4.13	494	3.87	464	55	0	6.8	0	6.2	59.8	2.93
OEH10		8.29	993	4.45	533	4.45	533	53.7	0	0	0	0	60.6	0
OEH15		8.3	995	4.4	527	4.4	527	53	0	0	0	0	60	0.47
OEH20		8.3	995	4.38	525	4.38	525	52.9	0	0	0	0	59.9	0.67
PRL80		21.65	2594	2.16	259	2.16	259	10	0	0	0	0	34.3	0
PRL87	Color Ctg	19.75	2367	1.98	237	1.98	237	10	0	0	0	0	31.4	0
PRL88	Color Ctg	25.87	3100	2.46	294	2.46	294	9.5	0	0	0	0	38.9	0
PRL89	Color Ctg	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	32.6	0
PRL90	Color Ctg	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	32.6	0
PRL91	Color Ctg	21	2516	2.1	252	2.1	252	10	0	0	0	0	33.2	0
PRL92	Color Ctg	19.73	2364	1.97	236	1.97	236	10	0	0	0	0	31.2	0
PRL93	Color Ctg	25.87	3100	2.59	310	2.59	310	10	0	0	0	0	41	0
PRL95	Color Ctg	26.12	3130	2.61	313	2.61	313	10	0	0	0	0	41.4	0
PRL96	Color Ctg	25.87	3100	2.72	326	2.72	326	10.5	0	0	0	0	43	0
PRL97	Color Ctg	23.7	2840	2.37	284	2.37	284	10	0	0	0	0	37.5	0
PRL98	Color Ctg	25.82	3094	2.58	309	2.58	309	10	0	0	0	0	40.9	0
PRL99	Color Ctg	29.15	3493	2.91	349	2.91	349	10	0	0	0	0	46.1	0