

## Detailed Delta Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DCU2050		8.13	974	2.36	283	2.36	283	29.1	0	0	0	0	33.9	0.23
DCX2051		8.75	1048	2.31	277	2.31	277	26.4	0	0	0	0	33.3	0.16
DDH525		8.55	1025	3.61	432	3.61	432	42.2	0	0	0	0	49.2	0
DDH526	Clear Ctg, Single-Stage Ctg (Hardener)	8.29	993	3.6	432	3.6	432	43.5	0	0	0	0	51.9	0
DFH535		8.82	1057	2.18	261	2.18	261	24.7	0	0	0	0	31.1	0
DFH536		8.74	1047	2.19	262	2.19	262	25	0	0	0	0	32.2	0
DFH52185		10.88	1304	3.33	400	3.33	400	30.7	0	0	0	0	46.8	1.08
DFH58866		11.27	1350	3.12	374	3.12	374	27.8	0	0.1	0	0.1	45.2	0.13
DGH350		9.66	1158	0	0	0	0	0	0	0	0	0	0	0
DHS2185		12.2	1462	2.34	281	2.34	281	19.2	0	0	0	0	34.4	0.15
DHS45991		8.89	1065	2.36	282	2.36	282	26.5	0	0	0	0	34.6	0
DHS71528LF		8.78	1052	2.34	280	2.34	280	26.6	0	0	0	0	34.4	0.23
DHS75280		8.91	1068	2.38	286	2.38	286	26.8	0	0	0	0	34.9	0.02
DHSX589	Color Ctg (Additive)	7.41	888	4.27	512	4.25	510	57.8	0.1	0.3	0.1	0.4	60.7	0.03
DMHS523	Color Coating, Single-Stage Coating	20.61	2470	2.06	247	2.06	247	10	0	0	0	0	32.6	0
DMHS524	Color Coating, Single-Stage Coating	21.58	2586	2.16	259	2.16	259	10	0	0	0	0	34.2	0
DMHS529	Color Coating, Single-Stage Coating	29.15	3493	2.91	349	2.91	349	10	0	0	0	0	46.1	0
DMHS530	Color Coating, Single-Stage Coating	17.91	2146	1.79	215	1.79	215	10	0	0	0	0	28.3	0
DMHS531	Color Coating, Single-Stage Coating	19.73	2364	1.97	236	1.97	236	10	0	0	0	0	31.2	0
DMHS532	Color Coating, Single-Stage Coating	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	32.6	0
DMHS533	Color Coating, Single-Stage Coating	21	2516	2.1	252	2.1	252	10	0	0	0	0	33.2	0
DMHS534	Color Coating, Single-Stage Coating	21.58	2586	2.16	259	2.16	259	10	0	0	0	0	34.2	0
DMHS537	Color Coating, Single-Stage Coating	21.58	2586	2.16	259	2.16	259	10	0	0	0	0	34.2	0
DMHS538	Color Coating, Single-Stage Coating	23.7	2840	2.37	284	2.37	284	10	0	0	0	0	37.5	0
DMHS539	Color Coating, Single-Stage Coating	21	2516	2.1	252	2.1	252	10	0	0	0	0	33.2	0
DMHS540	Color Coating, Single-Stage Coating	12.2	1462	2.34	281	2.34	281	19.2	0	0	0	0	34.4	0.16
DMHS541	Color Coating, Single-Stage Coating	8.7	1042	2.27	272	2.27	272	26.1	0	0	0	0	33.3	0.22
DMHS542	Color Coating, Single-Stage Coating	8.49	1017	2.31	277	2.31	277	27.2	0	0	0	0	33.9	0
DMHS543	Color Coating, Single-Stage Coating	8.48	1016	2.35	281	2.35	281	27.7	0	0	0	0	34.4	0
DMHS544	Color Coating, Single-Stage Coating	8.98	1076	2.4	288	2.4	288	26.8	0	0	0	0	35.3	0.29
DMHS545	Color Coating, Single-Stage Coating	8.6	1031	2.4	287	2.4	287	27.9	0	0	0	0	35.3	0.35
DMHS547	Color Coating, Single-Stage Coating	8.45	1013	2.32	278	2.32	278	27.4	0	0	0	0	34	0
DMHS548	Color Coating, Single-Stage Coating	8.75	1048	2.38	285	2.38	285	27.2	0	0	0	0	34.9	0
DMHS549	Color Coating, Single-Stage Coating	8.63	1034	2.31	277	2.31	277	26.8	0	0	0	0	33.9	0
DMHS550	Color Coating, Single-Stage Coating	8.64	1035	2.28	273	2.28	273	26.4	0	0	0	0	33.2	0
DMHS551	Color Coating, Single-Stage Coating	8.75	1048	2.33	279	2.33	279	26.6	0	0	0	0	34.1	0
DMHS552	Color Coating, Single-Stage Coating	8.68	1040	2.4	287	2.4	287	27.6	0	0	0	0	35.2	0
DMHS553	Color Coating, Single-Stage Coating	12.49	1497	2.4	288	2.4	288	19.2	0	0	0	0	35.2	0
DMHS554	Color Coating, Single-Stage Coating	12.28	1471	2.38	285	2.38	285	19.4	0	0	0	0	34.9	0

## Detailed Delta Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DMHS555	Color Coating, Single-Stage Coating	13.91	1667	2.38	285	2.38	285	17.1	0	0	0	0	34.9	0
DMHS556	Color Coating, Single-Stage Coating	8.61	1032	2.28	273	2.28	273	26.5	0	0	0	0	33	0
DMHS557	Color Coating, Single-Stage Coating	8.43	1010	2.39	287	2.39	287	28.4	0	0	0	0	35.1	0
DMHS558	Color Coating, Single-Stage Coating	8.32	997	2.37	284	2.37	284	28.5	0	0	0	0	35	0
DMHS559	Color Coating, Single-Stage Coating	8.26	990	3.04	365	3.04	365	36.8	0	0	0	0	43.7	0.1
DMHS560	Color Coating, Single-Stage Coating	8.5	1019	2.81	336	2.81	336	33	0	0	0	0	40.3	0.02
DMHS561	Color Coating, Single-Stage Coating	8.6	1031	2.37	284	2.37	284	27.5	0	0	0	0	34.8	0
DMHS562	Color Coating, Single-Stage Coating	9.26	1110	2.29	274	2.29	274	24.7	0	0	0	0	33.2	0.05
DMHS563	Color Coating, Single-Stage Coating	8.98	1076	2.5	300	2.5	300	27.9	0	0	0	0	36	0
DMHS564	Color Coating, Single-Stage Coating	10.52	1261	2.4	287	2.4	287	22.8	0	0	0	0	34.7	0.11
DMHS565	Color Coating, Single-Stage Coating	8.37	1003	2.97	355	2.97	355	35.4	0	0	0	0	42.4	0.05
DMHS566	Color Coating, Single-Stage Coating	13.26	1589	2.31	277	2.31	277	17.4	0	0	0	0	33.8	0.12
DMHS568	Color Coating, Single-Stage Coating	10.47	1255	2.38	286	2.38	286	22.8	0	0	0	0	33.2	0.29
DMHS569	Color Coating, Single-Stage Coating	9.56	1146	2.72	326	2.72	326	28.4	0	0	0	0	39.3	0.28
DMHS571	Color Coating, Single-Stage Coating	8.89	1065	2.35	281	2.35	281	26.4	0	0	0	0	34.5	0
DMHS575	Color Coating, Single-Stage Coating	9.02	1081	2.54	305	2.54	305	28.2	0	0	0	0	37	0
DMHS576	Color Coating, Single-Stage Coating	8.67	1039	2.93	352	2.93	352	33.8	0	0	0	0	42.2	0
DMHS577	Color Coating, Single-Stage Coating	8.83	1058	2.95	353	2.94	353	33.4	0	0	0	0	42.4	0
DMHS580	Color Coating, Single-Stage Coating	8.6	1031	3.38	405	3.32	398	40	0	1.4	0	1.8	52.7	0
DMHS581	Color Coating, Single-Stage Coating	8.69	1041	3.38	405	3.32	398	39.6	0	1.4	0	1.8	52.6	0
DMHS582	Color Coating, Single-Stage Coating	8.7	1042	3.4	408	3.35	401	39.8	0	1.3	0	1.7	52.8	0
DMHS583	Color Coating, Single-Stage Coating	9.03	1082	3.47	416	3.42	409	39	0	1.2	0	1.7	53.7	0
DMHS584	Color Coating, Single-Stage Coating	8.43	1010	2.39	286	2.39	286	28.3	0	0	0	0	35	0
DMHS597		7.77	931	4.65	557	4.65	557	59.8	0	0	0	0	67.6	0.01
DMHS598	Color Coating, Single-Stage Coating	8.12	973	4.17	500	4.17	500	51.4	0	0	0	0	56.2	2.88
DMHS599		8.07	967	4.52	542	4.52	542	56.1	0	0	0	0	63.5	0.91
DPHS52		13.7	1642	3.19	382	3.19	382	23.3	0	0	0	0	44.6	0.8
DPH5521		7.42	889	2.5	299	2.09	251	42.9	0.1	14.6	0.1	16.2	47.7	1.49
DPU174	Primer Sealer	12.91	1547	2.53	304	2.53	303	19.6	0	0	0.1	0	36.8	0.72
DPU175	Primer Sealer (Hardener)	8.76	1050	2.19	263	2.19	263	25	0	0	0	0	30.1	1.09
DPU217	Primer	13.08	1567	1.97	236	1.77	212	18.8	0	5.3	0.1	10.3	36	0
DPU218	Primer (Hardener)	9.66	1158	0	0	0	0	0	0	0	0	0	0	0
DRS1460	Color Ctg, (Thinner)	6.61	792	6.55	785	3.56	427	100	0.2	45.9	0.2	45.4	100	1.41
DRS1470	Color Ctg, (Thinner)	6.91	828	6.91	828	6.91	828	100	0	0	0	0	100	1.31
DRS1485	Color Ctg, (Thinner)	7.12	853	7.12	853	7.12	853	100	0	0	0	0	100	1.17
DRS1495	Color Ctg, (Thinner)	7.13	854	7.13	854	7.12	853	100	0.1	0	0.1	0	100	1.17
DRS1498	Color Ctg, (Thinner)	7.03	842	7.03	842	7.03	842	100	0	0	0	0	100	0.77
DUHS9000		8.23	986	2.94	352	2.94	352	35.7	0	0	0	0	42.9	0.18
DX1787		8.42	1009	5.79	693	5.77	691	68.8	0.3	0	0.3	0	85	0.23

## Detailed Delta Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
DX1788		7.04	844	6.86	822	6.72	805	98	2.5	0	2.1	0	99.1	1.26
DX1793		9.2	1102	5.28	633	5.23	627	57.7	0.8	0	0.9	0	77.3	1.28
DX1794		6.91	828	6.73	807	6.71	803	97.6	0.5	0	0.4	0	99	3.44
DX1795		6.9	827	6.73	806	6.7	802	97.6	0.5	0	0.5	0	99	2.63
DX1796		6.95	833	6.75	809	6.67	799	97.4	1.5	0	1.3	0	98.9	2.34
DX39		8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0
DX436		6.36	762	6.36	762	6.36	762	100	0	0	0	0	100	0.09
DX53	Single-Stage Coating Primer (Additive)	8.14	975	8.14	975	8.11	972	100	0.1	0.2	0.1	0.2	100	0
DX89		8.29	993	2.82	338	2.33	279	42.2	0.2	14	0.1	17.4	52.5	1.11
PRE3500		11.23	1346	3.81	456	3.09	371	38.7	0.1	11.1	0.1	18.7	62.3	0.67