

## Detailed Delfleet Essential Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
ES301780PC	Single-Stage Ctg	8.57	1027	3.05	366	2.2	263	53.2	0.1	27.5	0.1	28	59.3	0
ES903653SF		10.46	1253	2.77	332	2.5	299	30.1	0.1	6.1	0.2	9.6	43.8	0
ES915500LG	Single-Stage Ctg	9.16	1098	2.6	312	1.77	212	48.1	0.2	28.6	0.2	31.8	56.7	0
ES915502LG	Single-Stage Ctg	9.47	1135	2.88	345	2.08	249	47	0.3	24.7	0.4	27.4	56.4	0
ES915512LG	Single-Stage Ctg	9.16	1098	2.49	298	1.66	199	47.9	0.1	29.7	0.1	33.2	56.6	0
ES924451LG	Single-Stage Ctg	9.1	1090	2.52	302	1.68	201	48.6	0.1	30	0.1	33.2	56.9	0
ES924780LG	Single-Stage Ctg	9.06	1086	2.58	309	1.76	210	48.1	0.1	28.6	0.1	31.8	56.4	0
ES941101BD		8.91	1068	2.98	357	2.5	300	48.2	0	20.1	0	16.2	50.1	0.72
ESB800	Color Ctg (Additive)	9.52	1141	5.01	600	2.95	353	79.3	0	48.3	0	41.1	83.9	0.28
ESB810	Single-Stage Ctg	10.92	1309	1.01	121	0.4	48	62.3	0	58.5	0	59.9	65.7	0
ESC600		7.62	913	4.38	524	3.52	422	63.4	0.1	17.1	0.1	19.5	69	2.55
ESC621	Clear Ctg, Uniform Finish Ctg	8.59	1029	2.42	290	1.54	185	55.9	0.1	37.9	0.1	36.3	58.3	0.97
ESH200	Single-Stage Ctg (Hardener)	9.51	1140	1.04	125	1.04	125	11	0	0	0	0	13.2	0
ESH210	Color Ctg (Hardener)	10.8	1294	0.06	7	0.02	2	75.2	0	75	0	72.4	72.5	0
ESM101	Color Ctg, Single-Stage Ctg	8.3	995	2.71	325	2.16	259	43.2	0.3	16.8	0.3	20.1	50	0
ESM102	Color Ctg, Single-Stage Ctg	8.35	1001	2.74	328	2.06	247	46.8	0.1	22	0.1	24.6	53	0
ESM103	Color Ctg, Single-Stage Ctg	8.46	1014	2.8	335	2.19	263	43	0.1	16.9	0.1	21.4	51.6	0
ESM104	Color Ctg, Single-Stage Ctg	8.36	1002	2.71	325	2.08	249	45.7	0.1	20.7	0.1	23.2	51.7	0
ESM105	Color Ctg, Single-Stage Ctg	8.66	1038	2.83	339	2.23	267	43.8	0.1	18	0.1	21.2	51.6	0
ESM106	Color Ctg, Single-Stage Ctg	8.49	1017	2.56	306	1.92	230	45.1	0.3	22.1	0.3	24.5	51	0
ESM107	Color Ctg, Single-Stage Ctg	8.33	998	3.05	366	2.45	293	46.2	0.3	16.5	0.3	19.6	53.4	0
ESM108	Color Ctg, Single-Stage Ctg	8.93	1070	2.82	338	2.48	297	37.3	0.1	9.4	0.1	12	45.7	0
ESM109	Color Ctg, Single-Stage Ctg	9.81	1175	2.76	331	2.43	291	33.1	0.1	8.3	0.1	12.1	45.4	0
ESM110	Color Ctg, Single-Stage Ctg	8.33	998	2.83	339	2.25	270	43.6	0.2	16.4	0.2	20.3	51.1	0
ESM111	Color Ctg, Single-Stage Ctg	8.8	1054	2.7	324	2.18	262	41.5	0.1	16.5	0.1	19	49.2	0
ESM112	Color Ctg, Single-Stage Ctg	9.1	1090	2.8	336	2.35	282	41.1	0	15.2	0	16	48.4	0
ESM113	Color Ctg, Single-Stage Ctg	9.09	1089	2.79	335	2.43	291	36.3	0.1	9.5	0.1	12.9	46.1	0
ESM114	Color Ctg, Single-Stage Ctg	8.36	1002	2.72	326	2.07	247	45.5	0.4	20.4	0.4	23.7	52.3	0
ESM115	Color Ctg, Single-Stage Ctg	8.28	992	2.63	316	2.01	241	45.3	0.3	20.7	0.3	23.3	51.6	0
ESM116	Color Ctg, Single-Stage Ctg	9.46	1134	2.76	331	2.33	279	36.3	0.3	11.4	0.3	15.3	47.2	0
ESM117	Color Ctg, Single-Stage Ctg	9.5	1138	2.79	335	2.33	280	36.2	0.3	11.3	0.3	16.1	48.2	0
ESM118	Color Ctg, Single-Stage Ctg	9.23	1106	2.8	335	2.31	277	37.6	0.3	12.3	0.3	17	49	0
ESM119	Color Ctg, Single-Stage Ctg	8.4	1007	2.73	327	2.1	251	44.3	0.4	18.9	0.4	22.9	52	0
ESM120	Color Ctg, Single-Stage Ctg	8.45	1013	2.76	331	2.15	258	44.1	0.5	18.2	0.5	21.6	51.6	0.01
ESM121	Color Ctg, Single-Stage Ctg	8.85	1060	2.81	337	2.28	273	40.9	0.2	14.9	0.2	18.8	50.7	0
ESM122	Color Ctg, Single-Stage Ctg	9.17	1099	2.82	338	2.27	272	41	0.2	16.1	0.2	19.4	50.9	0
ESM123	Color Ctg, Single-Stage Ctg	8.35	1001	2.73	327	2.12	254	44.1	0.4	18.3	0.4	21.8	51.1	0
ESM124	Color Ctg, Single-Stage Ctg	8.44	1011	2.76	331	2.14	257	45.1	0.4	19.3	0.4	22.1	51.9	0
ESM125	Color Ctg, Single-Stage Ctg	8.1	971	2.76	330	2.15	258	44.7	0.1	18	0.1	21.8	52	0.01

## Detailed Delfleet Essential Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
ESM126	Color Ctg, Single-Stage Ctg	10.49	1257	2.56	306	2.3	275	28.4	0.1	6.4	0.2	10	40.7	0
ESM127	Color Ctg, Single-Stage Ctg	9.01	1080	2.79	334	2.32	278	38.9	0.3	12.8	0.4	16.5	48.8	0
ESM128	Color Ctg, Single-Stage Ctg	10.12	1213	2.8	336	2.5	299	31.9	0.1	7.1	0.2	10.8	44.8	0
ESM129	Color Ctg, Single-Stage Ctg	8.33	998	2.77	332	2.04	245	47.6	0.1	23	0.1	26.2	56	0
ESM130	Color Ctg, Single-Stage Ctg	8.3	995	2.75	330	2.03	243	47.6	0.1	23.1	0.1	26.3	55.8	0
ESM132	Color Ctg, Single-Stage Ctg	15.11	1811	2.65	317	2.65	317	17.5	0	0	0	0	38.3	0
ESM133	Color Ctg, Single-Stage Ctg	8.23	986	2.77	332	2.04	244	46.3	0.1	21.5	0.1	26.4	54.9	0
ESR300	Primer, Single-Stage Ctg (Thinner)	8.9	1066	0	0	0	0	100	0.2	99.8	0.2	99.2	100	0
ESR310	Primer, Single-Stage Ctg (Thinner)	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.7	100	0
ESS9075HDM	Single-Stage Ctg	8.53	1022	3.2	384	2.21	265	54.7	0.2	28.7	0.2	30.9	61.1	0.01
ESS53800SF	Single-Stage Ctg	10.47	1255	2.57	308	2.31	276	28.6	0.1	6.5	0.2	10.1	41.9	0
ESS54876	Single-Stage Ctg	15.06	1805	2.65	318	2.64	317	17.7	0	0.1	0	0.2	38.4	0
ESS560156A	Single-Stage Ctg	9.2	1102	2.78	333	2.36	283	38.8	0.1	13.1	0.1	14.9	47.3	0
ESS59000	Single-Stage Ctg	8.1	971	2.76	330	2.15	258	44.7	0.1	18	0.1	21.8	52	0.01
ESS59000PC	Single-Stage Ctg	8.35	1001	2.99	359	2.09	250	53.6	0.1	28.4	0.1	30.1	58.7	0.01
ESS59000SF	Single-Stage Ctg	8.1	971	2.76	330	2.15	258	44.7	0.1	18	0.1	21.8	52	0.01
ESS5903653	Single-Stage Ctg	10.46	1253	2.77	332	2.5	299	30.1	0.1	6.1	0.2	9.6	43.8	0
ESS5909919	Single-Stage Ctg	10.46	1253	2.57	308	2.3	276	28.6	0.1	6.5	0.2	10.2	41.9	0
ESS5911678	Single-Stage Ctg	9.35	1120	2.68	322	1.48	177	59.6	0.1	43.7	0.1	44.8	65.4	0.01
ESS5915499	Single-Stage Ctg	8.3	995	2.78	333	2.16	258	44.8	0.1	18.8	0.1	22.3	52.3	0
ESS5932858	Single-Stage Ctg	8.85	1060	2.69	323	2.2	264	38.7	0.1	13.7	0.1	18.2	48.8	0.01
ESS5942364	Single-Stage Ctg	8.31	996	2.77	332	2.06	246	47.4	0.1	22.6	0.1	25.8	55.2	0
ESS5979392	Single-Stage Ctg	8.23	986	2.77	332	2.04	244	46.3	0.1	21.5	0.1	26.4	54.9	0
EST900	Single-Stage Ctg	10.8	1294	2.72	326	2.7	323	25.5	0	0.5	0	0.7	36.2	0
ESU400		8.42	1009	5.79	693	5.77	691	68.8	0.3	0	0.3	0	85	0.23
ESU409		7.04	844	6.86	822	6.72	805	98	2.5	0	2.1	0	99.1	1.26
ESU410	Primer	12.92	1548	2.05	245	1.83	220	19.6	0	5.3	0	10.3	37.2	0
ESU419	Primer (Hardener)	9.66	1158	0	0	0	0	0	0	0	0	0	0	0
ESU420		11.94	1431	3.55	425	2.72	326	35.8	0.1	12.9	0.1	23.2	61.5	1.03
ESU421		11.94	1431	3.5	420	2.69	322	35.5	0.1	12.9	0.1	23.2	61	1.03
ESU421SF		11.94	1431	3.5	420	2.69	322	35.5	0.1	12.9	0.1	23.2	61	1.03
ESU428	Primer (Hardener)	9.2	1102	2.08	250	1.47	176	51.9	0	35.9	0	29.6	51.1	0.55
ESU430		10.3	1234	4.78	573	4.78	572	46.4	0	0	0	0	67.6	0.59
ESU439		7.2	863	5.95	713	5.94	712	82.6	0.1	0	0.1	0	84.5	2.08
ESU440		11.56	1385	3.68	441	3.12	373	35.8	0.1	8.8	0.1	15.3	58.5	1.83
ESU449		10.3	1234	0	0	0	0	40.6	0	40.6	0	37.4	37.3	0
ESU460		11.83	1418	4.14	496	4.14	496	35	0	0	0	0	58.5	1.3
ESU461		12.35	1480	4.07	488	4.07	488	33	0	0	0	0	57.6	1.65
ESU462		11.34	1359	4.15	497	4.15	497	36.6	0	0	0	0	58.7	1.49

## Detailed Delfleet Essential Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.  
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.  
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)  
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)  
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Volatile Volume %	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr							
ESU469		7.69	921	5.14	616	5.13	614	66.9	0.1	0.2	0	0.2	72.2	0.08
ESU470	Primer	12.51	1499	1.72	206	1.32	158	27.6	0	17	0.1	23.4	42.6	0.39
ESU478	Primer (Hardener)	9.03	1082	2.75	329	1.87	225	60	0	39.3	0	31.7	58.4	1.18
ESU479	Primer (Hardener)	8.7	1042	2.77	332	2.2	264	51.8	0	26.4	0	20.6	52.3	1.29
ESU480	Primer, Primer Sealer	12.24	1467	1.85	222	1	120	43.8	0.1	35.6	0.1	45.8	59.7	0.39
ESU481	Primer	12.22	1464	1.84	221	0.99	119	43.9	0.1	35.7	0.1	46	59.8	0.39
ESU482	Primer	12.25	1468	1.85	222	0.99	119	43.9	0.1	35.8	0.1	46.2	59.9	0.39
ESU489	Primer, Primer Sealer (Hardener)	8.27	991	2.69	322	2.43	291	42.3	0	12.9	0	9.5	42.4	1.54
ESU489HDM		8.27	991	2.69	322	2.43	291	42.3	0	12.9	0	9.5	42.4	1.54
ESX500	Single-Stage Ctg (Additive)	9.55	1144	7.92	949	2.09	251	99.5	0.1	77.5	0.1	73.5	99.5	0
ESX510	Single-Stage Ctg (Additive)	9.55	1144	7.99	957	2.09	251	99.7	0.1	77.7	0.1	73.7	99.7	0
ESX520	Single-Stage Ctg (Additive)	9.55	1144	8.02	961	2.09	251	99.8	0.1	77.9	0.1	73.8	99.8	0
ESX530	Single-Stage Ctg (Additive)	9.56	1146	8.09	969	2.09	251	100	0.1	78	0.1	74	100	0
ESX540	Single-Stage Ctg (Additive)	9.03	1082	5.48	657	3.24	388	86.5	0	50.6	0	40.9	84.8	0
ESX590	Primer (Additive)	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	98.4	0
ESX711	Uniform Finish Ctg, Clear Ctg (Additive)	8.9	1066	0.02	2	0	0	99.7	0.2	99.6	0.2	98.9	99.7	0
ESX721	Uniform Finish Ctg, Clear Ctg (Additive)	8.9	1066	0.1	11	0	0	99.9	0.2	99.7	0.2	99.1	99.9	0