

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
M102		7.2	863	6.7	803	6.7	803	93.1	0	0	0	0	5.61
M103		8.03	962	4.32	518	4.32	518	53.9	0	0	0	0	2.87
M104	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.97	955	4.56	547	4.56	547	57.3	0	0	0	0	3.8
M105	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.44	532	4.44	532	53.6	0	0	0	0	2.36
M106	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.1	971	4.52	541	4.52	541	55.8	0	0	0	0	2.9
M107	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.18	980	4.21	505	4.21	505	51.5	0	0	0	0	3.2
M108	Color Ctg, Underbody Ctg, Single-Stage Ctg	8	959	4.54	543	4.54	543	56.7	0	0	0	0	3.92
M109	Color Ctg, Underbody Ctg, Single-Stage Ctg	29.15	3493	2.91	349	2.91	349	10	0	0	0	0	0
M110	Color Ctg, Underbody Ctg, Single-Stage Ctg	20.6	2468	2.06	247	2.06	247	10	0	0	0	0	0
M111	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.22	985	4.42	530	4.42	530	53.8	0	0	0	0	3.84
M112NF	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.95	953	4.45	533	4.45	533	55.9	0	0	0	0	4.41
M113	Color Ctg, Underbody Ctg, Single-Stage Ctg	13.65	1636	4.03	483	4.03	483	29.5	0	0	0	0	3.79
M114	Color Ctg, Underbody Ctg, Single-Stage Ctg	11.71	1403	4.14	497	4.14	497	35.4	0	0	0	0	3.44
M115	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.39	1005	4.46	535	4.46	535	53.2	0	0	0	0	3.08
M116NF	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.95	953	4.48	536	4.48	536	56.3	0	0	0	0	4.44
M117	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.9	947	4.47	536	4.47	536	56.6	0	0	0	0	3.75
M118	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.75	929	4.54	543	4.54	543	58.5	0	0	0	0	2.81
M119	Color Ctg, Underbody Ctg, Single-Stage Ctg	13.04	1563	4.2	504	4.2	504	32.2	0	0	0	0	2.68
M120	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.9	1066	4.2	503	4.2	503	47.2	0	0	0	0	3.36
M121	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.91	948	4.41	529	4.41	529	55.8	0	0	0	0	3.11
M122	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.92	949	4.49	538	4.49	538	56.7	0	0	0	0	3.6
M123	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.84	939	4.44	532	4.44	532	56.7	0	0	0	0	3.1
M124	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.95	953	4.45	534	4.45	534	56	0	0	0	0	3.88
M125	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.2	983	4.22	505	4.22	505	51.4	0	0	0	0	2.84
M126	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.23	986	4.17	499	4.17	499	50.6	0	0	0	0	2.88
M127	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.3	995	4.29	514	4.29	514	51.6	0	0	0	0	2.69
M128	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.9	947	4.46	535	4.46	535	56.5	0	0	0	0	3.3
M129	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.01	960	4.27	511	4.27	511	53.2	0	0	0	0	3.11
M130	Color Ctg, Underbody Ctg, Single-Stage Ctg	14.5	1737	3.93	470	3.93	470	27.1	0	0	0	0	3.47
M131	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.98	956	4.49	538	4.49	538	56.3	0	0	0	0	3.73
M132	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.84	939	4.46	535	4.46	535	57	0	0	0	0	3.25
M133	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.8	935	4.48	537	4.48	537	57.5	0	0	0	0	3.16
M134NF	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.81	936	4.59	550	4.59	550	58.7	0	0	0	0	3.22
M135	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.15	977	4.2	503	4.2	503	51.5	0	0	0	0	2.9
M137	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.81	936	4.47	535	4.47	535	57.2	0	0	0	0	3.15
M141	Color Ctg, Underbody Ctg, Single-Stage Ctg	20.61	2470	2.06	247	2.06	247	10	0	0	0	0	0

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
M142	Color Ctg, Underbody Ctg, Single-Stage Ctg	26.12	3130	2.61	313	2.61	313	10	0	0	0	0	0
M143	Color Ctg, Underbody Ctg, Single-Stage Ctg	19.73	2364	1.97	236	1.97	236	10	0	0	0	0	0
M144	Color Ctg, Underbody Ctg, Single-Stage Ctg	21	2516	2.1	252	2.1	252	10	0	0	0	0	0
M145	Color Ctg, Underbody Ctg, Single-Stage Ctg	25.87	3100	2.72	326	2.72	326	10.5	0	0	0	0	0
M146	Color Ctg, Underbody Ctg, Single-Stage Ctg	23.7	2840	2.37	284	2.37	284	10	0	0	0	0	0
M147	Color Ctg, Underbody Ctg, Single-Stage Ctg	25.87	3100	2.59	310	2.59	310	10	0	0	0	0	0
M148	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.25	989	6.35	760	6.34	760	76.9	0	0	0	0	0.24
M149	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.08	968	4.25	509	4.25	509	52.6	0	0	0	0	3.06
M150		7.49	897	6.41	768	6.4	767	85.5	0.1	0	0.1	0	0.96
M152	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.55	1025	4.35	521	4.35	521	50.9	0	0	0	0	3.24
M153	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.75	1048	4.08	489	4.08	489	46.6	0	0	0	0	3.55
M154	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.14	975	4.26	511	4.26	511	52.4	0	0	0	0	3.93
M155	Single-Stage Ctg	9.32	1117	1.75	209	1.23	148	48.5	0	35.2	0	29.3	0.01
M156		7.88	944	4.38	525	4.38	525	55.6	0	0	0	0	3.84
M157	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.25	989	4.11	493	4.11	493	49.9	0	0	0	0	2.85
M158	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.5	1019	4.59	550	4.32	517	55.5	0	4.7	0	6	3.94
M199		7.75	929	5.72	685	5.72	685	73.8	0	0	0	0	0.83
M300	Color Ctg, Single-Stage Ctg	7.31	876	4.19	503	4.18	501	57.5	0	0.4	0	0.4	0.04
M301	Color Ctg, Single-Stage Ctg	10.84	1299	2.95	354	2.95	354	27.2	0	0	0	0	1.04
M302	Color Ctg, Single-Stage Ctg	8.26	990	2.97	356	2.97	356	36	0	0	0	0	0.93
M303	Color Ctg, Single-Stage Ctg	8.48	1016	2.91	348	2.91	348	34.3	0	0	0	0	0.94
M304	Color Ctg, Single-Stage Ctg	8.61	1032	2.96	354	2.96	354	34.4	0	0	0	0	0.9
M305	Color Ctg, Single-Stage Ctg	8.47	1015	2.92	349	2.92	349	34.4	0	0	0	0	0.94
M306	Color Ctg, Single-Stage Ctg	11.05	1324	2.99	358	2.99	358	27	0	0	0	0	0.91
M307	Color Ctg, Single-Stage Ctg	8.53	1022	2.99	358	2.99	358	35	0	0	0	0	0.87
M308	Color Ctg, Single-Stage Ctg	8.38	1004	2.89	347	2.89	347	34.5	0	0	0	0	0.87
M309	Color Ctg, Single-Stage Ctg	8.51	1020	3.01	361	3.01	361	35.4	0	0	0	0	0.92
M310	Color Ctg, Single-Stage Ctg	12.56	1505	2.98	357	2.98	357	23.7	0	0	0	0	0.92
M311	Color Ctg, Single-Stage Ctg	8.35	1001	2.94	352	2.94	352	35.2	0	0	0	0	0.93
M312	Color Ctg, Single-Stage Ctg	8.69	1041	2.99	358	2.99	358	34.4	0	0	0	0	1.12
M313	Color Ctg, Single-Stage Ctg	8.49	1017	2.9	348	2.9	348	34.2	0	0	0	0	0.97
M314	Color Ctg, Single-Stage Ctg	8.33	998	2.98	357	2.98	357	35.8	0	0	0	0	0.93
M315	Color Ctg, Single-Stage Ctg	8.47	1015	2.95	353	2.95	353	34.8	0	0	0	0	0.93
M316	Color Ctg, Single-Stage Ctg	8.46	1014	2.99	358	2.99	358	35.4	0	0	0	0	1.14
M317	Color Ctg, Single-Stage Ctg	8.52	1021	3.66	439	3.62	434	43.4	0	0.9	0	1.1	0.93
M318	Color Ctg, Single-Stage Ctg	11.99	1437	2.97	356	2.97	356	24.8	0	0	0	0	0.92

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
M319	Color Ctg, Single-Stage Ctg	8.73	1046	3.71	444	3.67	440	42.9	0	0.8	0	1.1	0.93
M320	Color Ctg, Single-Stage Ctg	8.5	1019	3.65	437	3.61	432	43.3	0	0.9	0	1.2	0.93
M321	Color Ctg, Single-Stage Ctg	8.44	1011	3.65	437	3.6	432	43.6	0	0.9	0	1.2	0.93
M322	Color Ctg, Single-Stage Ctg	8.37	1003	2.94	352	2.94	352	35.1	0	0	0	0	0.86
M324	Color Ctg, Single-Stage Ctg	10.89	1305	2.98	357	2.98	357	27.3	0	0	0	0	0.93
M325	Color Ctg, Single-Stage Ctg	8.29	993	3.37	403	3.37	403	40.6	0	0	0	0	0.98
M326	Color Ctg, Single-Stage Ctg	8.38	1004	3.26	391	3.26	391	38.9	0	0	0	0	0.95
M327	Color Ctg, Single-Stage Ctg	8.87	1063	2.99	358	2.99	358	33.7	0	0	0	0	0.96
M328	Color Ctg, Single-Stage Ctg	8.21	984	3.42	409	3.42	409	41.6	0	0	0	0	1
M329	Color Ctg, Single-Stage Ctg	8.33	998	2.98	358	2.98	358	35.8	0	0	0	0	0.94
M330	Color Ctg, Single-Stage Ctg	8.57	1027	2.98	358	2.98	358	34.8	0	0	0	0	0.94
M331	Color Ctg, Single-Stage Ctg	8.61	1032	2.97	356	2.97	356	34.5	0	0	0	0	0.93
M332	Color Ctg, Single-Stage Ctg	11.52	1380	2.92	350	2.92	350	25.4	0	0	0	0	1.03
M333	Color Ctg, Single-Stage Ctg	9.57	1147	3.38	405	3.38	405	35.3	0	0	0	0	0.99
M334	Color Ctg, Single-Stage Ctg	9.03	1082	3.35	402	3.35	402	37.1	0	0	0	0	1
M335	Color Ctg, Single-Stage Ctg	8.74	1047	3.05	366	2.99	359	35.7	0	1.5	0	1.9	0.97
M336	Color Ctg, Single-Stage Ctg	10.27	1231	2.91	348	2.91	348	28.3	0	0	0	0	0.93
M337	Color Ctg, Single-Stage Ctg	8.65	1036	2.96	355	2.96	355	34.2	0	0	0	0	0.94
M338	Color Ctg, Single-Stage Ctg	9.72	1165	2.99	358	2.99	358	30.8	0	0	0	0	1.01
M339	Color Ctg, Single-Stage Ctg	8.63	1034	3.39	407	3.39	407	39.3	0	0	0	0	0
M340	Color Ctg, Single-Stage Ctg	8.74	1047	2.96	355	2.96	355	33.9	0	0	0	0	0.94
M341	Color Ctg, Single-Stage Ctg	8.44	1011	2.98	357	2.98	357	35.3	0	0	0	0	0.96
M551	Color Ctg	8.3	995	4.15	498	4.15	497	50.1	0	0	0	0	2.91
M552	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M553	Color Ctg	8.3	995	4.16	498	4.16	498	50.1	0	0	0	0	2.91
M554	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M555	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M556	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M557	Color Ctg	8.3	995	4.15	498	4.15	497	50.1	0	0	0	0	2.91
M558	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M561	Color Ctg	8.29	993	4.15	497	4.15	497	50.1	0	0	0	0	2.91
M569	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.78	1052	3.94	472	3.94	472	44.9	0	0	0	0	2.07
M570		8.3	995	4.16	498	4.16	498	50	0	0	0	0	2.91
M571	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.03	962	4.79	574	4.79	574	59.6	0	0	0	0	3.74
M572	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.98	956	4.45	533	4.45	533	55.8	0	0	0	0	3.25
M573	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.22	985	4.25	509	4.25	509	51.7	0	0	0	0	4.14

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
M574	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.44	532	4.44	532	53.6	0	0	0	0	2.28
M575	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.84	939	4.88	585	4.42	530	64.4	0	8	0	9.3	4
M576	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.9	947	4.84	580	4.26	511	64.1	0.1	10	0.1	11.8	4.03
M577	Color Ctg, Underbody Ctg, Single-Stage Ctg	9.11	1092	4.8	575	4.8	575	52.7	0	0	0	0	4.34
M578	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.35	1001	4.19	502	4.19	502	50.2	0	0	0	0	3.07
M579	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.86	942	4.4	527	4.4	527	56	0	0	0	0	3.03
M580	Color Ctg	7.62	913	5.69	682	5.69	681	74.7	0	0	0	0	2.59
M581	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.59	1269	4.57	547	4.56	547	43.1	0	0	0	0	2.84
M582	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.94	951	4.59	551	4.59	551	57.9	0	0	0	0	3.55
M583		8.12	973	4.23	507	4.23	507	52.1	0	0	0	0	2.56
M587	Color Ctg	8.12	973	4.29	514	4.29	514	52.8	0	0	0	0	2.63
M589	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.45	893	3.92	470	1.6	192	76.8	0	55.3	0	59.2	1.59
M590	Color Ctg, Underbody Ctg, Single-Stage Ctg	10.23	1226	2.03	244	0.55	66	80	0	74.5	0.1	72.7	0
M591	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.27	991	4.16	498	4.16	498	50.3	0	0	0	0	2.87
M592	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.25	989	4.23	507	4.23	507	51.3	0	0	0	0	2.78
M593	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.28	992	4.26	511	4.26	511	51.5	0	0	0	0	2.73
M594	Color Ctg, Underbody Ctg, Single-Stage Ctg	8.27	991	4.17	500	4.17	500	50.4	0	0	0	0	2.86
M596	Color Ctg	8.41	1008	4.19	502	4.19	502	49.8	0	0	0	0	2.75
M597	Color Ctg	8.43	1010	4.19	502	4.19	502	49.7	0	0	0	0	2.74
M598	Color Ctg, Underbody Ctg, Single-Stage Ctg	7.88	944	4.38	525	4.38	525	55.6	0	0	0	0	3.93
M599		7.49	897	6.39	766	6.39	765	85.4	0.1	0	0.1	0	0.95
M728	Single-Stage Ctg, Underbody Ctg	9.03	1082	1.67	200	1.46	175	31.4	0	15.3	0	12.3	1.31
M736	Color Ctg	8.21	984	0.53	63	0.16	19	68.6	0.2	66.5	0.2	70.4	0
M743		9.31	1116	1.72	206	1.22	146	48	0	34.9	0	29	0.01
M799	Color Ctg	8.31	996	0.5	60	0.16	19	66.4	0.2	64.3	0.2	68.9	0
MAE194928		8.19	981	4.42	530	4.42	530	53.9	0	0	0	0	3.01
MAE194929		8	959	4.44	532	4.44	532	55.4	0	0	0	0	3.13
MAE194930		8.03	962	4.39	526	4.39	526	54.7	0	0	0	0	2.95
MAE194931		8.03	962	4.38	525	4.38	525	54.6	0	0	0	0	2.91
MAE194932		7.95	953	4.44	532	4.44	532	55.9	0	0	0	0	3.14
MAE201463		9.09	1089	4.38	525	4.38	525	48.2	0	0	0	0	2.89
MAE201464		8	959	4.48	537	4.48	537	56	0	0	0	0	3.37
MAE201465		8.12	973	4.37	523	4.37	523	53.8	0	0	0	0	2.93
MAE301126		9.7	1162	4.33	519	4.33	519	44.7	0	0	0	0	2.89
MAE301127		8.08	968	4.36	522	4.36	522	53.9	0	0	0	0	2.81
MAE301128		8.05	965	4.38	525	4.38	525	54.5	0	0	0	0	2.92

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
MAE301129		8.01	960	4.4	528	4.4	528	55	0	0	0	0	2.98
MAE402355		8.01	960	4.44	532	4.44	532	55.5	0	0	0	0	3.27
MAE402356		8.2	983	4.43	531	4.43	530	54	0	0	0	0	2.67
MAE402357		8.03	962	4.44	532	4.44	532	55.3	0	0	0	0	3.35
MAE402358		8.03	962	4.41	528	4.41	528	54.9	0	0	0	0	2.97
MAE402359		7.98	956	4.43	531	4.43	530	55.5	0	0	0	0	3.01
MAE4239		8.02	961	4.4	527	4.4	527	54.9	0	0	0	0	2.86
MAE53647		8	959	4.47	535	4.47	535	55.8	0	0	0	0	2.96
MAE62538		10.68	1280	4.22	505	4.22	505	39.5	0	0	0	0	3.19
MAE77914		8.06	966	4.35	521	4.35	521	54	0	0	0	0	3.04
MAE77915		8.02	961	4.46	535	4.46	535	55.7	0	0	0	0	3.31
MAE77916		8	959	4.39	527	4.39	527	55	0	0	0	0	2.96
MAE77917		8.03	962	4.43	531	4.43	531	55.2	0	0	0	0	2.89
MAE77918		8.03	962	4.42	530	4.42	529	55.1	0	0	0	0	3.05
MAE85146		9.72	1165	4.27	511	4.27	511	43.9	0	0	0	0	3.22
MAE85147		9.91	1187	4.33	518	4.33	518	43.6	0	0	0	0	3.05
MAE92853		9.66	1158	4.34	520	4.34	520	44.9	0	0	0	0	2.83
MAE92854		9.9	1186	4.32	518	4.32	518	43.7	0	0	0	0	2.84
MAE92855		10.17	1219	4.3	515	4.3	515	42.3	0	0	0	0	2.82
MAE95521		7.94	951	4.45	533	4.45	533	56	0	0	0	0	3.26
MAE95553		8	959	4.33	519	4.33	519	54.1	0	0	0	0	2.89
MARLRED		8.23	986	5.06	606	5.06	606	61.5	0	0	0	0	0.5
MBC2185		9.33	1118	5.57	668	5.57	667	59.7	0	0	0	0	1.64
MBC9300		7.53	902	5.4	647	4.18	501	75.5	0.1	19.9	0.1	22.4	1.94
MBX9300	Color Ctg	7.45	893	3.93	471	1.6	192	76.8	0	55.3	0	59.3	1.56
MC161		7.95	953	4.04	484	4.04	484	50.8	0	0	0	0	2.89
MC203		8.01	960	4.38	525	4.38	524	54.6	0	0	0	0	2.94
MC250		7.62	913	4.38	524	3.52	422	63.4	0.1	17.1	0.1	19.5	2.55
MC260		7.99	957	4.13	494	3.93	471	54.3	0	5	0	4.7	2.84
MC261		7.62	913	4.38	524	3.52	422	63.4	0.1	17.1	0.1	19.5	2.55
MC262	Clear Ctg	8.63	1034	2.41	288	1.38	165	60.5	0.1	44.5	0.1	42.8	0.86
MC270		7.63	914	4.36	522	3.49	418	63.2	0.1	17.4	0.1	19.9	2.54
MC2800		8	959	4.03	483	3.82	458	53.4	0	5.7	0	5.3	2.81
MC2980	Clear Coating, Primer Sealer	8.63	1034	2.41	288	1.38	165	60.5	0.1	44.5	0.1	42.8	0.86
MC730	Clear Ctg	9.67	1159	2.61	313	1.53	183	63.6	0.1	47.7	0.1	41.5	0
MC760	Clear Ctg	9.47	1135	2.5	299	1.48	177	63	0	47.4	0	40.9	1.16

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
MC770	Clear Coating, Primer Sealer	9.3	1114	2.4	287	0.65	78	81.9	0.1	74.8	0.1	72.7	0.36
MEKP	Primer (Hardener)	9.18	1100	9.19	1101	9.09	1089	100	1	0	1.1	0	4.27
MFA360	Color Ctg (Hardener)	8.82	1057	2.18	261	2.18	261	24.7	0	0	0	0	0
MFA361	Single-Stage Ctg (Hardener)	9.11	1092	1.02	122	1.02	122	11.2	0	0	0	0	0
MFA362		8.28	992	4.43	531	4.43	531	53.5	0	0	0	0	0
MFA363		8.28	992	4.43	531	4.43	531	53.5	0	0	0	0	0.46
MFA364		8.19	981	4.33	519	4.33	518	52.9	0	0	0	0	0.68
MFC380		8.04	963	3.34	400	3.34	400	41.5	0	0	0	0	2.43
MH101		8.12	973	4.61	552	4.61	552	56.8	0	0	0	0	1.33
MH165		8.19	981	4.44	532	4.44	532	54.3	0	0	0	0	0.67
MH166		8.14	975	4.33	519	4.33	519	53.2	0	0	0	0	1.26
MH167		8.29	993	4.45	533	4.45	533	53.7	0	0	0	0	0
MH168		8.3	995	4.4	527	4.4	527	53	0	0	0	0	0.46
MH169		8.28	992	4.42	530	4.42	529	53.4	0	0	0	0	0.68
MH202		8.24	987	3.87	464	3.87	464	47	0	0	0	0	0.8
MH235	Clear Ctg, Single-Stage Ctg, Underbody Ctg, (Hardener)	9.77	1171	0	0	0	0	18.1	0	18.1	0	15.8	0
MH238	Single-Stage Ctg, Underbody Ctg, Color Ctg (Hardener)	9.7	1162	0.52	63	0.45	54	20.2	0	15.6	0	13.5	0
MH255		8.66	1038	3.07	368	3.07	368	35.5	0	0	0	0	2.6
MH256		8.66	1038	3.08	369	3.08	369	35.5	0	0	0	0	2.61
MH257		8.94	1071	3.08	369	3.08	369	34.5	0.1	0	0.1	0	0
MH258	Clear Ctg (Hardener)	9.77	1171	0	0	0	0	18.1	0	18.1	0	15.8	0
MH266	Clear Ctg (Hardener)	10.14	1215	0.58	69	0.36	43	46.1	0	42.6	0	38.6	0
MH267	Clear Ctg (Hardener)	10.11	1211	0.55	66	0.35	42	43.1	0	39.6	0	35.8	0
MH268	Clear Ctg (Hardener)	9.6	1150	0.94	113	0.82	98	23.7	0	15.2	0	13	0
MH276		8.6	1031	3.28	393	3.28	393	38.1	0	0	0	0	2.86
MH277		8.58	1028	3.27	392	3.27	392	38.1	0	0	0	0	2.12
MH278		8.57	1027	3.28	393	3.28	393	38.2	0	0	0	0	2.19
MH279		8.79	1053	3.29	394	3.28	394	37.4	0.1	0	0.1	0	0
MH283		7.95	953	5.06	607	5.06	607	63.7	0	0	0	0	1.65
MH284		8.11	972	5.08	609	5.08	609	62.7	0	0	0	0	1.01
MH2880		7.9	947	4.55	545	4.55	545	57.6	0	0	0	0	0.61
MH2890		7.93	950	4.51	541	4.51	541	56.9	0	0	0	0	0.45
MH2918	Clear Ctg (Hardener)	10.14	1215	0.58	69	0.36	43	46.1	0	42.6	0	38.6	0
MH2919	Clear Ctg (Hardener)	10.26	1229	0	0	0	0	48.8	0	48.8	0	44.8	0

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
MH293	Primer (Hardener)	10.03	1202	1.96	235	1	120	64.7	0	54.8	0	49.1	0
MH2981	Clear Ctg (Hardener)	10.46	1253	1.02	123	0.42	51	66.6	0	62.6	0	58.5	0
MH2982	Clear Ctg (Hardener)	10.56	1265	0.86	103	0.32	39	69.4	0	66.3	0	62.6	0
MH2983	Clear Ctg (Hardener)	10.37	1243	0.66	79	0.3	36	61.5	0	58.6	0	54.3	0
MH53		9.46	1134	3.46	415	2.22	266	65.8	0	42.3	0	35.8	0.39
MH54		9.85	1180	3.58	430	2.19	263	66.4	0	44.1	0	38.8	0.41
MH737	Clear Ctg (Hardener)	9.73	1166	0.54	65	0.44	53	25.2	0	20.6	0	17.9	0
MH738	Clear Ctg (Hardener)	9.73	1166	0.54	65	0.44	53	25.2	0	20.6	0	18	0
MH739	Clear Ctg (Hardener)	9.75	1168	0.54	65	0.44	53	25.2	0	20.7	0	18	0
MH777	Clear Ctg (Hardener)	9.23	1106	1.62	194	1.55	185	22.2	0	5.4	0	4.5	0
MH778	Clear Ctg (Hardener)	9.23	1106	1.62	194	1.55	186	22.2	0	5.4	0	4.5	0
MH779	Clear Ctg (Hardener)	9.36	1122	1.39	167	1.33	159	19.7	0	5.5	0	4.6	0
MH810	Primer, Primer Sealer (Hardener)	9.75	1168	1.4	168	0.99	119	43.4	0	33.2	0	28.9	0
MP170		11.79	1413	4.16	499	4.16	499	35.3	0	0	0	0	1.47
MP171		12.18	1459	4.16	499	4.16	499	34.2	0	0	0	0	1.46
MP172		11.34	1359	4.15	497	4.15	497	36.6	0	0	0	0	1.49
MP175		7.69	921	5.14	616	5.13	614	66.9	0.1	0.2	0	0.2	0.08
MP176		7.2	863	6.35	761	6.1	731	89.2	4.6	0	3.9	0	0.85
MP177		6.9	827	6.61	792	6.25	749	97.3	6.6	0	5.5	0	0.32
MP178	Adhesion Promoter	7.24	868	6.96	834	6.96	834	96.3	0	0	0	0	6.41
MP180		11.62	1392	4.59	550	4.59	550	39.5	0	0	0	0	1.88
MP182		10.89	1305	4.19	502	4.19	502	38.4	0	0	0	0	3.81
MP210		11.64	1395	3.43	411	3.43	411	29.5	0.1	0	0.1	0	1.19
MP211	Primer	12.92	1548	2.05	245	1.84	220	19.6	0	5.3	0	10.3	0
MP212	Primer (Hardener)	9.66	1158	0	0	0	0	0	0	0	0	0	0
MP213		10.2	1222	4.03	483	4.03	483	39.5	0	0	0	0	1.38
MP220		9.23	1106	5.31	637	5.23	626	58.1	1.5	0	1.6	0	1.55
MP222		6.91	828	6.73	807	6.71	803	97.6	0.5	0	0.4	0	3.44
MP230		10.1	1210	4.18	501	4.18	501	41.4	0	0	0	0	1.75
MP231		12.08	1448	3.76	451	3.39	406	36.4	0	8.3	0	10	2.1
MP235		12.09	1449	3.75	449	3.38	405	36.2	0	8.3	0	9.9	2.09
MP237		11.98	1436	3.75	449	3.37	404	36.6	0	8.5	0	10	2.07
MP242	Primer	11.13	1334	1.38	165	1.21	145	18	0	7.1	0	11.8	2.26
MP243	Primer	11.14	1335	1.26	151	1.09	130	18	0	8.3	0	13.8	2.29
MP246		10.94	1311	1.1	132	1.03	124	13.2	0	3.7	0	6.1	2.5
MP281		10.01	1199	4.44	532	4.07	488	46.3	0.2	5.5	0.2	8.2	2.77

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
MP282		12.08	1448	3.99	478	3.8	456	34.1	0	2.6	0	4.6	2.5
MP292	Primer	13.76	1649	2.1	252	1.5	180	31.9	0	21	0	28.5	0.65
MP801	Primer, Primer Sealer	14.2	1702	2.03	243	1.44	172	33.2	0	23.1	0	29.3	0.63
MP802	Primer, Primer Sealer	14.08	1687	2.11	252	1.5	180	33.4	0	22.7	0	28.6	0.65
MP803	Primer, Primer Sealer	13.37	1602	2.24	268	1.51	181	38.5	0	27.2	0	32.4	0.61
MP831	Primer	10.13	1214	2.01	241	0.7	84	56.7	0.3	49.5	0.3	65.1	0.33
MP871	Primer	12.5	1498	1.72	206	1.32	158	27.6	0	17	0.1	23.4	0.39
MP875	Primer (Hardener)	8.85	1060	2.8	335	2.2	264	51.9	0	27	0	21.4	1.29
MP891	Primer, Primer Sealer	12.8	1534	2.12	255	1.43	171	38	0	26.8	0	32.9	0.69
MP895	Primer, Primer Sealer	12.71	1523	2.18	262	1.47	177	38.3	0	26.6	0	32.4	0.7
MP897	Primer, Primer Sealer	12.18	1459	2.29	274	1.48	178	42.6	0	30.4	0	35.3	0.68
MR185	Single-Stage Ctg (Thinner)	6.59	790	6.56	787	5.45	654	100	0.1	17.1	0.1	16.8	1.82
MR186	Single-Stage Ctg (Thinner)	6.83	818	6.83	818	6.83	818	100	0	0	0	0	1.71
MR187	Single-Stage Ctg (Thinner)	6.81	816	6.81	816	6.81	816	100	0	0	0	0	1.17
MR188	Single-Stage Ctg (Thinner)	6.82	817	6.82	817	6.82	817	100	0	0	0	0	1.43
MR189	Single-Stage Ctg (Thinner)	6.84	820	6.84	820	6.84	820	100	0	0	0	0	0
MR294	Clear Ctg , Color Ctg , Single-Stage Ctg, Underbody Ctg (Thinner), Primer	10.05	1204	0	0	0	0	100	0.1	99.9	0.1	99.6	0
MR295	Clear Ctg , Color Ctg , Single-Stage Ctg, Underbody Ctg (Thinner), Primer	11.2	1342	0	0	0	0	100	0	100	0	100.1	0
MR296	Clear Ctg , Color Ctg , Single-Stage Ctg, Underbody Ctg (Thinner), Primer	11.2	1342	0.71	85	0	0	100	0	100	0	100.1	0
MR297	Clear Ctg , Color Ctg , Single-Stage Ctg, Underbody Ctg (Thinner), Primer	11.14	1335	0	0	0	0	99	0	99	0	98.6	0
MR486		6.54	784	6.5	779	4.89	586	100	0.1	25.1	0.1	24.6	1.9
MR487		6.69	802	6.69	801	5.36	643	100	0.1	19.7	0.1	19.7	1.88
MR488		6.83	818	6.83	818	6.83	818	100	0	0	0	0	1.57
MR489		7.11	852	7.19	862	6.02	722	100	0.1	15.2	0.1	16.2	0.28
MS100	Solvent (Applicator Cleaner)	6.69	802	6.7	803	4.35	521	100	0.2	34.8	0.2	34.9	2.06
MS151	Solvent (Applicator Cleaner)	6.59	790	4.53	542	0.2	25	100	0.5	96.4	0.4	95.1	0
MS250		6.66	798	6.55	785	1.13	135	100	0.4	82.7	0.3	82.5	0.12
MS251	Solvent (Applicator Cleaner)	6.89	826	6.92	829	6.1	731	100	0.1	11.4	0.1	11.8	5.6
MTK2185		10.46	1253	4.13	495	4.13	495	39.5	0	0	0	0	3.13
MTK9300		7.82	937	4.45	534	4.45	534	57	0	0	0	0	3.29
MTX9300	Single-Stage Ctg	8.45	1013	3.2	384	2.98	357	44.5	0	9.2	0	6.9	2.37
MX190	Solvent (Substrate Cleaner)	6.41	768	6.41	768	6.41	768	100	0	0	0	0	0

Detailed Omni Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.

The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.

The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)

The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)

This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
MX192		6.57	787	6.54	784	6.47	775	99.9	1.4	0	1.1	0	0
MX193		7.83	938	4.15	497	4.15	497	53	0	0	0	0	0.78
MX194		7.23	866	7.15	857	7.15	857	99	0	0	0	0	7.13
MX195	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	7.36	882	7.22	865	7.22	865	98.1	0	0	0	0	0
MX199	Primer (Additive)	9.5	1138	0	0	0	0	0	0	0	0	0	4.75
MX200	Color Ctg, Underbody Ctg, Single-Stage Ctg (Additive)	8.15	977	8.01	959	7.98	957	98.3	0.1	0.2	0.1	0.2	0
MX201		7.44	892	4.75	570	4.4	528	65.8	0	6.6	0	7.3	2.27