



# Core Product Catalog

October 2024



# Programs

## Custom

This list does not reflect customer specific products, your support team can help you identify the classification of any products that don't appear on this published list.

## Products to meet your needs

Whether you need an agency recognition such as UL or BS 5609, or a sustainable solution, we have a product for your application. Look for the designation in the following product tables.



Flexcon.com

## Availability

Please contact your sales representative to discuss availability.

## Flexcon® FlexChoice™ Program

This program allows you to order custom widths of Specific products with smaller minimums, and a two-day lead time. Visit flexcon.com/FlexChoice or scan the QR code to view the list of products, locations, & minimums.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time



FlexChoice™ products

# Catalog Index

- Adhesives 4-6
- Consumer Packaging 7-9
- FlexChoice™ Packaging Products 10
- Consumer Durables 11-16
- FlexChoice™ Durables Products 17
- Healthcare 18-20
- Industrial & Transportation 21-23
- Retail & Advertising 24-27

# Multi-Layer Constructions



## Topcoats

- Digital print
- Conventional print
- Surface protection



## Films

- Polyester
- Polyethylene
- Polypropylene
- Polyimide
- Vinyl
- Foam
- Foil/metal
- Non-woven
- Urethane
- Tamper-evident
- Thermal & low Dk




## Adhesives

- Solvent acrylic
- Emulsion acrylic
- Rubber
- Silicone
- Hot melt
- Proprietary adhesive blends



## Liners

- Paper
- Coated paper
- Polyester
- Printable



# Adhesives

For nearly seven decades, Flexcon's leadership in adhesive technologies has revolutionized thousands of products across dozens of industries. From standard to custom, simple to complex, we take a collaborative approach to providing best-in-class products that benefit your business and end users alike. Whether your priorities are safety, style, durability, or recyclability, we have products to meet your standards and exceed your expectations.

## Built for everyday reliability

We believe that everyday items should still be exceptional. Our comprehensive line of general-purpose adhesives is designed to provide a strong balance of properties for dependable daily use. This includes beverage labeling, branding graphics, overlaminates, UV protections, and more.

## Engineered for high-performance

Our high-performance adhesives offer superior quality and resistance against the most demanding, mission-critical conditions from chemicals, temperature extremes, direct skin contact, abrasion, and more. From tamper-evident labels to aggressive permanent adhesives, our products will maintain a strong bond built to withstand degradation from chemical, temperature, abrasion, and more. We also provide removable solutions that meet extreme environmental and processing performance requirements.

## Trusted for critical healthcare applications

Flexcon's healthcare adhesives are proven to deliver patient safety and comfort, every time. We offer a selection of medical adhesives for pharmaceutical and medical device labeling, wearables, diagnostics, and tapes. Our products meet applicable FDA standards and provide patient-friendly alternatives to reduce pain and allergic reactions.

## Temporary when it needs to be

For impermanent applications, our products may not need to last a lifetime, but they're anything but expendable. From bus wraps to window perforated films, our temporary adhesive products allow for a smooth, weather-resistant seal for incredible looking results. When it's time for a change, our components peel off without leaving any residue behind.

## Sustainable solutions to benefit the planet

We develop eco-friendly components to enhance the recyclability of products without sacrificing aesthetics or causing mechanical issues at recycling plants. Our solutions include options for recycling of both HDPE and PET containers.

# Application Surface Energy



Low

- PVA
- Polystyrene
- EVA
- PE
- PP
- PVF, PVDF, PTFE
- Silicone



Medium

- Wood
- Nylon
- PMMA (Acrylic)
- PET
- PU Foam
- TPU
- PC
- PVC



High

- Copper
- Stainless Steel
- Aluminum
- Tin
- Ceramic
- Glass

**Surface energy** is the measure of excess energy at the surface of a material compared to its interior, influencing interactions like wetting and adhesion.

**Wetting** occurs when a liquid spreads out uniformly over a material's surface.

**Adhesion** is the ability of a material to bond and adhere to a surface through physical or chemical interactions, keeping the materials securely connected.

**Higher surface energy materials**, such as glass and metals, promote stronger adhesion as they allow for better contact between the liquid (adhesive) and the solid surface. These materials have more available energy at their surface, making it easier for liquids to spread (or "wet out") across the surface.

**Low surface energy materials**, such as polyethylene (PE) and polypropylene (PP), generally exhibit poor adhesion and tend to repel liquids, making it challenging for adhesives to spread and create a strong bond.

# Adhesive Guide

Application Substrate Surface Energy:			Adhesive	Performance Attributes								Applications					
Low	Med	High		General Purpose	High Performance	Permanent	Removable	High Clarity	High Temp. Resistance (up to 302°F [150°C])	Chemical Resistance	Moisture Resistance	Skin Contact	UL Recognized	Labels	Graphics	Medical	Tapes
			A-109														
			A-136														
			A-208														
			A-361, L-361														
			H-502														
			H-506														
			H-520														
			H-526														
			H-566														
			L-157, V-157														
			V-01, L-01														
			V-127RE														
			V-130														
			V-133														
			V-156, L-156														
			V-22, L-22, L-44														
			V-224, L-224														
			V-23, L-23														
			V-232														
			V-232C														
			V-248														
			V-29, H-529, L-29, L-10														

# Adhesive Guide

Application Substrate Surface Energy:			Adhesive	Performance Attributes									Applications				
Low	Med	High		General Purpose	High Performance	Permanent	Removable	High Clarity	High Temp. Resistance (up to 302°F [150°C])	Chemical Resistance	Moisture Resistance	Skin Contact	UL Recognized	Labels	Graphics	Medical	Tapes
	●		V-300, V-300X	●		●								●	●		
○	●	●	V-314	●			●	●								●	
○	●	●	V-32, A-32	●	●	●		●	●					●			
		●	V-323	●			●									●	
○	●	●	V-330	●			●									●	
○	●	●	V-344, L-344		●	●			●	●		●		●	●		●
○	●	●	V-344DL		●	●			●	●				●			
○	●	●	V-384	●			●							●	●		
○	●	●	V-449	●	●	●		●	●	●				●		●	
	●	●	V-465, L-465	●		●						●		●	●		
○	●	●	V-478		●	●			●					●	●		●
○	●	●	V-50	●			●								●		
	●	●	V-52RE		●	●								●			
○	●	●	V-58	●	●		●		●					●	●		
○	●	●	V-606, L-606	●	●	●				●		●		●			●
○	●	●	V-611	●			●							●			
	●		V-63	●		●								●	●		
○	●	●	V-778, H-778, L-778		●	●			●			●		●		●	●
○	●	●	V-81	●	●	●		●			●			●			
○	●	●	V-88, L-88		●	●				●		●		●			●
○	●	●	SA3000 Series		●	●			●					●			●
○	●	●	SA6000 Series		●	●			●					●			●

# Consumer Packaging

## Packaging labels suitable for plastic, glass, aluminum, and flexible packaging

We offer brands the most engaging and best performing packaging labels and materials that help them reach their sustainability goals.

Flexcon® EcoFocus® sustainable solutions - a series of pressure-sensitive label stocks designed with an added element of sustainability, such as enabling recyclability or compostability, the manufacture of materials from recycled content, biobased components or containing sustainably-sourced materials.

Key applications include: beverage labels, food packaging, household products, and personal care & cosmetics.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time



# Consumer Packaging Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP							
056456▲	OptiFlex® CPP20413 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	Clear	TC-458	V-01	1.2 Mil PET	500	76", 60"
056455	OptiFlex® Thin CPP16419 - 1.6 Mil Clear BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner	Clear	TC-458	V-01	0.92 Mil PET	500	60"
060202	OptiFlex® CPP20416 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 40K-8 Liner	Clear	TC-458	V-01	40# Kraft	500	60"
068847	OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120	Clear	TC-458	V-52RE	1.2 Mil PET	500	76"
069573	OptiFlex® Thin EcoFocus® 069573 (PP 160 H Clear TC-458 V-52RE TracRite™ 92)	Clear	TC-458	V-52RE	0.92 Mil PET	500	76"
064722▲	OptiFlex® Reseal™ 20133 2.0 Mil Clear BOPP TC, High-Performance Resealable Adhesive, TracRite™ 120	Clear	TC-458	V-133	1.2 Mil PET	500	60"
070145	OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120	Clear	TC-458	V-611	1.2 Mil PET	500	60"
070146	OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8	Clear	TC-458	V-611	40# Kraft	500	60"
000161△	OptiFlex® PP 200 H Clear TC-332™ V-81 TracRite™ 120	Clear	TC-332™	V-81	1.2 Mil PET	1000	60"
030751▲	OptiFlex® PP 200 H Clear TC-458 A-208 TracRite™ 92	Clear	TC-458	A-208	0.92 Mil PET	500	76"
070057	OptiFlex® PP 200 H Clear TC-458 V-32 TracRite™ 120 (0.55-0.65)	Clear	TC-458	V-32	1.2 Mil PET	500	60"
051961	OptiFlex® PP 200 H Clear TC-458 V-344 TracRite™ 120	Clear	TC-458	V-344	1.2 Mil PET	500	60"
056721	OptiFlex® MPP20413 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	Silver	TC-458	V-01	1.2 Mil PET	500	76", 60"
064278	OptiFlex® MPP20416 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 40K-8	Silver	TC-458	V-01	40# Kraft	500	60"
056722	OptiFlex® Thin MPP16419 - 1.6 Mil Silver BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner	Silver	TC-458	V-01	0.92 Mil PET	500	60"
068848	OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120	Silver	TC-458	V-52RE	1.2 Mil PET	500	76"
069591	OptiFlex® Thin EcoFocus® 069591 (PP 160 H Silver TC-458 V-52RE TracRite™ 92)	Silver	TC-458	V-52RE	0.92 Mil PET	500	60"
056712▲	OptiFlex® WPP23413 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	White	TC-458	V-01	1.2 Mil PET	500	76", 60"
060201	OptiFlex® WPP23416 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 40K-8 Liner	White	TC-458	V-01	40# Kraft	500	60"
056723	OptiFlex® Thin WPP16419 - 1.6 Mil White BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner	White	TC-458	V-01	0.92 Mil PET	500	76"
068849	OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120	White	TC-458	V-52RE	1.2 Mil PET	500	76"
069589	OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92)	White	TC-458	V-52RE	0.92 Mil PET	500	60"
064717▲	OptiFlex® Reseal™ 21133 2.3 Mil White BOPP TC, High-Performance Resealable Adhesive, TracRite™ 120	White	TC-458	V-133	1.2 Mil PET	500	60"



# Consumer Packaging Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MS)	Master Width
BOPP cont.							
070143	OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120	White	TC-458	V-611	1.2 Mil PET	500	60"
070144	OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8	White	TC-458	V-611	40# Kraft	500	60"
000159	OptiFlex® PP 230 H White TC-332™ V-81 TracRite™ 120	White	TC-332™	V-81	1.2 Mil PET	500	76"
022786△	OptiFlex® PP 230 H White TC-332™ A-32 Spec 50K-8	White	TC-332™	A-32	50# Kraft	1000	60"
070058	OptiFlex® PP 230 H White TC-458 V-32 TracRite™ 120 (0.55-0.65)	White	TC-458	V-32	1.2 Mil PET	500	60"
052583△	ThinFlex® PP 160 H White TC-458 V-344 TracRite™ 120	White	TC-458	V-344	1.2 Mil PET	1000	60"
057612	OptiFlex® Conceal™ WPPM23313 2.3 Mil White Opaque BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	White Opaque	TC-332™	V-01	1.2 Mil PET	500	60"
059554	OptiFlex® Conceal™ PPM 230 H White TC-332™ V-344 Spec 40K-8	White Opaque	TC-332™	V-344	40# Kraft	500	60"
Foil							
039622△	FlexMark® MF 200 R Silver V-58 TracRite™ 150	Silver		V-58	1.5 Mil PET	1000	54"
MDO PP							
008462	OptiFlex® PP 245 F White PTP V-81 TracRite™ 120	White	PTP	V-81	1.2 Mil PET	500	60"
Polyethylene							
069057	OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120)	Clear		V-127RE	1.2 Mil PET	500	76"
069592	OptiFlex® Thin EcoFocus® 069592 (PE 220 F Clear V-127RE TracRite™ 92)	Clear		V-127RE	0.92 Mil PET	500	60"
011281	OptiFlex® ConformMax™ PE30153 - 3.0 Mil Clear PE, Permanent Adhesive, TracRite™ 120	Clear		V-81	1.2 Mil PET	500	76"
057585	OptiFlex® Thin MPE22719 - 2.2 Mil Silver PE, TC, V-01 Adhesive, .92 Mil Poly Liner	Silver	TC-793	V-01	0.92 Mil PET	500	60"
012473	OptiFlex® MPE 340 F Silver (MSO) TC-793 V-81 TracRite™ 120	Silver	TC-793	V-81	1.2 Mil PET	500	60"
011648	OptiFlex® Squeeze™ MPE34633 - 3.4 Mil Silver Polyethylene, Permanent Adhesive, TracRite™ 120	Silver	TC-793	A-136	1.2 Mil PET	500	60"
069058	OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120)	White		V-127RE	1.2 Mil PET	500	76"
069593	OptiFlex® Thin EcoFocus® 069593 (PE 220 F White V-127RE TracRite™ 92)	White		V-127RE	0.92 Mil PET	500	60"
011312	OptiFlex® ConformMax™ PE30453 - 3.0 Mil White PE, Permanent Adhesive, TracRite™ 120	White		V-81	1.2 Mil PET	500	76"
011647	OptiFlex® Squeeze™ PE30433 (PE 300 F White A-136 TracRite™ 120)	White		A-136	1.2 Mil PET	500	60"

# FlexChoice™ Packaging Products

This program allows you to order custom widths of Specific products with smaller minimums, and fast turnaround. Visit [flexcon.com/FlexChoice](https://flexcon.com/FlexChoice) to view the list of products, locations, & minimums.

FLX#	Flexcon® Product	5,000' rolls, +/- 10% 3" core	10,000' rolls, +/- 10% 6" core	Availability
069057▲	OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120)		●	MA, NE
069058▲	OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120)		●	MA, NE
068847▲	OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120		●	MA
068848▲	OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120		●	MA
068849▲	OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120		●	MA
069573▲	OptiFlex® Thin EcoFocus® 069573 (PP 160 H Clear TC-458 V-52RE TracRite™ 92)		●	MA
069589▲	OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92)		●	MA
069593▲	OptiFlex® Thin EcoFocus® 069593 (PE 220 F White V-127RE TracRite™ 92)		●	MA
056456▲	OptiFlex® CPP20413 (PP 200 H Clear TC-458 V-01 TracRite™ 120)	●	●	CA, MA, NE
060202▲	OptiFlex® CPP20416 (PP 200 H Clear TC-458 V-01 S40K-8)	●	●	CA, MA, NE
056712▲	OptiFlex® WPP23413 (PP 230 H White TC-458 V-01 TracRite™ 120)	●	●	CA, MA, NE
060201▲	OptiFlex® WPP23416 (PP 230 H White TC-458 V-01 S40K-8)	●	●	CA, MA, NE
056721▲	OptiFlex® MPP20413 (MPP 200 H Silver TC-458 V-01 TracRite™ 120)	●	●	CA, MA, NE
064278▲	OptiFlex® MPP20416 (MPP 200 H Silver TC-458 V-01 S40K-8)	●	●	CA, MA, NE
064722▲	OptiFlex® Reseal™ 20133 (PP 200 H Clear TC-458 V-133 TracRite™ 120)		●	MA, NE
064717▲	OptiFlex® Reseal™ 21133 (PP 240 H White TC-458 V-133 TracRite™ 120)		●	MA
070145▲	OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120		●	NE
070146▲	OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8	●		NE
070143▲	OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120		●	NE
070144▲	OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8	●		NE

# Consumer Durables

## Performance for the real world

Items intended to last for years need components that can withstand exposure to abrasion, harsh chemicals, UV rays, and more. Choosing materials that have been pushed to the limits ensures they will withstand the rigors of the real world.

Key applications include label substrates for brand identification, warning/instructional, compliance/tracking, and adhesive constructions for bonding & mounting.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time



# Consumer Durables Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	UL Listed	MOQ (MSI)	Master Width
BOPP								
069254Δ	FlexMark® PP 200 H Clear TC-458 L-01 120 Poly H-9	Clear	TC-458	L-01	1.2 Mil PET	●	1000	60"
069253Δ	FlexMark® PP 230 H White TC-458 L-01 120 Poly H-9	White	TC-458	L-01	1.2 Mil PET	●	1000	60"
069302Δ	FlexMark® PP 230 H White TC-458 L-01 Spec 40K-8	White	TC-458	L-01	40# Kraft	●	1000	60"
055049	ThermlFilm® NexGen™ PP31210 TTR (W/R & R) 2.3 Mil White General Purpose Permanent Adhesive PCW Liner UL Recognized	White	TC-853	L-361	50# Kraft PCW	●	500	60"
Direct Therm PP								
029512Δ	ThermlFilm® PP 280 H White MTC-817 V-314 150 Poly H-9	White	MTC-817	V-314	1.5 Mil PET		1000	60"
Polycarbonate								
000360	FlexMark® OL 300 Clear Velvet L-29 71B PMO-8	Clear Velvet		L-29	71B PMO-8	●	500	54"
000361	FlexMark® OL 500 Clear Velvet L-29 71B PMO-8	Clear Velvet		L-29	71B PMO-8	●	500	54"
065368	FlexMark® OL 500 Clear Velvet L-344 TracRite™ 100	Clear Velvet		L-344	1 Mil PET	●	500	54"
PET								
054106	ThermlFilm® NexGen™ 25110 TTR (W/R & R) 2 Mil BBStainless General Purpose Permanent Adhesive PCW Liner UL Recognized	BBStainless	TC-716	L-361	50# Kraft PCW	●	500	54"
000324▲	DPM® UVCG 1 Mil Clear UV Polyester, Overlaminating Adhesive, Film Liner over Rolls and Sheets	Clear		L-10	1 Mil PET	●	500	60"
000233▲	Classics Plus® 10092 - 1 Mil Clear Polyester Overlam, Adhesive Overlam, Film Liner Over Rolls and Sheet	Clear		L-157	1 Mil PET	●	500	54", 60"
000279	Classics Plus® 20092 - 2 Mil Clear Polyester Overlaminating Adhesive Film Liner Over Rolls & Sheets	Clear		L-157	1 Mil PET	●	500	60"
000464▲	ThermlFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlam Polyester Permanent Adhesive	Clear	TC-387	L-157	44PP	●	500	60"
000296	CompuCal II® OM 100 Clear MTC-329 L-22 58PW-8	Clear	MTC-329	L-22	58PW-8	●	500	60"
007119	Classics Plus® 10106 - Ink Receptive 1 Mil Clear Polyester Permanent Acrylic Adhesive Sheet Liner	Clear	TC-200	L-23	90#	●	500	60"
007122	Classics Plus® 20006 - 2 Mil Clear Polyester Permanent Acrylic Adhesive Sheet Liner	Clear		L-23	90#	●	500	60"
007124	Classics Plus® 20106 - Ink Receptive 2 Mil Clear Polyester Permanent Acrylic Adhesive Sheet Liner	Clear	TC-200	L-23	90#	●	500	60"
000303▲	DPM® CG Clear Polyester Overlam High-Performance Adhesive Polyester Liner	Clear		L-344	1 Mil PET	●	500	60"

# Consumer Durables Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	UL Listed	MOQ (MSI)	Master Width
PET cont.								
000311	DPM® PC 2 Mil Printable Clear Polyester High-Performance Adhesive Roll Liner	Clear	PTP	L-344	50# Kraft	●	500	60"
000313	DPM® PCS 2 Mil Printable Clear Polyester High-Performance Adhesive Sheet Liner	Clear	PTP	L-344	90#	●	500	60"
054108	ThermlFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-Performance Permanent Adhesive PCW Liner UL Recognized	Clear	TC-716	L-344	50# Kraft PCW	●	500	60"
000282	CompuCal® Excel™ 20440 MTC-722 Matte Topcoat 2 Mil Clear PET with High Performance Adhesive Roll Form Liner	Clear	MTC-722	L-344	50# Kraft	●	500	60"
012395▲	CompuCal® Excel™ 10442 MTC-722 Matte Topcoat 1 Mil Clear PET with High Performance Adhesive Roll Form Liner	Clear	MTC-722	L-344	1 Mil PET	●	500	60"
054102	ThermlFilm® NexGen™ 20110 TTR (W/R&R) 2 Mil Clear General Purpose Permanent Adhesive PCW Liner UL Recognized	Clear	TC-716	L-361	50# Kraft PCW	●	500	60"
002128	FlexMark® OM 100 Clear L-44 42 White PP-8 R	Clear		L-44	42 White PP-8	●	500	60"
000312	DPM® PCRTS 2 Mil Printable Clear PET High-Performance Adhesive for Rough Textured Surfaces Roll Liner	Clear	PTP	L-606	50# Kraft/Q	●	500	60"
000466△	ThermlFilm Select® 20970 TTR (W/R&R) 2 Mil Gloss TC Clear Polyester Permanent Adhesive, UL Recognized	Clear	TC-390	L-606	50# Kraft/Q	●	1000	60"
000609▲	Classics Plus® 13092 - 1 Mil Clear Matte Polyester Overlaminating Adhesive Film Liner Over Rolls & Sheets	Clear Matte		L-157	1 Mil PET	●	500	60"
000304	DPM® CM Matte Polyester Overlam High Performance Adhesive Polyester Liner	Clear Matte		L-344	1 Mil PET	●	500	60"
054111	ThermlFilm® NexGen™ 24120 TTR (W/R&R) 2 Mil Satin Silver High-Performance Permanent Adhesive PCW Liner UL Recognized	Satin Silver	TC-716	L-344	50# Kraft PCW	●	500	60"
054105	ThermlFilm® NexGen™ 24110 TTR (W/R&R) 2 Mil Satin Silver General Purpose Permanent Adhesive PCW Liner UL Recognized	Satin Silver	TC-716	L-361	50# Kraft PCW	●	500	60"
000322	DPM® SS 2 Mil Silver Polyester High-Performance Adhesive Sheet Liner	Silver	PTP	L-344	90#	●	500	60"
069799	DPM Aply® 2SPSAE (MM 200 Silver TC-716 L-344 90 PFW Air Egress Liner - UL Recognition)	Silver	TC-716	L-344	90# AE	●	500	60"
000286	CompuCal® Excel™ 22440 MTC-722 Matte Topcoat 2 Mil Silver PET with High Performance Adhesive Roll Form UL Recognition	Silver	MTC-722	L-344	50# Kraft	●	500	60"
000287	CompuCal® Excel™ 22449 MTC-722 Matte Topcoat 2 Mil Silver PET with High Performance Adhesive Sheet Form UL Recognition	Silver	MTC-722	L-344	91 PRT PFW	●	500	60"
000290	CompuCal® Excel™ 22450 2 Mil Matte Topcoated Silver PET General-Purpose Permanent Adhesive Roll Liner	Silver	MTC-722	L-224	50# Kraft	●	500	60"

# Consumer Durables Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	UL Listed	MOQ (MSI)	Master Width
PET cont.								
009624	ThermlFilm Select® 22830 TTR (W/R&R) 2 Mil TC Silver Matte Polyester Permanent Adhesive, UL Recognized	Silver Matte	TC-387	L-23	50# Kraft	●	500	54"
054110	ThermlFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCW Liner UL Recognized	Silver Matte	TC-716	L-344	50# Kraft PCW	●	500	54"
000319	DPM® SMS 2 Mil Silver Matte Polyester High-Performance Adhesive Sheet Liner	Silver Matte	TC-348	L-344	90#	●	500	54"
000470	ThermlFilm Select® 22940 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive UL Recognized	Silver Matte	TC-390	L-344	50# Kraft	●	500	54"
054107	ThermlFilm® NexGen™ 23110 TTR (W/R&R) 2 Mil Silver Matte General Purpose Permanent Adhesive PCW Liner UL Recognized	Silver Matte	TC-716	L-361	50# Kraft PCW	●	500	54"
000471	ThermlFilm Select® 22970 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive, UL Recognized	Silver Matte	TC-390	L-606	50# Kraft/Q	●	500	54"
006999	CompuCal II® TamperMark™ MM 200 Silver Void MTC-329 L-156 Spec 50K/Q-8	Silver Void	MTC-329	L-156	50# Kraft	●	500	54"
009628▲	ThermlFilm Select® 21830 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-387	L-23	50# Kraft	●	500	60"
068700	Flexcon® NexGen™ WP344S Topcoated 2 Mil White PET High-Performance Permanent Adhesive Sheet Liner UL Recognition	White	TC-716	L-344	90#	●	500	60"
054109▲	ThermlFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-Performance Permanent Adhesive PCW Liner UL Recognized	White	TC-716	L-344	50# Kraft PCW	●	500	60"
000284▲	CompuCal® Excel™ 21440 MTC-722 Matte Topcoat 2 Mil White PET with High Performance Adhesive Roll Form Liner	White	MTC-722	L-344	50# Kraft	●	500	60"
000285	CompuCal® Excel™ 21449 MTC-722 Matte Topcoat 2 Mil White PET with High Performance Adhesive Sheet Form UL Recognition	White	MTC-722	L-344	91 PRT PFW	●	500	60"
000295	CompuCal® Excel™ 21450 2 Mil Matte Topcoated White PET General-Purpose Permanent Adhesive Roll Liner	White	MTC-722	L-224	50# Kraft	●	500	60"
009387△	CompuCal® Excel™ PM 200 White MTC-722 L-344 150 Poly H-9	White	MTC-722	L-344	1.5 Mil PET	●	1000	60"
000375▲	DPM® PWS 2 Mil Printable White Polyester High-Performance Adhesive Sheet Liner	White	TC-348	L-344	90#	●	500	60"
000467▲	ThermlFilm Select® 21940 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-344	50# Kraft	●	500	60"
054103▲	ThermlFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General Purpose Permanent Adhesive PCW Liner UL Recognized	White	TC-716	L-361	50# Kraft PCW	●	500	60"
000376	DPM® PWSRTS 2 Mil Printable White PET High-Performance Adhesive for Rough Textured Surfaces Sheet Liner	White	TC-348	L-606	90#	●	500	60"

# Consumer Durables Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	UL Listed	MOQ (MSI)	Master Width
PET cont.								
000468▲	ThermlFilm Select® 21970 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-606	50# Kraft	●	500	60"
021761▲	ThermlFilm Select® 21980 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-606	50# Kraft/Q	●	500	60"
000315	DPM® PWRTS 2 Mil Printable White PET High-Performance Adhesive for Rough Textured Surfaces Roll Liner	White	TC-348	L-606	50# Kraft/Q	●	500	60"
068703	Flexcon® NexGen™ WP778 Topcoated 2 Mil White PET Supreme Permanent Adhesive for LSE PCW Roll Liner UL Recognition	White	TC-716	L-778	50# Kraft PCW	●	500	60"
069860△	DPM Aply® 4RWPSAE (PM 400 White Reflective V-344 90 PFW Air Egress Liner)	White		V-344	90# AE		1000	48"
000446	TamperMark™ PM 200 White Void II TC-249 V-344 Spec 50K/Q-8	White-Void	TC-249	V-344	50# Kraft/Q		1000	60"
Polyethylene								
000440	ThermlFilm® PE 200 White Destruct TC-387 L-88 Spec 50K-8	White Destruct	TC-387	L-88	50# Kraft	●	500	54"
027516	TamperMark™ PE 200 White Destruct TC-634 V-88 Spec 50K-8	White Destruct	TC-634	V-88	50# Kraft		500	54"
PP								
069797	DPM Aply® 4CPPSAE (PP 400 F Frosty Clear TC-716 L-344 90 PFW Air Egress Liner - UL Recognition)	Frosty Clear	TC-716	L-344	90# AE	●	500	60"
069796	DPM Aply® 4WPPSAE (PP 400 F White TC-716 L-344 90 PFW Air Egress Liner - UL Recognition)	White	TC-716	L-344	90# AE	●	500	60"
Tedlar®*								
069283	DPM® TCG 1 Mil Clear PVF Overlam, Permanent Adhesive, Overlaminating Liner	Clear		V-22	42 White PP-8		500	60"

\*Tedlar® is a registered trademark of Dupont Electronics, Inc.

# Consumer Durables Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	UL Listed	MOQ (MSI)	Master Width
Vinyl								
004115	FlexMark® V 400 F White L-156 90 PFW	White		L-156	90#	●	500	60"
000310	DPM® LLFW Ladder Label Flex White	White	TC-348	L-224	50# Kraft	●	500	60"
059531	Classics Plus® 41145 - Ink Receptive White Vinyl Permanent Acrylic Adhesive Roll Liner	White	TC-248	L-224	50# Kraft	●	500	60"
069798	DPM Aply® 4WVSAE (V 400 F White L-344 90 PFW Air Egress Liner - UL Recognition)	White		L-344	90# AE	●	500	60"
000306	DPM® FW 4 Mil Flexible White Vinyl High-Performance Adhesive Roll Liner	White	TC-348	L-344	50# Kraft	●	500	60"
000307	DPM® FWRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Roll Liner	White	TC-348	L-344	50# Kraft	●	500	60"
000308▲	DPM® FWS 4 Mil Flexible White Vinyl High-Performance Adhesive Sheet Liner	White		L-344	90#	●	500	60"
000309	DPM® FWSRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Sheet Liner	White		L-344	90#	●	500	60"
069859△	DPM Aply® 6WVSAE (V 600 F White V-344 90 PFW Air Egress)	White		V-344	90# AE		1000	60"
003787	FlexMark® V 400 IFW V-478 90 PFW	White		V-478	90#		500	60"



# FlexChoice™ Durables Products

This program allows you to order custom widths of Specific products with smaller minimums, and fast turnaround. Visit [flexcon.com/FlexChoice](https://flexcon.com/FlexChoice) to view the list of products, locations, & minimums.

FLX#	Flexcon® Product	2,500' rolls, +/- 10% 3" core	5,000' rolls, +/- 10% 3" core	Availability
000303▲	DPM® CG Clear Polyester Overlam High-Performance Adhesive Polyester Liner	●		CA, MA, NE
000464▲	ThermlFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlam Polyester Permanent Adhesive	●		CA, MA, NE
054108▲	ThermlFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-Performance Permanent Adhesive PCW Liner UL Recognized		●	CA, MA, NE
054103▲	ThermlFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General Purpose Permanent Adhesive PCW Liner UL Recognized		●	CA, MA, NE
054109▲	ThermlFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-Performance Permanent Adhesive PCW Liner UL Recognized		●	CA, MA, NE
054110▲	ThermlFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCW Liner UL Recognized	●		CA, MA, NE
000306▲	DPM® FW 4 Mil Flexible White Vinyl High-Performance Adhesive Roll Liner		●	CA, MA, NE
000308▲	DPM® FWS 4 Mil Flexible White Vinyl High-Performance Adhesive Sheet Liner		●	CA, MA, NE


# Healthcare

## Medical adhesives for wearables, diagnostics, and labeling solutions

Superior quality is at the heart of every Flexcon healthcare medical adhesive product.

Key applications include: wearables, diagnostics, pharmaceutical and medical device labels.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time



# Healthcare - Functional

FLX#	Flexcon® Product	Color	Wear Time	Adhesive	Liner	MOQ (MSI)	Master Width
No Film							
070108	DermaFlex™ DFPE 300 F Clear H-566 90 PFW H-778 55 LA K	Clear	Long term	H-566 / H-778	55#	1000	60"
059279	DermaFlex™ TT 200 H-566 80B PFM 90 PFW	Clear	Long term	H-566	90#	500	54"
068983	Omni-Wave™ TT 200 Black H-502 150 Poly H-9 44PP-8	Grey	Short term	H-502	1.5 Mil PET/44PP	1 roll	10" x 400'
069515	Omni-Wave™ TT 200 Black H-502 400 Poly H-9 44PP-8	Grey	Short term	H-502	4 Mil PET/44PP	1 roll	10" x 400'
NNRU							
068278△	DermaFlex™ NNRU 100 Clear H-506 Spec 50K-8	Clear	Low trauma	H-506	50# Kraft	500	54"
006979▲	DermaFlex™ NNRU 100 Clear H-566 Spec 50K-9	Clear	Long term	H-566	50# Kraft	500	54"
069014△	DermaFlex™ NNRU 100 Clear H-778 Spec 50K-8	Clear	Long term	H-778	50# Kraft	500	54"
Nonwoven Polyester							
006942△	DermaFlex™ NWP 240 Flesh H-566 Spec 50K-8	Flesh	Long term	H-566	50# Kraft	500	60"
068635△	DermaFlex™ NWP 240 White H-506 90 PFW	White	Low trauma	H-506	90#	500	60"
043343△	DermaFlex™ NWP 240 White H-566 90 PFW	White	Long term	H-566	90#	500	60"
Polyethylene Foam							
006934	DermaFlex™ P.E.F. 08 White H-520 Spec 50K-8	White	Short term	H-520	50# Kraft	500	58.5"
065697△	DermaFlex™ P.E.F. 32 White H-529 90 PFW (1.9-2.1)	White	Short term	H-529	90#	500	58.5"
012850△	DermaFlex™ P.E.F. 32 White H-566 Spec 50K-9 (1.9-2.1)	White	Long term	H-566	50# Kraft	500	58.5"

# Healthcare - Labeling

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP							
000212△	PharmCal® PP 200 H Clear TC-332™ V-232 TracRite™ 150	Clear	TC-332™	V-232	1.5 Mil PET	1000	60"
000211▲	PharmCal® Supreme 000211 (PharmCal® PP 200 H Clear TC-332™ V-232C TracRite™ 150)	Clear	TC-332™	V-232C	1.5 Mil PET	500	60"
000301	PharmCal® CryoFlex™ 000301 (CryoFlex™ PPC)	Clear	TC-679	V-32	50# Kraft	500	60"
052434△	PharmCal® Supreme 052434 (PharmCal® PP 200 H Clear TC-332™ V-344 TracRite™ 150)	Clear	TC-332™	V-344	1.5 Mil PET	1000	60"
068904△	PharmCal® OTC 068904 (PharmCal® PP 200 H Clear TC-458 V-449 Spec 40K-8)	Clear	TC-458	V-449	40# Kraft	1000	60"
006126△	PharmCal® TamperMark™ 006126 (PharmCal® PP 200 H Clear TC-332™ V-88 150 Poly H-9)	Clear	TC-332™	V-88	1.5 Mil PET	1000	60"
000302	PharmCal® CryoFlex™ 000302 (CryoFlex™ PPW)	White	TC-679	V-32	50# Kraft	500	60"
068639	PharmCal® Supreme 068639 (PharmCal® PP 260 H White TC-272 V-344 TracRite™ 150)	White	TC-272	V-344	1.5 Mil PET	500	60"
011974	PharmCal® Supreme 011974 (PharmCal® PP 230 H White TC-332™ V-344 TracRite™ 150)	White	TC-332™	V-344	1.5 Mil PET	500	60"
068903▲	PharmCal® OTC 068903 (PharmCal® PP 230 H White TC-458 V-449 TracRite™ 120)	White	TC-458	V-449	1.2 Mil PET	1000	60"
069047△	PharmCal® Conceal™ 069047 (PharmCal® PPM 230 H White Opaque TC-332™ V-344 Spec 50K-8)	White Opaque	TC-332™	V-344	50# Kraft	1000	60"
069048△	PharmCal® Conceal™ 069048 (PharmCal® PPM 230 H White Opaque MTC-722 V-344 Spec 50K-8)	White Opaque	MTC-722	V-344	50# Kraft	1000	60"
Diacetate							
001278△	FlexMark® DA 200 Clear V-23 150 Poly H-9	Clear		V-23	1.5 Mil PET	1000	52"
PET							
056662	MedFlex® Overlam OMMCS100P - 1 Mil Matte Clear PET, Permanent Adhesive, PET Liner, UL Recognition	Clear		L-344	1 Mil PET	500	60"
069053△	PharmCal® TamperMark™ 069053 (PharmCal® MM 150 Silver Checkerboard TC716 V-156 Spec 50K/Q-8)	Silver Checkerboard	TC-716	V-156	50# Kraft	1000	54"
069869	MedFlex® Plus PMWGS50K – 2 Mil White PET, Gloss TC, Permanent Adhesive, Roll Liner, UL Recognition	White	TC-716	L-344	50# Kraft	500	60"
069052△	PharmCal® TamperMark™ 069052 (PharmCal® PM 200 White Void II TC-716 V-156 Spec 50K/Q-8)	White Void	TC-716	V-156	50# Kraft	1000	60"
Polyethylene							
069088△	PharmCal® BioMark 069088 (PharmCal® PE 380 F White Matte PTP V-224 Spec 50K-8)	White	PTP	V-224	50# Kraft	1000	60"
000300	PharmCal® CryoFlex™ 000300 (CryoFlex™ PEWM)	White	PTP	V-32	50# Kraft	500	60"


# Industrial & Transportation

## Reliable solutions for functional applications and demanding environments

Materials used in transportation & industrial applications are subjected to harsh environments and rigorous conditions. Feel confident in the performance of safety and identification labels & functional adhesive constructions in a variety of environments.

Key applications include: label substrates for brand identification, warning/instructional, compliance/tracking, security, wire wraps, insulation, bonding, noise damping, sealing, barrier, hazardous chemical, and graphic kits.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time



# Industrial & Transportation Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	Agency Listed	MOQ (MSI)	Master Width
Acrylic Reflective								
009585	ReflectaMark® WSGS Safety Grade 3.3 Mil White Retroreflective Acrylic Permanent Adhesive Sheet Liner	White		V-344	90#		500	48
PET Reflective								
054552	ReflectaMark® PM 400 White Reflective V-344 50K-6	White		V-344	50# Kraft TR		500	48"
055420	ReflectaMark® PM 400 White Reflective V-344 90 PFW	White		V-344	90#		500	48"
BOPP								
068174Δ	Extinguish™ PP 230 H White TC-458 L-361 Spec 50K-8	White	TC-458	L-361	50# Kraft	UL	1000	60"
Diacetate								
001273	FlexMark® DA 150 Clear Matte V-156 Spec 50K/Q-8	Clear Matte		V-156	50# Kraft/Q		500	48"
Polycarbonate								
067807	FlexMark® UVOL 500 Clear Velvet V-344 150 Poly H-9	Clear Velvet		V-344	1.5 Mil PET		500	50"
PET								
000325	DrumCal™ 21023 2 Mil Laser Print White PET General Purpose Permanent Adhesive 77# Roll to Sheet BS 5609	White		V-224	77 PRT PFW	BS 5609	500	54"
050864	DrumCal™ PM 200 White PTP V-344DL 92 LZR	White	PTP	V-344DL	92 LZR		500	54"
051476	ThermiFilm® TamperMark™ PM 200 White Void II TC-390 L-344 Spec 50K-8	White Void	TC-390	L-344	50# Kraft	UL	500	60"
PP								
013644	Flex-Vu® PP 800 Clear Velvet V-63 150 Poly H-9	Clear Velvet		V-63	1.5 Mil PET		500	54"
Double-Faced PET								
022740	FlexMount® DFM 200 White V-344 100 Poly H-9 V-606 200 Poly SC-6 (1.9-2.1)	White PET		V-344/ V-606	1 Mil PET/ 2 Mil PET		500	60"
054149	2178SL DLC-503-78MO	Reinforced Nylon		Silicone/ Acrylic	2 Mil PET FSR/78K C2S		500	38"
054150	2201SL DLC-503-80RH	Reinforced Nylon		Silicone/ Acrylic	2 Mil PET FS- R/78K C2S		500	38"

# Industrial & Transportation Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	Agency Listed	MOQ (MSI)	Master Width
TT								
022701	FlexMount® TT 100 L-344 60 LA PFW			L-344	60 LA PFW	UL	500	54"
000487	FlexMount® TT 200 L-344 60 LA PFW			L-344	60 LA PFW	UL	500	60"
009879Δ	FlexMount® TT 200 L-344 84 LA PFT			L-344	84 LA PFT	UL	1000	54"
000488	FlexMount® TT 200 L-606 60 LA PFW			L-606	60 LA PFW	UL	500	60"
000562	FlexMount® TT 200 L-606 84 LA PFT			L-606	84 LA PFT	UL	500	60"
000491	FlexMount® TT 400 L-606 60 LA PFW			L-606	60 LA PFW	UL	500	60"
000564	FlexMount® TT 400 L-606 84 LA PFT			L-606	84 LA PFT	UL	500	60"
014169Δ	FlexMount® TT 400 V-130 84 LA PFT			V-130	84 LA PFT		1000	48"
028614	FlexMount® TT 200 V-778 200 Poly C2S			V-778	2 Mil PET C2S		500	60"
012729	FlexMount® TT 200 V-778 84 LA PFT			V-778	84 LA PFT		500	60"
027489	FlexMount® TT 350 V-778 84 LA PFT			V-778	84 LA PFT		1000	60"
029186Δ	SA6102 LR			SA6000	3 Mil PET FSR/ 2 Mil PET FSR		250	54"
Urethane								
069622Δ	FlexMark® U 800 Clear V-248 78B M&O-6	Clear		V-248	78B M&O-6		1000	54"
Vinyl								
004325	FlexMark® V 400 F White TC-106 L-156 Spec 50K/Q-8	White	TC-106	L-156	50# Kraft/Q	UL	500	60"
000332	DrumCal™ 41028 3.1 Mil Laser Print White PVC General Purpose Permanent Adhesive 92 Lb. Sheet Liner BS 5609	White		V-224	91 PRT PFW	BS 5609	500	54"
058668	DrumCal™ 41521 3.1 Mil Laser Print White PVC General Purpose Permanent Adhesive 74# Roll to Sheet Liner BS 5609	White	TC-274	V-224	74 RB	BS 5609	500	54"
030593	DrumCal™ V 310 F White V-224 74 RB	White		V-224	74 RB		500	54"
004795Δ	FlexMark® V 600 F White V-344 90 PFW	White		V-344	90#		1000	60"
069117	DrumCal™ 41743 3.5 Mil Matte Topcoated Flexible White Vinyl Permanent Adhesive 77 Lb. Roll to Sheet BS 5609	White	MTC-722	V-344DL	77 PRT PFW	BS 5609	500	54"
000612	DrumCal™ 41048 3.5 Mil Laser Print White PVC High-Performance Permanent Adhesive 92 Lb. Sheet Liner BS 5609	White		V-344DL	91 PRT PFW	BS 5609	500	54"

# Retail & Advertising

## Deliver impactful brand experiences

Visual communications bring the brand experience to life in spectacular fashion along the consumer path to purchase.

Key applications include: buildings, vehicles, floors, walls, windows, shelves, and more.

▲ Flexcon Preferred: our most popular make-to-stock offerings  
△ 10-14 day lead time





# Retail & Advertising Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP							
028903	WindowDeco™ 6272 3.6 Mil Clear Polyolefin Low Tack Removable Adhesive Sheet Liner	Clear		V-323	90#	500	60"
028904	WindowDeco™ 6270 3.6 Mil White Polyolefin Low Tack Removable Adhesive Sheet Liner	White		V-323	90#	500	60"
Cast Vinyl							
024229	BusArt™ OV5055 2 Mil Clear Cast Laminating Vinyl	Clear		V-29	1 Mil PET	500	54"
PET							
069139Δ	Shelf Select® CPET1FZR 1 Mil Clear Polyester Removable Adhesive Sheet Liner	Clear		V-384	92 LZR	1000	68"
000010	Classics Plus® Select™ 50286SL Ink Receptive Sheet Form 1.5 Mil Clear PET with Adhesive	Clear	PTP	V-465	90#	500	60"
000021	Classics Plus® Select™ 57206SL Ink Receptive Sheet Liner 1.5 Mil Gold PET with Adhesive	Gold		V-465	90#	500	54"
000016	Classics Plus® Select™ 52285SL Ink Receptive Roll Form 1.5 Mil Silver PET with Adhesive	Silver	PTP	V-465	50# Kraft	500	60"
000019	Classics Plus® Select™ 52286SL Ink Receptive Sheet Form 1.5 Mil Silver PET with Adhesive	Silver	PTP	V-465	90#	500	60"
000017	Classics Plus® Select™ 55285SL Ink Receptive Roll Form 1.5 Mil Brushed Silver PET with Adhesive	Brushed Silver	PTP	V-465	50# Kraft	500	54"
PET/PP Lamination							
013269	FlexTwin® 3930TWD 2.65 Mil White Opaque Film for 2-Way Window Graphics, Permanent Adhesive, Polyester Liner	White	TC-848	V-32	1 Mil PET	500	60"
PP							
019110	FlexMark® 6121 8 Mil Black/White Gripper Laminate Adhesive Coated White Side	Black/White		V-344	42 White PP-8	500	54"
Vinyl							
019129	FlexMark® OV6602 4 Mil Clear Gloss Vinyl Overlaminate	Clear		V-29	1 Mil PET	500	54"
066536	BusArt™ OV5020LBN	Clear		V-29	44PP-8	500	54", 62"
019120	WindowDeco™ 6541 4 Mil Clear Vinyl Low Tack Removable Adhesive Lay Flat Sheet Liner	Clear		V-323	90#	500	54", 60"
059980	FlexMark® CP Clear Vinyl, Coated with a High-Performance Permanent Adhesive	Clear		V-344	90#	500	54", 60"
059983	FlexMark® CR Clear Vinyl, Coated with a High-Performance Removable Adhesive	Clear		V-58	90#	500	54"
066519	JetBond® 43138BN 4 Mil Flexible Clear Matte Overlam Vinyl, Permanent Adhesive, Overlam Liner	Clear Matte		V-63	44PP-8	500	60"

# Retail & Advertising Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Vinyl cont.							
024305	FlexMark® OV6604 23 Mil Clear Safari Embossed Vinyl Permanent Adhesive Roll Liner	Clear Safari		V-29	71B PMO-8	500	54"
066159	FlexMark® OV6603BN 6 Mil Frosty Clear Safari Vinyl Overlamine	Frosty Clear Safari		V-29	44PP-8	500	54"
056660	Shelf Select® FCFZR Frosty Clear Vinyl Removable Adhesive Sheet Liner	Frosty Clear		V-330	92 LZR	500	56", 66"
000012	FlexMark® V 400 Frosty Clear V-465 90 PFW	Frosty Clear		V-465	90#	500	60"
066520	JetBond® 44138BN 4 Mil Frosty Clear Overlam Vinyl, Permanent Adhesive, Overlam Liner	Frosty Clear		V-63	44PP-8	500	60"
000365	FlexMark® OV 400 H Clear Velvet V-29 71B PMO-8	Clear Velvet		V-29	71B PMO-8	500	54"
019124	FlexMark® OV6601 6.5 Mil Clear Velvet Vinyl Overlamine	Clear Velvet		V-29	71B PMO-8	500	54"
069565	Phosphorescent V 260 LT Green V-300X 90 PFW	Green Phosphorescent		V-300X	90#	500	40"
000069	BusArt™ V 400 F White A-69 90 PFW BA	White		A-69	BusArt™ 90#	500	54"
000077	FlexMark® PLV 400 F White V-29 90 PFW	White		V-29	90#	500	54", 60"
056661▲	Shelf Select® FWFZR White Vinyl Removable Adhesive Sheet Liner	White		V-330	92 LZR	500	55", 66", 68"
000115	Classics Plus® 41006 - White Vinyl Permanent Acrylic Adhesive Sheet Liner	White		V-465	90#	500	60"
009648▲	Classics Plus® Select™ 31086SL 3.1 Mil Sheet Form White Vinyl with Adhesive	White		V-465	90#	500	60", 65"
000007	Classics Plus® Select™ 31173SL 3.25 Mil Ink Receptive White Vinyl Removable Adhesive Roll to Sheet	White	TC-348	V-465	65B M&O-6	500	60"
028176△	FlexMark® V 400 F White V-465 10 PT Board	White		V-465	10 PT Board	1000	60"
000005	FlexMark® V 400 F White V-465 94 PRT PFW	White		V-465	94 PRT PFW	500	60"
069896	WallDeco™ 6780 6 Mil White Vinyl Repositionable Adhesive Sheet Liner	White		V-50	90#	500	54"
000110	FlexMark® PLV 400 F White V-58 90 PFW	White		V-58	90#	500	60"
028884	WallDeco™ 6730 6 Mil White Vinyl High-Tack Removable Adhesive Sheet Liner	White		V-58	90#	500	54"
000082	FlexMark® BilBrd™ BWV 4 Mil Flexible Bright White Opaque Vinyl, Permanent Adhesive, Sheet Form Liner	Bright White Opaque		V-344	90#	500	54", 60"


# Retail & Advertising Products

FLX#	Flexcon® Product	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Vinyl cont.							
000619	FlexMark® BilBrd™ BWV RTS	Bright White Opaque		V-344	90#	500	54", 60"
019141	FlexMark® Floor Art™ 6610 4 Mil White Opaque Floor Vinyl Removable Adhesive Layflat Liner (Indoor Floors)	White Opaque		A-109	90#	500	54"
059984	FlexMark® WP White Opaque Vinyl, Coated with a High-Performance Permanent Adhesive	White Opaque		V-344	90#	500	54", 60"
056169	FlexMark® WPAE White Opaque Vinyl, High-Performance Permanent Adhesive, Air Egress Liner	White Opaque		V-344	90# AE	500	54"
019922	RailMark™ 5372RS 4 Mil Flexible White Opaque Vinyl Specialty RailMark™ Adhesive, RailMark™ Liner	White Opaque		V-344	Railmark™ 90#	500	62"
059985	FlexMark® WR White Opaque Vinyl, Coated with a High-Performance Removable Adhesive	White Opaque		V-58	90#	500	54"
064832	FlexMark® WRAE White Opaque Vinyl, High-Performance Removable Adhesive, Air Egress Liner	White Opaque		V-58	90# AE	500	60", 54"
000081	BusMark® 5800 White Opaque Removable Vinyl for Kings, Queens and Tail Bus Posters	White Opaque		V-58	BusMark® 90#	500	54", 62", 64"
054799	BusMark® AirEgress 5800AE 3.5 Mil White Opaque Vinyl Removable Adhesive, 90 LB Air Egress Liner	White Opaque		V-58	90# AE	500	54"
000638	LiteCal® 5200	White Translucent	TC-848	V-58	90#	500	60"
069638	ShimmerCal™ Silver 2.6 Mil Silver Special Vinyl Permanent Adhesive Sheet Form Liner	Silver		V-300	90#	500	40"
000035	FlexMark® V 400 F Yellow V-465 90 PFW	Yellow		V-465	90#	500	60"
Vinyl Lamination							
000084	SeeThru-Sign® STSWBF2 8 Mil 60/40 White/Black Flexible Perforated Film Removable Adhesive Perf'd Clear Sheet Liner	White/Black		V-58	90#	500	53"
009136	SeeThru-Sign® STSWBF7030 8 Mil 70/30 White/Black Flexible Perforated Film Removable Adhesive Perf'd Liner	White/Black		V-58	90#	500	53", 60"

# Supporting Businesses Globally

Flexcon Global is a preferred provider of innovative coatings, film laminations, and functional technologies. Flexcon is committed to understanding customer challenges and co-creating solutions that positively impact society and the environment. A family-owned business for nearly 70 years, Flexcon develops and manufactures quality products with precision and efficiency for markets such as healthcare,

sustainable packaging, transportation, consumer durables, electronics, industrial, retail & advertising and construction & energy with a goal of advancing bonds, innovation, and our world. Headquartered in Spencer, MA, USA, the company has operations and distribution throughout North America, Europe and Asia. For more information, visit [Flexcon.com](http://Flexcon.com), follow Flexcon on LinkedIn, or call +1-508-885-8200.



## Product Performance and Suitability

Descriptive information, performance data, and recommendations for Flexcon products are guides and not Specifications. Providing this information is to assist you and does not constitute a warranty of any kind by Flexcon. Purchasers must independently determine the material's suitability for their intended use.

No distributor, salesman, or representative of Flexcon is authorized to provide any warranty or guarantee beyond what is stated. FLEXCON MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR TRADE USAGE.