

North American Core Product Catalog

July 2025



Programs

Products to meet your needs

Whether you need an agency recognition such as UL or BS 5609, or a sustainable solution, we have a product for your application. Look for the designation in the following product tables.

Standard

- **Quick-ship:** Wide-web product constructions finished to your specifications — ships within 2 business days
- **Flexcon® FlexChoice™:** custom width program: offers smaller minimums for select Durables and Packaging products, where off-cuts remain with us — ships within 2 business days
- **Pre-finished inventory:** products are pre-slit or sheeted to the most popular sizes and quantities — ships same day

▲ FlexChoice™

Custom (Made-to-order, MTO)

Can use a combination of standard and non-standard raw materials.

- **Standard materials:** 10-14 days
- **Non-standard materials:** 60-90 days, based on raw material availability

Availability

Please contact your sales representative or visit flexcon.com for the most updated product offering and availability. This list does not reflect customer specific products. Your customer support team can help identify the classification of any products that don't appear on the published list.

Programs

Visit www.flexcon.com/capabilities/delivery

Market Products

Standard

Quick-ship 2 days

FlexChoice™ 2 days – no offcuts

Pre-finished Same day

Custom (Made-to-order, MTO)

Standard materials 10-14 days

Non-standard materials 60-90 days, or based on raw material availability

Index

Adhesives	5-7
Consumer Packaging Overview	8
FlexChoice™ Packaging	9-10
Consumer Packaging Products	11-12
Consumer Durables Overview	13
FlexChoice™ Durables	14
Consumer Durables Products	15-20
Healthcare	21-24
Industrial & Transportation	25-27
Retail & Advertising	28-31



flexcon.com



FlexChoice™ Products

Multi-layer Constructions



Topcoats

- Digital print
- Conventional print
- Surface protection



Films

- Polyester
- Polyethylene
- Polypropylene
- Polyimide
- Vinyl
- Foam
- Foil/metal
- Non-woven
- Urethane
- Tamper-evident
- Thermal & low Dk




Adhesives

- Solvent acrylic
- Emulsion acrylic
- Rubber
- Silicone
- Hot melt
- Proprietary adhesive blends



Liners

- Paper
- Coated paper
- Polyester
- Printable



Adhesives

For nearly seven decades, Flexcon's leadership in adhesive technologies has revolutionized thousands of products across dozens of industries. From standard to custom, simple to complex, we take a collaborative approach to providing best-in-class products that benefit your business and end users alike. Whether your priorities are safety, style, durability, or recyclability, we have products to meet your standards and exceed your expectations.

Built for everyday reliability

We believe that everyday items should still be exceptional. Our comprehensive line of general-purpose adhesives is designed to provide a strong balance of properties for dependable daily use. This includes beverage labeling, branding graphics, overlaminates, UV protections, and more.

Engineered for high-performance

Our high-performance adhesives offer superior quality and resistance against the most demanding, mission-critical conditions from chemicals, temperature extremes, direct skin contact, abrasion, and more. From tamper-evident labels to aggressive permanent adhesives, our products will maintain a strong bond built to withstand degradation from chemical, temperature, abrasion, and more.

We also provide removable solutions that meet extreme environmental and processing performance requirements.

Trusted for critical healthcare applications

Flexcon's healthcare adhesives are proven to deliver patient safety and comfort, every time. We offer a selection of medical adhesives for pharmaceutical and medical device labeling, wearables, diagnostics, and tapes. Our products meet applicable FDA standards and provide patient-friendly alternatives to reduce pain and allergic reactions.

Temporary when it needs to be

For permanent applications, our products may not need to last a lifetime, but they're anything but expendable. From bus wraps to window perforated films, our temporary adhesive products allow for a smooth, weather-resistant seal for incredible looking results. When it's time for a change, our components peel off without leaving any residue behind.

Sustainable solutions to benefit the planet

We develop eco-friendly components to enhance the recyclability of products without sacrificing aesthetics or causing mechanical issues at recycling plants. Our solutions include options for recycling of both HDPE and PET containers.

Application surface energy

Surface energy is the measure of excess energy at the surface of a material compared to its interior, influencing interactions like wetting and adhesion.

○ Low

- PVA
- Polystyrene
- EVA
- PE
- PP
- PVF, PVDF, PTFE
- Silicone

○ Medium

- Wood
- Nylon
- PMMA (Acrylic)
- PET
- PU Foam
- TPU
- PC
- PVC

● High

- Copper
- Stainless steel
- Aluminum
- Tin
- Ceramic
- Glass

Wetting occurs when a liquid spreads out uniformly over a material's surface.

Adhesion is the ability of a material to bond and adhere to a surface through physical or chemical interactions, keeping the materials securely connected.

Higher surface energy materials, such as glass and metals, promote stronger adhesion as they allow for better contact between the liquid (adhesive) and the solid surface. These materials have more available energy at their surface, making it easier for liquids to spread (or "wet out") across the surface.

Low surface energy materials, such as polyethylene (PE) and polypropylene (PP), generally exhibit poor adhesion and tend to repel liquids, making it challenging for adhesives to spread and create a strong bond.

Adhesive Guide

Application Substrate Surface Energy				Performance Attributes										Applications			
Low	Med	High	Adhesive	General Purpose	High Perfor.	Permanent	Removable	High Clarity	High Temp. Resist. (up to 302°F [150°C])	Chemical Resistance	Moisture Resistance	Skin Contact	UL Recognized	Labels	Graphics	Medical	Tapes
	○	●	A-109	●			●								●		
○	○	●	A-136	●	●	●		●	●					●			
○	○		A-173	●		●		●					●	●	●		
○	○	●	A-208	●		●		●			●			●			
○	○	●	A-361, L-361	●	●	●							●	●	●		
○	○	●	A-69	●	●		●		●					●	●		
○	○	●	A-896	●		●				●			●	●	●		
○	○	●	Densil® SC-109		●	●			●					●			●
○			H-510		●		●					●				●	●
○			H-566		●		●					●				●	●
○	○	●	L-157	●	●	●		●					●	●	●		
○	○	●	V-01, L-01	●		●		●	●				●	●			
○	○	●	V-127RE		●	●								●			
○	○	●	V-133		●		●	●		●				●	●		
○	○	●	V-156, L-156		●	●			●				●	●		●	
○	○		V-176	●		●		●					●	●	●		
○	○	●	V-22	●		●		●		●			●	●			
○	○	●	V-224, L-224	●		●				●			●	●	●		
	○	●	V-23, L-23	●	●	●				●			●	●	●		
○	○	●	V-232	●	●	●		●	●					●		●	
○	○	●	V-232C	●	●	●			●					●		●	
○	○	●	V-232F	●	●	●		●	●					●		●	
	○	●	V-246	●		●										●	●

Adhesive Guide

Application Substrate Surface Energy			Performance Attributes											Applications			
Low	Med	High	Adhesive	General Purpose	High Perfor.	Permanent	Removable	High Clarity	High Temp. Resist. (up to 302°F [150°C])	Chemical Resistance	Moisture Resistance	Skin Contact	UL Recognized	Labels	Graphics	Medical	Tapes
○	○	●	V-29, H-529, L-29, L-10		●	●		●	●	●	●	●	●	●	●	●	●
	○		V-300	●		●								●	●		
	○	●	V-305		●	●			●					●			●
○	○	●	V-32, A-32	●	●	●		●	●					●			
		●	V-323	●			●								●		
○	○	●	V-330	●			●								●		
○	○	●	V-344, L-344		●	●			●	●			●	●	●		●
○	○	●	V-344DL		●	●			●	●				●			
○	○	●	V-449	●	●	●		●	●	●				●		●	
	○	●	V-465	●		●							●	●	●		
○	○	●	V-478		●	●			●					●	●		●
	○		V-526	●		●				●			●	●	●		
	○	●	V-52RE		●	●								●			
○	○	●	V-58	●	●		●		●					●	●		
○	○	●	V-606, L-606	●	●	●				●			●	●			●
○	○	●	V-611	●			●							●			
	○		V-63	●		●								●	●		
○	○	●	V-778, H-778, L-778		●	●			●			●	●	●		●	●
○	○	●	V-81	●	●	●		●			●			●			
○	○	●	V-88, L-88		●	●					●		●	●			●
○	○	●	V-95		●	●			●					●			●
○	○	●	SA3000 Series		●	●			●					●			●
○	○	●	SA6000 Series		●	●			●					●			●

Consumer Packaging

Engineered for plastic, glass, aluminum, and flexible packaging.

We offer brands the most engaging and best performing packaging labels and materials that help them reach their sustainability goals.

Flexcon® EcoFocus® sustainable solutions - a series of pressure-sensitive label stocks designed with an added element of sustainability, such as enabling recyclability or compostability, the manufacture of materials from recycled content, biobased components or containing sustainably-sourced materials.

Key applications include: beverage labels, food packaging, household products, and personal care and cosmetics.



FlexChoice™ Packaging Products

This program allows you to order custom widths of specific products with smaller minimums, and fast turnaround. Visit www.flexcon.com/FlexChoice to view the list of products, locations, and minimums.

FLX#	Flexcon® Products	5,000' Rolls, +/- 10% 3" core	10,000' Rolls, +/- 10% 6" core	Availability
069057▲	OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120)		●	MA, NE
069058▲	OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120)		●	MA, NE
068847▲	OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120		●	MA
068848▲	OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120		●	MA
068849▲	OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120		●	MA
069573▲	OptiFlex® Thin EcoFocus® 069573 (PP 160 H Clear TC-458 V-52RE TracRite™ 92)		●	MA
069589▲	OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92)		●	MA
069593▲	OptiFlex® Thin EcoFocus® 069593 (PE 220 F White V-127RE TracRite™ 92)		●	MA
056456▲	OptiFlex® CPP20413 (PP 200 H Clear TC-458 V-01 TracRite™ 120)	●	●	CA, MA, NE
060202▲	OptiFlex® CPP20416 (PP 200 H Clear TC-458 V-01 S40K-8)	●	●	CA, MA, NE
056712▲	OptiFlex® WPP23413 (PP 230 H White TC-458 V-01 TracRite™ 120)	●	●	CA, MA, NE
060201▲	OptiFlex® WPP23416 (PP 230 H White TC-458 V-01 S40K-8)	●	●	CA, MA, NE

FlexChoice™ Packaging Products

FLX#	Flexcon® Products	5,000' Rolls, +/- 10% 3" core	10,000' Rolls, +/- 10% 6" core	Availability
056721▲	OptiFlex® MPP20413 (MPP 200 H Silver TC-458 V-01 TracRite™ 120	●	●	CA, MA, NE
064278▲	OptiFlex® MPP20416 (MPP 200 H Silver TC-458 V-01 S40K-8)	●	●	CA, MA, NE
064722▲	OptiFlex® Reseal™ 20133 (PP 200 H Clear TC-458 V-133 TracRite™ 120)		●	MA, NE
064717▲	OptiFlex® Reseal™ 21133 (PP 240 H White TC-458 V-133 TracRite™ 120)		●	MA
070145▲	OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120		●	NE
070146▲	OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8	●		NE
070143▲	OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120		●	NE
070144▲	OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8	●		NE
070377▲	OptiFlex® PP 200 F Clear PTP V-81 TracRite™ 92		●	MA
070378▲	OptiFlex® PP 200 F White PTP V-81 TracRite™ 92		●	MA

Consumer Packaging Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP							
030751▲	OptiFlex® PP 200 H Clear TC-458 A-208 TracRite™ 92	Clear	TC-458	A-208	0.92 Mil PET	500	76"
056456▲	OptiFlex® CPP20413 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	Clear	TC-458	V-01	1.2 Mil PET	500	76", 60"
056455	OptiFlex® Thin CPP16419 - 1.6 Mil Clear BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner	Clear	TC-458	V-01	0.92 Mil PET	500	60"
060202▲	OptiFlex® CPP20416 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 40K-8 Liner	Clear	TC-458	V-01	40# Kraft	500	60"
064722▲	OptiFlex® Reseal™ 20133 2.0 Mil Clear BOPP TC, High-performance Resealable Adhesive, TracRite™ 120	Clear	TC-458	V-133	1.2 Mil PET	500	60"
008271	OptiFlex® PP 200 H Clear TC-332™ V-344 TracRite™ 120	Clear	TC-332™	V-344	1.2 Mil PET	500	60"
068847▲	OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120	Clear	TC-458	V-52RE	1.2 Mil PET	500	76"
070145▲	OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120	Clear	TC-458	V-611	1.2 Mil PET	500	60"
070146▲	OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8	Clear	TC-458	V-611	40# Kraft	1000	60"
070377	OptiFlex® PP 200 Clear PTP V-81 TracRite™ 92	Clear	PTP	V-81	0.92 Mil PET	1000	60"
056721▲	OptiFlex® MPP20413 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	Silver	TC-458	V-01	1.2 Mil PET	500	76", 60"
064278▲	OptiFlex® MPP20416 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 40K-8	Silver	TC-458	V-01	40# Kraft	500	60"
068848▲	OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120	Silver	TC-458	V-52RE	1.2 Mil PET	500	76"
056712▲	OptiFlex® WPP23413 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner	White	TC-458	V-01	1.2 Mil PET	500	76", 60"
060201▲	OptiFlex® WPP23416 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 40K-8 Liner	White	TC-458	V-01	40# Kraft	500	60"
056723	OptiFlex® Thin WPP16419 - 1.6 Mil White BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner	White	TC-458	V-01	0.92 Mil PET	500	76"
064717▲	OptiFlex® Reseal™ 21133 2.3 Mil White BOPP TC, High-performance Resealable Adhesive, TracRite™ 120	White	TC-458	V-133	1.2 Mil PET	500	60"

Consumer Packaging Products


FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP cont.							
068849▲	OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120	White	TC-458	V-52RE	1.2 Mil PET	500	76"
069589▲	OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92)	White	TC-458	V-52RE	0.92 Mil PET	500	60"
070143▲	OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120	White	TC-458	V-611	1.2 Mil PET	500	60"
070144▲	OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8	White	TC-458	V-611	40# Kraft	500	60"
000159	OptiFlex® PP 230 H White TC-332™ V-81 TracRite™ 120	White	TC-332™	V-81	1.2 Mil PET	500	76"
070378	OptiFlex® PP 200 White PTP V-81 TracRite™ 92	White	PTP	V-81	0.92 Mil PET	1000	76"
Polyethylene							
069057▲	OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120)	Clear		V-127RE	1.2 Mil PET	500	76"
011281	OptiFlex® ConformMax™ PE30153 - 3.0 Mil Clear PE, Permanent Adhesive, TracRite™ 120	Clear		V-81	1.2 Mil PET	500	76"
011648	OptiFlex® Squeeze™ MPE34633 - 3.4 Mil Silver Polyethylene, Permanent Adhesive, TracRite™ 120	Silver	TC-793	A-136	1.2 Mil PET	500	60"
057585	OptiFlex® Thin MPE22719 - 2.2 Mil Silver PE, TC, V-01 Adhesive, .92 Mil Poly Liner	Silver	TC-793	V-01	0.92 Mil PET	500	60"
011647	OptiFlex® Squeeze™ PE30433 (PE 300 F White A-136 TracRite™ 120)	White		A-136	1.2 Mil PET	500	60"
069058▲	OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120)	White		V-127RE	1.2 Mil PET	500	76"
011312	OptiFlex® ConformMax™ PE30453 - 3.0 Mil White PE, Permanent Adhesive, TracRite™ 92	White		V-81	1.2 Mil PET	500	76"

Consumer Durables

Performance for the real world.

Items intended to last for years need components that can withstand exposure to abrasion, harsh chemicals, UV rays, and more. Choosing materials that have been pushed to the limits ensures they will withstand the rigors of the real world.

Key applications include label substrates for brand identification, warning/instructional, compliance/tracking, and adhesive constructions for bonding and mounting.



FlexChoice™ Durables Products

This program allows you to order custom widths of specific products with smaller minimums, and fast turnaround. Visit www.flexcon.com/FlexChoice to view the list of products, locations, and minimums.

FLX#	Flexcon® Products	2,500' Rolls, +/- 10% 3" core	5,000' Rolls, +/- 10% 3" core	Availability
000303▲	DPM® CG Clear Polyester Overlam High-performance Adhesive Polyester Liner	●		CA, MA, NE
000464▲	ThermiFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlam Polyester Permanent Adhesive	●		CA, MA, NE
054108▲	ThermiFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-performance Permanent Adhesive PCR Liner UL Recognized		●	CA, MA, NE
054103▲	ThermiFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General-purpose Permanent Adhesive PCR Liner UL Recognized		●	CA, MA, NE
054109▲	ThermiFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-performance Permanent Adhesive PCR Liner UL Recognized		●	CA, MA, NE
054110▲	ThermiFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCR Liner UL Recognized	●		CA, MA, NE
000306▲	DPM® FW 4 Mil Flexible White Vinyl High-performance Adhesive Roll Liner		●	CA, MA, NE
000308▲	DPM® FWS 4 Mil Flexible White Vinyl High-performance Adhesive Sheet Liner		●	CA, MA, NE

Consumer Durables Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
Polycarbonate								
000360	FlexMark® OL 300 Clear Velvet L-29 71B PMO-8	Clear Velvet		L-29	71B PMO-8	●	500	54"
000361	FlexMark® OL 500 Clear Velvet L-29 71B PMO-8	Clear Velvet		L-29	71B PMO-8	●	500	54"
000422	Flex-Vu™ OL 500 Clear Velvet L-29 150 Poly H-9	Clear Velvet		L-29	1.5 Mil PET	●	500	54"
065368	FlexMark® OL 500 Clear Velvet L-344 TracRite™ 100	Clear Velvet		L-344	1 Mil PET	●	500	54"
PET								
000324▲	DPM® UVCG 1 Mil Clear UV Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets	Clear		L-10	1 Mil PET	●	500	60"
000233▲	Classics Plus® 10092 - 1 Mil Clear Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets	Clear		L-157	1 Mil PET	●	500	60"
000279	Classics Plus® 20092 - 2 Mil Clear Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets	Clear		L-157	1 Mil PET	●	500	60"
000464▲	ThermiFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlaminating, Polyester Permanent Adhesive, Roll Form Liner	Clear	TC-387	L-157	44PP	●	500	60"
007124	Classics Plus® 20106 - Ink Receptive 2 Mil Clear Polyester Permanent Acrylic Adhesive Sheet Liner	Clear	TC-200	L-23	90#	●	500	60"
000303▲	DPM® CG Clear Polyester Overlam High-performance Adhesive Polyester Liner	Clear		L-344	1 Mil PET	●	500	60"
068694	Flexcon® NexGen™ CP344S Topcoated 2 Mil Clear PET High Perf Perm Adh Sheet Liner UL Recognized	Clear	TC-716	L-344	92 FC PFW	●	500	60"
000311	DPM® PC 2 Mil Printable Clear Polyester High-performance Adhesive Roll Liner	Clear	PTP	L-344	50# Kraft	●	500	60"
000313	DPM® PCS 2 Mil Printable Clear Polyester High-performance Adhesive Sheet Liner	Clear	PTP	L-344	90#	●	500	60"
054108▲	ThermiFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-performance Permanent Adhesive PCR Liner UL Recognized	Clear	TC-716	L-344	50# Kraft PCR	●	500	60"
000282	CompuCal® Excel™ 20440 MTC-722 Matte Topcoat 2 Mil Clear PET with High-performance Adhesive Roll Form Liner	Clear	MTC-722	L-344	50# Kraft	●	500	60"

Consumer Durables Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
PET cont.								
012395▲	CompuCal® Excel™ 10442 MTC-722 Matte Topcoat 1 Mil Clear PET with High-performance Adhesive Roll Form Liner	Clear	MTC-722	L-344	1 Mil PET	●	500	60"
054102	ThermiFilm® NexGen™ 20110 TTR (W/R&R) 2 Mil Clear General-purpose Permanent Adhesive PCR Liner UL Recognized	Clear	TC-716	L-361	50# Kraft PCR	●	500	60"
068695	Flexcon® NexGen™ CP606H Topcoated 2 Mil Clear PET Perm Adh for Rough Surfaces PCR Roll Liner UL Recognized	Clear	TC-716	L-606	50# Kraft PCR	●	500	60"
068696	Flexcon® NexGen™ CP606HS Topcoated 2 Mil Clear PET Perm Adh for Rough Surfaces Sheet Liner UL Recognized	Clear	TC-716	L-606	92# FC	●	500	60"
000312	DPM® PCRTS 2 Mil Printable Clear PET High-performance Adhesive for Rough Textured Surfaces Roll Liner	Clear	PTP	L-606	50# Kraft/Q	●	500	60"
066940	DPM® LSE™ PM 200 Clear TC-716 L-778 PCR 50K-8 (1.2-1.3)	Clear	TC-716	L-778	50# Kraft PCR	●	500	60"
000609▲	Classics Plus® 13092 - 1 Mil Clear Matte Polyester Overlaminating Adhesive Film Liner Over Rolls and Sheets	Clear Matte		L-157	1 Mil PET	●	500	60"
000304	DPM® CM Matte Polyester Overlam High-performance Adhesive Polyester Liner	Clear Matte		L-344	1 Mil PET	●	500	60"
006722	CompuCal II® PM 100 Clear MTC-329 L-23 Spec 50K-8	Clear	MTC-329	L-23	50# Kraft	●	500	60"
007007	CompuCal II® TamperMark™ MM 200 Silver Checkerboard MTC-329 L-156 Spec 50K-8	Silver	MTC-329	L-156	50# Kraft	●	1000	54"
000322	DPM® SS 2 Mil Silver Polyester High-performance Adhesive Sheet Liner	Silver	PTP	L-344	90#	●	500	60"
000286	CompuCal® Excel™ 22440 MTC-722 Matte Topcoat 2 Mil Silver PET with High-performance Adhesive Roll Form UL Recognized	Silver	MTC-722	L-344	50# Kraft	●	500	60"
068715	Flexcon® NexGen™ SMP344S Topcoated 2 Mil Silv Mat PET High Perf Perm Adh Sheet Liner UL Recognized	Silver Matte	TC-716	L-344	92# FC	●	500	54"
068716	Flexcon® NexGen™ SMP606H Topcoated 2 Mil Silv Mat PET Perm Adh for Rough Surfaces PCR Roll Liner UL Recognized	Silver Matte	TC-716	L-344	50# Kraft PCR	●	500	54"
068717	Flexcon® NexGen™ SMP606HS Topcoated 2 Mil Silv Mat PET Perm Adh for Rough Surfaces Sheet Liner UL Recognized	Silver Matte	TC-716	L-606	92# FC	●	500	54"

Consumer Durables Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
PET cont.								
054111	ThermIFilm® NexGen™ 24120 TTR (W/R&R) 2 Mil Satin Silver High-performance Permanent Adhesive PCR Liner UL Recognized	Satin Silver	TC-716	L-344	50# Kraft PCR	●	500	60"
054105	ThermIFilm® NexGen™ 24110 TTR (W/R&R) 2 Mil Satin Silver General-purpose Permanent Adhesive PCR Liner UL Recognized	Satin Silver	TC-716	L-361	50# Kraft PCR	●	500	60"
009624	ThermIFilm Select® 22830 TTR (W/R&R) 2 Mil TC Silver Matte Polyester Permanent Adhesive, UL Recognized	Silver Matte	TC-387	L-23	50# Kraft	●	500	54"
054110▲	ThermIFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCR Liner UL Recognized	Silver Matte	TC-716	L-344	50# Kraft PCR	●	500	54"
000319	DPM® SMS 2 Mil Silver Matte Polyester High-performance Adhesive Sheet Liner	Silver Matte	TC-348	L-344	90#	●	500	54"
000470	ThermIFilm Select® 22940 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive UL Recognized	Silver Matte	TC-390	L-344	50# Kraft	●	500	54"
000317	DPM® SM Silver Matte Polyester Hi-perf Adh Roll Liner	Silver Matte	TC-348	L-344	50# Kraft	●	500	54"
054107	ThermIFilm® NexGen™ 23110 TTR (W/R&R) 2 Mil Silver Matte General-purpose Permanent Adhesive PCR Liner UL Recognized	Silver Matte	TC-716	L-361	50# Kraft PCR	●	500	54"
000471	ThermIFilm Select® 22970 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive, UL Recognized	Silver Matte	TC-390	L-606	50# Kraft/Q	●	500	54"
006999	CompuCal II® TamperMark™ MM 200 Silver Void MTC-329 L-156 Spec 50K/Q-8	Silver Void	MTC-329	L-156	50# Kraft/Q	●	500	54"
007914	ThermIFilm® PM/M 800 White TC-390 No PS	White	TC-390				500	54"
000295	CompuCal® Excel™ 21450 2 Mil Matte Top Coated White PET General-Purpose Permanent Adhesive Roll Liner	White	MTC-722	L-224	50# Kraft	●	500	60"
010373	ThermIFilm® PM 200 White PTP L-224 Spec 50K-8	White	PTP	L-224	50# Kraft	●	500	60"
009628▲	ThermIFilm Select® 21830 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-387	L-23	50# Kraft	●	500	60"
009627	ThermIFilm Select® 21230 TTR(W/R&W) 2 Mil Matte TC White Poly Perm Adh, UL Recognized	White	MTC-329	L-23	50# Kraft	●	500	60"

Consumer Durables Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
PET cont.								
058664	FlexMark® PM 200 White TC-348 L-23 50 LF Remoisturize	White	TC-348	L-23	50LF	●	1000	60"
054109▲	ThermiFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-performance Permanent Adhesive PCR Liner UL Recognized	White	TC-716	L-344	50# Kraft PCR	●	500	60"
000284▲	CompuCal® Excel™ 21440 MTC-722 Matte Topcoat 2 Mil White PET with High-performance Adhesive Roll Form Liner	White	MTC-722	L-344	50# Kraft	●	500	60"
000285	CompuCal® Excel™ 21449 MTC-722 Matte Topcoat 2 Mil White PET with High-performance Adhesive Sheet form UL Recognized	White	MTC-722	L-344	91 PRT PFW	●	500	60"
067176	CompuCal® Excel™ PM 200 White MTC-722 L-344 60 PFN	White	MTC-722	L-344	60#	●	500	54"
000377	DPM® PW White Polyester Hi-perf Adh Roll Liner	White	TC-348	L-344	50# Kraft	●	500	60"
068700	Flexcon® NexGen™ WP344S Topcoated 2 Mil White PET High-performance Permanent Adhesive Sheet Liner UL Recognized	White	TC-716	L-344	90#	●	500	60"
009387	CompuCal® Excel™ PM 200 White MTC-722 L-344 150 Poly H-9	White	MTC-722	L-344	1.5 Mil PET	●	500	60"
000375▲	DPM® PWS 2 Mil Printable White Polyester High-performance Adhesive Sheet Liner	White	TC-348	L-344	90#	●	500	60"
000467▲	ThermiFilm Select® 21940 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-344	50# Kraft	●	500	60"
054103▲	ThermiFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General-purpose Permanent Adhesive PCR Liner UL Recognized	White	TC-716	L-361	50# Kraft PCR	●	500	60"
070437	ThermiFilm® ChemGard™ 21361V2 2.0 White PET, Matte TC, High-performance Adhesive, Roll Liner UL Recognized	White		L-606	50# Kraft	●	500	60"
000376	DPM® PWSRTS 2 Mil Printable White PET High-performance Adhesive for Rough Textured Surfaces Sheet Liner	White	TC-348	L-606	90#	●	500	60"
000468▲	ThermiFilm Select® 21970 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-606	50# Kraft	●	500	60"
021761▲	ThermiFilm Select® 21980 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized	White	TC-390	L-606	50# Kraft/Q	●	500	60"

Consumer Durables Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
PET cont.								
068701	Flexcon® NexGen™ WP606H Topcoated 2 Mil White PET Perm Adhesive for Rough Surfaces PCR Roll Liner UL Recognized	White	TC-716	L-606	50# Kraft PCR	●	500	60"
068702	Flexcon® NexGen™ WP606HS Topcoated 2 Mil White PET Perm Adhesive for Rough Surfaces Sheet Liner UL Recognized	White	TC-716	L-606	92# FC	●	500	60"
067637	CompuCal® Excel™ PM 200 White MTC-722 V-606 60 PFN (1.9-2.1)	White	MTC-722	V-606	60#	●	500	54"
056046	DPM® LSE™ PM 200 White TC-716 L-778 PCR 50K/Q-8 (1.8-2.0)	White	TC-716	L-778	50# Kraft PCR	●	1000	60"
068703	Flexcon® NexGen™ WP778 Top-coated 2 Mil White PET Supreme Permanent Adhesive for LSE PCR Roll Liner UL Recognized	White	TC-716	L-778	50# Kraft PCR	●	500	60"
Polyethylene								
000440	ThermIFilm® PE 200 White Destruct TC-387 L-88 Spec 50K-8	White Destruct	TC-387	L-88	50# Kraft	●	500	54"
Polypropylene (PP)								
068532	Flexcon® NexGen™ WPP344S 4 Mil White Polypropylene High-performance Permanent Adhesive Sheet Liner	White	TC-716	L-344	92 FC PFW	●	500	60"
068544	Flexcon® NexGen™ WPP344 4 Mil White Polypropylene High-performance Permanent Adhesive Roll Liner	White	TC-716	L-344	50# Kraft PCR	●	500	60"
055049	ThermIFilm® NexGen™ PP31210 TTR (W/R & R) 2.3 Mil White General Purpose Permanent Adhesive PCR Liner UL Recognized	White	TC-853	L-361	50# Kraft PCR	●	500	60"
Tedlar®*								
069283	DPM® TCG 1 Mil Clear PVF Overlam, Permanent Adhesive, Overlaminating Liner	Clear		V-22	42 White PP-8		500	60"

Consumer Durables Products


FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	UL Recognized	MOQ (MSI)	Master Width
Vinyl								
000298	ConformCal™ V 400 F SC V-29 90 PFW	Clear		V-29	90#		500	60"
006451	ConformCal™ V 400 F SC TC-248 V-29 90 PFW	Clear High Gloss	TC-248	V-29	90#		500	60"
000409	FlexMark® V 400 Frosty Clear TC-106 L-29 Spec 50K-8	Frosty Clear	TC-106	L-29	50# Kraft	●	500	60
004115	FlexMark® V 400 F White L-156 90 PFW	White		L-156	90#	●	500	60"
000310	DPM® LLLFW Ladder Label Flex White	White	TC-348	L-224	50# Kraft	●	500	60"
059531	Classics Plus® 41145 - Ink Receptive White Vinyl Permanent Acrylic Adhesive Roll Liner	White	TC-248	L-224	50# Kraft	●	500	60"
000306▲	DPM® FW 4 Mil Flexible White Vinyl High-Performance Adhesive Roll Liner	White	TC-348	L-344	50# Kraft	●	500	60"
068722	Flexcon® NexGen™ WV344HS Flex White Vinyl Perm Adh for Rough Surfaces Sheet Liner UL Recognized	White		L-344	92 FC PFW	●	500	60"
000307	DPM® FWRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Roll Liner	White	TC-348	L-344	50# Kraft	●	500	60"
000308▲	DPM® FWS 4 Mil Flexible White Vinyl High-Performance Adhesive Sheet Liner	White		L-344	90#	●	500	60"
000309	DPM® FWSRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Sheet Liner	White		L-344	90#	●	500	60"
068961	Flexcon® NexGen™ WV778 Topcoated Flex White Vinyl Supreme Perm Adh for LSE PCR Roll Liner UL Recognized	White	TC-716	L-778	50# Kraft PCR	●	500	60"

Healthcare

Advanced medical adhesives for wearables, diagnostics, and labeling solutions.

Superior quality is at the heart of every Flexcon healthcare medical adhesive product.

Key applications include: wearables, diagnostics, pharmaceutical, and medical device labels.



Healthcare - Functional Products

FLX#	Flexcon® Products	Color	Wear Time	Adhesive	Liner	MOQ (MSI)	Master Width
NNRU							
006979▲	DermaFlex™ NNRU 100 Clear H-566 Spec 50K-9	Clear	Long term	H-566	50# Kraft	500	54"
Non-woven Polyester							
006942	DermaFlex™ NWP 240 Flesh H-566 Spec 50K-8	Flesh	Long term	H-566	50# Kraft	500	60"
Polyethylene Foam							
065697	DermaFlex™ P.E.F. 32 White H-529 90 PFW (1.9-2.1)	White	Short term	H-529	90#	500	58.5"
No Film							
070898	Omni-Wave™ TT 200 Black H-510 200 Poly H-9 44PP-8	Black		H-510	2.0 Mil PET/ 40# Kraft	500	60"
070271	Omni-Wave™ TT 200 Black H-510 400 Poly H-9 44PP-8	Black		H-510	4.0 Mil PET/ 40# Kraft	500	60"

Healthcare - Labeling Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
BOPP							
000212	PharmCal® PP 200 H Clear TC-332™ V-232 TracRite™ 150	Clear	TC-332™	V-232	1.5 Mil PET	500	60"
000211▲	PharmCal® Supreme 000211 (PharmCal® PP 200 H Clear TC-332™ V-232C TracRite™ 150)	Clear	TC-332™	V-232C	1.5 Mil PET	500	60"
068904	PharmCal® OTC 068904 (PharmCal® PP 200 H Clear TC-458 V-449 Spec 40K-8)	Clear	TC-458	V-449	40# Kraft	500	60"
068902	PharmCal® OTC 068902 (PharmCal® PP 200 H Clear TC-458 V-449 TracRite™ 120)	Clear	TC-458	V-449	1.2 Mil PET	500	60"
006126	PharmCal® TamperMark™ 006126 (PharmCal® PP 200 H Clear TC-332™ V-88 150 Poly H-9)	Clear	TC-332™	V-88	1.5 Mil PET	500	60"
070806	PharmCal® CryoFlex™ 070806 (PP 100 Clear Matte TC-716 V-176 120 Poly H-9)	Clear Matte	TC-716	V-176	1.2 Mil PET	500	60"
069088	PharmCal® BioMark 069088 (PharmCal® PE 380 F White Matte PTP V-224 Spec 50K-8)	White	PTP	V-224	50# Kraft	500	60"
069165	PharmCal® BioMark 069165 (PharmCal® P 300 White V-224 200 Poly SC-6 V-246 Spec 50K-8)	White		V-224/ V-246	2.0 Mil PET/ 50# Kraft	1000	60"
000300	PharmCal® CryoFlex™ 000300 (CryoFlex™ PEWM)	White	PTP	V-32	50# Kraft	500	60"
000302	PharmCal® CryoFlex™ 000302 (CryoFlex™ PPW)	White	TC-679	V-32	50# Kraft	500	60"
068639	PharmCal® Supreme 068639 (PharmCal® PP 260 H White TC-272 V-344 TracRite™ 150)	White	TC-272	V-344	1.5 Mil PET	500	60"
011974	PharmCal® Supreme 011974 (PharmCal® PP 230 H White TC-332™ V-344 TracRite™ 150)	White	TC-332™	V-344	1.5 Mil PET	500	60"
068903▲	PharmCal® OTC 068903 (PharmCal® PP 230 H White TC-458 V-449 TracRite™ 120)	White	TC-458	V-449	1.2 Mil PET	500	60"
069047	PharmCal® Conceal™ 069047 (PharmCal® PPM 230 H White Opaque TC-332™ V-344 Spec 50K-8)	White Opaque	TC-332™	V-344	50# Kraft	500	60"

Healthcare - Labeling Products


FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Diacetate							
001278	FlexMark® DA 200 Clear V-23 150 Poly H-9	Clear		V-23	1.5 Mil PET	500	52"
000214	FlexMark® DA 200 Clear V-88 Spec 50K/Q-8	Clear		V-88	50# Kraft	500	52"
069087	PharmCal® TamperMark™ 069087 (PharmCal® DA 200 Clear V-88 Spec 50K/Q-8)	Clear		V-88	50# Kraft	500	52"
PET							
057534	FlexMark® 200 Poly SC-9 MTC-722		MTC-722		2 Mil PET	500	60"
058495	PharmCal® PM 150 Clear PTP No PS TC-848	Clear	PTP / TC-848			500	54"
065581	PharmCal® PM 100 Clear TC-282 V-305 142 Poly C-8	Clear	TC-282	V-305	1.42 Mil PET	500	60"
006115	PharmCal® PM 150 Clear TC-249 V-95 150 Poly H-9	Clear	TC-249	V-95	1.5 Mil PET	500	60"
069053	PharmCal® TamperMark™ 069053 (PharmCal® MM 150 Silver Checkerboard TC-716 V-156 Spec 50K/Q-8)	Silver Checkerboard	TC-716	V-156	50# Kraft	500	54"
003042	FlexMark® PM 200 White TC-249 L-23 90 PFW	White	TC-249	L-23	90#	500	60"
016461	FlexMark® PM 200 White TC-249 L-23 TracRite™ 120	White	TC-249	L-23	1.2 Mil PET	500	60"
Vinyl							
069411	PharmCal® V 400 Frosty Clear Gloss TC-848 V-23 150 Poly H-9	Frosty Clear	TC-848	V-23	1.5 Mil PET	500	60"

Industrial & Transportation

Durable solutions for tough applications and demanding environments.

Materials used in transportation and industrial applications are subjected to harsh environments and rigorous conditions. Feel confident in the performance of safety and identification labels and functional adhesive constructions in a variety of environments.

Key applications include: label substrates for brand identification, warning/instructional, compliance/tracking, security, wire wraps, insulation, bonding, noise damping, sealing, barrier, hazardous chemical, and graphic kits.



Industrial & Transportation Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	Agency Listed	MOQ (MSI)	Master Width
Nylon Cloth								
054149	2178SL DLC-503-78MO			Silicone/ Acrylic	2 Mil PET FSR/ 78K C1S		500	38"
054150	2201SL DLC-503-80RH			Silicone/ Acrylic	2 Mil PET FSR/78K C2S		500	38"
PET								
050864	DrumCal™ PM 200 White PTP V-344DL 92 LZR	White	PTP	V-344DL	92 LZR	BS 5609	500	54"
PET Reflective								
054552	ReflectaMark® PM 400 White Reflective V-344 50K-6	White		V-344	50# Kraft TR		500	48"
055420	ReflectaMark® PM 400 White Reflective V-344 90 PFW	White		V-344	90#		500	48"
Polycarbonate								
067807	FlexMark® UVOL 500 Clear Velvet V-344 150 Poly H-9	Clear Velvet		V-344	1.5 Mil PET		500	50"
Silicone Adhesive								
029186	SA6102 LR			SA6000	3 Mil PET FSR/ 2 Mil PET FSR		250	54"
067947	Densil® D30 300 Poly FSR 150 Poly FSR			Densil® SC-109	1.5 Mil PET FSR/3 Mil PET FSR		1000	48"
027403	Densil® 10 78K 200Poly White-9	White		Silicone	2 Mil White PET/78# Kraft		1000	54"

Industrial & Transportation Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	Agency Listed	MOQ (MSI)	Master Width
Transfer Tape								
000487	FlexMount® TT 200 L-344 60 LA PFW			L-344	60 LA PFW	UL	500	60"
009879	FlexMount® TT 200 L-344 84 LA PFT			L-344	84 LA PFT	UL	500	60"
000488	FlexMount® TT 200 L-606 60 LA PFW			L-606	60 LA PFW	UL	500	60"
000562	FlexMount® TT 200 L-606 84 LA PFT			L-606	84 LA PFT	UL	500	60"
000491	FlexMount® TT 400 L-606 60 LA PFW			L-606	60 LA PFW	UL	500	60"
000564	FlexMount® TT 400 L-606 84 LA PFT			L-606	84 LA PFT	UL	500	60"
012729	FlexMount® TT 200 V-778 84 LA PFT			V-778	84 LA PFT		500	60"
Vinyl								
004325	FlexMark® V 400 F White TC-106 L-156 Spec 50K/Q-8	White	TC-106	L-156	50# Kraft/Q	UL	500	60"
000332	DrumCal™ 41028 3.1 Mil Laser Print White PVC General-purpose Permanent Adhesive 92 Lb. Sheet Liner BS 5609	White		V-224	91 PRT PFW	BS 5609	500	54"
058668	DrumCal™ 41521 3.1 Mil Laser Print White PVC General-purpose Permanent Adhesive 74# Roll to Sheet Liner BS5609	White	TC-274	V-224	74 RB	BS 5609	500	54"
069117	DrumCal™ 41743 3.5 Mil Matte Top Coated Flexible White Vinyl Permanent Adhesive 77 Lb. Roll to Sheet BS 5609	White	MTC-722	V-344DL	77 PRT PFW	BS 5609	500	54"

Retail & Advertising

Performance materials
that deliver impactful
brand experiences.

Visual communications bring the brand experience to life in spectacular fashion along the consumer path to purchase.

Key applications include: buildings, vehicles, floors, walls, windows, shelves, and more.



Retail & Advertising Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Cast Vinyl							
024229	BusArt™ OV5055 2 Mil Clear Cast Laminating Vinyl	Clear		V-29	1 Mil PET	500	54"
PET							
000010	Classics Plus® Select™ 50286SL Ink Receptive Sheet Form 1.5 Mil Clear PET with Adhesive	Clear	PTP	V-465	90#	500	60"
000021	Classics Plus® Select™ 57206SL Ink Receptive Sheet Liner 1.5 Mil Gold PET with Adhesive	Gold #78	PTP	V-465	90#	500	54"
000019	Classics Plus® Select™ 52286SL Ink Receptive Sheet Form 1.5 Mil Silver PET with Adhesive	Silver	PTP	V-465	90#	500	60"
000017	Classics Plus® Select™ 55285SL Ink Receptive Roll Form 1.5 Mil Brushed Silver PET with Adhesive	Brushed Silver	PTP	V-465	50# Kraft	500	54"
PET/PP Lamination							
013269	FlexTwin® 3930TWD 2.65 Mil White Opaque Film for 2-Way Window Graphics, Permanent Adhesive, Polyester Liner	White Opaque	TC-848	V-32	1 Mil PET	500	60"
Lamination							
019110	FlexMark® 6121 8 Mil Black/White Gripper Laminate Adhesive Coated White Side	Black/White		V-344	42#	500	54"
Polyolefin							
028903	WindowDeco™ 6272 3.6 Mil Clear Polyolefin Low-tack Removable Adhesive Sheet Liner	Clear		V-323	90#	500	60"
028904	WindowDeco™ 6270 3.6 Mil White Polyolefin Low-tack Removable Adhesive Sheet Liner	White		V-323	90#	500	60"
Vinyl							
019129	FlexMark® OV6602 4 Mil Clear Gloss Vinyl Overlamine	Clear		V-29	1 Mil PET	500	54"
066536	BusArt™ OV5020LBN	Clear		V-29	44PP-8	500	54", 62"

Retail & Advertising Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Vinyl cont.							
019120	WindowDeco™ 6541 4 Mil Clear Vinyl Low-tack Removable Adhesive Lay Flat Sheet Liner	Clear		V-323	90#	500	54", 60"
059980	FlexMark® CP Clear Vinyl, Coated with a High-performance Permanent Adhesive	Clear		V-344	90#	500	54", 60"
059983	FlexMark® CR Clear Vinyl, Coated with a High-performance Removable Adhesive	Clear		V-58	90#	500	54"
066519	JetBond® 43138BN 4 Mil flexible Clear Matte Overlam Vinyl, Permanent Adhesive, Overlam Liner	Clear Matte		V-63	44PP-8	500	60"
056660	Shelf Select® FCFZR Frosty Clear Vinyl Removable Adhesive Sheet Liner	Frosty Clear		V-330	92 LZR	500	56", 66"
066520	JetBond® 44138BN 4 Mil Frosty Clear Overlam Vinyl, Permanent Adhesive, Overlam Liner	Frosty Clear		V-63	44PP-8	500	60"
066159	FlexMark® OV6603BN 6 Mil Frosty Clear Safari Vinyl Overlamine	Frosty Clear Safari		V-29	44PP-8	500	54"
019124	FlexMark® OV6601 6.5 Mil Clear Velvet Vinyl Overlamine	Clear Velvet		V-29	71B PMO-8	500	54"
000069	BusArt™ V 400 F White A-69 90 PFW BA	White		A-69	BusArt™ 90#	500	54"
000077	FlexMark® PLV 400 F White V-29 90 PFW	White		V-29	90#	500	54", 60"
019116	WindowDeco™ 6501 4 Mil White Vinyl Low-tack Removable Adhesive Lay Flat Sheet Liner	White		V-323	94 PFW	500	54", 60"
056661▲	Shelf Select® FWFZR White Vinyl Removable Adhesive Sheet Liner	White		V-330	92 LZR	500	55", 66", 68"
000007	Classics Plus® Select™ 31173SL 3.25 Mil Ink Receptive White Vinyl Removable Adhesive Roll to Sheet	White	TC-348	V-465	65B M&O-6	500	60"
000115	Classics Plus® 41006 - White Vinyl Permanent Acrylic Adhesive Sheet Liner	White		V-465	90#	500	60"
009648▲	Classics Plus® Select™ 31086SL 3.1 Mil Sheet Form White Vinyl with Adhesive	White		V-465	90#	500	60", 65"
000110	FlexMark® PLV 400 F White V-58 90 PFW	White		V-58	90#	500	60"

Retail & Advertising Products

FLX#	Flexcon® Products	Color	Topcoat	Adhesive	Liner	MOQ (MSI)	Master Width
Vinyl cont.							
028884	WallDeco™ 6730 6 Mil White Vinyl High-Tack Removable Adhesive Sheet Liner	White		V-58	90#	500	54"
000082	FlexMark® BilBrd™ BWV 4 Mil flexible Bright White Opaque Vinyl, Permanent Adhesive, Sheet Form Liner	Bright White Opaque		V-344	90#	500	54", 60"
000619	FlexMark® BilBrd™ BWV RTS (1.9-2.1)	Bright White Opaque		V-344	90#	500	54", 60"
019141	FlexMark® Floor Art™ 6610 4 Mil White Opaque Floor Vinyl Removable Adhesive Layflat Liner (Indoor Floors)	White Opaque		A-109	90#	500	54"
059984	FlexMark® WP White Opaque Vinyl, Coated with a High-performance Permanent Adhesive	White Opaque		V-344	90#	500	54", 60"
056169	FlexMark® WPAE White Opaque Vinyl, High-performance Permanent Adhesive, Air Egress Liner	White Opaque		V-344	90# AE	500	54"
019922	RailMark™ 5372RS 4 Mil Flexible White Opaque Vinyl Specialty RailMark™ Adhesive, RailMark™ Liner	White Opaque		V-344	Railmark™ 90#	500	62"
059985	FlexMark® WR White Opaque Vinyl, Coated with a High-performance Removable Adhesive	White Opaque		V-58	90#	500	54"
064832	FlexMark® WRAE White Opaque Vinyl, High-performance Removable Adhesive, Air Egress Liner	White Opaque		V-58	90# AE	500	54", 60"
000081	BusMark® 5800 White Opaque Removable Vinyl for Kings, Queens and Tail Bus Posters	White Opaque		V-58	BusMark® 90#	500	54", 62", 64"
000638	LiteCal® 5200	White Translucent	TC-848	V-58	90#	500	60"
069638	ShimmerCal™ Silver 2.6 Mil Silver Special Vinyl Permanent Adhesive Sheet Form Liner	Silver		V-300	90#	500	40"
000035	FlexMark® V 400 F Yellow V-465 90 PFW	Yellow		V-465	90#	500	60"
Vinyl Lamination							
000084	SeeThru-Sign® STSWBF2 8 Mil 60/40 White/Black Flexible Perforated Film Removable Adhesive Perf'd Clear Sheet Liner	White/Black		V-58	90#	500	53"
009136	SeeThru-Sign® STSWBF7030 8 Mil 70/30 White/Black Flexible Perforated Film Removable Adhesive Perf'd Liner	White/Black		V-58	90#	500	53", 60"


Supporting Businesses Globally

Flexcon® Global is a preferred provider of innovative coatings, film laminations, and functional technologies. Flexcon is committed to understanding customer challenges and co-creating solutions that positively impact society and the environment.

A family-owned business for nearly 70 years, Flexcon develops and manufactures quality products with precision and efficiency for markets such as healthcare, sustainable packaging, transportation, consumer durables, electronics, industrial, retail & advertising and

construction & energy with a goal of advancing bonds, innovation and our world.

Headquartered in Spencer, MA, USA, the company has operations and distribution throughout North America, Europe and Asia. For more information, visit www.flexcon.com, follow Flexcon on LinkedIn, or call +1-508-885-8200.



Flexcon Company, Inc.
1 Flexcon Industrial Park, Spencer, MA 01562-2642
+1 (508) 885-8200 | flexcon.com

Product Performance and Suitability: Descriptive information, performance data, and recommendations for Flexcon products are guides and not specifications. Providing this information is to assist you and does not constitute a warranty of any kind by Flexcon.

Purchasers must independently determine the material's suitability for their intended use. No distributor, salesman, or representative of Flexcon is authorized to provide any warranty or guarantee beyond what is stated. FLEXCON MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR TRADE USAGE.