Patient Registration Form						
Last Name	 First N	ſame _				MI
Social Security	Additional gender category or other Choose not to disclose Female-to-Male (FTM)/Transgender Genderqueer, neither excl male or female			Marital State Divorced Legally S Life Part Married	l 🔲 Sep 🔲 v	Single Widowed Unknown
Date of Birth//				T		
Address	City State_			State	Zip	
Email						
Primary Phone ()			Secondary Phone (•	
Preferred Language						
Race American Indian or Alaska Native Native Hawaiian or other Pacific Islander Asian Black or African American White Unknown/Decline to Answer			Ethnicity Hispanic or Latino Not Hispanic or Latino Unknown/Decline to Answer			
Responsible Party: This see	ction refers	to tl	ne person/party	who should	receive t	he bill
Relationship to Patient Self (skip this section) Parent Spouse Other						
Last Name First Na			Name			MI
Social Security	Date of Birtl	h/			Sex 🗆 I	M 🔲 F
Address	City			State	Zip	
Primary Phone ()	Secondary Phone ()					

Baptist Hospital FM-702 Patient Registration Form Page 1 of 1 (10/20)



Communication with Family Members and Friends Involved In Patient Care

This form documents my request to allow family members and/or friends to be involved in relevant <u>verbal discussions</u> regarding my health care. By signing this form, I permit Baptist Medical Group ("BMG") staff to discuss information about me with the people listed below. This information may include diagnoses, test results, treatments, and payment information, but shall be limited to only the information that, in the professional judgment of your provider, needs to be shared.

I understand that signing this form is voluntary and that I am not required to sign this form in order to receive health care.

I understand that information may be released to family members or others without this form, if allowed by federal and state law.

I understand that listing a person on this form does not give them the right to receive or copy my written medical records. It does not allow them to consent for health care services on my behalf.

I understand that my health care provider will discuss only the information that the person involved needs to know about my care or treatment.

I can update this form at any time by completing a new form and giving it to BMG staff.

I understand that BMG staff will verify the identity of the people below (if not known to the staff) prior to discussing this information.

I understand that this is not a Health Insurance Portability and Accountability Act (HIPAA) authorization form that would allow the people below to have access to my written Protected Health Information

Name	Phone Number	Relationship
Name	Phone Number	Relationship
Name	Phone Number	Relationship
Name	Phone Number	Relationship
Signature		
Print Name		
Date /	/	Time :

Relationship to Patient

Self

Legal Representative or Guardian (proof of power of attorney or legal guardianship required)

Baptist Medical Group
Family Members and Friends Involved in Patient Care
FM-0430 Pg. 1 of 1 (08/2016)



PRINT: FO/D0H/Whi/1P

PATIENT HISTORY FORM

Name:		Date of Birth:					
Social Security #:	Ref	Referring Physician:					
Reason for Referral:							
PHYSICIANS List	all doctors providing ca	re					
Doctor's Name	Typ	Type of Doctor Primary Care, Surgeon, Urologist, etc.		Reason for seeing this doctor			
	you have allergies to dru			☐ Yes	□ No		
Allei	rgy to:	Reaction- rash, s	hortness of	breath, hives,	itching, etc.		
		al containers to every	appointm				
Medication name	Dosage	How often do yo	u take?	Prescribing	Physician		

PAST MEDICAL & SURGICAL HISTORY

EE	NT	Gas	strointestinal			Neui	rologic	
	Cataracts		Cirrhosis				Alzheimer's D	Disease
	Diabetic Retinopathy		GERD				CVA	
	Glaucoma		Hepatitis				Dementia	
	Macular Degeneration		Hiatal Hernia				Diabetic Neur	opathy
	Retinal Detachment		Pancreatitis				Fibromyalgia	
	Sinusitis		Peptic Ulcer Dise	ease			Migraines	
	Tinnitus		Ulcerative Colitis	S			Multiple Scler	osis
	Tonsillitis		Other:				Parkinson's D	isease
	Other:	Rei	nal/GU				Seizure Disord	ler
Re	<u>spiratory</u>		Bladder Cancer				Syncope	
	ARDS (Adult Resp. Distress Syndrome)		BPH (enlarged pr				TIA	
	Asthma		End Stage Renal	Dise	ase			
	COPD		Kidney Stones				<u>hiatric</u>	
	Pneumonia		Prostate Cancer				Alcoholism	
	Pulmonary Embolus (clot)		Prostatitis				Anorexia	
	Pulmonary Hypertension		Renal Artery Ster	nosis			Bipolar Disoro	
	Sleep Apnea, CPAP		Renal Failure				Chronic Anxie	ety
	Tuberculosis		Renal Insufficien				Depression	
	Other:		Other:				Panic Disorde	
	<u>rdiac</u>	<u>GY</u>						c Stress Disorder
	Arrhythmias		Benign Breast Lu	ımp				
	Cardiomyopathy		Breast Cancer				<u>atologic</u>	
	Congestive Heart Failure		Cervical Cancer				Anemia	
	Coronary Artery Disease		Ovarian Cancer					
	Hypertension Myseserdial Information (beaut attack)	□ M···	Other:				ocrine	
	Myocardial Infarction (heart attack) Sudden Death		sculoskeletal Back Pain				Diabetes Thursid	
	Valvular Heart Disease		Gout				Thyroid	
			Lupus				ctious Disease	
□ Və	Other:scular		MVA Trauma				Endocarditis	2
	Aortic Aneurysm		Rheumatoid Arth	ritic			HIV	
	Carotid Disease		Other:				Other:	
	Claudication	Ski					ent Hospitaliz	
	DVT		Cellulitis				Yes □ No	
	Peripheral Vascular Disease		Hives				Hospital/Date/	
	Phlebitis		Psoriasis					
	Raynaud's		Scleroderma			поор		
	Varicose Veins		Skin Cancer					
	Other:		Other:					
Ca	ardiac Surgeries & Procedures			Ot	her Surgeries	& Pr	ocedures	
	_	ear			Aneurysm Repair			Year
					Appendectomy			Year
					Back surgery			Year
					Carotid Surgery			Year
						(Gallb)		Year
						(Gallo	radder removed)	
					Gastric Bypass			Year
					Hysterectomy	.4		Year
					Kidney Stone Tre	eatmer		Year
					Knee Surgery			Year
	Other: (List Below)	ear _			Mastectomy			Year
					Nephrectomy (Kid	dney re	moved)	Year
					Tonsillectomy			Year
					Thyroidectomy			Year
				П	Other:			Year

SOCIAL & FAMILY HISTORY					
Alcohol Use	<u>Diet</u>	Drug Use/Abuse			
Do you consume alcohol	Are you on a special diet? Yes No	□ Yes □ No □ Former			
□ Yes □ No □ Former	What type of diet?	Substance type:			
Frequency:		Years quit:			
	Do you drink caffeine?				
Year quit:	How much a day? De your set much a least a day? List				
Smoking/Tobacco Use	Do you eat much chocolate a day?	List:			
Do you smoke/use tobacco?	□ Yes □ No	□ Unemployed □ Retired			
□ Yes □ No □ Former	<u>Exercise</u>	Residence			
Type: Cigarettes Pipe	Do you exercise regularly?	Live with:			
□ Cigar □ Smokeless					
Number of years smoked:	Tavancea Birectives				
Packs per day:	If YES describe:	□ None □ DNR			
Years quit:					
Passive Smoke Exposure:	Agree to Transfusion Yes No Living Will Date:				
□ Yes □ No					
Heart Attack (List A	All Family Members):				
Stroke					
	Family Member				
Coronary Bypass Surgery	Family Member				
	Family Member				
High Blood Pressure Coronary Artery Disease	Family Member				
Coronary Artery Disease Sudden Death	Family Member				
Sudden Death	Family Member				
	experiencing any of the symptoms listed below				
General	<u>Cardiovascular</u>	<u>Neurological</u>			
□ Decreased appetite	☐ Chest pain, pressure or tightness	□ Headaches			
□ Fever	□ Passing out	□ Numbness/tingling on one side			
□ Chills	☐ Heart palpitations	□ Weakness on one side			
□ Weight change (Loss or Gain)	☐ History of blood clots or phlebitis	□ Difficulty speaking			
□ Night sweats	☐ Irregular heart beats	□ Loss of memory			
□ Fatigue	□ Non-healing sores on legs or feet	Musculoskeletal			
<u>HEENT</u>	□ Pain in legs/hips with walking	□ Muscle weakness			
□ Headache	☐ Shortness of breath lying flat	□ Joint stiffness			
□ Glaucoma	□ Swelling of feet or ankles	□ Arthritis			
□ Cataracts					
	☐ Waking up panicky & short of breath				
□ Double vison	□ Dizziness	□ Muscle cramps			
□ Double vison□ Blurred vision	□ Dizziness <u>Gastrointestinal</u>	☐ Muscle cramps Genitourinary			
□ Double vison□ Blurred vision□ Ringing in ears	□ DizzinessGastrointestinal□ Nausea and vomiting	☐ Muscle crampsGenitourinary☐ Blood in urine			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness 	 □ Dizziness <u>Gastrointestinal</u> □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion 	 ☐ Muscle cramps ☐ Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream 			
 □ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity 	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring	 □ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine 	 ☐ Muscle cramps Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate ☐ History of urinary retention 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst	 ☐ Muscle cramps ☐ Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate ☐ History of urinary retention ☐ Prostate problems 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood □ Wheezing	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination	 ☐ Muscle cramps ☐ Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate ☐ History of urinary retention ☐ Prostate problems ☐ Erectile dysfunction 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination □ Hair loss	□ Muscle cramps Genitourinary □ Blood in urine □ Pain with urination □ Frequency of urination □ Urgency of urination □ Incontinence Males: □ Difficulty starting stream □ Wake up at night to urinate □ History of urinary retention □ Prostate problems □ Erectile dysfunction Females:			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood □ Wheezing	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination □ Hair loss Hematological	 ☐ Muscle cramps ☐ Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate ☐ History of urinary retention ☐ Prostate problems ☐ Erectile dysfunction Females: Date of last menstrual period: 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood □ Wheezing	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination □ Hair loss Hematological □ Bleed easily	 ☐ Muscle cramps ☐ Genitourinary ☐ Blood in urine ☐ Pain with urination ☐ Frequency of urination ☐ Urgency of urination ☐ Incontinence Males: ☐ Difficulty starting stream ☐ Wake up at night to urinate ☐ History of urinary retention ☐ Prostate problems ☐ Erectile dysfunction Females: ☐ Date of last menstrual period: ☐ Currently on Birth Control 			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood □ Wheezing	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination □ Hair loss Hematological	□ Muscle cramps Genitourinary □ Blood in urine □ Pain with urination □ Frequency of urination □ Urgency of urination □ Incontinence Males: □ Difficulty starting stream □ Wake up at night to urinate □ History of urinary retention □ Prostate problems □ Erectile dysfunction Females: □ Date of last menstrual period: □ Currently on Birth Control Menopause: □ Yes □ No			
□ Double vison □ Blurred vision □ Ringing in ears □ Hearing loss □ Hoarseness □ Nosebleeds Respiratory □ Persistent cough □ Shortness of breath with rest □ Shortness of breath with activity □ Snoring □ Coughing up blood □ Wheezing □ # of pillows used to sleep on	□ Dizziness Gastrointestinal □ Nausea and vomiting □ Nausea without vomiting □ Diarrhea □ Constipation □ Heartburn/Indigestion □ Rectal bleeding □ Black tarry stools □ Difficulty swallowing solids/liquids Endocrine □ Excessive thirst □ Increased urination □ Hair loss Hematological □ Bleed easily	□ Muscle cramps Genitourinary □ Blood in urine □ Pain with urination □ Frequency of urination □ Urgency of urination □ Incontinence Males: □ Difficulty starting stream □ Wake up at night to urinate □ History of urinary retention □ Prostate problems □ Erectile dysfunction Females: □ Date of last menstrual period: □ Currently on Birth Control Menopause: □ Yes □ No Age at Menopause:			