



# **ELEVATE YOUR GAME**

The award-winning Tempo continues to exceed industry expectations, delivering a smooth, comfortable ride and connected touchscreen technology no other golf car can match. With a distinctive design and golfer-first features, it's available in 2to suit your course's needs.

Designed with automotive styling, the Tempo is backed by proven engineering and a reputation for reliability. Plus, available



## **SAVE 50% IN ELECTRICITY COSTS**

With the Club Car Tempo™ Lithium Ion



## THE 14 HP COMMAND PRO® EFI ENGINE FROM KOHLER & CLUB CAR MAKES YOUR JOB EASIER IN MANY WAYS.

- Automotive-Grade, Closed-Loop EFI continuously adjusts engine performance based off an internal oxygen sensor for excellent fuel economy and more reliable starting and performance in any environment.
- Onboard Diagnostics, Accessible on your Laptop or Smart Device quickly identify engine issues to keep your vehicle running and decrease maintenance time.
- **Reduced Oil Changes** maximize uptime and your bottom line, thanks to an industry-leading oil change interval recommendation (every 200 hours\*).
- **Quieted Metal Components** Specialized material used for the engine's blower housing and valve cover effectively suppresses undesirable engine noise for an enhanced acoustic experience.

\*After first oil change at 100 hrs



## STO SMART TECHNOLOGY

- Electronic Park Brake System: Automatically stops the car based on registered speed—no more stomping to park the vehicle
- Responsive Mechanical Braking: Enjoy a consistent, reliable feel – no "squishy" braking like competitors' drive-by-wire systems
- Independent Braking Systems: Service and park brakes function independently for increased reliability
- StopSmart Technology: This technology gradually slows the vehicle, preventing abrupt stops on the course for drivers and passengers

OPTIONAL and ONLY AVAILABLE on Tempo Lithium 2 Passenger and Tempo Lithium 2+2 Vehicles





### **OPTIONS & ACCESSORIES**

More accessories available, ask your Club Car sales representative for details.







Tinted Windshield



Caddy Master Cooler



Sand Trap Rake Kit









Bag Cover with Magnetic Latch



Divot Repair Sand Bottle




Ball and Club Cleaner



USB Port



Lighting Package



PREMIUM SEAT COLORS



Light Beige



Camello Two-Tone Camello and Light Beige



Gray Two-Tone Black and Gray Black also available

### **TEMPO**



### **TEMPO LI-ION**



GASOLINE	ELECTRIC	ELECTRIC
----------	----------	----------

ENGINE	OHC, 429 cc, single cylinder, air-cooled, splash-lubricated, 19.91 ft-lb (27.0 N-m) rated torque @ 2,400 rpm	N/A	N/A
TURNING CIRCLE	17' 4" (5.28m)	17' 4" (5.28m)	17′ 4″ (5.28 m)
HORSEPOWER	14.0 hp (10.3 kW) rated @ 3,600 rpm	3.3 hp	4.7 Hp AC Drive
GOVERNOR GUARD	Yes	N/A	N/A
BATTERIES	12-volt	(6) 8-volt, single point watering system	3.8 kWh Stored Energy
CHARGER	N/A	48 VDC 13.5 amp DC high frequency solid state charger	650 Watt Charger (standard) 900 Watt Charger (optional)
STEERING	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion
FRONT SUSPENSION	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks
BRAKES	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock
BODY AND FINISH	Molded-in Colors (Standard), Metallic or Premium Colors (Optional)		Molded-in Colors (Standard), Metallic or Premium Colors (Optional)
TIRES	18 x 8.50-8	18 x 8.50-8	18 × 8.50 - 8
LxWxH	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)
WHEELBASE	65.5 in (166.4 cm)	65.5 in (166.4 cm)	65.5 in. (166.4 cm)
GROUND CLEARANCE	4.5 in (11.4 cm)	4.5 in (11.4 cm)	4.5 in. (11.4 cm)
FUEL TANK CAPACITY	6.0 gal (22.7 L)	N/A	N/A
TREAD-FRONT & REAR	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)
CURB WEIGHT	688 lb (312 kg)	909 lb (412.5 kg)	718 lb (325.7 kg)
FLOOR HEIGHT	12 in (30.5 cm)	12 in (30.5 cm)	12 in (30.5 cm)
FRAME TYPE	Ladder-style aluminum box beam	Ladder-style aluminum box beam	Ladder-style aluminum box beam
KICKPLATE	Yes	Yes	Yes
SPEED RANGE	12-15 mph (19.3-24.1 kph)	7 speed settings: 5-15 mph (8-24.14 kph) 2 acceleration settings: Aggressive or traditional 3 pedal-up braking settings: None, mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments	5 speed settings: 5-15 mph (8-24.14 kph) 2 acceleration settings: Aggressive or traditional 3 pedal-up braking settings: None, Mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments
LIMITED WARRANTY*	5-year: Gas engine and transade 4-year: Canopy, electronics, pedal group, standard seats, suspension 3-year: Body panels, electric powertrain, premium seats 2-year: All remaining components Limited lifetime: Frame	4-year: Batteries (25,000 amp hours/4 years with authorized deionizer and filter system; otherwise, 20,000 amp hours/4 years), canopy, electronics, pedal group, standard seats, suspension  3-year: Body panels, electric powertrain, premium seats  2-year: All remaining components  Limited lifetime: Frame	5-year: Lithium-Ion Battery (unlimited, one time transferrable)** and Vehicle Control Module  4-year: DBR  3-year: Body panels, electric powertrain, premium seats  2-year: All remaining components  Limited Lifetime: Frame

The weight stated is approximate only and should not be used for official documentation.



<sup>\*</sup>There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles and are not equipped for operation on public streets, roads or highways.

<sup>\*\*</sup>Additional Restrictions Apply