



A Sonepar Company

ATLANTIC

Special deals
**November -
December
2023**



AIR MILES.

Valid for Electrical Contractors
ESA and ECA members only

READY-LITE



LED Pictogram Exit Sign

4.2W, plastic, self-powered

REDCMPSSPRL
LUMCMPSSPL



LED Pictogram Exit Combo Unit

2 x 1W, plastic, self-powered

REDCMPCL
LUMCMPCL

LUMACELL



LED Lighting Battery Unit

120 / 347V, 27W, 2 x 2W, steel white housing,
can power CMR1 and CMR2 remote heads only.

REDCMSBRL
LUMCMSBL



Emergency LED Lighting

6-12V

Single - 1 x 2W

REDCMR1RL
LUMCMR1L

Double - 2 x 2W

REDCMR2RL
LUMCMR2L



CATAMOUNT® Ty-Rap™ Standard Cable Tie

UV resistant, black nylon

Bundle diameter 1-3/4 in
7.5 in # THOL7500M

Bundle diameter 2 in
8 in # THOL8180M

Bundle diameter 2 in
8.5 in # THOL8400M



EMT Set Steel Screw Fitting

1/2 in
APPTW50S

3/4 in
APPTW75S

1 in
APPTW100S

Iberville®



Type LB Conduit Body

For rigid conduit and EMT

1/2 in
IBELBA1/2

3/4 in
IBELBA3/4

1 in
IBELBA1



GFI Receptacle

125V, tamper-resistant, self-test SmartlockPro GFCI,
monochromatic, back and side wired. Nylon
wallplate, screws and self-grounding clip included.

15A
LEVGFT1W

20A, for residential /
commercial use
LEVGFT2W



EMT Set Steel Screw Coupling

1/2 in
APPTWC50S

3/4 in
APPTWC75S

1 in
APPTWC100S



Single Hole Conduit Strap

Galvanized Steel

1/2 in
APPTWCL50

3/4 in
APPTWCL75

1 in
APPTWCL100



LED Striplight

120/347V, 3 500/4 000/5 000K, frosted acrylic lens.

48 in - 3 000/4 000/5 000LM

LITCSSL48ALO3UVOLTSWW3

96 in - 6 000/8 000/10 000LM

LITCSSL96ALO4UVOLTSWW3



LED Surface Fixture

120/277V, 4 000K, dimmable, white acrylic lens.

2 ft - 32W, 3 000LM

Replaces 1 x 32W, T8

LITFMLWL24840ZTMVOLT

4 ft - 48W, 4 600LM

Replaces 2 x 32W, T8

LITFMLWL48840ZTMVOLT

LED Wall Pack

120/277V, 4 000K, bronze finish.

22W, 600 to 2 950LM

Replaces up to 100W, MH

LITTWX1LEDALO40KMVDDDB

54W, 1 450 to 6 950LM

Replaces up to 250W, MH

LITTWX2LEDALO40KMVDDDB

108W, 2 900 to 13 850LM

Replaces up to 250W, MH

LITTWX3LEDALO40KMVDDDB



Suitable
for wet
location

LED Surface Mount Ceiling Fixture

120V, 3 000K, dimmable, polycarbonate lens, direct mounting on octagonal junction box, can be use in storage room, shower, bathroom, outside under soffit or covered area.

4 in - 10.5W, 750LM

JUNJSBT4IN30K90CRIWLMW

6 in - 14.4W, 990LM

JUNJSBT6IN30K90CRIMWWL



LED Surface Mount Fixture

6 in - 15W, 120V, 1 050LM, 3 000/4 000/5 000K, with passive infrared motion sensor, frosted polycarbonate lens, aluminium housing, non-dimmable, white.

JUNJSBT6INSWW290CRIPIRMW



Suitable
for damp
location

LED Recessed Fixture

120V, 2 700/3 000/3 500/4 000/5 000K, 700/1 000/1 200LM, warm dim, renovation junction box.

4 in

JUNJPDZ4JBRDB1WWH

6 in

JUNJPDZ6JBRDB1WWH



LED Lamps



A19

A19 - 9.8W, 2 700K, 750LM

Non-dimmable

Replaces 60W, incandescent

Single

LAMLEDA199W27KND

Pack of 4

LAMLEDA199W27KND4P



A19 - 9.8W, 2 700K, 800LM

Dimmable

Replaces 60W, incandescent

LAMLEDA199W27KDIM



PAR20



PAR20 - 7W, 3 000K, 500LM

40° beam - Dimmable

Replaces 50W, halogen

LAMLEDPAR207W3KFL



GU10



GU10 - 7W, 3 000K, 500LM

35° beam - Dimmable

Replaces 50W, halogen

LAMLEDGU107W3KFL



MR16



MR16 - 7W, 3 000K, 500LM

35° beam - Dimmable

Replaces 50W, halogen

LAMLEDMR167W3KFL



Suitable
for wet
location

LED Recessed Fixture

120V, dimmable, white finish

4 in - 12W, 860LM, 75° beam

LITSLMB412WCCTWH

6 in - 16W, 1 400LM, 80° beam

LITSLMB616WCCTWH

Skye Series

PROMOTION
BUY 12 LIGHT FIXTURES
AND GET 1 FREE

Free



12x

LED Recessed Fixture

120V, dimmable, white finish

4 in - 12W, 860LM, 75° beam

LITKITSLMB4PROMO

6 in - 16W, 1 400LM, 80° beam

LITKITSLMB6PROMO

STANPRO



LED Hibay Fixture

120/347V, 4 000 / 5 000K, polycarbonate lens, aluminum housing, open hook, 10 ft cord.

100/120/150W, 16 672/18 024/22 361LM

STAL1RUHPS150Q2C

150/200W, 25 149/29 319LM

STAL1RUHPS200Q2C

200/240W, 28 938/35 816LM

STAL1RUHPS240Q2C



LED Flat Panel for T Bar Ceiling

120/347V, 3 500 / 4 000 / 5 000K, dimmable

1X4 - 20/30/40W, 2 650 to 5 100LM


STAL3PNB1LPS40PQ3C

2X2 - 20/30/440W, 2 650 to 5 100LM

STAL3PNB2LPS40PQ3C

2X4 - 30/40/50W, 4 000 to 6 600LM

STAL3PNB4LPS50PQ3C



LED Recessed Fixture

4 in - 120V, 2 700 / 3 000 / 3 500 / 4 000 / 5 000K, 550LM
Replaces up to 65W, incandescent

White

STALPDL4RND9W5CCTWHSTD

Black

STALPDL4RND9W5CCTBKSTD

Brushed nickel

STALPDL4RND9W5CCTBNSTD



LED Wall Pack

120/347V, 3 000 / 4 000 / 5 000K, die cast housing, transparent polycarbonate lens, integrated photocell, adjustable projection angle, bronze finish.

15/30W, 2 100/3 925LM

STAWTLPS30AQ3CBRP

50/80W, 7 000/10 392LM

STAWTLPS80AQ3CBRP



IP65 LED Fixture

21W, 120/277V, 3 000 / 4 000 / 5 000K, 2 679LM, 3 mounting options (ceiling, wall and threaded conduit), frosted glass lens, grey finish aluminium die cast housing.

Replaces 150W, incandescent or 40W, CFL

STAWJMLS1AW3CGY



LED Compact Projector

3 000 / 4 000 / 5 000K, 120/277V, tempered glass, bronze finish die cast aluminium housing.

15/25W, 2 100/3 500LM

Knuckle mount

STAFMLPS25AW3CBRKN

Yoke mount

STAFMLPS25AW3CBRYK

35/60W, 4 900/8 400LM, photocell (on / off)

Knuckle mount

STAFMLPS60AW3CBRKNP


Yoke mount

STAFMLPS60AW3CBRYKP

@ignify

KEENE

by @ignify



LED Wall Pack

10W, 120/277V, 1 050LM, 4 000K

Replaces up to 50W, HID

Titanium finish # KEELPW7G38DGY

Bronze finish # KEELPW7G38BZ

KEENE

by @ignify



LED Ceiling Mount Fixture

120/347V, 3 000 / 4 000 / 5 000K, die cast aluminium housing, polycarbonate lens, textured bronze finish.

28/40/60W, 4 100 to 8 350LM

KEEGC60SCTG2SM510BZ

70/80/90W, 9 800 to 12 850LM

KEEGC90SCTG2SM510BZ

KEENE

by @ignify



LED Wall Pack

120/347V, 3 000 / 4 000 / 5 000K, integrated selectable photocell, glass lens, die cast aluminium housing, bronze finish.

28/40/60W, 3 860 to 8 160LM

KEEWP60SCTG210BZ

70/80/90/100W, 9 240 to 13 600LM

KEEWP100SCTG210BZ

Day-Brite

CFI

by @ignify



LED Surface Fixture

4 ft - 120/277V, 4 000LM, 3 000/3 500/4 000K, wraparound lens and occupancy sensor.

Replaces 2 X 32W, T8

CFINWL440L8CSTUNVDIMOC

PHILIPS



LED Linear Tube

48 in - 15W, 120/347V, ballast bypass installation, frosted glass, dimmable.

Replaces 32W, fluorescent

3 500K, 2 000LM

PHI15T8COR48835MF20G347V

4 000K, 2 100LM

PHI15T8COR48840MF21G347V

5 000K, 2 100LM

PHI15T8COR48850MF21G347V

LIGHTOLIER

by @ignify



Suitable for damp location

Commercial LED Recessed Fixture

120/347V, 3 000 / 3 500 / 4 000K, aluminium white baffle reflector, dimmable 0 / 10V, metallic cable for connection included.

4 in - 5.5/8/12W, 500/700/1 000LM

LIGCR4RLMCCT

6 in - 7/10/17W, 700/1 000/1 500LM


LIGCR6RLMCCT

8 in - 10/15/21W, 1 000/1 500/2 000LM

LIGCR8RLMCCT

10 in - 20/25/32W, 2 000/2 500/3 000LM

LIGCR10RLMCCT



CONCRETE MAT XPRESS™ 6W - 240V

FLETC240P0024	\$ 184.91	FLETC240P0224	\$337.69
FLETC240P0040	\$ 190.16	FLETC240P0248	\$365.89
FLETC240P0048	\$ 197.37	FLETC240P0272	\$379.66
FLETC240P0068	\$ 208.52	FLETC240P0300	\$ 392.12
FLETC240P0088	\$ 236.71	FLETC240P0324	\$ 405.89
FLETC240P0104	\$ 247.20	FLETC240P0372	\$ 451.79
FLETC240P0120	\$ 253.76	FLETC240P0391	\$ 467.52
FLETC240P0140	\$ 266.88	FLETC240P0428	\$ 487.85
FLETC240P0156	\$ 274.74	FLETC240P0492	\$ 540.31
FLETC240P0172	\$ 295.07	FLETC240P0552	\$ 567.85
FLETC240P0200	\$ 318.02	FLETC240P0600	\$ 600.63



1 800 353-9843 | WWW.FLEXTHERM.CA



°STELPRO



BELLA HIGH-END BASEBOARD

STEBA0302W	\$156.42
STEBA0502W	\$163.53
STEBA0752W	\$184.86
STEBA1002W	\$193.55
STEBA1252W	\$227.52
STEBA1502W	\$243.32
STEBA1752W	\$291.51
STEBA2002W	\$318.37
STEBA2252W	\$351.55
STEBA2502W	\$376.83



PRIMA HIGH-END COMPACT BASEBOARD

STESPR0502W	\$69.97
STESPR1002W	\$80.97
STESPR1502W	\$97.97
STESPR2002W	\$124.97



BRAVA ELECTRIC BASEBOARD

STEB0302W	\$47.03
STEB0502W	\$49.50
STEB0752W	\$56.93
STEB1002W	\$66.00
STEB1252W	\$77.55
STEB1502W	\$84.15
STEB1752W	\$99.83
STEB2002W	\$109.73
STEB2252W	\$120.45
STEB2502W	\$131.18



1-844-STELPRO | WWW.STELPRO.COM



CONVECTAIR

By: **INNOVAIR**
SOLUTIONS

PROMOTION

Radiant Convectors Opera Series

Offer valid from November 1 to December 31
or while stocks last.

Discounts available for electrical contractors



Opera B not included.

www.convectaircanada.com • 1 800 463-7043

 **Appleton**



Powertite Connector

30A, 4P, 3 wires
APPACP3034BC

60A, 4P, 3 wires
APPACP6034BC



Powertite Receptacle

30A, 4P, 3 wires
APPADR3034

60A, 4P, 3 wires
APPADR6034



Aluminum Mounting Box

1 outlet, AE series

3/4 in - For powertite 30A receptacle
APPAEE23

1 in - For powertite 60A receptacle
APPAEE36

RECEIVE A **FREE** DCC

WITH THE PURCHASE OF **10 UNITS**
FROM THE FOLLOWING MODELS

10x **DCC-12** OR
#RVEDCC12PROM010

10x **DCC-9-40A**
#RVEDCC940APROM010



— **rve**

ATLANTIC - Effective from November 1st to December 31st 2023

f in o

lumen

5



M18 REDLITHIUM XC5.0 Batteries

2 pack, extended capacity.

MIL48111852



M18 FUEL 2-Tool Combo Kit

Includes: M18 FUEL 1/2" hammer drill, M18 FUEL 1/4" hex impact driver, 2x M18 REDLITHIUM XC 5.0Ah battery packs, M18/M12 charger and carrying case.

MIL369722



REDLITHIUM USB Bluetooth® Jobsite Ear Buds

Delivers uncompromised sound with the ability to control your awareness. Multiple interchangeable ear tips and wings, for a secure fit. Water, dust & impact resistant.

MIL219121



Aluminum Hand Bender

For 1/2" EMT
GRE840AH

1/2" rigid conduit
or 3/4" EMT
GRE841AH



Poly Line

With 6 500 ft green tracer.
Used to pull rope through conduit.

GRE430



Winter Gel Pulling Lube

1 gallon - Gel will not freeze below -31°C.

GREWGEL1

FLUKE



True-RMS Clamp Meter

Measures current 400A AC, voltage AC/DC, continuity, resistance up to 4K Ohm, temperature and capacitance. With backlit display. Safety level CAT IV 300V / CAT III 600 V.

FLUKIT324



True-RMS Clamp Meter

Measures current 400A AC/DC, voltage AC/DC, continuity, resistance up to 40K Ohm, temperature and capacitance. With frequency meter and backlit display. Safety level CAT IV 300V/CAT III 600 V.

FLUKIT325



True-RMS AC / DC Clamp Meter

Clamp meter with iFlex transmits results via Fluke Connect Measurements app, stays safely away from the arc flash zone through Bluetooth connectivity to Apple and Android devices.

FLUKIT376FC



Electrical Tester

CAT III, 1 000V. Voltage, continuity and current tester. Excellent front-line troubleshooting and measurement tool.

FLUKITT51000



**AND GET A FREE
VOLTAGE DETECTOR
(1ACA111)**



Electrical Tester

AAC / DC up to 600V, measures current up to 100A without breaking the circuit with OpenJaw technology.

FLUKITT5600



Electrical Tester

Integrated FieldSense technology, measure by sliding the open fork over a conductor to see the voltage level without the need for test leads.

FLUKITT6600



Electrical Tester

Includes: Attached test leads with 4 mm probe caps, removable black crocodile clip, AC285 SureGrip^{MD} and H-T6 Holster.

FLUKIT61000PRO



Super 33+ Vinyl Electrical Tape
 3/4 in x 66 ft - 7 mil. All-weather,
 -18 to 105°C (0 to 220°F), black.
 # TRO333/4X66




Super 88 Vinyl Electrical Tape
 3/4 in x 66 ft - 8.5 mil. All-weather,
 -18 to 105°C (0 to 220°F), black.
 # TRO883/4X66



Linerless Rubber Splicing Tape
 3/4 in x 30 ft - 30 mil. 130C, black.
 # TRO130C3/4X30



Generator Power Connector Kit



Kit 30A

- + Generator Hook-Up Box
 - + Twist-Lock® Edge 3-Port Plug
 - + Twist-Lock® Edge 3-Port Connector
- # HUBKITGENERATRICE30AEDGE



Kit 50A

- + Industrial Grade Back Box
 - + Portable Power Flanged Inlet
 - + Twist-Lock® Female Connector
- # HUBKITGENERATRICE50A



Portable Generator
 120 / 240V, 9 500W, bi-fuel, electric and remote start,
 up to 17 hours of battery life, CO₂ sensor,
 30A Twist-Lock outlet.
 # WESWGEN9500DFC



Portable Wireless Jobsite Speaker
 Connects wirelessly via Bluetooth or with wired 1/8" stereo auxiliary cable (included).
 # KLEAEPJS1



Cold Weather Hi-Viz Gloves
 Orange, enhanced grip. Does it all without compromising dexterity and movement.

- Medium # EDM970119
 Large # EDM9701110
 X-Large # EDM9701111



K1 Mid-Sole Ice Cleat
 Adds traction in icy and snowy work conditions.
 Ideal for workers regularly going from outdoor to indoor environments (just rotate them). One size.
 Regular # PIOV97701500S
 Low profile # PIOV97702500S



Lineman's Pliers
 Pliers black afromentized, head polished,
 handles with non-slip plastic coating.
 # KNI0901240SBA



Kraftform Kompakt Turbo Kit
 16 pieces - Imperial, 4x the screwdriving speed with turbo function (purely mechanical - no battery required). Turbo functions can be deactivated.
 # WER057485

DURACELL^{MD}



1.5V Alkaline Procell[®] Constant Battery

AA - Box of 24
DURKITPC1500TC24

AAA - Box of 24
DURKITPC2400TC24

C - Box of 12
DURKITPC1400TC12

D - Box of 12
DURKITPC1300TC12

9V - Box of 12
DURKITPC1604TC12

Has been completely redesigned for longer lasting performance in low and medium continuous flow devices.

- Wireless keyboard and mouse
- Smoke/carbon monoxide detector
- Laser level
- Glucometer
- Digital gauges



1.5V Alkaline Procell[®] Intense Power Battery

AA - Box of 24
DURKITPX1500TC24

AAA - Box of 24
DURKITPX2400TC24

C - Box of 12
DURKITPX1400TC12

D - Box of 12
DURKITPX1300TC12

9V - Box of 12
DURKITPX1604TC12

Offers up to 50% longer lasting performance, with pump or mechanism to provide precise pulses of high rate energy, for professional devices.

- Soap or paper towel dispensers
- Hands-free faucets
- Disinfectant dispenser
- Electronic door lock
- Motorized sun visor

We're setting back the time on **Sunday, November 5th 2023**, don't forget to...



INSTALL

BRKSC9120BLA
BRK9120BA
FIRPR710A



CLEAN

CRC74085



CHECK

CRC72105



REPLACE

DURPC1604BK



Download the Lumen app!



Place your orders directly online at lumen.ca or via the Lumen app.



Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel. : 902 468-7996 / Fax : 902 468-7997
Toll free : 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel. : 506 382-1396 / Fax : 506 382-9376
Toll free : 1 844 311-1396



Prices are subject to change without notice. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ECAO or OEL members only. We are currently experiencing an exceptionally high demand for many popular products. As a result, some products advertised in this flyer may not be available. Please check your local branch for availability or visit lumen.ca. We are currently working on replenishing supplies as quickly as possible and apologize for any inconvenience this may cause.

