lumen

A Sonepar Company

ATLANTIC

Special deals
May - June
2021

Valid for Electrical Contractors
ESA and ECA members only

Level 1 Protection Mask

Meets stringent ASTM F2100 standards.
Latex-free, three-ply construction. Nanofibres provide a densely packed filtration layer that blocks out microscopic particles and pathogens.

Box of 50 **# SWESEN710**

Mask for Personal Use

Easy to breathe through. Soft, odorless and non-irritating. Filters out bacteria, pollen, smoke and dust.

Box of 50 **# CANRMLI1**

signify



LED Recessed Fixture

11W, 120V, 3 000K, 700LM, dimmable, white. ***Sold as pack of 4.***

Replaces up to 65W, incandescent
 # PILADISC4R30K

LEVITON

GFI Receptacle

Self-test SmartlockPro GFCI, monochromatic, back and side wired, white. Nylon wallplate, screws and self-grounding clip included.

15A

15A, 125V, tamper-resistant
 # LEVGFTR1W

15A

15A, 125V
 # LEVGFNT1W

20A

20A, 125V, tamper-resistant, for residential / commercial applications.
 # LEVGFTR2W

20A

20A, 125V, for residential/ commercial applications.
 # LEVGFNT2W

15A

20A

Tamper Resistant USB Charger

125V, duplex receptacle offers two high-powered USB ports with 3.6A of charging power.

15A **# LEVT5632W**
20A **# LEVT5832W**

4-Port USB Charger Receptacle

USB Port: 4.2A, white.

 # LEVUSB4PW

STANPRO

LED Ceiling Fixture
120/347V, 4 000K, dimmable, bronze.

40W, 5 878LM
 # STAIFSLS1Q40KBZ

60W, 8 034LM
 # STAIFSLS2Q40KBZ

LED Ceiling Fixture
With motion sensor
7 in - *12W, 120V, 4 000K, 868LM*
Frosted polycarbonate lens, flush mount, non-dimmable, white finish.

Replaces 65W, incandescent
 # STACLEL7MS12W40KRNDWH

LED Ceiling Fixture
120V, 5CCT (2 700/3 000/3 500/4 000/5 000K), dimmable, round.

4 in - *8W, 580LM*
Replaces up to 60W, incandescent
 # STACLDK4R8WA5CWH

6 in - *15W, 1 000LM*
Replaces up to 75W, incandescent
 # STACLDK6R15WA5CWH

Temporary Lighting Stringlight
For 10 x 150W lamps (maximum), 100 ft 14/3 SJTW (lamps not included).

 # STASL100FTDSC10SKT14AWG



LED Wraparound Surface Fixture
120/277V, 4 000K, frosted polycarbonate lens.

2 ft - *27W, 2 878LM -* ***Replaces 1 x 32W, T8***
Interconnectable up to 15 units
 # STAL2WMG241

4 ft - *47W, 5 043LM -* ***Replaces 2 x 32W, T8***
Interconnectable up to 8 units
 # STAL2WMG481

LED Projector
120V, 4 000K, arm mount, black

10W, 1 069LM - ***Replaces 50W, HID***
 # STAFL10W40KKNBKCHOICESTD

20W, 1 870LM - ***Replaces 70W, HID***
 # STAFL20W40KKNBKCHOICESTD

30W, 3 191LM - ***Replaces 100W, HID***
 # STAFL30W40KKNBKCHOICESTD

50W, 5 397LM - ***Replaces 175W, HID***
 # STAFL50W40KKNBKCHOICESTD

Day-Brite CFI by ⓢignify

LED Surface Fixture
4 ft - *120/277V, 4 000LM, adjustable color, 3 000/3 500/4 000K, wraparound lens and* ***occupancy sensor.***

Replaces 2 X 32W, T8
 # CFINWL440L8CSTUNVDIMOCC

PHILIPS

Linear LED Tube
48 in - *24W, 120/277/347V*
Made of polycarbonate
Replaces 54W, fluorescent

3 500K, 3 300LM	**# PHI24T5LEDHO483500IF**
4 000K, 3 500LM	**# PHI24T5LEDHO484000IF**
5 000K, 3 500LM	**# PHI24T5LEDHO485000IF**

PHILIPS

Linear LED Tube
48 in - *10W, 100/277/347V, 4 000K, 1 600LM, glass.*

Replaces 32W, fluorescent
 # PHI10T8CORE48840IF16G

Day-Brite CFI by ⓢignify

LED Surface Fixture
48 in - *120/277V, 4 000LM*
Non-dimmable, acrylic frosted lens.
Replaces 2 x 32W, T8

3 500K	**# CFIFSSEZ440L835UNV**
4 000K	**# CFIFSSEZ440L840UNV**

KEENE by ⓢignify

LED Wallpack
40W, 120V, 4 000K, 4 973LM, gray, photocell included, wall mount, mounted to vertical surfaces or mounted onto 1-1/2" O.D. arms (sold seperately).

Replaces up to 150W, HID
 # KEEDTD40NWG3AR5TLRPC1GY3

KEENE by ⓢignify

LED Wall Pack
120/277V, 4 000K, bronze

30W, 3 383LM
Replaces up to 70W, HID
 # KEEWP30NWG18BZ

50W, 5 695LM
Replaces up to 100W, HID
 # KEEWP50NWG18BZ

75W, 9 212LM
Replaces up to 250W, HID
 # KEEWP75NWG18BZ

LITHONIA LIGHTING

LED Projector

20W, 120V, 4 000K, 1 770LM, bronze finish, photocell included.

Replaces 150W, incandescent

 # LITOVFLLED2RH40K120PEDB



LED Striplight

120/277V, 4 000K, non-dimmable.

48 in - *4 500LM*

Replaces 2 x 32W, T8

 # LITMNSLL482LLMVGZN40K

96 in - *8 200LM*

Replaces 4 x 32W, T8

 # LITMNSLL962LLMVGZN40K

LED Surface Fixture

4 ft - *120/277V, 4 000K, 34W, 5 000LM,* ***IP66****, frosted polycarbonate lens,* ***captive polycarbonate latches,*** *dimmable 0/10V.*

Replaces 2 X 32W, T8

 # LITCSVTL485000LMMV4K80CR

LED Wallpack

NEW !

120/277V, 4 000K, bronze finish

22W, 2 950LM, photocell included

Replaces 100W, MH

 # LITTWX1LEDP240KMVPEDDB

54W, adjustable output from 1 450 to 6 950LM

Replaces 70W to 250W, MH

 # LITTWX2LEDALO40KMVDDB

108W, adjustable output from 2 900 to 13 850LM

Replaces 100W to 400W, MH

 # LITTWX3LEDALO40KMVDDB

LED T-Bar Fixture

120/277V, curved acrylic lens, volumetric distribution

Replaces 2 x 32W, T8

1 x 4 - 4 000LM

3 500K

 # LITBLT440LADPLP835

4 000K

 # LITBLT440LADPLP840

2 x 4 - 4 600LM

3 500K

 # LIT2BLT446LADPLP835

4 000K

 # LIT2BLT446LADPLP840

LED Ceiling Fixture

2 ft *- 80W, 120V, 4 000K, 5 000LM Polycarbonate frosted lens,* ***360° passive infrared motion sensor****, 5 ft power cord with plug and 18" suspension cables included.*

Replaces 2 x 32W, T8

 # LITSGLL2440K80CRIPIR

sensorswitch

An AcuityBrands Company

Motion Detector Wall Switch

Passive infrared detection

800W, 120V, white

 # SENWSXWH

1 500W, 347V, white

 # SENWSX347WH

12-Hour Timer

800/1 200W, 120/277V

 # SENPTS720WH

1 500W, 347V

 # SENPTS720WH347

JUNO

NEW !

LED Recessed luminaire

120V, 5CCT 2 700 to 5 000K, dimmable, regressed lens and deflector designed to reduce glare, white.

4 in - *9W, 670LM*

Replaces 65W, incandescent

 # JUNWF4REGSWW590CRMW

6 in - *13W, 950LM*

Replaces 75W, incandescent

 # JUNWF6REGSWW590CRIMW

LUTRON

DALIA SERIES

NEW !

LED Rotary Dimmer

120V, 150W LED, 600W incandescent/halogen, 1 and 3 way, illuminated button, white

 # LUTRCL153PNLHWHC

SKYLARK SERIES

LED Dimmer

120V, 600W, Compatible with: incandescent, halogen, CFL, single and 3-way dimmer, white

 # LUTSCL153PHWHC

MAESTRO SERIES

LED Dimmer with Motion Sensor

120V, 150W (CFL/LED), 600W (incandescent/halogen), white

 # LUTMSCLOP153MWH

HUBBELL



Valise Plug
15A, 125V, 2P, 3 wires.

 # HUBHBL5965VY

Valise Connector Body
15A,125V, 2P, 3 wires.

 # HUBHBL5969VY

Circuit-Lock® Enclosure
***30A** - 600V, 3P, NEMA 1, with switch*

 # HUBHBL1379D

IDEAL

Noalox® Anti-Oxydant
8-oz. squeeze bottle

 # IDE30030

ClearGlide™ Wire Pulling Lubricant
1-qt. squeeze bottle

 # IDE31388

Wire Pulling Lubricant
3.78L (1 gallon) bucket, Yellow 77.

 # IDE31351

MERSEN

Type D Fuse, 250V

30A
 # FERCRN30

45A
 # FERCRN45

50A
 # FERCRN50

300A
 # FERCRN300

400A
 # FERCRN400

500A
 # FERCRN500

Type D Fuse, 600V

15A
 # FERCRS15

20A
 # FERCRS20

30A
 # FERCRS30

40A
 # FERCRS40

50A
 # FERCRS50

60A
 # FERCRS60

LEVITON

Receptacle - 250V



Flush mount
30A, 2P, 3W
NEMA 6-30R

 # LEV5372S00

Flush mount
50A, 2P, 3W
NEMA 6-50R

 # LEV5374S00

Surface mount
30A, 2P, 3W
NEMA 6-30R

 # LEV5376

Surface mount
50A, 2P, 3W
NEMA 6-50R

 # LEV5378

NEW!

Ductless Single Zone HEAT PUMP

Capella26 Series

Performance up to

-30°C -22°F Cooling

-30°C -22°F Heating

Up to

26.3 SEER IN COOLING

12.5 HSPF IN HEATING

Product #*		CONKIT9000BTU	CONKIT12000BTU	CONKIT18000BTU	CONKIT24000BTU
Nominal cooling capacity	W (BTU/hr)	2638 (9000)	3517 (12000)	4982 (17000)	7034 (24000)
Nominal heating capacity	W (BTU/hr)	3370 (11500)	3517 (12000)	5275 (18000)	7620 (26000)

* Includes 1 indoor unit and 1 outdoor unit.

Products necessary to install a heat pump

ABB

Cable Tie *Ty-Rap®*
UV resistant, nylon, black, 11.1 in
Pack of 500
 # THOL11500D

Vinyl-Insulated Fork Terminal
18-14 AWG, #10
Pack of 100
 # THO14RB10F



14 AWG Cable
***75 m** - 4 cond. PVC, gray*
 # CAB14/4PVCFT475

Expension Shield Anchor
3/8 X 2-1/2 in
Pack of 50
 # VISLSH3/8XLONG

Wall Anchor
1-1/4 in, 20 lb capacity
Pack of 100
 # POW02371

Plastic Connector
***1/2 in** - Non-metallic*
Pack of 175
 # IBE4004FP3

Support Racks for Outdoor Unit - Set of 2
Aluminum, 26-1/2 x 3-1/4 in
Pack of 2
 # SUPKITS24926AL



Non-Fusible "Pull-Out" Disconnect
60A, 120/240V, 1PH, NEMA 3R
Metallic
 # MIDU065P

Non-Automatic Disconnect Switch
60A, 120/240V, 1PH, NEMA 3R
Metallic
 # MIDU065NA1

DAP® Silicone Plus™ Clear Sealant
83 ml, all-purpose, for rubber
 # REN12673358

Milwaukee

M18™ REDLITHIUM™ XC5.0 Batteries

Two pack, extended capacity.

 # MIL48111852

M12™ REDLITHIUM™ XC3.0 Batteries

Two pack, extended capacity.

 # MIL48112412

M18™ TOP-OFF™ 175W Power Supply

Attach any M18™ battery to provide continuous power or recharge devices with AC 120V outlet, USB-C PD port, and USB-A port.

 # MIL284620

M18 FUEL™ 2-Tool Combo Kit

POWERSTATE™ brushless motor, REDLINK PLUS™ intelligence and REDLITHIUM™ battery technology. ***Includes:*** *1/2" hammer drill/driver, 1/4" hex impact driver, 2x XC5.0 battery packs, multi-voltage charger, side handle and carrying case.*

 # MIL299722

M18 FUEL™ ANGLER™ Steel Pulling Fish Tape Kit

Includes: *two CP2.0 Batteries, charger and 1/8" steel pulling fish tape replacement cartridge.*

120 ft
 # MIL2873A22

240 ft
 # MIL2873B22

M18™ Jobsite Fan

Circulates air over 40 feet, ideal for drying or cooling. ***Includes:*** *AC adaptor for extended run-time. *17 hours with a M18 REDLITHIUM XC 5.0 battery (batteries and charger sold separately).*

 # MIL088620

KLEIN TOOLS



6-in-1 Multi-Bit Screwdriver / Nut Driver

Contains: *#1 square recess, #2 square recess, 3/16" (5 mm) slotted, #2 phillips, 1/4" (6 mm) and 5/16" (8 mm) nut drivers.*

 # KLE32562

Rechargeable Jobsite Battery

13400 mAh features a 170LM worklight and multi-position kick stand. It is equipped with three USB ports: Type-A Qualcomm® Quick-Charge™ Technology, another USB Type-A (2.4A), and USB Type C (3.0A).

 # KLEKTB2

Tradesman Pro™ Tool Tote

10" - *40 pockets, black/orange. Double stitched seams for extra durability, large zipper pockets for small parts, shoulder strap with extra padding and longer pockets for screwdrivers.*

 # KLE554161014

Laser Line Bubble Level

Projects a horizontal laser line and spot parallel to the base of the level up to 75-Foot (22.9 m). Three easy to read vials identify horizontal and cross at 0° level and vertical at 90°.

 # KLELBL100

BOGO

BUY
Diagonal Cutting Pliers

Diagonal Cutting Pliers

9 in- *Angled head, cut ACSR, screws, nails and wires. Long handles for added leverage and reach.*

 # KLEKITPINCEDENUDEUR

AND GET A FREE
Wire Stripper / Cutter

3M

SecureFit™ Protective Eyewear
Clear anti-fog lens, 400 series.

 # 3MSSF401AF

SecureFit™ Protective Eyewear
Gray anti-fog lens, stylized and light, black and green. CSA Z94.3 certified.

 # 3MSSF402AF

SecureFit™ Protective Eyewear
Clear lens. Self-adjusting feature eliminates need to stock multiple frame sizes at worksites.

 # 3MSSF201AF

BRADY

Yellow Bilingual Barricade Tape 2 MIL
"ELECTRIC LINE BURIED BELOW"
1 000 ft

3" width
 # BRAYT3

6" width
 # BRAYT6

BMP21-Plus Label Printer
Automatic label formatting for wires, 104 symbols for electricity, security and data transmission.
2-year warranty.

 # BRABMP21PLUS

Nylon Cloth Label
Wire & cable wraps.
Black ribbon on white tape, 3/4 in x 16 ft.

 # BRAM21750499

GREENLEE

Carbide Cutter 7-Piece Set
Cuts stainless steel quickly and easily.
Includes: *7/8", 1-1/8", 1-3/8", 1-3/4" and 2".*

 # GRE660

Spade Bit
6-1/4" - *Bore hardwood, softwood, plywood and drywall. Innovative self-feeding design requires less effort and reduces vibration. Bit diameter: 3/8", 1/2", 5/8", 3/4", 7/8" and 1".*

 # GRE34AR6

Nail Eater® Extreme
18" made of super tough, heat-treated steel, cuts through nails and provides longer life.

5/8 in	**# GRE66PT5/8**
3/4 in	**# GRE66PT3/4**
13/16 in	**# GRE66PT13/16**
7/8 in	**# GRE66PT7/8**

RIZE ENTERPRISES, LLC

Galvanized Iron Hook
For steel deck ceilings and wooden structures.

 # ATI100

PIONEER

Lightweight Orange Waterproof Suit
2 pieces: hooded jacket and bib pant, fold into storage pouch. CSA Z96-09 Class 1 Level 2. 100% waterproof polyester/PVC.

Large
 # PIOV1080150L

X-Large
 # PIOV1080150XL

Hi-Viz Safety Tear-Away Vest
CSA Z96-09 Class 2 Level 2. 4 sealed pockets. Radiophone clip strap.

Small/Medium
 # PIOV1020951S/M

Large/Xtra-Large
 # PIOV1020951L/XL

ORDER ONLINE 24 / 7

WEB · ERP INTEGRATION · MOBILE

- Access your prices
- View real-time inventory
- Search products by category
- Download product spec sheets



NEW

Chat online and make an **appointment** with our e-Commerce experts.

PRIORITY PICK-UP

FOR ORDERS ALREADY PLACED

Place your order in advance on **lumen.ca** or on the **mobile app**.

Download on the App Store

GET IT ON Google Play

Two branches to better serve Atlantic Canada!

DARTMOUTH
121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4
Tel.: 902 468-7996 / **Fax:** 902 468-7997
Toll free: 1 844 516-0158

MONCTON
1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7
Tel.: 506 382-1396 / **Fax:** 506 382-9376
Toll free: 1 844 311-1396

lumen
A Sonepar Company

Prices are subject to change without notice. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only. We are currently experiencing an exceptionally high demand for many popular products. As a result, some products advertised in this flyer may not be available. Please check your local branch for availability or visit lumen.ca. We are currently working on replenishing supplies as quickly as possible and apologize for any inconvenience this may cause.

POSTES CANADA CANADA POST
Port payé Postage paid
Courrier personnalisé Personalized Mail
7059489

FSC
POUR POSITION SEULEMENT