



A Sonepar Company

ATLANTIC

Special deals
**September -
October
2022**




AIR MILES.

Valid for Electrical Contractors
ESA and ECA members only

ABB

**BUY ONE
COMPRESSION TOOL KIT
AND GET A FREE
CRIMPING TOOL TBM840**



Crimping tool for copper lug gage
from 8AWG to 4/0 AWG.



TBM12PCR-LI
**12-Ton Tool and
Dies Kit**

- Tool with lithium battery
- Dies for grounding
- Dies for compression
 - 2AWG to 750kcmil copper
 - 2AWG to 650kcmil aluminum

BLAKITTBM12PCRLI



TBM14CR-LI
**14-Ton Tool, Dies
and Heatshrink
Assortment Kit**

- Tool with lithium battery
- Dies for grounding
- Dies for compression
 - 2AWG to 750kcmil copper
 - 2AWG to 650kcmil aluminum

BLAKITTBM14CRLI



TBM14M
**14-Ton Manual
Crimping Tool
and Dies**

- Manual crimping tool
- Dies for grounding
- Dies for compression
 - 2AWG to 750kcmil copper
 - 2AWG to 650kcmil aluminum

THOKITTBM14M



LED Lamp

A19 - 9.8W, 2700K, 800LM
Replaces 60W, incandescent

Non-dimmable
LAMLEDA199W27KND

Dimmable
LAMLEDA199W27KDIM



GU10 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDGU107W3KFL



MR16 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDMR167W3KFL



PAR20 - 7W, 3000K, 500LM
40° beam - Dimmable
Replaces 50W, halogen
LAMLEDPAR207W3KFL



MARRETTE® PRO-BLU™

**Did you say
LIGHT?**



Free inside!

Purchase Marrette PRO-BLU wire connectors
933-JAR1000, 933BK or 933BAR and receive
useful tools to light up your work environment.

From September 15 while supplies last.



ABB

STANPRO



LED Surface Fixture

4 ft - 3500/4000/5000K, dimmable 0/10V, IP66, NSF, NEMA 4X, polycarbonate lens, stainless steel clips, V hook included.

42W, 120/277V, 5450LM
STAVTL4LS3W3C

67W, 120/277V, 8560LM
STAVTL4LS4W3C



LED Wraparound Surface Fixture

120/277V, 4000K, frosted polycarbonate lens.

2 ft - 27W, 2695LM, **replaces 1 x 32W, T8**
Interconnectable up to 15 units
STAL2WMG24G2

4 ft - 47W, 5043LM, **replaces 2 x 32W, T8**
Interconnectable up to 8 units
STAL2WMG481



LED Temporary Lighting Fixture

150W, 120V, 17380LM, 360° beam angle, 20 ft 18/3C cord with plug, eyebolt for suspended mounting included.

STATHBDSC150WCW



Suitable for wet location

LED Ceiling Fixture

120V, 5CCT (2700/3000/3500/4000/5000K), dimmable, round.

4 in - 8W, 580LM
Replaces up to 60W, incandescent
STACLDK4R8WA5CWH

6 in - 15W, 1000LM
Replaces up to 75W, incandescent
STACLDK6R15WA5CWH



Gimbal LED Recessed Fixture

4 in - 8W, 120V, 3CCT (2700/3000/4000K), rotates 360° with a maximum angle of 90°, insulated ceiling, dimmable.
Replaces 60W, incandescent

550LM, black
STASWDL4R8A3CBKCHOICE

550LM, brushed nickel
STASWDL4R8A3CBNCHOICE

600LM, white
STASWDL4R8A3CWHCHOICE



LED Wall Pack

120/347V, 3000/4000/5000K, dimmable 0/10V, photocell included, prismatic glass lens, bronze finish.

25/30/40W
STAWSPSPS40Q3C

60/80/100W
STAWSPSPS100Q3C

120W
STAWSPSNS120Q3C

LUTRON.



Caseta Wireless



Dimmer and Remote Control Kit

Wall mount, 150W LED and CFL, 600W incandescent and halogen. Wallplate not included.

LUTPPKG1WWHC

Caseta Wireless Outdoor Smart Plug

120V, 15A (lighting load) or 1/2HP (motor and pump load), IP65 certified rating, perfect for controlling outdoor lighting or pump motor from your phone or Caseta wireless control (Pico).

LUTPD150UTBL

SUNNATA SERIES



Dimmer

Rated load 150W (LED), 600W (incandescent/halogen), white. Wallplate not included.

LUTSTCL153MWHWC

Liteline



Suitable for wet location

SKYE SERIES

4 in - 12W, 860LM, 75° beam
LITSLMB412WCCTWH

6 in - 16W, 1400LM, 80° beam
LITSLMB616WCCTWH

LED Recessed Fixture

120V selectable CCT, dimmable, white finish



Suitable for wet location

LUNA SERIES

2 in - 7W, 565LM, 40° beam
LITRA27F90WH

LUNA SERIES

5 or 6 in - 40° beam

17W, 1150LM
LITRA5617F90WHWH

20W 1435LM
LITRA5620F90WHWH

33W 2330LM
LITRA5633F90WHWH



Suitable for wet location



LED Wall Pack

120/277V, 4 000K, bronze finish

22W, selectable lumen output 600 to 2 950LM

Replaces up to 100W, MH

4 000K # LITTWX1LEDALO40KMVDDDB

5 000K # LITTWX1LEDALO50KMVDDDB

54W, selectable lumen output 1 450 to 6 950LM

Replaces up to 250W, MH

4 000K # LITTWX2LEDALO40KMVDDDB

5 000K # LITTWX2LEDALO50KMVDDDB



Suitable
for wet
location



LED Recessed Fixture

3 in - 8W, 120V, 3 000K, 550LM, dimmable,
junction box approved for daisy chain installation.

Replaces up to 60W, incandescent

White trim # LITWF3LED30KMW

Brushed nickel # LITWF3LED30KBN

Matte black # LITWF3LED30KMB

Juno



Suitable
for wet
location

LED Recessed Fixture

120V, 5CCT 2 700 to 5 000K, dimmable, regressed
lens and deflector designed to reduce glare, white.

4 in - 9W, 670LM

Replaces 65W, incandescent

JUNWF4REGSWW590CRMW

6 in - 13W, 950LM

Replaces 75W, incandescent

JUNWF6REGSWW590CRIMW

LED Projector

120/277V, 3 000/4 000/5 000K,
die cast aluminium housing,
integrated selectable photocell,
bronze finish.

Knuckle mount **NEW!**

17W, 2 500LM

Replaces 150W, halogen or 70W, HID

LITESXF1P0SWW2THKDDDB

Knuckle or yoke mount

9/19/34W, 1 500 to 5 000LM

Replaces 500W, halogen or 150W, HID

LITESXF1ALOSWW2KYDDDB

22/37/56W, 3 500 to 7 500LM

Replaces 500W, halogen or 175W, HID

LITESXF2ALOSWW2KYDDDB



LED Projector

120V, 4 000K, 2 750LM, bronze finish

1 25W

LITHGXLED2RH40K120DDDB

2 Selectable lumen output (15W/1750LM
or 25W/2750LM), with photocell

LITHGXLED2RH40K120PED

3 25W, with motion sensor,
ceiling or wall mounted

LITHGXLED2RH40K120MODDB

LED Full Cut Off Wall Pack

120/277V, 3 000K, bronze finish

11W, 1 500LM

Replaces up to 100W, MH

LITWPX1LEDP130KMVDDDBXD

24W, 2 900LM

Replaces up to 150W, MH

LITWPX1LEDP230KMVDDDBXD

47W, 6 000LM

Replaces up to 250W, MH

LITWPX2LED30KMVDDDBXD

69W, 9 200LM

Replaces up to 400W, MH

LITWPX3LED30KMVDDDBXD



KEENE

by @ignify



NEW!

LED Ceiling Mount Luminaire

120/347V, 3 000/4 000/5 000K, die cast aluminium
housing, polycarbonate lens, textured bronze finish.

28/40/60W, 3 870 to 9 130LM

KEEGCR60SCTG1SM510BZ

70/80/90W, 9 000 to 13 310LM

KEEGCR90SCTG1SM510BZ

PHILIPS

Mogul Base Lamp

High Pressure Sodium

70W # PHIC70S62ALTO

100W # PHIC100S54ALTO

150W # PHIC150S55ALTO

250W # PHIC250S50ALTO

400W # PHIC400S51ALTO



Metal halide

175W # PHIMH250U

250W # PHIMH250U

400W # PHIMH400U



Magnetic HID Ballast Kit

120/277/347V

Ballast MH

175W, M57/M107/H39

PHI71A55A0001D

250W, M58/H37

PHI71A57A0001D

400W, M59/H33

PHI71A60A1001D

Ballast HPS

70W, S62

PHI71A79A1001D

100W, S54

PHI71A80A1001D

150W, S55

PHI71A81A2001D

250W, S50

PHI71A82A1001D

400W, S51

PHI71A84A3001D

Day-Brite

CFI

by @ignify



NEW!

LED High Bay Fixture

120/347V, CCT selectable (4000/5000K), suspension open
hook, 6 ft cord, 0/10V dimmable, motion sensor receptacle,
polycarbonate lens, selectable lumen output.

Selectable lumen output (14 000/21 000LM)

CFIHCY1421L8CSTUN3DIM

Selectable lumen output (28 000/33 000LM)

CFIHCY2833L8CSTUN3DIM



LED Panel for Suspended Ceiling

Selectable power and CCT 120/347V,
3 500/4 000/5 000K, dimmable.

1 x 4

CFI1SBP3040L8CS4UN3DIM

2 x 2

CFI2SBP3040L8CS2UN3DIM

2 x 4

CFI2SBP3550L8CS4UN3DIM



Compression Wire Joints for Copper Conductors



Product Code	Cable Combinations		Color
	Minimum	Maximum	
# THO54610	3 #12 mas. or tor.	2 #10 w/ 1 #12 mas. or tor.	Blue
# THO54615	3 #10 mas. or tor.	4 #10 mas. or tor.	Gray
# THO54620	3 #8 mas. or tor.	1 #4 w/ 2 #10 mas. or tor.	Brown
# THO54625TB	4 #8 mas. or tor.	1 #2 w/ 2 #12 mas. or tor.	Green
# THO54630	4 #2 mas. or tor.	2 #4 w/ 1 #10 mas. or tor.	Pink
# THO54635	6 #8 tor.	2 #4 w/ 2 #10 mas. or tor.	Black
# THO54640	3 #4 mas. or tor.	3 #4 w/ 2 #10 mas. or tor.	Orange
# THO54645TB	4 #4 mas. or tor.	2 #1 w/ 2 #10 mas. or tor.	Purple
# THO54650	3 #2 tor.	2 #10 w/ 2 #8 tor.	Yellow



Miniature Fuse, 600V

10A # FERATM10
15A # FERATM15
20A # FERATM20
25A # FERATM25
30A # FERATM30



Break-Away Connector Kit

ESingle pole in-line, electrical rating: for 600V,
10-30A, 13/32" x 1-1/2" fuse, 14-6 AWG, copper.

THOD65UC



TBM840 Crimping Tool

For copper lug gage
from 8AWG to 4/0 AWG.
Metal carrying case included.

THOTBM840



Blackburn®

TBM45S Compression Tool, Dies and Accessories Kit

- Compression tool with lithium battery
- 175 one-hole lugs of different sizes
- 125 bidirectional connectors of different sizes
- Metal case

THOTBM45SKITN



Commercial Series

Duplex Receptacle



15A, white
HUBCR15WHI



20A, white
HUBCR20WHI

Switch



15A, 1P, white
HUBCS115W



20A, 1P, white
HUBCS120W



Photocell

For HID or LED fixtures



Button type
6A, 120V,
1 650W at 277VAC
INTEK4036S



Stem and swivel type
120V, 6A, 1 650W
at 277VAC
INTEK4236S



Twist Lock Type
120/277V, 8A,
2 200W at 277VAC
INTLED4536SC



Fixture Box Kit

For suspended ceilings c/w box, adjustable mounting bar. Approved for 50 lb.

ARLFS420SCL



Aluminum Anybody™

Convert to T, LL, LR, or C


1/2 in	# ARL930
3/4 in	# ARL931
1 in	# ARL932
1-1/4 in	# ARL933
1-1/2 in	# ARL934
2 in	# ARL935



Junction Box with Hinged Cover

NEMA 1

8 x 8 x 4 in	# HOFAGE884
10 x 10 x 4 in	# HOFAGE10104



Junction Box with Screw Cover

NEMA 1

6 x 6 x 4 in	# HOFAGE664
8 x 8 x 4 in	# HOFAGE884
10 x 10 x 4 in	# HOFAGE10104

CONVECTAIR

Legendary comfort

**For silent and consistent comfort,
choose a Convectair convection heater!**



Allegro II


Premium model with elegant lines.

Three profiles offered for comfort perfectly suited to any space.



Apero

Offers Convectair's signature comfort at an affordable price.



Our convection heaters use a unique heating element, designed for exceptional heat conductivity.

Contact a Convectair representative for more details. 1 800 463-7043 • www.convectaircanada.com



USB Rechargeable Green Cross Line & Plumb Points Laser

Includes: REDLITHIUM™ USB 3.0 battery, 2 ft heavy duty cable, wall plug and carrying case.

MIL352221



SHOCKWAVE™ Impact Duty™ 3-Piece Step Drill Kit

Includes: #1 (1/8 - 1/2 in), #2 (3/16 - 1/2 in) and #4 (3/16 - 7/8 in).

MIL48899254



OPEN-LOK™ 6-Piece Multi-Tool Blade Kit

MIL49109112



BUY ONE M18™ FUEL™ 2-Tool Combo Kit

Includes: hammer drill, hex impact driver, M12/M18™ multi-voltage charger, two XC 5.0AH batteries and carrying case.

MILKIT369722



M18 FUEL™ PACKOUT™ Wet/Dry Vacuum

2.5 gallons. Fully compatible with the PACKOUT™ Modular Storage System. Tool only.

MIL097020



PACKOUT™ Tool Box

250 lb capacity, with 9" all-terrain wheels. Impact resistant polymers and metal reinforced corners for ultimate durability in harsh jobsite conditions. Featuring an IP65 rated weather seal.

MIL48228426



GET A FREE XC 6.0AH M18 REDLITHIUM™ HIGH OUTPUT™ XC 6.0AH BATTERY (48-11-1865)



Cable Splicer's Knife

Special-purpose short blade with textured handle for comfort and firm grip.


KLE44200



Belt Hoist

For tensioning or slackening light gauge conductors. Maximum load 500LB.

KLE170220HH



Side-Cutting Slim Pliers

9-3/8 in - Cuts ACSR, screws, nails and most hardened wire.

KLED20009NE



Haven's® Cable Grip

1/2 in capacity. For anchor point to a branch conductor (without latch).

KLE160420

BUY ONE 5-PIECE TOOL KIT INSULATED 1 000V (94130)



Includes: 1/4-inch cabinet tip and slim tip #2 Phillips screwdrivers, side-cutter, diagonal-cutter and wire stripper.

KLEKITISOLE

GET ONE FREE INSULATED #2 SQUARE 6-INCH SCREWDRIVER 1 000V (694-6INS)*





Insulated Screwdriver Set

1 000V, with 16 interchangeable blades. Isolated Kraftform handle united in a sturdy portable case.

WER347108



Collapsible Garbage

19" x 24"

RAC51000



Arc Flash & Shock Hazard Sign

2 x 4 in - Industrial-grade adhesive sticks permanently to a wide variety of surfaces.

Pack of 10 # BRA101520



Fiberglass Step Ladder

Rated ANSI Type IA, capacity of 300 lb, magnet and multiple tool slots, Raptor boots fastened to the upper boot to create a secure slip-resistant footing.

4 ft # LOUFS1504

6 ft # LOUFS1506

8 ft # LOUFS1508

10 ft # LOUFS1510



Caulk Gun

Newborn Model 188. Ratchet Rod Cradle for 10 oz.

NEW188



Supra Expert™ Rubber-Based Clear Sealant

10 oz/300 ml - First-quality thermoplastic, can stretch up to 1400% without breaking, resistant to rain. For industrial use only.

MUL104000



QD™ Contact Cleaner

311g aerosol - A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. QD evaporates quickly and leaves no residue.

CRC72130



Contractor Sheathing Tape

60mm x 66M - 3MIL thick, non-removable

CTC2050260X66



Rugged LED Headlight

70LM, 4 light modes: white (high/low), red for night, green for contrast, hands-free lighting with independent controls, pivots up to 90°.

ENETUFHD31PE



Cobalt Step Bit

7/8 in - #3

GRE34403C



Heavy-Duty Cable Cutter

31-1/2 in - Lightweight, fiberglass handles with rubber grip.

GRE706



Spade Bit

6-1/4" - Bore hardwood, softwood, plywood and drywall. Innovative self-feeding design requires less effort and reduces vibration. Bit diameter: 3/8", 1/2", 5/8", 3/4", 7/8" and 1".

GRE34AR6



CoRe+™

208 V or 240 V | 30A | 7,2 kW



Smart level 2 charging station for multi-unit residential buildings, commercial and industrial applications.

- NEMA 4X aluminum casing
- Certified to operate at temperatures ranging from -40 °C to 50 °C
- Wall-mounted or pedestal configuration
- Optional cable management system
- User authentication via RFID card or mobile application

Applications



Multi-unit residential buildings



Workplace



Fleet



Heavy-duty aluminum casing



Safe



Made in Canada



Certified



1-Year Limited Warranty

flo.com



Download the Lumen app!



Place your orders directly online at lumen.ca or via the Lumen app.



Two branches to better serve Atlantic Canada!

DARTMOUTH

121, Ilsley Avenue, unit 119, Dartmouth (NS), B3B 1S4

Tel.: 902 468-7996 / **Fax:** 902 468-7997

Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A, Moncton (NB), E1E 4K7

Tel.: 506 382-1396 / **Fax:** 506 382-9376

Toll free: 1 844 311-1396



Prices are subject to change without notice. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ESA or ECA members only. We are currently experiencing an exceptionally high demand for many popular products. As a result, some products advertised in this flyer may not be available. Please check your local branch for availability or visit lumen.ca. We are currently working on replenishing supplies as quickly as possible and apologize for any inconvenience this may cause.

