



A Sonepar Company

ONTARIO

Special deals
May-June




2019

Valid for Electrical Contractors
ECAO and OEL members only

lumen
A Sonepar Company

NEW LOOK,
NEW EXPERIENCE



View our products and
availability in stock.

Now accessible to everyone!

lumen.ca


ABB

Pre-Galvanized Channels

10 ft - 1-5/8" x 1-5/8", 12 gauge



Full scale
SUPA120010PGC



Half slot
SUPA1200HS10PGC

Superstrut SuperMag Magnetic Fittings

Steel with SilverGalv™ finish



Magnetic fitting with 90° angle
2 holes, 1-7/8" (height) x 2" (length)
SUPAB202MEG
4 holes, 4-1/8" (height) x 3-1/2" (length)
SUPAB205MEG



Magnetic flat L-Bracket
SUPAB219MEG



Magnetic square washer
For 1/4" bolt
SUPAB241M1/4EG
For 3/8" bolt
SUPAB241M3/8EG
For 1/2" bolt
SUPAB241M1/2EG



Magnetic flat T-Bracket
SUPAB220MEG

NOVO LED

LED Lamps



GU10



GU10 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDGU107W3KFL



PAR20



PAR20 - 7W, 3000K, 500LM
40° beam - Dimmable
Replaces 50W, halogen
LAMLEDPAR207W3KFL



A19



A19 - 9.5W, 2700K, 750LM
Non-dimmable
Replaces 60W, incandescent
LAMLEDA199W27KND

A19 - 9.5W, 2700K, 800LM
Dimmable
Replaces 60W, incandescent
LAMLEDA199W27KDIM



MR16



MR16 - 7W, 3000K, 500LM
35° beam - Dimmable
Replaces 50W, halogen
LAMLEDMR167W3KFL

LED Striplight

120/277V, 4 000K, non-dimmable

48 in - 4 500LM

Replaces 2 x 32W, T8

LITMNSLL482LLMVGZN40K

96 in - 8 200LM

Replaces 4 x 32W, T8

LITMNSLL962LLMVGZN40K



LED Surface Fixture

120/277V, 4 000K, dimmable
White acrylic lens

2 ft - 32W, 3 000LM

Replaces 1 x 32W, T8

LITFMLWL24840ZTMVOLT

4 ft - 48W, 4 600LM

Replaces 2 x 32W, T8

LITFMLWL48840ZTMVOLT



LED High Bay Fixture

120/277V, 4 000K, medium distribution
Acrylic lens, 6 ft cord, white

18 000LM

Replaces 6 x T8, 32W or 4 x T5HO, 54W

LITIBEL2418LMATCMDMV4KCS

22 000LM

Replaces 6 x T5HO, 54W

LITIBEL2422LMATCMDMV4KCS



LED Panel for T-Bar

2 x 2 - 120/277V, 3 200LM

3 500K # LITCPX2X23200LM35K

4 000K # LITCPX2X23200LM40K

2 x 4 - 120/277V, 4 000LM

3 500K # LITCPX2X44000LM35K

4 000K # LITCPX2X44000LM40K



LED Projector

120V, 4 000K, bronze finish, arm mount

24W, 2 500LM

LITQTELEDP140K120THKDDB

40W, 4 000LM

LITQTELEDP240K120THKDDB



LED Wall Pack

14W, 120V, 4 000K, 1 242LM, photocell included

Replaces up to 70W, MH

Bronze # LITOVWPLED40K120PEDBHP17

White # LITOVWPLED40K120PEWHHP17



LED High Bay Fixture

4 000K, dimmable 0-10V, 6 ft cord,
hook, clear glass lens, 120° beam,
white housing

Replaces up to 400W, HID or 6 fluorescents T5HO
120/277V, 18 000LM

LITJEBL18L40K80CRIWH

347V, 18 000LM

LITJEBL18LHV40K80CRIWH

Replaces up to 400W, HID or 8 fluorescents T5HO
120/277V, 24 000LM

LITJEBL24L40K80CRIWH

347V, 24 000LM

LITJEBL24LHV40K80CRIWH

Replaces up to 575W, HID or 10 fluorescents T5HO
NEW! 120/277V, 30 000LM

LITJEBL30L40K80CRIWH

NEW! 347V, 30 000LM

LITJEBL30LHV40K80CRIWH



Suitable
for wet
locations

Recessed LED Fixture

120V, 3 000K, dimmable, junction box,
approved for daisy chain installation, matte white

3 in - 550LM

Remplace jusqu'à 60W, incandescent

LITWF3LED30KMW

4 in - 675LM

Replaces up to 65W, incandescent

LITWF4LED30KMW



White Track Lighting

3 head step cylinder (lamps not included)

2 ft - 50W, PAR20

JUNR3F511WWH

4 ft - 75W, BR30/PAR30L

JUNR4K3512WWH

LED Trac-Lites™ Cone Track Head

10W, 3 000K, 80 CRI,
wide beam, for Juno track

Replaces 50W MR16, halogen

Black # JUNR600L3KFBL

White # JUNR600L3KFWH





CFI

LED Surface Fixture

48 in - 120/277V, 4 000LM
Non-dimmable, acrylic frosted lens
Replaces 2 x 32W, T8

3 500K # CFISSEZ440L835UNV
4 000K # CFISSEZ440L840UNV



CFI

Linear Strip Fixture

2 x F54T5HO (lamps not included)

120/277V # CFISV4S254UNV1/2EB
347V # CFISV4S254347PG

Double tandem

4 x F54T5HO (lamps not included)

120/277V # CFISV8S254UNVPV
347V # CFISV8S254347PV



CFI

Fluorescent T-Bar Troffer

120V, recessed (lamps not included)

1 x 4 ft
2 X F32T8 # CFI1TG823201UNV12EB
2 x 4 ft
2 x F32T8 # CFI2TG823201UNV
3 x F32T8 # CFI2TG833201UNV13EB
4 X F32T8 # CFI2TG843201UNV14EB




CFI

LED T-Bar Fixture

120V/277V, 4 000K
0-10V Dimmable / Ribbed acrylic diffuser

1 x 4 - 4 100LM
CFI1FGG41B8404DUNVDIM
2 x 2 - 3 800LM
CFI2FGG38B8402DUNVDIM
2 x 4 - 4 200LM
CFI2FGG42B8404DUNVDIM



CFI

High Bay Fluorescent Fixture

With 6 ft cord (lamps not included)

4 x F54T5HO, 120/277V
CFISHE454UNVCORD
4 x F54T5HO, 347V
CFISHE454347VCORD
6 x F54T5HO, 120/277V
CFISHE654UNVCORD
6 x F54T5HO, 347V
CFISHE654347VCORD



KEENE

LED Ceiling Fixture

4 000K, bronze

40W, 4 735LM - Replaces up to 150W, HID
120/277V # KEEGC40NWG1SM58BZ
347V # KEEGC40NWG1SM56BZ
57W, 6 313LM - Replaces up to 175W, HID
120/277V # KEEGC57NWG1SM58BZ
347V # KEEGC57NWG1SM56BZ

LIGHTOLIER



LED Recessed Fixture

3 in - 8W, 120V, 3 000K, 550LM
Regressed, large beam, junction box included
Replaces 50W, halogen

White # LIGMD3R069301FW



KEENE

LED Bollard Fixture

IP65 - Rugged aluminum construction
25W, 120/277V, 4 000K, 2 508LM
Clear polycarbonate lens

42 in x 8 in
KEEBL25NWG158BZ



KEENE

LED Wallpack

40W, 120V, 4 000K, 4 973LM, gray, photocell included, wall mount, mounted to vertical surfaces or mounted onto 1-1/2" O.D. arms (sold separately).

Replaces up to 150W, HID
KEEDTD40NWG3AR5TLRPC1GY3

LIGHTOLIER



LED Recessed Fixture

3 in - 8W, 120V, 3 000K, 550LM
Gimbal, narrow beam, junction box included
Replaces 50W, halogen

Matte white # LIGMG3R06930NF1W
Matte black # LIGMG3R06930NF1B
Brushed nickel # LIGMG3R06930NF1N



PHILIPS

Linear LED Tube

48 in - 24W, 120/277/347V, made of polycarbonate
Replaces 54W, fluorescent

3 500K, 3 000LM # PHI24T5LEDHO483500IF
4 000K, 3 500LM # PHI24T5LEDHO484000IF
5 000K, 3 500LM # PHI24T5LEDHO485000IF



Linear LED Tube

48 in - 12W, 120/277/347V, 1 800LM, made of glass
Replaces 32W, fluorescent

3 500K # PHI12T8PRO48835IFG
4 000K # PHI12T8PRO48840IFG
5 000K # PHI12T8PRO48850IFG



LED Shoplight

4 ft - 40W, 120V, 4 000K, 4 000LM
Non dimmable, pull chain switch,
5 ft cord with plug, polycarbonate lens
Replaces 2 X 32W, T8

STALSHOPS240W40K120NDSTD

LED Wallpack

120/277V, 4 000K,
bronze finish

50W, 5 826LM

Replaces 175W HID or 150W HPS

STALWPFCO50W40K120277BRZ

80W, 9 053LM

Replaces 250W HID or 200W HPS

STALWPFCO80W40K120277BRZ



NEW!

Temporary LED Fixture

150W, 120V, 15 000LM, 360° beam, 20 ft cord,
18 AWG/3C wire, remote control included

STATHBDSC150WCWNDORSTD



LED Fixture with Motion Sensor

2 x 12W, 120/277V, 4 000K
Replaces up to 70W, HID

Bronze # STALEDSL2H24W40K120VBRZ
White # STALEDSL2H24W40K120VWHT

Portable LED Projector

120V, 120° beam, battery autonomy of 3 hours at
100% luminosity and 12 hours at 20% luminosity.



20W, 1 100LM

STAPFLBTRY10024020WCWYLS



50W, 3 250LM

STAPFLBTRY10024050WCWYLS

Caséta Wireless
Dimmer and Remote Control Kit



Table Lamp
100W (LED and CFL) and 300W.
Incandescent and halogen.

LUTPPKG1PWHC



Wall Mount
150W (LED and CFL) and 600W.
Incandescent and halogen.

LUTPPKG1WWHC

Dimmer

MAESTRO SERIES

Compatible with: incandescent, halogen,
CFL, LED. Single and 3-way dimmer.



White

LUTMACL153MWHC



Cable Cutter
For RIZE steel cable

RIZ30340/0690TN



500 ft Cable
WC2, 1/16" diameter

RIZ30380/RWC2



Starter Kit

Including cable length counter

1/16 in - KL75 for cable WC2
RIZ30398/KL75SK

3/32 in - KL100 for cable WC3
RIZ30394/KL100SK



Commercial Series

Decorator Commercial Series

Duplex Receptacle



15A, white
HUBCR15WHI



20A, white
HUBCR20WHI



15A, isolated ground
HUBCR5252IG

Switch



15A, 1P, white
HUBCS115W



20A, 1P, white
HUBCS120W



15A, 3W, white
HUBCS315W

Duplex Receptacle



15A, 125V
HUBDR15WHI



20A, 125V
HUBDR20WHI

Switch



15A, 1P, 120/277V
HUBDS115W



20A, 1P, 120/277V
HUBDS120W



15A, 3W, 120/277V
HUBDS315W



20A, 3W, 120/277V
HUBDS320W



Motor Disconnects

NEMA 4X, 12, commercial grade

30A, 7.5HP
HUBMD30

60A, 20HP
HUBMD60



Expandable Cover

1G, horizontal/vertical, extra duty

Gray
HUBML500GCN

White
HUBML500WCN

Bronze
HUBML500ZCN



Toggle Plate
1G, stainless steel
TEM97071SS



Duplex Plate
1G, stainless steel
TEM97101SS



Decorator Wall Plate
1G, stainless steel
TEM97401SS



Hinged Cover Junction Box

NEMA 1



- 6 x 6 x 4 in
BELEUKO664
- 8 x 8 x 4 in
BELEUKO884
- 8 x 8 x 6 in
BELEUKO886
- 10 x 10 x 4 in
BELEUKO10104
- 10 x 10 x 6 in
BELEUKO10106



Occupancy Sensor
800W, wall switch with passive infrared detector and auto-tuning, wallplate not included
LEVODS10IDW



Humidity Sensor and Fan Control
600W incandescent, 150W LED/CFL, 400VA inductive/ballast, 1/6th HP motor, single pole, wallplate not included
LEVIPHS51LW



Decora Digital Switch
24 hour timer with Bluetooth technology, 1 800W incandescent (120V), 15A fluorescent (120V), 5A 600W LED/CFL (120V), wallplate not included
LEVDDS15BDZ



Decora Digital Dimmer
24 hour timer with Bluetooth technology. Dimmable 450W LED/CFL (120V), 1 000W incandescent (120V), wallplate not included
LEVDDMX1BLZ



Weatherproof Wire Connector

Silicone-based sealant

- Gray/Orange
22 to 14 AWG
IDE301161
- # IDE301261J
- # IDE301361

- Gray/Red
18 to 8 AWG
IDE301162
- # IDE301262J
- # IDE301362



- 1G Cast Iron Box**
1/2 in
APPFS1
- 3/4 in
APPFS2



- 1G Cast Iron Box**
1/2 in
APPFSC1
- 3/4 in
APPFSC2



- 1G Duplex Cover**
1-3/8" hole diameter
APPFSKWRD



Extendable Covers

Weatherproof, extra-duty



Clear Cover
Weatherproof, extra-duty
INTWP5100C



- Single Gang**
- Gray # INTWP7000G
- White # INTWP7000W
- Bronze # INTWP7000BR



- Double Gang**
- Gray # INTWP7200G
- White # INTWP7200W
- Bronze # INTWP7200BR



Non-Fused A/C Disconnect
60A, 1PH, 120/240V
NEMA - Type 3R
SIEWN2060



Circuit Breaker Enclosure
1 or 2 poles

15 @ 60A
SIEEQS260

15 @ 125A
SIEEQS2125



Electrical Panel SPA Kit
120/240V - NEMA 3R,

20A # SIEW0408ML112520
30A # SIEW0408ML112530
40A # SIEW0408ML112540
50A # SIEW0408ML112550
60A # SIEW0408ML112560




Arc-Fault Circuit Breaker (AFCI)
1 pole, 15A, 10KA

SIEQA115AFCCSA

IBERVILLE




Octagonal Box
4 in x 1 1/2 in
IBE54151L



Dry-wall LHTQ Junction Box
14.5" cu, groupable
IBE1304LHTQ

MICROLETRIC



Galvanized Ground Plate Complete with JAB
BLA1016BTB



Outside Mast
2-1/2" Diameter

10 ft
MICMM10

12 ft
MICMM12



Meter Socket
4 jaw
MICBE1TCV



Mast Kit
100 amps
MICMMK1

BROAN



Compact Central Vacuum Unit

120V, 12A, 70dB, 500 Air Watt, 29-3/4" height
Disposable bag system / for 4000 ft² house

BROBQ1



Deluxe Accessories

Includes: a 30 ft low voltage hose, 3 brushes, 2 nozzles, a telescopic wand, 2 mounting brackets and a storage bag.

BROBNAK2

Fan

FLEX DC, 50-80-110CFM



BROAE50110DC



With humidity sensor
BROAE50110DCS



With light
BROAE50110DCL

FLEX LITE



Camera & Lighting Combination

7" - Color readable in the sun

FLEFLX3KCAMMON12V



LED Light

For nacelle and lifting platform


FLEFLXNACELLE2G

IPEX
L'excellence, notre engagement


PVC Connection 1-1/4" Electric Entry



Terminal adapter
SCETA25



Female adapter
SCEFA25



Coupling
SCEEC25




Access fitting, type LB
SCESLB40S



Meter offset
SCEMO25




Service entrance fitting
SCEEF25



90° elbow
SCEEE2590



Pipe strap PVC, 2 holes
SCEPS25



Meter hub
SCEMHU25

°STELPRO

THE SMART HOME COMFORT SOLUTION

MAESTRO™

MAESTRO SMART CONTROLLER • THERMOSTAT



CODE	PRICE
SMC402	\$162.00
SMT402	\$81.00




BEST
MANAGED
COMPANIES

1-844-STELPRO www.stelpro.com



CONNECT ORLÉANS SERIES TO YOUR MAESTRO NETWORK

ORLÉANS HIGH-END
CONVECTOR



ORLÉANS™


with thermostat

CODE	PRICE
SOR0502	\$273.42
SOR1002	\$290.43
SOR1502	\$308.70
SOR2002	\$326.34

without thermostat

CODE	PRICE
SOR0502WC	\$211.68
SOR1002WC	\$229.32
SOR1502WC	\$248.43
SOR2002WC	\$266.07

ORLÉANS HIGH-END
BATHROOM FAN HEATER



GRANDS
PRIX
DU DESIGN

CODE	PRICE
SORB2002M	\$341.04
SORB2002WC	\$264.60



Infrared Terrace Heater

(Also available in 208V)



Brown Steel - C/W cord and plug

1 500W, 120V # FOSOCH46120VCE

2 000W, 240V # FOSOCH46240VE

3 000W, 240V # FOSOCH57240VE



Stainless Steel - Without cord or plug

1 500W, 120V # FOSOCH46120VSSE

2 000W, 240V # FOSOCH46240VSSE

3 000W, 240V # FOSOCH57240VSSE



**Variable Heat
Controller**
FOSVHC15

**Stainless Steel
Wire Guards**
FOSOCHWG46
FOSOCHWG57

The most popular electric vehicle
charging stations on the market



FLO Home X5
240 V | 30 A | 7.2 kW

Rugged and smart
charging station
for single-family homes.



FLO Home G5
240 V | 30 A | 7.2 kW

Rugged and durable
for single-family homes,
non-connected.

Available at Lumen



Aluminum casing



Safe



Made in Canada



Certification



3-year limited warranty

flo.ca

ONTARIO - Effective from May 1st to June 30th 2019

f in

[lumen](http://lumen.ca)

9



THE HEATED FLOORS **SPECIALIST**

Let **FLEXTHERM** fill your pockets!

* Promotion available only on regular price products. Products with special agreement are excluded.

Get

25\$

with each purchase of a kit including a **FLEXTHERM** cable/mat and thermostat*



<https://www.flextherm.com/fr/promo-kit>
To claim your \$25, go to the address above or scan the QR code and follow the directions. FLEXTHERM will send you a check directly.

1-800-353-9843 | client@flextherm.com



CONVECTAIR

Piccolo 
#CON7831

Powerful and slim.



Heat-Shrink Tubing - 1000 V

Cal. #8 - #2, diameter: 0.17" - 0.41"
16" # RAYWCSM1641200S

Cal. #6 - #4/0, diameter: 0.25" - 0.64"
24" # RAYWCSM2461200S

Cal. #2 - 500 MCM, diameter: 0.35" - 0.94"
34" # RAYWCSM3481200S

Cal. #2/0 - 750 MCM, diameter: 0.51" - 1.12"
48" # RAYWCSM48121200S

Cal. 250 - 1 000 MCM, diameter: 0.68" - 1.27"
56" # RAYWCSM56161200S

Cal. 500 - 1 500 MCM, diameter: 0.90" - 1.40"
70" # RAYWCSM70201200S



Indoor/Outdoor Vinyl Labels

Adheres to irregular, curved or rough surfaces. Resistant to chemicals, oils and detergents. (BLACK ON WHITE)

1/2" # BRAM21500595WT

3/4" # BRAM21750595WT



Safety Padlocks

Lightweight, non-conductive and non-sparking body. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Shackle clearance 1-1/2".

Green # **BRA99564**
Red # **BRA99552**
Yellow # **BRA99570**
Blue # **BRA99556**



Clamp-On Breaker Lockouts

Versatile and easy to install using the proprietary thumbwheel design - no screwdrivers needed! Works on a wide range of single-pole and internal-trip multi-pole breakers.

BRA65965




Lapp Canada, your single source for automation cable, industrial connectors, cable assemblies and accessories.

- Machinery cable for all types of application (stationary, continuous flexing, and torsional)
- CSA TC FT4 rated cable for tray applications
- VFD & servo cable for all leading manufacturers
- Bus cable and industrial Ethernet cable for signal, network, and control
- Rectangular & circular connectors, cable chain, and protective conduit
- High-quality metallic & non-metallic strain relief cable glands
- Cable management accessories



Punchdown Tool
Blade impact: 110
GREPA70060




Combo Stripper
For UTP and COAX cables
GREPA70029



Network Tool Kit
GREPA70007



Compression Crimper
Adjustable, for COAX
GREPA70063



All-In-One Crimper
RJ11, RJ12, RJ45
GREPA70005



UTP Cable (Cat 6) - Swept at 550 MHz

FT4

Blue # CAB23/4PR6BLUFT4305
White # CAB23/4PR6WHIFT4305

FT6

Blue # CABHYP23/4PR6BLUFT6305
White # CABHYP23/4PR6WHIFT6305



Over 200 commercial transformers
(aluminum and copper)
IN STOCK AT LUMEN!

- Type II C802
- Type 3R Nrcan



Energy Management System for electric vehicles

by **rVE**



DCC
HOME

RVEDCC1040A

Blackburn




Compression H-Tap Connector
Aluminum, wide range, "N" die for hydraulic tools
that are 12-tons and over.

Main: 397 18/1-266 ACSR, 400-250 Str.
Tap: 2/0-6 ACSR, 2/0-6 Str., 3/0-6 Sol.

BLAWR715

DCC
CONDO

RVEDCC940A



**18V Lithium-Ion
Battery**
5.0A.H. LXT

MAK1966752



1/2" Cordless Hammer Drill/Driver

*Includes: Two 18V (3.0 Ah) Li-ion batteries, rapid charger,
battery cover, side handle, two double ended bits, stopper pole,
1/2" keyless chuck, bit holder, hook, plastic carrying case.*

MAKDHP451RFE



Bluetooth® Electric Jobsite Radio

*USB charging port enables convenient charging of
mobile devices on the jobsite. Dual auxiliary outlets
suitable for MP3 players. Battery not included.*


MAKDMR108C



Tug Wise Standard

*Attach the Tug Wise to the base of your reel and
you're ready to pull cable in minutes! Can hold
up to 1000 lbs. 4 screw holes for easy attachment.
Threaded hole accommodates a 1/2" rigid thread.*

RAC11931



Copper Wire Stripper

*Recover copper wire and aluminum quickly and easily!
Strips from 14AWG to 750MCM (1-1/4" max), 1/2 horsepower
motor, strips solid core or braided wire.*

RAC47200



Impact Robertson Bits

Designed to be used with impact screwdrivers.

4" - Green #1

RAC70144R

4" - Red #2

RAC70244R

6" - Green #1

RAC70166R

6" - Red #2

RAC70266R

Milwaukee



18V M18 String-Trimmer

With brushless motor (FUEL), fast charging (M12 and M18) charger and 9.0A.H battery.

MIL272521HD



Get a **RedLithium battery 9.0A.H. (MIL48111890)** for **FREE** when you purchase this kit!

18V M18 Chainsaw - 16"

With brushless motor (FUEL) and a fast charging (M12 & M18) charger. Cuts faster than gas, and delivers up to 150 cuts per charge. **Includes:** 12.0A.H. battery.

MILKIT272721HD



M18 FUEL™ 1" SDS Plus Rotary Hammer

with M18™ HAMMERVAC™ Dedicated Dust Extractor. **Includes:** two M18™ REDLITHIUM™ XC5.0 battery packs, multi-voltage charger, side handle, HEPA filter, depth rod and carrying case.

MIL271222DE

LOUISVILLE



Tools not included

Fiberglass Step Ladder

Rated ANSI Type IA, load capacity of 300lbs, equipped with magnet and multiple tool slots.

6 ft # LOUFS1506

8 ft # LOUFS1508



Fiberglass Extension Ladder

Rated ANSI Type IA, load capacity of 300lbs, equipped with the MAXLOCK rung lock, also includes a QuickLatch system that secures the ladder when extended.

24 ft # LOUFE3224

28 ft # LOUFE3228



Tools not included

Fiberglass Step To Shelf Ladder

Converts from a step ladder into a shelf ladder. V-shape Pro Top allows the ladder to lean against walls and buildings. Supports up to 300 lbs, type 1A.

6 ft # LOUFXS1506

8 ft # LOUFXS1508

Wera



Tool-Check PLUS - 39 PC Kit

With 1/4" wrench, rapidaptor bit holder, 1/4" adapter and socket.

Metric # WER056490
Imperial # WER056491



Kraftform Kompakt 26

Retractable bayonet blade. Integrated magazine for bit storage. Tough viscous bits for universal use. Ergonomic Kraftform handle for low-fatigue working. Comes with pouch.

WER051025

KNIPEX



Wire Stripper and Dismantling Tool

For dismantling round cable sheaths made of PVC, rubber, silicone or PTFE from 6-29mm diameter. Changing from circular to longitudinal cutting by turning the tool body. Replaceable blade.

KNI1630135SB



Cobra Water Pump Pliers

Adjustment at the touch of a button.

150mm length, 30mm bolt opening

KNI8701150SBA

180mm length, 36mm bolt opening

KNI8701180SBA

**KLEIN
TOOLS®**



5" Flush Cutter

Lightweight, Improved knife design snips wire up to 16 AWG producing a flat, flush cut. Steel return spring for increased comfort during repetitive cutting. Great for cutting small wire, zip ties and other fine material.

KLED2755



Tradesman Pro™ Tough Box Cooler

Keeps cool up to 30 hours. Main compartment has a 16L (17 quart) capacity. Supports up to 300lbs (136kg). Not only does this cooler carry lunch, it doubles as a handy place to sit.

KLE55600



USB Digital Meter and Tester

USB-A (type A) - Continuously monitor up to 1000 hours of voltage, current, capacity/charge delivered, energy, and resistance (calculated). Tests most common standard USB-A ports, including Qualcomm Quick Charge® ports.

KLEET910



Aluminum Hand Bender

For 1/2" EMT

GRE840AH

1/2" rigid conduit
or 3/4" EMT

GRE841AH



Slug-Buster® Knockout Kit

1" ratchet wrench allows use with both 3/8" and 3/4" draw studs. 1/2" to 2" conduit.

GRE7238SB



Carbide Cutter Set

7 pieces. Cuts stainless steel quickly and easily. Includes: 7/8", 1-1/8", 1-3/8", 1-3/4" and 2".

GRE660



24" Infra-Red Window

Large window, aluminum.
(Many other models available)

FLIIRW24PC



Voltage, Continuity, and Current Tester

Carries a CAT III-1000V/CAT IV-600V safety rating and a 200A/1000V measuring range.

FLIVT81000



Clamp Meter

Combines thermal imaging with electrical measurement into powerful inspection, troubleshooting, and diagnostic tools.

FLICM275



Concrete Screws

Blue ceramic hexagonal head
1/4 x 1-1/4"

VIS72247



Metal Screws

Pan square head (zinc)
Type A, 10 x 1-1/4"

VISPM510X11/4POT500



Tek 5 Tip



Self-Drilling Screws (Tek 5)

Hexagonal head
12-24 x 1-1/2"

VIS44439



SecureFit™ Protective Eyewear

Polycarbonate lenses absorb 99.9% UVA and UVB rays. Anti-fog and anti-scratch, certified CSA Z94.3

Clear # 3MSSF201AF

Gray # 3MSSF202AF



Over-the-Head Peltor™ Earmuffs

Lightweight and lower-profile earmuff. (NRR: 27 dB)

3MSX4A



E-A-R™ One Touch™ Earplug Dispenser

3MS3910000



E-A-R™ One Touch™ Classic Refill

29dB. Recharge pour le # 3MS3910000.

3MS3911001

INDUSTRIAL SCIENTIFIC



Ventis MX4 Gas Detector

LEL, O2, CO, H2S, lithium-ion battery, desktop charger. **Without pump**

ISCVTSK1231100101



DSXi Docking Station

Cloud-Connected and easily maintains the gas detectors that keep your people safe in hazardous environments.

ISC18109327131



Multi-Gas BZ1 Area Monitor

Detect up to 7 gases using 15 sensor options including PID. Alarms sound at 108 dB at 1m to cut through high-noise environments. iNet® and DSX™ Docking Station ready.

ISCBZ1K123000111



Foam Sweat Bands

With elastic head strap.

DYNHP65000



Rocky™ Safety Helmet

For work in elevated or closed spaces and for rescue teams. With a chin strap and 4-soft fasteners. CSA certified in accordance to the standard Z94.1-15 Type 1, vertical class E requirements.

White # DYNHP141R01

Yellow # DYNHP141R02



Disposable Cordless Earplugs

Very high sound absorption levels, "Dyna-Fit" foam earplug has a sealed surface, preventing foreign bodies from penetrating the plug.

DYNNP101



Grain Cowhide Utility Gloves

Enhanced leather for water resistance, 6.5" gauntlet cuff, hi-viz reflective strips.

Medium # BOB6011280M

Large # BOB6011280L

X-Large # BOB6011280XL



Rebel™ Self-Retracting Lifeline Cable

10 meters of galvanised steel wire rope (5mm diameter) with swiveling snap hook, thermoplastic housing and anchorage carabiner.

DBI3590502



PRO™ Positioning Harness

Construction style. Back D-ring, hip pad and belt with side D-rings, shoulder pads, tongue buckle leg straps.

Medium/large
DBI1191209C

FLUKE



Voltage Detector

Voltbeat™ technology and continuous self-test. Upon detection, tip glows and beeper sounds. CAT IV, 1000V

FLU1ACA1II



Electrical Tester

With FieldSense technology. Measures TRMS AC voltage, current and frequency without making electrical contact. Simultaneous voltage and current display. CAT III 1000V / CAT IV 600V.

FLUT61000



True-RMS Digital Multimeter

Cat III, 600V safety rated, 10A AC/DC current measurement (20A overload for 30-seconds max.), LED backlight, min/max/average to record signal fluctuations, measures resistance, continuity, frequency and capacitance.

FLU115EFSP



NEW Propane Gas Grills

LEX Series

- Double walled stainless steel lid
- Ceramic infrared bottom and rear burner
- Range side burner
- Stainless steel cooking grids
- Backlit control knobs
- Stainless steel shelves with tool hooks and holders
- Integrated ice / marinade bucket and cutting board



LEX Series - 106 500 BTU, 7 burners, 1 025 in² cooking surface, **with centre drawers**

NAPLEX730RSBIPSS



LEX Series - 74 000 BTU, 6 burners, 815 in² cooking surface

NAPLEX485RSBIPSS1

ROGUE Series

- Folding side shelves
- Dual-level stainless steel sear plates
- Detachable storage basket
- Accu-probe™ temperature gauge



ROGUE Series - 57 000 BTU, 5 burners, 745 in² cooking surface

NAPR525SIBPSS



New mobile application

◀ Look for the Lumen icon!



LEARN MORE:
lumen.ca/app



Two branches to better serve Ottawa and Eastern Ontario!

OTTAWA EAST 1000, Belfast Road, Ottawa (ON) K1G 4A2

Tel.: 613 789-7500 / **Fax:** 613 789-7501 / **Toll free:** 1 855 589-7500

OTTAWA WEST 1050, Baxter Road, Ottawa (ON) K2C 3P1

Tel.: 613 828-2930 / **Fax:** 613 828-2972 / **Toll free:** 1 888 491-2930



Prices are subject to change without notice. All promotions are valid from **May 1st to June 30th 2019** while supplies last. All images are for illustrative purposes only. Air Miles program is reserved to the Electrical Contractor ECAO or OEL members only.