

Lumen



Color-Keyed



EZGround



Blackburn

Compression and Grounding
GUIDE for Products
IN INVENTORY

Thomas & Betts

A Member of the ABB Group




Color-Keyed^{MD}

COMPRESSION CONNECTORS FOR COPPER CONDUCTORS	6-8
Lugs for copper cable	6
One-hole / Standard barrel	6
Two-hole / Standard barrel	6
Lugs for copper cable	7
One-hole / Long barrel	7
Two-hole / Long barrel	7
Two-way splice connector	8
Standard barrel	8
Long barrel	8
COMPRESSION CONNECTORS FOR ALUMINUM CONDUCTORS	9
Lugs for aluminum cable	9
One-hole / Long barrel	9
Two-hole / Long barrel	9
WIRE JOINTS FOR COPPER CONDUCTORS	10
Compression wire joints for copper conductors	10
MOTOR PIGTAIL CONNECTORS	11
One line to one load (two wires)	11
PIN CONNECTORS FOR ALUMINUM / COPPER CODE CONDUCTORS	11
Bi-Pin Bi-metal pin connectors	11
GROUNDING SYSTEMS — C-TAPS	12
Large size — Certified to 600V	12
Small size	12



Blackburn^{MD}

AMT CONNECTORS	14
SPLIT-BOLT CONNECTORS	15
Type H — High strength split-bolt connectors	15
Type HPS — Plated split-bolt connectors with spacer	15
TYPE ADR SINGLE CONDUCTOR — AL AND CU	15
Type ADR	15
COPPER CONNECTORS OFFSET TANG	15
Type BTC	15
BATTERY — POWERED TOOLS	16
Lithium-Ion Battery crimp tools	16
Lithium-Ion Battery cutter	16
15-Ton tool die adaptor	16
MANUAL TOOLS	17
Crimp Tool with Shure Stake [®] mechanism	17
Crimp tool	17
Manual hydraulic crimp tool	17
Crimp tool with Shure Stake ^{MD} mechanism	17
HYDRAULIC TOOL	18
Hydraulic press	18
ASSORTED DIE KITS	18
PRODUCT NO.: EZ-CK SS DIEKIT	18
Assorted Die Kits — PRODUCT NO.: TBM45SKIT-N	18



EZGround^{MD}



COMPRESSION GROUND ROD AND CABLE CONNECTORS	20
Figure 6	20
Figure 6 to Figure 6	20
COMPRESSION GROUND CONNECTORS	20
Type C	20
COMPRESSION GROUND ROD TAP CONNECTORS	21
Figure 8	21
COMPRESSION GROUND GRID CONNECTORS	21
Figure 6 to figure 8	21
COPPER BONDED STEEL GROUND RODS	21
SECTIONAL TYPE GROUND RODS	21
STRUCTURAL GROUNDING STUDS	22
Type TBGS	22
WATERPIPE GROUND CLAMPS	22
Clamps type	22
GROUND PLATES	22
U-BOLT CLAMPS	22
Type GUV	22
COPPER LAY-IN LUG CONNECTORS	22
Type DB	22
TOWER GROUND CLAMPS	22
Type GTC	22
WIDE RANGE TOWER GROUND CLAMP	22
Type CTG	22
SERVICE POST CONNECTORS	23
Type DS — Service post connectors, short stud	23
Type SP — Service post connectors, long stud	23
 INDEX	 24-27



Color-Keyed™





COMPRESSION CONNECTORS FOR COPPER CONDUCTORS

		LUGS FOR COPPER CABLE		TOOLS						
				TBM5S	TBM6S (Need the upper and lower die)	TBM8 TBM8S	TBM6PCR-LI TBM6UNICR-LI TBM62CR-LI	TBM14M TBM14CR-LI *TBM15CR-LI *TBM15I	Colour	Die code
		One-Hole / Standard Barrel	Two-Hole / Standard Barrel	DIES						
Caliber size CU	Bolt size (in)	PRODUCT NO.	PRODUCT NO.							
8 AWG	#10	54104	54204	13454	13475/13477	13461	6TON21SS	15520SS	RED	21
	1/4	54130	542040410							
	5/16	54131	—							
	3/8	54132	256-30695-251							
	1/2	—	—							
6 AWG	#10	54134	256-30695-1183							
	1/4	54105	54205							
	5/16	54135	—							
	3/8	54136	256-30695-253							
	1/2	256-30695-422	—							
4 AWG	#10	54138	—							
	1/4	54106	54206							
	5/16	54139	256-30695-1184							
	3/8	54140	256-30695-255							
	1/2	256-30695-264	—							
2 AWG	1/4	54107	54207							
	5/16	54142TB	—							
	3/8	54143TB	256-30695-257							
	1/2	54145TB	256-30695-1049							
1 AWG	1/4	54108	256-30695-329							
	5/16	54147	54255							
	3/8	54148	256-30695-1236							
	1/2	54150	—							
1/0 AWG	1/4	54152-TB	—							
	5/16	54153TB	54255							
	3/8	54109	54209							
	1/2	54155TB	256-30695-886							
2/0 AWG	5/16	54158	—							
	3/8	54110	54210							
	1/2	54160	54260							
3/0 AWG	5/16	54163-TB	—							
	3/8	54111	54211							
	1/2	54165TB	54265							
4/0 AWG	5/16	54168	—							
	3/8	54112	54212							
	1/2	54170	54270							
250 Kcmil	3/8	54174	54213							
	1/2	54113	54275							
300 Kcmil	1/2	54114	54280							
	5/8	54181	54280-1028							
350 Kcmil	1/2	54115	54282							
	5/8	54183	54282-1028							
400 Kcmil	1/2	54116	54283-0828							
	5/8	54185	54283-1028							
500 Kcmil	1/2	54118	54286							
	5/8	54187	54286-1028							
600 Kcmil	1/2	—	54289							
	5/8	54120	54289-1028							
700 Kcmil	5/8	54122-TB	—							
750 Kcmil	1/2	—	54223							
	5/8	54123TB	54223-1028							

* Always use the Die adaptor # 15500-TB.





COMPRESSION CONNECTORS FOR COPPER CONDUCTORS

		LUGS FOR COPPER CABLE		TOOLS				
				Heavy-Wall Heat-Shrinkable Tubing	TBM6PCR-LI TBM6UNICR-LI TBM62PCR-LI TBM62CR-LI	TBM14M TBM14MC TBM14CR-LI *TBM15CR-LI *TBM15I	Colour	Die code
		One-Hole / Long Barrel	Two-Hole / Long Barrel					
Caliber size CU	Bolt size (in)	PRODUCT NO.	PRODUCT NO.	PRODUCT NO.	DIES			
8 AWG	#10	54929BE	—	HS16-12	6TON21SS	15520SS	RED	21
	1/4	54930BE	54851BE					
	5/16	54930BE05	—					
	3/8	54930BE06	256-30695-1157					
	1/2	—	—					
6 AWG	#10	54904BE	—	HS16-12	6TON24SS	15522SS	BLUE	24
	1/4	54905BE	54852BE					
	5/16	54905BE05	—					
	3/8	54905BE06	256-30695-1158					
	1/2	—	256-30695-868					
4 AWG	#10	54908BE	—	HS12-6	6TON29SS	15527SS	GREY	29
	1/4	54906BE	54854BE					
	5/16	—	—					
	3/8	—	256-30695-1159					
	1/2	—	256-30695-733					
2 AWG	1/4	54910BE04	54855BE	HS12-6L HS6-1	6TON33SS	15528SS	BROWN	33
	5/16	54910BE05	54856BE					
	3/8	54910BE	54810BE					
	1/2	54915BE	54811BE					
1 AWG	1/4	54947BE04	54812BE	HS12-6L HS6-1	6TON37SS	15513SS	GREEN	37
	5/16	54947BE	54858BE					
	3/8	54947BE06	256-30695-1161					
1/0 AWG	1/2	54947BE08	54857BE	HS6-1L HS6-1-4	6TON42SS	15508SS	PINK	42
	5/16	54949BE	54860BE					
	3/8	54909BE	256-30695-1162					
2/0 AWG	1/2	54950BE	256-30695-593	HS6-1L HS6-1-4	6TON45SS	15526SS	BLACK	45
	5/16	—	—					
	3/8	54910BE	256-30695-1116					
3/0 AWG	1/2	54951BE	54862BE	HS6-1L HS6-1-4	6TON50SS	15530SS	ORANGE	50
	5/16	—	—					
	3/8	54965BE06	54816BE					
4/0 AWG	1/2	54965BE	54864BE	HS4-30L HS4-30-4	6TON54SS	15511SS	PURPLE	54
	5/16	—	—					
	3/8	54970BE06	54818BE					
250 Kcmil	1/2	256-30695-1253	54866BE	HS4-30L HS4-30-4	6TON62SS	15510SS	YELLOW	62
	3/8	—	—					
300 Kcmil	1/2	54913BE	54868BE	HS4-30L HS4-30-4	6TON66SS	15534SS	WHITE	66H
	5/8	54914BE	54870BE					
350 Kcmil	1/2	—	—	HS4-30L HS4-30-4	6TON71SS	15514SS	RED	71H
	5/8	54915BE	54872BE					
400 Kcmil	1/2	—	—	HS4-30L HS4-30-4	6TON76SS	15512SS	BLUE	76H
	5/8	54916BE	54874BE					
500 Kcmil	1/2	54917BE	—	HS4-30L HS4-30-4	6TON87SS	15506SS	BROWN	87H
	5/8	54918BE	54876BE					
600 Kcmil	1/2	54919BE	—	HS4-30L HS4-30-4	—	15536SS	GREEN	94H
	5/8	54921BE	54878BE					
700 Kcmil	1/2	54920BE	—	HS4-30L HS4-30-4	—	15505SS	PINK	99H
	5/8	—	54879BE					
750 Kcmil	1/2	54922BE	54880BE	HS4-30L HS4-30-4	—	15515SS	BLACK	106H
	5/8	54923BE	—					

* Always use the Die adaptor # 15500-TB.





COMPRESSION CONNECTORS FOR COPPER CONDUCTORS

		TWO-WAY SPLICE CONNECTOR		TOOLS				
				Heavy-Wall Heat-Shrinkable Tubing	TBM6PCR-LI TBM6UNICR-LI TBM62PCR-LI TBM62CR-LI	TBM14M TBM14CR-LI *TBM15CR-LI *TBM15I	Colour	Die code
		Standard Barrel	Long Barrel					
Caliber size CU	Bolt size (in)	PRODUCT NO.	PRODUCT NO.	PRODUCT NO.	DIES			
8 AWG	#10	54504	54804	HS16-12	6TON21SS	15520SS	RED	21
	1/4							
	5/16							
	3/8							
6 AWG	1/2	54505	54805	HS12-6	6TON24SS	15522SS	BLUE	24
	#10							
	1/4							
	5/16							
4 AWG	3/8	54506	54806	HS12-6	6TON29SS	15527SS	GREY	29
	1/2							
	1/4							
	5/16							
2 AWG	3/8	54507	54807	HS12-6L HS6-1	6TON33SS	15528SS	BROWN	33
	1/2							
	1/4							
	5/16							
1 AWG	3/8	54508	54808	HS12-6L HS6-1	6TON37SS	15513SS	GREEN	37
	1/2							
	5/16							
1/0 AWG	3/8	54509	54809	HS6-1L HS6-1-4	6TON42SS	15508SS	PINK	42
	1/2							
	5/16							
2/0 AWG	3/8	54510	54810	HS6-1L HS6-1-4	6TON45SS	15526SS	BLACK	45
	1/2							
	5/16							
3/0 AWG	3/8	54511	54811	HS6-1L HS6-1-4	6TON50SS	15530SS	ORANGE	50
	1/2							
	5/16							
4/0 AWG	3/8	54512	54812	HS4-30L HS4-30-4	6TON54SS	15511SS	PURPLE	54
	1/2							
	5/16							
250 Kcmil	3/8	54513	54813	HS4-30L HS4-30-4	6TON62SS	15510SS	YELLOW	62
	1/2							
300 Kcmil	5/8	54514	54814	HS4-30L HS4-30-4	6TON66SS	15534SS	WHITE	66H
	1/2							
350 Kcmil	5/8	54515	54815	HS4-30L HS4-30-4	6TON71SS	15514SS	RED	71H
	1/2							
400 Kcmil	5/8	54516	54816	HS4-30L HS4-30-4	6TON76SS	15512SS	BLUE	76H
	1/2							
500 Kcmil	5/8	54518	54818	HS4-30L HS4-30-4	6TON87SS	15506SS	BROWN	87H
	1/2							
600 Kcmil	5/8	54520	54820	HS4-30L HS4-30-4	—	15536SS	GREEN	94H
	1/2							
700 Kcmil	1/2	54522TB	—	—	—	15505SS	PINK	99H

* Always use the Die adaptor # 15500-TB.



COMPRESSION CONNECTORS FOR ALUMINUM CONDUCTORS

		LUGS FOR ALUMINUM CABLE		TOOLS						
				TBM6PCR-LI TBM6UNICR-LI TBM62PCR-LI TBM62CR-LI	TBM5S	TBM6S (Need the upper and lower die)	TBM8 TBM8S	TBM14M TBM14CR-LI *TBM15I *TBM15CR-LI	Colour	Die code
		One-Hole / Long Barrel	Two-Hole / Long Barrel	DIES						
Caliber size CU	Bolt size (in)	PRODUCT NO.	PRODUCT NO.							
8 AWG	1/4	60102-TB	—	6TON24SS	13454	13475/13477	13461	15522SS	BLUE	24
6 AWG	1/4	60107-TB	—	6TON29SS		13472/13476		15527SS	GREY	29
4 AWG	1/4	60112-TB	—	6TON37SS	13455	13474/13477	13462	15513SS	GREEN	37
	5/16	60113-TB	—							
	3/8	60114-TB	—							
2 AWG	1/4	60116-TB	—	6TON42SS	—	13475/13477	—	15508SS	PINK	42
	5/16	60117-TB	—							
	3/8	60118-TB	—							
1 AWG	3/8	60124	—	6TON45SS	13457	13474/13477	13464	15526SS	GOLD	45
1/0 AWG	5/16	60129	—	6TON50SS		13474/13477		15530SS	TAN	50
	3/8	60130	60230		6TON54SS	13475/13477	15511SS	OLIVE	54	
2/0 AWG	1/2	60132	—	6TON60SS			13473/13476	15532SS	RUBY	60
	3/8	60136	60236							
3/0 AWG	1/2	60138	60238	6TON66SS	13458	13473/13476	13465	15534SS	WHITE	66
	3/8	60142	60242							
4/0 AWG	1/2	60144	60244	6TON71SS	13472/13476	13466	15514SS	RED	71	
	3/8	60148	60248							
250 Kcmil	3/8	60150	60250	6TON76SS	13472/13476	13467	15512SS	BLUE	76	
	1/2	60154	60254							
300 Kcmil	3/8	60156	60256	6TON87SS	13478/13478	13468	15506SS	BROWN	87	
	1/2	60160	60260							
350 Kcmil	3/8	60162	60262	6TON94SS	—	—	—	15536S	GREEN	94
	1/2	60165	60265							
400 Kcmil	3/8	60166	60266	—	—	—	—	15505SS	PINK	99
	1/2	60168	60268							
	5/8	60171	60271							
500 Kcmil	3/8	60172	60272	—	—	—	—	15515SS	BLACK	106
	1/2	60174	60274							
	5/8	60177	60277							
600 Kcmil	1/2	60178	60278	—	—	—	—	15504SS	YELLOW	115
	5/8	60178	—							

* Always use the Die adaptor # 15500-TB.




WIRE JOINTS FOR COPPER CONDUCTORS




COMPRESSION WIRE JOINTS FOR COPPER CONDUCTORS

All-around compression ensures high conductivity, low resistance and high pull-out values exceeding CSA requirements.


WIRE JOINTS TO COMPRESS		TOOLS							
CIRCULAR MIL AREA		TBM45S TBM41E	TBM8 TBM8S	TBM5S	TBM6S		PRODUCT NO.	Colour	Die code
MIN.	MAX.	DIES			Superior	Inferior			
19.59	27.29	Included	—	—	13475	13477	54610	BUE	24
31.14	43.40		13461	13454	13472	13476	54615	GREY	29
49.53	65.56		—	—	13474	—	54620	BROWN	33
66.04	87.13	—	13462	13455	—	13477	54625-TB	GREEN	37
83.48	99.99				13475		54630	PINK	42
99.06	124.22				13474		54635	BLACK	45
125.22	166.12				—		54640	ORANGE	50
166.96	193.63				13475		54645-TB	PURPLE	54
189.19	244.02				13473		54650	YELLOW	62



Pigtail




Two-Way Connector



Three-Way Connector

AWG size	Circular MIL area
#14	4.107
#12	6.530
#10	10.380
#8	16.510
#6	26.250
#4	41.740
#2	66.370
#1	83.690
1/0	105.500
2/0	133.100
3/0	167.800
4/0	211.600

MOTOR PIGTAIL CONNECTORS



ONE LINE TO ONE LOAD (TWO WIRES)
Easy and quick installation !

CAT. NO CERTIFIED TO 600V				WT112M WT111M WT2000 ERG4002 ERG4005	TBM45S	TOOLS					
Wire size	Female disconnect	Male disconnect	Boot insulation			TBM6S		TBM5S	TBM8 TBM8S	Hydraulic tools	
	PRODUCT NO.					Upper die	Lower die	Multi-nest die	Multi-nest die	Colour	Die code
16-14 AWG	MD1614F-0	MD1614M-0	MDBOOT-0	x	—	—	—	—	BLUE	—	
	MD1614F-1	MD1614M-1	MDBOOT-1						YELLOW		
12-10 AWG	MD1210F-1	MD1210M-1	MDBOOT-2	—	—	—	—	—	RED	21	
	MD1210F-2	MD1210M-2							YELLOW		
8 AWG	MD8F-1	MD8M-1	MDBOOT-1	—	—	—	—	—	RED	21	
	MD8F-2	MD8M-2	MDBOOT-2						RED		
6 AWG	MD6F-1	MD6M-1	MDBOOT-1	x	—	13475	13477	13454	13461	BLUE	24
	MD6F-2	MD6M-2	MDBOOT-2						BLUE		
4 AWG	MD4F-2	MD4M-2	MDBOOT-2	—	—	13472	13476	13454	13461	GREY	29
	MD2F-2	MD2M-2							GREY		
2 AWG	MD2F-3	MD2M-3	MDBOOT-3	—	—	13474	13477	13454	13462	BROWN	33
	MD2F-2	MD2M-2	MDBOOT-2						BROWN		
1 AWG	MD1F-2	MD1M-2	MDBOOT-2	—	—	13474	13477	13455	13462	GREEN	37
	MD1F-3	MD1M-3	MDBOOT-3						GREEN		
1/0 AWG	MD10F-3	MD10M-3	MDBOOT-3	—	—	13475	13477	13455	13462	PINK	42
2/0 AWG	MD20F-3	MD20M-3							PINK		
3/0 AWG	MD30F-3	MD30M-3							BLACK	45	
4/0 AWG	MD40F-3	MD40M-3	MDBOOT-4	—	—	13475	13477	13456	13463	ORANGE	50
	MD40F-4	MD40M-4							ORANGE		
250 Kcmil	MD250F-4	MD250M-4	MDBOOT-4	—	—	—	—	—	13463	PURPLE	54
350 Kcmil	MD350F-4	MD350M-4							PURPLE		
500 Kcmil	MD500F-4	MD500M-4							YELLOW	—	
									RED	—	
									BROWN	—	



PIN CONNECTORS FOR ALUMINUM / COPPER CODE CONDUCTORS

BI-PIN® BI-METAL PIN CONNECTORS

Convert an aluminum cable into a two-sizes-smaller copper pigtail.



→ For 90°C, certified 600V applications



Aluminium cable size	Copper cable size	PRODUCT NO. Insulating covers	PRODUCT NO. Heat shrink covers	Colour	Die code
8 AWG	10 AWG	61905A	61905AT	BLUE	24
6 AWG	8 AWG	61910A	61910AT		
4 AWG	6 AWG	61915A	61915AT	GOLD	45
2 AWG	4 AWG	61920A	61920AT		
1 AWG	3 AWG	61925A	61925AT	ORANGE	50
1/0 AWG	2 AWG	61930A	61930AT		
2/0 AWG	1 AWG	61935	61935T	RUBY	60
3/0 AWG	1/0 AWG	61940	61940T		
4/0 AWG	2/0 AWG	61945	61945T	WHITE	66H
250 Kcmil	3/0 AWG	61950	61950T		
300 Kcmil	4/0 AWG	61955	61955T	RED	71H
350 Kcmil	250 Kcmil	61960	61960T		
400 Kcmil	250 Kcmil	61963	61963T	BROWN	33
500 Kcmil	350 Kcmil	61965	61965T		
600 Kcmil	400 Kcmil	61970	61970T	ORANGE	50
700-750 Kcmil	500 Kcmil	61975	61975T		



GROUNDING SYSTEMS – C-TAPS



	LARGE SIZE — Certified to 600V		TOOLS				Colour	Die code
	Wire size		Tools	Dies	Crimps per end	PRODUCT NO.		
	Main	Branch						
	#1 1/0 2/0 3/0 4/0	#1 1/0-#2 2/0-#3 1/0-#6 #1-#8	TBM14M TBM15I TBM12 13100A	15512SS 15512SS* TBM12D-4 15512SS	1	54755	BLUE	76
	2/0 3/0 4/0 250 Kcmil	2/0-#1 3/0-#3 4/0-#4 #1-#8	TBM14M TBM15I TBM12 13100A	15506SS 15506SS* TBM12D-3 15506SS	2	54760	BROWN	87H
	2/0 3/0 4/0 250 Kcmil 300 Kcmil	2/0-#1 3/0-#2 4/0-#4 3/0-#6 2/0-#8	TBM14M TBM15I TBM12 13100A	15505SS 15505SS* TBM12D-2 15505SS	2	54765	PINK	99H
	4/0 250 Kcmil 300 Kcmil 350 Kcmil	4/0-2/0 250-#1 4/0-#4 3/0-#6	TBM14M TBM15I TBM12 13100A	15515SS 15515SS* TBM12D-2 15515SS	2	54770	BLACK	106H
	250 Kcmil 300 Kcmil 350 Kcmil 400 Kcmil 450 Kcmil 500 Kcmil	250 Kcmil 300-3/0 350-1/0 300-#2 250-#4 250-#6	TBM14M TBM15I TBM12 13100A	15504SS 15504SS* TBM12D-1 15504SS	2	54775**	YELLOW	115H
	350 Kcmil 400 Kcmil 450 Kcmil 500 Kcmil	350-4/0 400-2/0 450-#1 500-#2	TBM15I	15603	2	54780	N/A	125H
	750 Kcmil	4/0-#6			3	54785	N/A	
750 Kcmil	750-4/0	3			54790	N/A		

UL approved for direct burial.

* Cat. No. 15500TB adaptor required if using TBM15I and 155xx series dies.

** #6 AWG branch must be doubled.



	SMALL SIZE		Dies				Insulation choice		PRODUCT NO.	Colour	Die code			
	Wire size		Group 1	TMB62PCR-LI	Smart ^{MD} Tools	Group 2	Group 3	Adhesive				Shrink Tubing		
	Main	Branch												
	12	14	6TON21SS	TBM6221	—	↑ Accommodated this range ↓	↑ ↓	AC5X3	HS12-6	54705	RED	21		
	14	16	6TON24SS	TBM6224						54710	BLUE	24		
	10	10	6TON29SS	TBM6229						54715	GREY	29		
	8	12	6TON33SS	TBM6233						TBM8-750C20	54720	BROWN	33	
	6	10, 12	6TON37SS	TBM6237						54725	GREEN	37		
	8	8, 10, 12	6TON42SS	TBM6242						TBM8-750C2530	54730	PINK	42H	
	4 or 5	6, 8	6TON45SS	TBM6245	TBM8-750C3540	↑ ↓	↑ ↓	AC5X3	HS6-1	54735	BLACK	45		
	6	6, 8								54740	ORANGE	50		
	3	6, 8, 10, 12***								6TON50SS	TBM6250	54745	PURPLE	54H
	4 or 5	6, 5	6TON54SS	TBM6254	TBM8-750C4550	↑ ↓	↑ ↓	AC5X3	HS4-30	54750	YELLOW	62		
	2	6, 8, 10, 12								6TON62SS	TBM6262	54755	GREEN	37
	3	5								6TON62SS	TBM6262	54760	BLUE	24
	4	3	6TON62SS	TBM6262	54765	GREY	29							
	1	4, 5, 6, 8, 10, 12	6TON62SS	TBM6262	54770	BLACK	106H							
	2	4, 5	6TON62SS	TBM6262	54775	PINK	99H							
	3	3, 4	6TON62SS	TBM6262	54780	BROWN	87H							
	1/0	4, 5, 6, 8, 10, 12	6TON62SS	TBM6262	54785	N/A	125H							
	1	3, 4	6TON62SS	TBM6262	54790	N/A	125H							
	2	2, 3	6TON62SS	TBM6262	54795	N/A	125H							
2/0	3, 4, 5, 6, 8, 10, 12	6TON62SS	TBM6262	54800	N/A	125H								
1/0	2, 3	6TON62SS	TBM6262	54805	N/A	125H								
1	1, 3	6TON62SS	TBM6262	54810	N/A	125H								
3/0	2, 3, 4, 5, 6, 8, 10, 12	6TON62SS	TBM6262	54815	N/A	125H								
2/0	1, 2	6TON62SS	TBM6262	54820	N/A	125H								
1/0	1/0, 1	6TON62SS	TBM6262	54825	N/A	125H								


*** When using 3 AWG on main and 12 AWG on branch with Smart^{MD} Tools and dies, 12 AWG wire must be doubled (hair-pinned) and placed on branch for crimping.

Group 1 = TBM6H, TBM62PCR-LI, TBM62CR-LI, TBM6UNICR-LI.

Group 2 = TBM25S, TBM21E (requires 2 compressions within each crimp area).

Group 3 = TBM4/4S, TBM5/5S, TBM6/6S, TBM8/8S, TBM6H (requires 1 compression within each crimp area).



The logo features the word "Blackburn" in a large, bold, italicized white font with a subtle drop shadow. To the right of the main text is a smaller "MD" in a plain white font. The logo is centered horizontally and partially overlaps the central product images.

AMT CONNECTORS



→ Dual-Rated for copper and aluminum conductors
(CSA Certified and UL Listed, for 600V, 90°C)

→ Also available in two-ways

Wire size (AWG)	Ports	Dimensions (in.)			Screw type	PRODUCT NO. (black insulation)
		Length	Width	Height		
SPLICES						
1/0 - #14 str.	—	2.68	0.81	1.55	Slotted	AMTSR10
250 Kcmil - #6 str.	—	4.00	1.06	2.00	5/16 Hex	AMTSR250
350 Kcmil - #6 str.	—	4.56	1.37	2.12	5/16 Hex	AMTSR350
500 Kcmil - #4 str.	—	6.18	1.61	2.56	5/16 Hex	AMTSR500
OFFSET SPLICES						
#4 - #14 str.	—	1.15	1.5	1.25	Slotted	AMTTC4
1/0 - #14 str.	—	1.63	1.63	1.63	3/16 Hex	AMTT10
2/0 - #14 str.	—	1.89	1.68	1.86	Slotted	AMTT20
250 Kcmil - #10 str.	—	2.12	2.63	2.13	5/16 Hex	AMTT250
CABLE BLOCKS — ONE-WAY CONFIGURATION — # 4 – # 14 AWG STRANDED						
#4 - #14 str.	2	1.15	1.25	1.25	Slotted	AMTS4142
#4 - #14 str.	3	1.63	1.25	1.25	Slotted	AMTS4143
#4 - #14 str.	4	2.12	1.25	1.25	Slotted	AMTS4144
#4 - #14 str.	5	2.61	1.25	1.25	Slotted	AMTS4145
#4 - #14 str.	6	3.09	1.25	1.25	Slotted	AMTS4146
CABLE BLOCKS — ONE-WAY CONFIGURATION — 2/0 – # 14 AWG STRANDED						
2/0-#14 str.	2	1.63	1.50	1.63	3/16 Hex	AMTS20142
2/0-#14 str.	3	2.35	1.50	1.63	3/16 Hex	AMTS20143
2/0-#14 str.	4	3.08	1.50	1.63	3/16 Hex	AMTS20144
2/0-#14 str.	5	3.80	1.50	1.63	3/16 Hex	AMTS20145
2/0-#14 str.	6	4.53	1.50	1.63	3/16 Hex	AMTS20146
CABLE BLOCKS — ONE-WAY CONFIGURATION — 250 KCMIL – # 6 AWG STRANDED						
250 Kcmil - #6 str.	2	2.12	2.13	2.13	5/16 Hex	AMTS25062
250 Kcmil - #6 str.	3	3.09	2.13	2.13	5/16 Hex	AMTS25063
250 Kcmil - #6 str.	4	4.06	2.13	2.13	5/16 Hex	AMTS25064
250 Kcmil - #6 str.	5	5.03	2.13	2.13	5/16 Hex	AMTS25065
250 Kcmil - #6 str.	6	6.00	2.13	2.13	5/16 Hex	AMTS25066
CABLE BLOCKS — ONE-WAY CONFIGURATION — 350 KCMIL – # 10 AWG STRANDED						
350 Kcmil - #10 str.	2	2.22	2.37	2.50	5/16 Hex	AMTS35062
350 Kcmil - #10 str.	3	3.24	2.37	2.50	5/16 Hex	AMTS35063
350 Kcmil - #10 str.	4	4.26	2.37	2.50	5/16 Hex	AMTS35064
350 Kcmil - #10 str.	5	5.28	2.37	2.50	5/16 Hex	AMTS35065
350 Kcmil - #10 str.	6	6.30	2.37	2.50	5/16 Hex	AMTS35066
CABLE BLOCKS — ONE-WAY CONFIGURATION — 500 KCMIL – # 6 AWG STRANDED						
500 Kcmil - #6 str.	2	2.71	2.38	2.75	5/16 Hex	AMTS50042
500 Kcmil - #6 str.	3	3.99	2.38	2.75	5/16 Hex	AMTS50043
500 Kcmil - #6 str.	4	5.26	2.38	2.75	5/16 Hex	AMTS50044
500 Kcmil - #6 str.	5	6.53	2.38	2.75	5/16 Hex	AMTS50045
500 Kcmil - #6 str.	6	7.81	2.38	2.75	5/16 Hex	AMTS50046




SPLIT-BOLT CONNECTORS



TYPE H — HIGH STRENGTH SPLIT-BOLT CONNECTORS

For copper to copper connections

Range for equal main and tap	PRODUCT NO.
10 str. - 12 sol.	9H
8 str. - 10 sol.	8H
6 sol. - 8 sol.	6H
4 sol. - 8 sol.	4H
3 sol. - 8 sol.	3H
2 sol. - 6 sol.	2H
2 str. - 6 sol.	1H
1/0 str. - 4 sol.	10H
2/0 str. - 2 sol.	20H
250 Kcmil - 1 str.	40H
350 Kcmil - 250 Kcmil	350M
500 Kcmil - 400 Kcmil	500M
750 Kcmil - 600 Kcmil	750M
1000 Kcmil - 800 Kcmil	1000M



TYPE HPS — PLATED SPLIT-BOLT CONNECTORS WITH SPACER

For use on copper, aluminum and ACSR conductors

Range for equal main and tap Copper or aluminum	PRODUCT NO.
10 str. - 12 sol.	9HPS
8 str. - 12 sol.	8HPS
6 str. - 12 sol.	6HPS
4 sol. - 12 sol.	4HPS
2 sol. - 8 sol.	2HPS
1 str. - 8 sol.	1HPS
1/0 str. - 6 sol.	10HPS
2/0 str. - 6 sol.	20HPS
4/0 str. - 4 sol.	40HPS
350 Kcmil - 1/0 str.	350HPS
500 Kcmil - 1/0 str.	500HPS*
750 Kcmil - 4/0 str.	750HPS*
1000 Kcmil - 500 Kcmil	1000HPS*

* CSA not applicable.



TYPE ADR SINGLE CONDUCTOR – AL AND CU



TYPE ADR

Conductor range		Bolt size	PRODUCT NO.
MAX.	MIN.		
6 str.	14 AWG	1/4	ADR6
2 str.			ADR2
1/0 str.			ADR11
2/0 str.			ADR21
250 Kcmil			ADR25
300 Kcmil	6 str.	5/16	ADR30
350 Kcmil			ADR35
500 Kcmil			ADR50
600 Kcmil			ADR60
800 Kcmil			ADR80
1000 Kcmil	500 Kcmil	3/8	ADR99



COPPER CONNECTORS OFFSET TANG



TYPE BTC

Conductor range		Bolt size	PRODUCT NO.
MAX.	MIN.		
10 AWG	14 AWG	5/32	BTC1014*
6 str.		13/64	BTC0614
2 str.	8 str.	17/64	BTC0208
1/0 str.	2 str.		BTC1102
3/0 str.	4 str.	13/32	BTC3104
4/0 str.	2 str.	11/32	BTC4102
350 Kcmil	1/0 str.	13/32	BTC3511
500 Kcmil			BTC5011
1000 Kcmil			600 Kcmil

* CSA not applicable.



Conductor range		Bolt size	PRODUCT NO.
MAX.	MIN.		
1/0 str.	14 AWG	1/4	ADR11-21
2/0 str.			ADR21-21
250 Kcmil	6 str.	3/8	ADR25-21
350 Kcmil			ADR35-21
600 Kcmil	2 str.	1/2	ADR60-21
800 Kcmil	300 Kcmil		ADR80-21
1000 Kcmil	500 Kcmil	5/8	ADR99-21



BATTERY-POWERED TOOLS

LITHIUM-ION BATTERY CRIMP TOOL

6 TON



- Installs connectors up to 600 Kcmil Cu and 400 Kcmil Al
- 6TONXXXX series dies
- **PRODUCT NO. :** TBM6PCR-LI

LITHIUM-ION BATTERY CRIMP TOOL

15 TON



- Installs connectors up to 1500 Kcmil Cu and 1250 Kcmil Al
- 15XXX series dies and adaptor sold separately
- **PRODUCT NO. :** TBM15CR-LI

LITHIUM-ION BATTERY CRIMP TOOL

6 TON



- Installs connectors up to 600 Kcmil Cu and 400 Kcmil Al
- 6TONXXXX series dies
- **PRODUCT NO. :** TBM62PCR-LI

LITHIUM-ION BATTERY CUTTER



- Cuts cable up to 1-1/2 in. O.D. for Cu, Al and ACSR
- Cuts steel ground rods and rebar up to 5/8 in
- Cuts wire rope up to 3/4 in
- **PRODUCT NO. :** TBM58PCTS-LI

LITHIUM-ION BATTERY CRIMP TOOL

14 TON



- Installs connectors up to 900 Kcmil Cu and 750 Kcmil Al
- 15XXX series dies sold separately
- **PRODUCT NO. :** TBM14CR-LI

15-TON TOOL DIE ADAPTOR

15 TON



- Die adaptor for 15-Ton tools when using die series 155XX and 15GXX
- **PRODUCT NO. :** 15500-TB

MANUAL TOOLS

CRIMP TOOL WITH SHURE-STAKE[®] MECHANISM



- Installs connectors #8 to #2 AWG Cu and #10 to #6 AWG Al
- Colour-coded die wheel rotates into position for proper die nest adjustment
- **PRODUCT NO. : TBM45S**

CRIMP TOOL



- Installs copper connectors up to 4/0
- Dies included
- **PRODUCT NO. : TBM840**

CRIMP TOOL WITH SHURE-STAKE[®] MECHANISM



- Installs connectors up to 250 Kcmil Cu and 4/0 Al
- Includes colour-coded dies
- **PRODUCT NO. : TBM5S**

MANUAL HYDRAULIC CRIMP TOOL



- Installs connectors up to 900 Kcmil Cu and 750 Kcmil Al
- 15XXX series dies sold separately
- **PRODUCT NO. : TBM14M**

CRIMP TOOL WITH SHURE-STAKE[®] MECHANISM



- Installs connectors up to 500 Kcmil Cu and 350 Kcmil Al
- Dies included
- **PRODUCT NO. : TBM5S**

HYDRAULIC TOOL

HYDRAULIC PRESS

12 TON



- Installs connectors up to 900 Kcmil Cu and 750 Kcmil Al
- Includes five sets of multi-nested dies
- **PRODUCT NO. :** TBM12

HYDRAULIC PRESS

14 TON



- Installs connectors up to 900 Kcmil Cu and 750 Kcmil Al
- 15XXX series dies and adaptor sold separately
- **PRODUCT NO. :** 13100A

HYDRAULIC PRESS

15 TON



- Installs connectors up to 1500 Kcmil Cu and 1250 Kcmil Al
- 15XXX series dies and adaptor sold separately
- **PRODUCT NO. :** TBM15I

ASSORTED DIE KITS



PRODUCT NO.: EZ-CK SS DIEKIT


Die PRODUCT NO.	Copper (CU)	Aluminium (AL)	Colour	Die code
15528SS	2 AWG	—	BROWN	33
15513SS	1 AWG	4 AWG	GREEN	37
15508SS	1/0 AWG	2 AWG	PINK	42
15526SS	2/0 AWG	1 AWG (Gold)	BLACK	45
15530SS	3/0 AWG	1/0 AWG (Tan)	ORANGE	50
15511SS	4/0 AWG	2/0 AWG (Olive)	PURPLE	54
15510SS	250 Kcmil	—	YELLOW	62
15534SS	300 Kcmil	4/0 AWG	WHITE	66H
15514SS	350 Kcmil	250 Kcmil	RED	21
15506SS	500 Kcmil	350 Kcmil	BROWN	33
15515SS	750 Kcmil	650 Kcmil	BLACK	45

15G121R	EZGround [®] Dies	
15G86R		
15501A or HO		
15G126R		




ASSORTED DIE KITS — PRODUCT NO.: TBM45SKIT-N

Quantity	PRODUCT NO.	Cable size	Items	Weight / LB each
25	54130	#8	One hole lugs	20
	54105	#6		
	54106	#4		
	54107	#2 - #3		
	54108	#1		
	54143-TB	#2	2-way connectors	
	54136	#6		
	54804	#8		
	54805	#6		
	54806	#4		
1	54807	#2 - #3		
	54808	#1		
1	Tool TBM45S	—	—	



COMPRESSION GROUND ROD AND CABLE CONNECTORS


FIGURE 6

	Application		Manual hydraulic tool (TBM14M)	Hydraulic tools (13100A) *(TBM151)	Battery tool (TBM14CR-LI) *(TBM15CR-LI)	PRODUCT NO.
	Main	Tap				
	1/0 str. - 250 Kcmil to 1/2-5/8 in. rod	#4 sol. - #2 str.	Die #15G86A with (1) compression			
	1/0 str. - 2/0 str.	54860				
	3/0 str. - 250 Kcmil	54865CK				
#6 sol. - #2 str.	#6 sol. - #2 str.	Die #15501A with (1) compression				54875
250 Kcmil - 500 Kcmil to 5/8-3/4 in. rod	#4 sol. - #2 str.	Die #15G126R with (1) compression				54885
	1/0 str. - 2/0 str.					54890
	3/0 str. - 250 Kcmil					54895
	350 Kcmil - 500 Kcmil					Die #15G121R with (3) compressions

* Always use the Die adaptor # 15500-TB.



FIGURE 6 TO FIGURE 6

	Element A cable	Element B cable	**Element B ground rod (in.)	Element B rebar (in.)	Manual hydraulic tool : TBM14M , Hydraulic tools : 13100A , *TBM151 , Battery tool : TBM14CR-LI , *TBM15CR-LI		PRODUCT NO.		
					ELEMENT A	ELEMENT B			
	#6 sol. - #2 str.	#6 sol. - #2 str.	—	—	—	Die #15501A with (1) compression	Die #15501A with (1) compression	54855L	
#6 sol. - #2 str.	#1 str. - 250 Kcmil	1/2 - 5/8	#3 - #4 (3/8 in. - 1/2 in.)	Die #15G86R with (1) compression	Die #15G86R with (1) compression		54865L		
#2 str. - 250 Kcmil	#2 str. - 250 Kcmil				5/8 - 3/4	#5 - #6 (5/8 in. - 3/4 in.)	Die #15501A with (1) compression	Die #15G126R with (1) compression	54875L
#6 sol. - #2 str.	250 Kcmil - 500 Kcmil	Die #15G86R with (1) compression	Die #15G121R with (3) compressions	Die #15G121R with (3) compression					54885L
#2 str. - 250 Kcmil									54895L
250 Kcmil - 500 Kcmil									54900L


* Always use the Die adaptor # 15500-TB.

** Always knurl the ground rod using die 15508 with 14- and 15-Ton tools



COMPRESSION GROUND CONNECTORS

TYPE C


	Application		Manual hydraulic tool (TBM14M)	Hydraulic tools (13100A) *(TBM151)	Battery tool (TBM14CR-LI) *(TBM15CR-LI)	PRODUCT NO.
	Main	Tap				
	#6 sol. - #2 str.	#6 sol. - #2 str.	Die #HBKC with (1) compression			
#1 str. - 2/0 str.	#1 str. - 2/0 str.	Die #15501A with (1) compression				
3/0 str. - 250 Kcmil	#6 sol. - 2/0 AWG	Die #15G86R with (1) compression				CTP2020
	3/0 str. - 250 Kcmil					CTP25020
300 - 500 Kcmil	#6 sol. - 2/0 AWG	Die #15G121R with (2) compressions				CTP250250
	3/0 str. - 250 Kcmil					CTP50020
	300 - 500 Kcmil					Die #15G121R with (3) compressions
						CTP500500

* Always use the Die adaptor # 15500-TB.



COMPRESSION GROUND ROD TAP CONNECTORS

FIGURE 8

	**Ground rod (in.)	Cable range	Manual hydraulic tool (TBM14M)	Hydraulic tools (13100A) *(TBM15I)	Battery tool (TBM14CR-LI) *(TBM15CR-LI)	PRODUCT NO.
		1/2 (12.7)	2 AWG – 2/0 AWG	Die #15G121R with (2) compressions		
5/8 (16.0)		GR58-202				
3/4 (17.3)		GR34-202				
1 (25.4)		GR1-202				
1/2 (12.7)		3/0 AWG – 250 Kcmil	GR12-40250			
5/8 (16.0)			GR58-40250			
3/4 (17.3)			GR34-40250			
1 (25.4)			GR1-40250			
5/8 (16.0)		300–500 Kcmil	GR58-300500			
3/4 (17.3)			GR34-300500			
1 (25.4)			GR1-300500*			

* Always use the Die adaptor # 15500-TB.

** Always knurl the ground rod using die 15508 with 14- and 15-Ton tools.



COMPRESSION GROUND GRID CONNECTORS

FIGURE 6 TO FIGURE 8


	Element A **Ground rod (in.)	Element B Cable range	Manual hydraulic tool: TBM14M Hydraulic tools: 13100A, *TBM15I Battery tool: TBM14CR-LI, *TBM15CR-LI		PRODUCT NO.
			Element A	Element B	
			Die 15G121R with (2) compressions		
1/2 (12.7)		2 AWG–250 Kcmil	Die 15G86R with (1) compression	54855LR12	
		250 Kcmil–500 Kcmil	Die 15G126R with (1) compression	54885LR12	
5/8 (16.0)		2 AWG–250 Kcmil	Die 15G86R with (1) compression	54865LR58	
		250 Kcmil–500 Kcmil	Die 15G126R with (1) compression	54895LR58	
3/4 (17.3)		2 AWG–250 Kcmil	Die 15G86R with (1) compression	54875LR34	
		250 Kcmil–500 Kcmil	Die 15G126R with (1) compression	54900LR34	
1 (25.4)		2 AWG–250 Kcmil	Die 15G86R with (1) compression	54910LR100	
		250 Kcmil–500 Kcmil	Die 15G126R with (1) compression	54920LR100	

* Always use the Die adaptor # 15500-TB.

** Always knurl the ground rod using die 15508 with 14- and 15-Ton tools.



COPPER BONDED STEEL GROUND RODS

	PRODUCT NO.	Trade size		Rod size (Nominal diameter x length)	
		in.	ft.	mm	m
		5008	1/2	8	12.7
5010	10	3.0			
6256	5/8	6	15.8	1.8	
6258		8		2.4	
6260		10		3.0	
7508	3/4	8	17.3	2.4	
7510		10		3.0	
1010	1	10	25.4	3.0	

CSA certified only for lengths of 10ft. (3m).
Also available in SS.



SECTIONAL TYPE GROUND RODS

	PRODUCT NO.	Trade size		Rod size (Nominal diameter x length)	
		in.	ft.	mm	m
		5008LS	1/2	8	12.7
5010LS	10	3.0			
6258S	5/8	8	15.8	2.4	
6260S		10		3.0	
7508S	3/4	8	17.3	2.4	
7510S		10		3.0	
1010S	1	10	25.4	3.0	


CSA certified only for lengths of 10ft. (3m).
Also available in SS.




Knurl ground rods in order to increase the pullout value by as much as 20%

PRODUCT NO.	Description
15508SS	Knurling Die to use with 14- 15-Ton Tools, for 5/8 and 3/4 in. ground rods.
240-31565-94	Hand knurling tool for all ground rods.

STRUCTURAL GROUNDING STUDS

TYPE TBGS		
	Rod size (in.)	PRODUCT NO.
	0.25	TBGS-14
	0.38	TBGS-38
	0.63	TBGS-58
	0.75	TBGS-34


WATERPIPE GROUND CLAMPS

CLAMPS TYPE			
	Ground wire size	Water pipe size	PRODUCT NO.
	#4-4/0 AWG	1/2 in. - 1	3902
		1-1/4 in. - 2 in.	3903
		2-1/2 in. - 3-1/2 in.	3904
		4 in. - 5 in.	3905-TB
		6 in.	3906-TB
		8 in.	3907
		10 in.	3908
12 in.		3909-TB	

Material: bronze U-bolt and nut c/w bronzed aluminum cap and crossbar with a brite dip finish.




GROUND PLATES

	Description	Wire range	Std. Pkg.	PRODUCT NO.
	Galvanized grounding plate	8 sol. to 3/0 str.	1	1016TB
	Galvanized grounding plate complete with JAB34C connector			1016BTB
	Grounding plate not galvanized			1016TB-NG*
	Grounding plate not galvanized complete with JAB34C connector			1016BTB-NG*

* CSA not applicable.




U-BOLT CLAMPS

	TYPE GUV						PRODUCT NO.
	Conductor range (Cu)		Nominal rod size (in.)		IPS pipe size (in.)		
	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	
	2/0 AWG	250Kcmil	7/8	1	1/2	3/4	GUV7825
	4 AWG	2/0 AWG	1-3/8	1-1/2	—	1-1/4	GUV13821
	8 AWG	4 AWG					GUV1384
	2/0 AWG	250Kcmil	1-5/8	1-7/8		1-1/2	GUV15825
	2/0 AWG	250Kcmil	2	2-3/8		2	GUV2025
	4 AWG	2/0 AWG					GUV2021
	2/0 AWG	250Kcmil	3	3-1/2		3	GUV3025
	4 AWG	2/0 AWG			GUV3021		
	4 AWG	2/0 AWG	5/8	3/4	3/8	GUV5821	
	8 AWG	4 AWG				GUV584	




COPPER LAY-IN LUG CONNECTORS

	TYPE DB										PRODUCT NO.
	Dimensions						Stud size		Conductor range		
	H		W		L						
	in.	mm	in.	mm	in.	mm	in.	mm	AWG	mm ²	
0.78	19.81	0.38	9.65 9.65	1.07	27.18	0.22	5.59	4-14	16-1.5	CULL414	
										CULL414TP*	


* Tin plated connectors. 90°C rating.



TOWER GROUND CLAMPS

	TYPE GTC				Channel thickness (in.)	PRODUCT NO.		
	Conductor range							
	MIN.	MAX.	MIN. (mm ²)	MAX. (mm ²)				
	4 sol.	2/0 str.	21.1	67.4			1/4	GTC13
	2/0 str.	250 Kcmil	67.4	126.6				GTC14
	4 sol.	2/0 str.	21.1	126.6				GTC23
2/0 str.	250 Kcmil	GTC24						


WIDE RANGE TOWER GROUND CLAMP

	TYPE CTG			PRODUCT NO.
	Conductor range		Depth (in.)	
	MIN.	MAX.		
	2 sol.	250 Kcmil	1.13	CTG250

SERVICE POST CONNECTORS

Short and long stud service post connectors for one or two conductors


TYPE DS — SERVICE POST CONNECTORS, SHORT STUD



	Conductor range stranded (AWG / mm ²)		Conductor range solid (AWG / mm ²)		Maximum diameter range (in.)	Stud size (in.)	PRODUCT NO.		
	MIN.	MAX.	MIN.	MAX.			Single conductor	Double conductor	
	12 4 mm ²	8 6 mm ²	12 4 mm ²	8 6 mm ²	0.080–0.146	1/4–20 x 1/2	SP0SS	SP0DS	
	10 6 mm ²	7 10 mm ²	10 6 mm ²	6 10 mm ²	0.102–0.170		SP1SS	SP1DS	
		5 16 mm ²		4 16 mm ²	0.102–0.217	5/16–18 x 5/8	SP2SS	SP2DS	
		3 25 mm ²		2 35 mm ²			0.102–0.271	3/8–16 x 5/8	SP3SS
	8 6 mm ²	1 35 mm ²	8 10 mm ²		0.128–0.332	SP4SS			SP4DS
	2 35 mm ²	1/0 50 mm ²	—		0.259–0.385	1/2–13 x 3/4			SP5SS
		2/0 70 mm ²		—			—	0.258–0.443	5/8–11 x 1
	1 35 mm ²	4/0 95 mm ²	0.289–0.570		SP8SS	SP8DS			
	1/0 70 mm ²	350 150 mm ²	0.373–0.715		SP9SS	SP9DS			
	3/0 95 mm ²	500 240 mm ²	0.464–0.840	3/4–10 x 1-1/4	SP10SS	SP10DS			



TYPE SP — SERVICE POST CONNECTORS, LONG STUD



	Conductor Range Stranded (AWG / mm ²)		Conductor range solid (AWG / mm ²)		Maximum diameter range (in.)	Stud size (in.)	PRODUCT NO.			
	MIN.	MAX.	MIN.	MAX.			Single conductor	Double conductor		
	12 4 mm ²	8 6 mm ²	12 4 mm ²	8 6 mm ²	0.080–0.146	1/4–20 x 1	SP0SL	SP0DL		
	10 6 mm ²	7 10 mm ²	10 6 mm ²	6 10 mm ²	0.102–0.170	1/4–20 x 1	SP1SL	SP1DL		
		5 16 mm ²		4 16 mm ²	0.102–0.217	5/16–18 x 1	SP2SL	SP2DL		
		3 25 mm ²		2 35 mm ²			0.102–0.271	3/8–16 x 1-1/8	SP3SL	SP3DL
	8 6 mm ²	1 35 mm ²	8 10 mm ²		0.128–0.332	3/8–16 x 1-1/8			SP4SL	SP4DL
	2 35 mm ²	1/0 50 mm ²	—		0.259–0.385	1/2–13 x 1-1/4			SP5SL	SP5DL
		2/0 70 mm ²		—			—	0.258–0.443	1/2–13 x 1-1/4	SP6SL
	1 35 mm ²	4/0 95 mm ²	0.289–0.570		5/8–11 x 1-1/2	SP8SL				SP8DL
	1/0 70 mm ²	350 150 mm ²	0.373–0.715		5/8–11 x 1-1/2	SP9SL				SP9DL
	3/0 95 mm ²	500 240 mm ²	0.464–0.840	3/4–10 x 1-3/4	SP10SL	SP10DL				



Product no.	Page	Product no.	Page	Product no.	Page
1010.....	21	54204.....	6	54770.....	12
3902.....	22	54205.....	6	54775.....	12
3903.....	22	54206.....	6	54780.....	12
3904.....	22	54207.....	6	54785.....	12
3907.....	22	54209.....	6	54790.....	12
3908.....	22	54210.....	6	54804.....	8
5008.....	21	54211.....	6	54804.....	18
5010.....	21	54212.....	6	54805.....	8
6256.....	21	54213.....	6	54805.....	18
6258.....	21	54223.....	6	54806.....	8
6260.....	21	54255.....	6	54806.....	18
7508.....	21	54255.....	6	54807.....	8
7510.....	21	54260.....	6	54807.....	18
54104.....	6	54265.....	6	54808.....	8
54105.....	6	54270.....	6	54808.....	18
54105.....	18	54275.....	6	54809.....	8
54106.....	6	54280.....	6	54810.....	8
54106.....	18	54282.....	6	54811.....	8
54107.....	6	54286.....	6	54812.....	8
54107.....	18	54289.....	6	54813.....	8
54108.....	6	54504.....	8	54814.....	8
54108.....	18	54505.....	8	54815.....	8
54109.....	6	54506.....	8	54816.....	8
54110.....	6	54507.....	8	54818.....	8
54111.....	6	54508.....	8	54820.....	8
54112.....	6	54509.....	8	54855.....	20
54113.....	6	54510.....	8	54860.....	20
54114.....	6	54511.....	8	54875.....	20
54115.....	6	54512.....	8	54885.....	20
54116.....	6	54513.....	8	54890.....	20
54118.....	6	54514.....	8	54895.....	20
54120.....	6	54515.....	8	54900.....	20
54130.....	6	54516.....	8	60120.....	9
54130.....	18	54518.....	8	60124.....	9
54131.....	6	54520.....	8	60129.....	9
54132.....	6	54610.....	10	60130.....	9
54134.....	6	54615.....	10	60132.....	9
54135.....	6	54620.....	10	60136.....	9
54136.....	6	54630.....	10	60138.....	9
54136.....	18	54635.....	10	60142.....	9
54138.....	6	54640.....	10	60144.....	9
54139.....	6	54650.....	10	60148.....	9
54140.....	6	54705.....	12	60150.....	9
54147.....	6	54710.....	12	60154.....	9
54148.....	6	54715.....	12	60156.....	9
54150.....	6	54720.....	12	60160.....	9
54158.....	6	54725.....	12	60162.....	9
54160.....	6	54730.....	12	60165.....	9
54168.....	6	54735.....	12	60168.....	9
54170.....	6	54740.....	12	60171.....	9
54174.....	6	54745.....	12	60172.....	9
54181.....	6	54750.....	12	60174.....	9
54183.....	6	54755.....	12	60178.....	9
54185.....	6	54760.....	12	60230.....	9
54187.....	6	54765.....	12	60236.....	9

Product no.	Page	Product no.	Page	Product no.	Page
60238.....	9	15G86R.....	18	54223-1028.....	6
60242.....	9	1H.....	15	54280-1028.....	6
60244.....	9	1HPS.....	15	54282-1028.....	6
60248.....	9	20H.....	15	54283-0828.....	6
60250.....	9	20HPS.....	15	54283-1028.....	6
60254.....	9	240-31565-94.....	21	54286-1028.....	6
60256.....	9	256-30695-1049.....	6	54289-1028.....	6
60260.....	9	256-30695-1116.....	7	54522TB.....	8
60262.....	9	256-30695-1157.....	7	54625-TB.....	10
60265.....	9	256-30695-1158.....	7	54645-TB.....	10
60267.....	9	256-30695-1159.....	7	54810BE.....	7
60268.....	9	256-30695-1161.....	7	54811BE.....	7
60269.....	9	256-30695-1162.....	7	54812BE.....	7
60271.....	9	256-30695-1183.....	6	54816BE.....	7
60273.....	9	256-30695-1184.....	6	54818BE.....	7
60274.....	9	256-30695-1236.....	6	54851BE.....	7
60275.....	9	256-30695-1253.....	7	54852BE.....	7
60278.....	9	256-30695-251.....	6	54854BE.....	7
61935.....	11	256-30695-253.....	6	54855BE.....	7
61940.....	11	256-30695-255.....	6	54855L.....	20
61945.....	11	256-30695-257.....	6	54855LR12.....	21
61950.....	11	256-30695-264.....	6	54856BE.....	7
61955.....	11	256-30695-329.....	6	54857BE.....	7
61960.....	11	256-30695-422.....	6	54858BE.....	7
61963.....	11	256-30695-593.....	7	54860BE.....	7
61965.....	11	256-30695-733.....	7	54862BE.....	7
61970.....	11	256-30695-868.....	7	54864BE.....	7
61975.....	11	256-30695-886.....	6	54865CK.....	20
542040410.....	6	2H.....	15	54865L.....	20
1000HPS.....	15	2HPS.....	15	54865LR58.....	21
1000M.....	15	350HPS.....	15	54866BE.....	7
1010S.....	21	350M.....	15	54868BE.....	7
1016BTB.....	22	3905-TB.....	22	54870BE.....	7
1016BTB-NG.....	22	3906-TB.....	22	54872BE.....	7
1016TB.....	22	3909-TB.....	22	54874BE.....	7
1016TB-NG.....	22	3H.....	15	54875L.....	20
10H.....	15	40H.....	15	54875LR34.....	21
10HPS.....	15	40HPS.....	15	54876BE.....	7
13100A.....	18	4H.....	15	54878BE.....	7
15500-TB.....	16	4HPS.....	15	54879BE.....	7
15501A.....	18	5008LS.....	21	54880BE.....	7
15506SS.....	18	500HPS.....	15	54885L.....	20
15508SS.....	18	500M.....	15	54885LR12.....	21
15508SS.....	21	5010LS.....	21	54895L.....	20
15510SS.....	18	54122-TB.....	6	54895LR58.....	21
15511SS.....	18	54123TB.....	6	54900L.....	20
15513SS.....	18	54142TB.....	6	54900LR34.....	21
15514SS.....	18	54143-TB.....	18	54904BE.....	7
15515SS.....	18	54143TB.....	6	54905BE.....	7
15526SS.....	18	54145TB.....	6	54905BE05.....	7
15528SS.....	18	54152-TB.....	6	54905BE06.....	7
15530SS.....	18	54153TB.....	6	54906BE.....	7
15534SS.....	18	54155TB.....	6	54908BE.....	7
15G121R.....	18	54163-TB.....	6	54909BE.....	7
15G126R.....	18	54165TB.....	6	54910BE.....	7

Product no.	Page	Product no.	Page	Product no.	Page
54910BE.....	7	61955T	11	AMTS4146	14
54910BE04.....	7	61960T	11	AMTS50042	14
54910BE05.....	7	61963T	11	AMTS50043	14
54910LR100.....	21	61965T	11	AMTS50044	14
54913BE.....	7	61970T	11	AMTS50045	14
54914BE.....	7	61975T	11	AMTS50046	14
54915BE.....	7	6258S	21	AMTSR10.....	14
54915BE.....	7	6260S	21	AMTSR250.....	14
54916BE.....	7	6H	15	AMTSR350.....	14
54917BE.....	7	6HPS	15	AMTSR500.....	14
54918BE.....	7	7508S	21	AMTT10.....	14
54919BE.....	7	750HPS	15	AMTT20.....	14
54920BE.....	7	750M.....	15	AMTT250.....	14
54920LR100.....	21	7510S	21	AMTTC4.....	14
54921BE.....	7	8H	15	BTC0208	15
54922BE.....	7	8HPS	15	BTC0614	15
54923BE.....	7	9H	15	BTC1014	15
54929BE.....	7	9HPS	15	BTC1102	15
54930BE.....	7	ADR11	15	BTC3104	15
54930BE05.....	7	ADR11-21.....	15	BTC3511	15
54930BE06.....	7	ADR2.....	15	BTC4102	15
54947BE.....	7	ADR21	15	BTC5011	15
54947BE04.....	7	ADR21-21.....	15	BTC9960	15
54947BE06.....	7	ADR25.....	15	CTG250	22
54947BE08.....	7	ADR25-21.....	15	CTP202	20
54949BE.....	7	ADR30.....	15	CTP2020	20
54950BE.....	7	ADR35.....	15	CTP22	20
54951BE.....	7	ADR35-21.....	15	CTP25020	20
54965BE.....	7	ADR50.....	15	CTP250250	20
54965BE06.....	7	ADR6.....	15	CTP50020	20
54970BE06.....	7	ADR60.....	15	CTP500250	20
60102-TB.....	9	ADR60-21.....	15	CTP500500	20
60107-TB.....	9	ADR80.....	15	CULL414	22
60112-TB.....	9	ADR80-21.....	15	CULL414TP	22
60113-TB.....	9	ADR99.....	15	GR1-202.....	21
60114-TB.....	9	ADR99-21.....	15	GR1-300500.....	21
60116-TB.....	9	AMTS20142	14	GR1-40250	21
60117-TB.....	9	AMTS20143	14	GR12-202	21
60118-TB.....	9	AMTS20144	14	GR12-40250	21
61905A	11	AMTS20145	14	GR34-202.....	21
61905AT	11	AMTS20146	14	GR34-300500.....	21
61910A	11	AMTS25062	14	GR34-40250	21
61910AT	11	AMTS25063	14	GR58-202.....	21
61915A	11	AMTS25064	14	GR58-300500.....	21
61915AT	11	AMTS25065	14	GR58-40250	21
61920A	11	AMTS25066	14	GTC13	22
61920AT	11	AMTS35062	14	GTC14	22
61925A	11	AMTS35063	14	GTC23	22
61925AT	11	AMTS35064	14	GTC24	22
61930A	11	AMTS35065	14	GUV13821.....	22
61930AT	11	AMTS35066	14	GUV1384.....	22
61935T	11	AMTS4142	14	GUV15825.....	22
61940T	11	AMTS4143	14	GUV2021.....	22
61945T	11	AMTS4144	14	GUV2025.....	22
61950T	11	AMTS4145	14	GUV3021.....	22

Product no.	Page	Product no.	Page	Product no.	Page
GUV3025.....	22	MD2M-3.....	11	SP2DS.....	23
GUV5821.....	22	MD30F-3.....	11	SP2SL.....	23
GUV584.....	22	MD30M-3.....	11	SP2SS.....	23
GUV7825.....	22	MD350F-4.....	11	SP3DL.....	23
HS12-6.....	7	MD350M-4.....	11	SP3DS.....	23
HS12-6.....	8	MD40F-3.....	11	SP3SL.....	23
HS12-6L.....	7	MD40F-4.....	11	SP3SS.....	23
HS12-6L.....	8	MD40M-3.....	11	SP4DL.....	23
HS16-12.....	7	MD40M-4.....	11	SP4DS.....	23
HS16-12.....	8	MD4F-2.....	11	SP4SL.....	23
HS4-30-4.....	7	MD4M-2.....	11	SP4SS.....	23
HS4-30-4.....	8	MD500F-4.....	11	SP5DL.....	23
HS4-30L.....	7	MD500M-4.....	11	SP5DS.....	23
HS4-30L.....	8	MD6F-1.....	11	SP5SL.....	23
HS40-400-4.....	7	MD6F-2.....	11	SP5SS.....	23
HS40-400-4.....	8	MD6M-1.....	11	SP6DL.....	23
HS40-400L.....	7	MD6M-2.....	11	SP6DS.....	23
HS40-400L.....	8	MD8F-1.....	11	SP6SL.....	23
HS6-1.....	7	MD8F-2.....	11	SP6SS.....	23
HS6-1.....	8	MD8M-1.....	11	SP8DL.....	23
HS6-1-4.....	7	MD8M-2.....	11	SP8DS.....	23
HS6-1-4.....	8	MDBOOT-0.....	11	SP8SL.....	23
HS6-1L.....	7	MDBOOT-1.....	11	SP8SS.....	23
HS6-1L.....	8	MDBOOT-1.....	11	SP9DL.....	23
MD10F-3.....	11	MDBOOT-1.....	11	SP9DS.....	23
MD10M-3.....	11	MDBOOT-2.....	11	SP9SL.....	23
MD1210F-1.....	11	MDBOOT-2.....	11	SP9SS.....	23
MD1210F-2.....	11	MDBOOT-2.....	11	TBGS-14.....	22
MD1210M-1.....	11	MDBOOT-2.....	11	TBGS-34.....	22
MD1210M-2.....	11	MDBOOT-3.....	11	TBGS-38.....	22
MD1614F-0.....	11	MDBOOT-3.....	11	TBGS-58.....	22
MD1614F-1.....	11	MDBOOT-4.....	11	TBM12.....	18
MD1614M-0.....	11	SP0DL.....	23	TBM14CR-LI.....	16
MD1614M-1.....	11	SP0DS.....	23	TBM14M.....	17
MD1F-2.....	11	SP0SL.....	23	TBM15CR-LI.....	16
MD1F-3.....	11	SP0SS.....	23	TBM15I.....	18
MD1M-2.....	11	SP10DL.....	23	TBM45S.....	17
MD1M-3.....	11	SP10DS.....	23	TBM45S.....	18
MD20F-3.....	11	SP10SL.....	23	TBM58PCTS-LI.....	16
MD20M-3.....	11	SP10SS.....	23	TBM5S.....	17
MD250F-4.....	11	SP1DL.....	23	TBM62PCR-LI.....	16
MD250M-4.....	11	SP1DS.....	23	TBM6PCR-LI.....	16
MD2F-2.....	11	SP1SL.....	23	TBM840.....	17
MD2F-3.....	11	SP1SS.....	23	TBM8S.....	17
MD2M-2.....	11	SP2DL.....	23		

OUR BRANCHES

HEAD OFFICE: 4655, Highway 440 West, Laval (QC) H7P 5P9
Phone: 450 688-9249 / 1 800 599-9249 / Fax: 450 686-1444

QUEBEC

ALMA

485, rue Claire-Fontaine Ouest
G8B 6H1
Phone: **418 668-8336**
Toll free: 1 800 463-9633

AMOS

811, av. de l'Industrie
J9T 4L6
Phone: **819 732-6436**

ANJOU

9901, boul. Louis-H. Lafontaine
H1J 2Z5
Phone: **514 493-4127**
Toll free: 1 800 797-7487

BAIE-COMEAU

13, rue Babin
G4Z 3A5
Phone: **418 296-9320**
Toll free: 1 800 463-6339

CANDIAC

116, rue Paul-Gauguin
J5R 6X2
Phone: **450 632-1320**
Toll free: 1 855 632-1320

CHICOUTIMI

693, rue des Actionnaires
G7J 5B2
Phone: **418 693-1343**
Toll free: 1 800 363-3064

DRUMMONDVILLE

600, boul. Lemire
J2C 7W9
Phone: **819 477-5933**
Toll free: 1 877 474-1556

GATINEAU

250-B, rue Deveault
J8Z 1S6
Phone: **819 771-7411**
Toll free: 1 800 567-6803

GRANBY

425, rue Robinson Sud
J2G 7N2
Phone: **450 776-6333**
Toll free: 1 800 565-7766

JOLIETTE

40, boul. de l'Industrie
J6E 8T9
Phone: **450 759-8160**
Toll free: 1 800 363-8680

LACHENAIE

1117, rue de l'Express
J6W 0A2
Phone: **450 471-4561**
Toll free: 1 877 477-4561

LAVAL

2854, boul. Industriel
H7L 3S2
Phone: **450 629-4561**
Toll free: 1 877 609-4561

LAVAL

4950, rue Louis-B. Mayer
H7P 0H7
Phone: **450 688-9249**
Toll free: 1 800 599-9249

LÉVIS

880, rue Archimède
G6V 7M5
Phone: **418 833-1344**
Toll free: 1 866 343-6444

LONGUEUIL

630, rue Giffard
J4G 1T8
Phone: **450 679-3460**
Toll free: 1 800 361-0880

MONTREAL

4890, rue Jean-Talon Ouest
H4P 1W9
Phone: **514 341-7713**

POINTE-CLAIRE

117A, boul. Hymus
H9R 1E5
Phone: **514 426-9460**
Toll free: 1 800 463-0980

QUÉBEC

4715, av. des Replats
G2J 1B8
Phone: **418 627-5943**
Toll free: 1 800 463-4345

RIMOUSKI

501, rue de l'Expansion
G5M 1S9
Phone: **418 723-0969**
Toll free: 1 800 463-1067

RIVIÈRE-DU-LOUP

324-1 rue Témiscouata
G5R 2Y8
Phone: **418 867-8515**
Toll free: 1 800 667-8139

SAINT-EUSTACHE

120, rue Dubois
J7P 4W9
Phone: **450 472-6160**
Toll free: 1 888 472-6160

SAINT-GEORGES

875, 98^e rue
G5Y 8G2
Phone: **418 220-1344**
Toll free: 1 844 385-1344

SAINT-JEAN

910, boul. Industriel
J3B 8J4
Phone: **450 346-1320**
Toll free: 1 800 561-3585

SAINT-JÉRÔME

401, rue J-F Kennedy
J7Y 4B5
Phone: **450 436-3225**
Toll free: 1 800 363-3678

SAINTE-FOY

2565, av. Watt
G1P 3T2
Phone: **418 656-4247**
Toll free: 1 855 656-4247

SEPT-ÎLES

155, rue Napoléon
G4R 3M1
Phone: **418 962-7773**
Toll free: 1 800 463-1781

SHERBROOKE

4350, rue Ouimet
J1L 2A8
Phone: **819 566-0966**
Toll free: 1 800 567-2751

SOREL-TRACY

3200, boul. St-Louis
J3R 5P8
Phone: **450 742-3771**
Toll free: 1 800 717-0072

TROIS-RIVIÈRES

2465, boul. des Récollets
G8Z 4G1
Phone: **819 374-5013**
Toll free: 1 800 567-8535

VAL-D'OR

1225, rue des Foreurs
J9P 6X9
Phone: **819 825-6555**
Toll free: 1 800 567-6312

VAUDREUIL

3665, boul. Cité des Jeunes
J7V 8P2
Phone: **450 510-7487**
Toll free: 1 855 510-7487

VICTORIAVILLE

415, boul. Labbé Nord
G6P 9J4
Phone: **819 758-6205**
Toll free: 1 800 501-4823

ONTARIO

OTTAWA EAST

1000, Belfast Road
K1G 4A2
Phone: **613 789-7500**
Toll free: 1 855 589-7500

OTTAWA WEST

1050, Baxter Road, unit 2
K2C 3P1
Phone: **613 828-2930**
Toll free: 1 888 491-2930

ATLANTIC

DARTMOUTH

121, Ilsley Avenue, unit 119
B3B 1S4
Phone: **902 468-7996**
Toll free: 1 844 516-0158

MONCTON

1070, St-George Blvd., unit 1A
E1E 4K7
Phone: **506 382-1396**
Toll free: 1 844 311-1396