

**AVIBACTERIUM
PARAGALLINARUM
BACTERIN**

**AviPro™ 101
CORYZA GOLD**

For use in animals only

1000 doses - 500 mL

This product has been shown to be effective for the vaccination of healthy chickens 5 weeks of age or older against infectious coryza due to *Avibacterium paragallinarum*. Duration of immunity has not been established for this product. For more information regarding efficacy and safety data, see productdata.aphis.usda.gov.

Directions for use: Vaccine should be warmed to room temperature before use. Shake well before and during use. Inject subcutaneously. Vaccinate chickens between 5 and 9 weeks of age. Revaccinate at least 4 weeks after the initial vaccination, but no later than 4 weeks prior to onset of lay.

Dose: 1/2 mL (0.5 mL) per bird. Inject all birds in flock.

Storage temperature: Store at 2° to 8°C (35° to 46°F). Do not freeze.

Warnings: In case of human exposure, contact a physician. Do not vaccinate within 42 days before slaughter. Use entire contents when first opened. Do not mix with other products, except as specified on the labeling.

Manufactured in the USA by/
Fabricado en los EE.UU. por:
LOHMANN ANIMAL HEALTH INT.
Winslow, Maine 04901 USA
Phone 1-800-428-4441
VLN/PCN 196/2658.12

AviPro, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

**BACTERINA
AVIBACTERIUM
PARAGALLINARUM**

**AviPro™ 101
CORYZA GOLD**

Solo para uso en animales

1000 dosis - 500 mL

Este producto ha demostrado ser efectivo para la vacunación de pollos sanos de 5 semanas de edad o mayores contra la a coriza infecciosa causado por *Avibacterium paragallinarum*. La duración de la inmunidad para este producto no ha sido determinada. Para obtener más información sobre la eficacia y seguridad, diríjase a productdata.aphis.usda.gov.

Instrucciones de uso: La vacuna debe calentarse a temperatura ambiente antes de su uso. Agitar bien antes y durante el uso. Inyectar subcutáneamente. Vacunar pollas entre las 5 y 9 semanas de edad. Revacuna al menos 4 semanas después de la vacunación inicial, pero a más tardar 4 semanas antes del inicio de la puesta.

Dosis: 1/2 mL (0.5 mL) por ave. Inyectar todas las aves de la parvada.

Temperatura de almacenamiento: Almacenar entre 2° y 8°C (35° y 46°F). No congelar.

Advertencias: En caso de exposición a humanos, contacte a un médico. No vacune dentro de los 42 días previos al sacrificio. Utilizar todo los contenidos una vez abierto. No mezclar con otros productos a excepción que sea indicado en el rotulado del producto.

AviPro, Elanco y el logo de la barra diagonal son marcas de Elanco o sus afiliadas.

PRODUCT INFO

BLUE #:	102286A
Item Code:	YL102286X
Product Code:	AV5005
Previous Item Code:	YL101088X
Product Name:	AVIPRO 101 CORYZA GOLD

REVISION CHECK - QO / SO*

REVISION	<ul style="list-style-type: none">• TVT completed (if applicable)• PDF Compare completed (if applicable)• Proof # is updated and correct• File name is updated and correct		
	By/Date	SO	<input type="text" value="NA"/>
		QO	<input type="text" value="NA"/>

*The studio operator and/or quality operator will replicate any checks necessary from the Primary Check.

PRIMARY CHECK - QO / SO

LEGEND	<ul style="list-style-type: none">• BLUE #, Item Code, Previous Item Code, Product Code and Product Name match approved production component• Proof # is correct		
	<ul style="list-style-type: none">• Wiki checked for site and/or product specific information• Colour separations in Output Preview are correct		
TECHNICAL	<ul style="list-style-type: none">• TVT completed (if applicable)• PDF Compare completed (if applicable)• Item code present on artwork and matches Artwork Legend• Native file / PDF named correctly		
	By/Date	SO	<input type="text" value="EZ / 28-FEB-2020"/>
		QO	<input type="text" value="JW / 02-MAR-2020"/>