



## Seating Upholstery Alliance Program

Ultrafabrics Customer Service 877.309.6648 or [icustomerservice@ultrafabricsinc.com](mailto:icustomerservice@ultrafabricsinc.com)

Order memo samples through Ultrafabrics Customer Service, Alliance website page, or [www.ultrafabricsinc.com](http://www.ultrafabricsinc.com)

All patterns not listed must be ordered as COM

This document is considered the most up-to-date listing of Ultrafabrics graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Brisa®   Original	E	None	<b>01.21:</b> 3234, 8203, 9374 <b>01.20:</b> 9310, 3233	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Brisa®   Original Outdoor	K	None	<b>01.20:</b> 3160, 3823	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Brisa®   Distressed	F	None	<b>11.20:</b> 4512	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Brisa®   Distressed Outdoor	K	None	<b>01.20:</b> 3970 <b>05.19:</b> 3978	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Brisa®   Fresco	G	None	<b>12.20:</b> 1342, 2565, 2570, 8210, 9390 <b>01.20:</b> 1341, 4445, 5265, 6585, 7313, 8211	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Brisa®   Mokume	J	None		100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	TB133 Burn Test Required
Brisa®   Spectra	I	None	100% Polycarbonate Polyurethane Surface, 65% Polyester, 35% Rayon Backing	100% Polycarbonate Polyurethane Surface	65% Polyester, 35% Rayon Backing	None	No	TB133 Burn Test Required
Ultraleather®   Original	E	None	<b>01.21:</b> 7213, 9380 <b>03.18:</b> 3458, 3491, 4262, 5243, 8241	100% Polycarbonate Polyurethane	None	100% Reinforced Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Ultraleather®   Volar Bio	J	None		Proprietary Polycarbonate + Biobased Surface	None	65% Polyester / 35% Rayon	No	TB133 Burn Test Required
Ultraleather®   Cora Outdoor	K	None	<b>01.21:</b> 1332, 4390, 9315 <b>01.20:</b> 3250, 3506, 5220	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ultraleather®   Fusion	J	None	<b>01.20:</b> 3699 <b>05.19:</b> 2539, 3590, 8226 <b>02.19:</b> 1310, 3849, 3872, 4470	100% Polycarbonate Polyurethane	None	82% Rayon, 18% Polyester	No	TB133 Burn Test Required
Ultraleather®   Fusion Shimmer	J	None	<b>05.19:</b> 4480, 4483	100% Polycarbonate Polyurethane	None	82% Rayon, 18% Polyester	No	TB133 Burn Test Required
Ultraleather®   Pearlized (Essence)	E	None	<b>01.21:</b> 4498, 5979, 6541 <b>01.20:</b> 3173	100% Polycarbonate Polyurethane	None	100% Reinforced Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Ultraleather®   Pony	J	None		100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	TB133 Burn Test Required
Ultraleather®   Pro	F	None	<b>06.21:</b> 3353 <b>01.20:</b> 4453, 4478, 5216, 5241, 9395	100% Polycarbonate Polyurethane	None	100% Reinforced Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Ultraleather®   Promessa®	I	None	<b>06.21:</b> 3462 <b>01.20:</b> 1398, 3139, 3140, 3143, 3224, 4514, 4516, 5848	100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Ultraleather®   Promessa® Outdoor	J	None		100% Polycarbonate Polyurethane	None	65% Polyester, 35% Rayon	No	**Approved on many TB133 seating models; restricted on lounge models
Ultraleather®   Reef Pro	G	None		100% Polycarbonate Polyurethane	Ink Resist	Polyester 65%, Rayon 35% (Twill Weave)	No	TB133 Burn Test Required
Ultraleather®  Tottori	F	None		100% Polycarbonate Polyurethane	None	65% Polyester/35% Rayon	No	TB133 Burn Test Required
Ultratech™   Cove	G	None		100% Polycarbonate Polyurethane	65% Polyester, 35% Rayon	65% Polyester, 35% Rayon	No	TB133 Burn Test Required
Ultratech™   Dwell	F	None	<b>01.20:</b> 2524, 3217, 4430 <b>05.19:</b> 6586	100% Polycarbonate Polyurethane	None	100% Reinforced Rayon	No	TB133 Burn Test Required
Ultratech™   Eco Tech	F	None	<b>01.20:</b> 1369, 2519, 8202	100% Polycarbonate Polyurethane	None	82% Rayon, 18% Polyester Backing	No	TB133 Burn Test Required
Ultratech™   Helix	G	None	<b>01.21:</b> 4391, 9382	100% Polycarbonate Polyurethane	65% Polyester, 35% Rayon	65% Polyester, 35% Rayon	No	TB133 Burn Test Required
Ultratech™   Wired	G	None		100% Polycarbonate Polyurethane	65% Polyester, 35% Rayon	65% Polyester, 35% Rayon	No	TB133 Burn Test Required
UF2®   Strada	B	None	<b>01.20:</b> 13332, 33662, 34252 <b>03.18:</b> 43442, 36322, 50212, 33832, 93762, 73082	100% Polycarbonate Polyurethane	None	55% Viscose Rayon, 45% Polyester	No	TB133 Burn Test Required

\*\*Reference last page of this document for approved models

Patterns, pricing and availability are subject to change

## Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1-4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1. Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2. Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3. Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4. Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

## Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5. This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6. Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Acquaint	✓		✓	✓		✓
Admire	✓		✓	✓		
Araldo	✓	✓	✓	✓		✓
Arlington	✓		✓	✓		
Arlington Tufted	✓	✓	✓	✓		
Aurora Executive	✓	✓	✓	✓	✓	✓
Aurora guest	✓		✓	✓		✓
Cinch	✓		✓	✓	✓	
Collette	✓		✓	✓		✓
Confide Lounge	✓		✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓
Davari	✓		✓	✓		✓
Delgado	✓		✓	✓	✓	✓
Ditto	✓		✓	✓		
Eklund	✓	✓	✓	✓		✓
Eloquence Executive/Lounge	✓		✓	✓		✓
Eloquence guest/tandem/bariatric	✓		✓	✓		
Essay upholstered seat	✓		✓	✓	✓	
Farrah	✓		✓	✓		✓
Fringe	✓	✓	✓	✓		✓
Fuel plastic back	✓		✓	✓		
Fuel upholstered back	✓		✓	✓	✓	
Gotcha plastic back	✓		✓	✓		
Gotcha upholstered back	✓		✓	✓	✓	
Grin	✓		✓	✓	✓	✓
Hobsen	✓	✓	✓	✓		✓
Idara	✓	✓	✓	✓		✓
Jiminy	✓		✓	✓		✓
Kozmic	✓	✓	✓	✓		✓
Laudio	✓		✓	✓		✓
Lavoro mesh/plastic back	✓		✓	✓		✓
Lavoro upholstered back	✓		✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓
Mix-it upholstered back	✓		✓	✓	✓	✓
Monterrey	✓		✓	✓		✓
Pennant	✓		✓	✓		✓
Remedy	✓	✓	✓	✓		✓
Reno	✓		✓	✓		✓
Respect	✓	✓	✓	✓		✓
Rizora	✓		✓	✓		
Swift	✓		✓	✓		✓
Tag	✓		✓	✓		✓

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Tellaro	✓	✓	✓	✓		✓
Timberlane	✓		✓	✓		
Toss Accent Pillow, Bean Bags, Floor Cushions, Wedges & Cushions	✓		✓	✓		✓
Triumph Wood	✓	✓	✓	✓		✓
Vora	✓		✓	✓		✓
Wander	✓		✓	✓		✓
Weitz	✓		✓	✓		
Weli	✓	✓	✓	✓		✓
Whimsy	✓		✓	✓		✓
Whirl	✓		✓	✓		✓

Textile Application Guidelines						
Casegoods series	1	2	3	4	5	6
Alloy, Casbah, Clever, Epic, Renegade, Tessera, and WaveWorks; Mobile Pedestal Cushion Tops	✓		✓	✓		
Lochlyn	✓		✓	✓		✓
Marnia			✓	✓		✓
Tessera Benches	✓		✓	✓		✓
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓
Wixler	✓		✓	✓		

Look for the seating series below. If the desired fabric had a TB133 status of "Approved on many TB133 seating models. Restricted on Lounge", the matrix below advises if the fabric is available for TB133.

Series	TB133 Approved	TB133 fabric restrictions vary by model # within series	TB133 Not Approved
Acquaint	✓		
Admire	✓		
Arlington		*✓	
Aurora	✓		
Cinch	✓		
Collette			✓
Confide Lounge			✓
Confide Guest/Side		*✓	
Davari	✓		
Eloquence lounge			✓
Eloquence Guest/executive	✓		
Farrah			✓
Fringe			✓
Fuel	✓		
Grin			✓
Jiminy	✓		
Kozmic			✓
Lavoro (non-mesh)			✓
Mix-it	✓		
Monterrey			✓
Pennant			✓
Remedy	✓		
Reno			✓
Respect	✓		
Swift			✓
Tag	✓		
Tellaro			✓
Timberlane	✓		
Triumph		✓	
Whimsy	✓		

\*If fabric is noted "TB133 fabric restrictions vary by model # within series", these are the restricted models:

#### ARLINGTON

451F  
451TF  
452F  
452TF

#### CONFIDE GUEST/SIDE

N78PAUF

#### TRIUMPH

89X-EUEXCF  
89X-EUFXCF  
89X-MUEXCF  
89X-MUFXCF