



WL PLASTICS
An INEOS Business

WL105 Striped Pipe



Multi-application use

The ideal piping solution






WL105 Striped Pipe

Color stripes


Identify service, pressure class or DR

Permanent co-extruded color stripes in the pipe OD for instant visual identification of piping service, pressure class or DR

- Identify multiple services in the same trench
- Stripe 3/4 in to 54 in; any PC; any DR
- Combine with 4 in to 18-in Camcore™
- Combined with WL Plastics standard permanent heat-indented printlines
- Same PE compound as the pipe but different color – Stripes do not affect Pressure Class
- Six permanent same-color stripes extruded into the pipe outside surface
- Common color stripes per ASTM and APWA standards for piping service

	Yellow	Gas distribution/gathering
	Blue	Potable water
	Green	Sewer, force main
	Purple	Reclaimed, irrigation water
	Red	Firewater

- For mining, industrial and other applications, color stripes for PC, or DR identification; install pipe by color for the design pressure
- **PE4710** HDPE Material
- Available for all ASTM, AWWA, FM and API HDPE piping standards





WL PLASTICS

An INEOS Business



Manufacturing locations

- Bowie, TX
- Casper, WY
- Cedar City, UT
- Elizabethtown, KY
- Lubbock, TX (HDPE)
- Lubbock, TX (MDPE)
- Rapid City, SD
- Snyder, TX
- Statesboro, GA
- Titusville, PA (HDPE/MDPE)

Corporate office

3575 Lone Star Circle, Suite 300,
Fort Worth, TX, 76177

Contact

Contact WL Plastics for more information

SALES: wlsales@wlplastics.com

TECHNICAL: wltechnical@wlplastics.com

This publication is intended for use as a piping system guide. It should not be used in place of a professional engineer's judgment or advice and it is not intended as installation instructions. The information in this publication does not constitute a guarantee or warranty for piping installations and cannot be guaranteed because the conditions of use are beyond our control. The user of this information assumes all risk associated with its use. WL Plastics Corporation has made every reasonable effort to ensure accuracy, but the information in this publication may not be complete, especially for special or unusual applications. Changes to this publication may occur from time to time without notice. Contact WL Plastics Corporation to determine if you have the most current edition. Publication duplication permitted.

