



**WL PLASTICS**  
An INEOS Business

# Oil & Gas Gathering



Oil and Gas

The ideal piping solution

# Oil & Gas Gathering

## Product background

- Applications include:
  - Gas gathering
  - Crude transmission
  - Saltwater disposal
  - Slurry lines
- Flexibility and reliability make it the ideal piping solution for the energy business

## Product options

- 3/4" To 54" diameters
- IPS pressures up to 335 psi
- Available for significant hydrocarbon and H2S usage
- Stripes

## Product features


- Corrosion and chemically resistant resulting in no rust
- Smooth inner walls of the HDPE pipe provide low resistance to fluid flows
- Exceptional toughness ensures long-term service in demanding conditions
- Produced in accordance with the American Petroleum Institute (API) specification 15LE
- Manufacturing facilities are located nearby to guarantee on-time delivery to your location
- Approximately 1/3 cost of trucking fluids





# WL PLASTICS

An INEOS Business



## Manufacturing locations

- Bowie, TX
- Casper, WY
- Cedar City, UT
- Elizabethtown, KY
- Lubbock, TX (HDPE)
- Lubbock, TX (MDPE)
- Rapid City, SD
- Snyder, TX
- Statesboro, GA
- Titusville, PA (HDPE/MDPE)

## Corporate office

3575 Lone Star Circle, Suite 300,  
Fort Worth, TX, 76177

## Contact

Contact WL Plastics for more information

**SALES:** [wlsales@wlplastics.com](mailto:wlsales@wlplastics.com)

**TECHNICAL:** [wltechnical@wlplastics.com](mailto:wltechnical@wlplastics.com)

This publication is intended for use as a piping system guide. It should not be used in place of a professional engineer's judgment or advice and it is not intended as installation instructions. The information in this publication does not constitute a guarantee or warranty for piping installations and cannot be guaranteed because the conditions of use are beyond our control. The user of this information assumes all risk associated with its use. WL Plastics Corporation has made every reasonable effort to ensure accuracy, but the information in this publication may not be complete, especially for special or unusual applications. Changes to this publication may occur from time to time without notice. Contact WL Plastics Corporation to determine if you have the most current edition. Publication duplication permitted.

